INSTITUT ROYAL DES SCIENCES NATURELLES DE BELGIQUE

MÉMOIRES

DEUXIÈME SÉRIE, FASC. 85

KONINKLIJK BELGISCH INSTITUUT VOOR NATUURWETENSCHAPPEN

VERHANDELINGEN

TWEEDE REEKS, DEEL 85

A CATALOGUE OF LIVING AND FOSSIL COWRIES

TAXONOMY AND BIBLIOGRAPHY OF TRIVIACEA AND CYPRAEACEA

(GASTROPODA PROSOBRANCHIA)

BY

Maria SCHILDER
Dr. phil. nat.

and

Franz Alfred SCHILDER
Dr. phil., professor of Zoology

both
University of Halle, Germany
(retired).

BRUXELLES
INSTITUT ROYAL DES SCIENCES NATURELLES DE BELGIQUE
Rue Vautier 31

1971

Distribué le 31 juillet 1971.

BRUSSEL
KONINKLIJK BELGISCH INSTITUUT VOOR NATUURWETENSCHAPPEN
Vautierstraat 31

1971

Uitgedeeld de 31e juli 1971.

PRÉFACE

Je me sens très honoré d'être appelé à présenter au lecteur la dernière œuvre qui soit sortie de la plume du Prof[r] Franz Alfred SCHILDER. Je n'ignore pas combien il était désireux de la voir imprimée comme le couronnement de sa longue et fructueuse carrière. Mais la mort est venue le priver de cette joie et c'est au D[r] Maria SCHILDER, coauteur de ce magistral catalogue, qu'a été dévolu le fardeau de la correction des épreuves. Tâche ardue du fait de la nature même de cet ouvrage de référence et aussi à cause de la complexité de la disposition typographique. A ce propos il convient de rendre aussi hommage à la conscience professionnelle du personnel de la maison éditrice.

Avant de poursuivre, je tiens à exprimer à M[me] Maria SCHILDER toute ma respectueuse sympathie ainsi que ma gratitude pour la marque de confiance qu'elle me témoigne en me permettant de consacrer quelques lignes à l'amitié et à l'estime qui me liaient à son mari.

Ce catalogue restera comme un témoignage durable de la laborieuse ténacité de ses auteurs. C'est certainement la plus importante contribution qui ait jamais été apportée à la taxinomie, à l'évolution et à la distribution, tant géographique que stratigraphique, des *Cypraeacea* vivantes et fossiles, et c'est aussi la plus complète bibliographie consacrée au sujet. C'est d'ailleurs la somme des observations et des méditations de toute une vie presque entièrement vouée à l'étude approfondie d'un groupe relativement restreint d'organismes et je ne crains pas d'affirmer que, dans l'avenir, l'usage constant de ce livre, en tant que source précieuse et presque inépuisable de documentation, sera indispensable à quiconque voudra entreprendre des recherches sur le même groupe zoologique. C'est un grand privilège pour notre Institution que d'avoir été choisie pour assurer la diffusion d'une œuvre de cette valeur.

En vue d'esquisser les principales activités scientifiques du Prof[r] F. A. SCHILDER, je ne puis mieux faire que de transcrire ici l'essentiel de la notice biographique que le D[r] Maria SCHILDER a eu l'extrême obligeance de mettre à mon entière disposition.

« FRANZ ALFRED SCHILDER est né le 13 avril 1896 à Prague (alors dans l'Empire austro-hongrois). Il gagne Vienne en 1908 et y termine ses études à l'Université par l'obtention, en 1921, du grade de Docteur en Philosophie. En 1922 il émigra en Allemagne où il devint assistant au Musée entomologique de Berlin. Entre 1925 et 1947, F. A. SCHILDER fit partie du personnel scientifique du « Biologisch Reichanstalt » à Naumburg/Saale où il se consacra principalement à la lutte contre le pou de la vigne (*Phylloxera*). En 1945 il fut élevé au poste de professeur de zoologie à l'Université de Halle-sur-Saale et y enseigna surtout la zoogéographie et la statistique. Le Prof[r] F. A. SCHILDER prit sa retraite en 1962 mais, en dépit d'une santé précaire, il poursuivit ses travaux jusqu'à sa mort, survenue le 11 août 1970.

» Alors qu'il était étudiant, F. A. SCHILDER fut chargé de faire le compte-rendu d'un livre de O. SCHNEIDER intitulé « Muschelgeldstudien » et en vue de compléter son exposé il fit l'acquisition, dans un magasin de curiosités, de quelques coquilles de cyprées qui devinrent le noyau de sa célèbre collection et l'origine de l'intérêt très vif qu'il éprouva pendant toute sa vie pour ces mollusques. Toutes ses heures de loisir étaient consacrées à l'étude de l'évolution, de la taxinomie et de la distribution des *Cypraeacea* vivantes et fossiles, et toutes ses vacances

à parcourir l'Europe pour se documenter à la source, visitant ainsi quelque nonante-cinq collections, tant publiques que privées. Mis dans l'incapacité de poursuivre ses travaux habituels durant la seconde guerre mondiale, à cause de la précarité des communications et de la correspondance, F. A. SCHILDER reprit des études antérieures sur les variations de *Cepaea* (*Helicidae*) dont il récolta personnellement près de 1.500 populations.

» La collection SCHILDER comprend aujourd'hui près de 24.000 coquilles de *Cypraeacea* vivantes et fossiles, parmi lesquelles 518 sont des types décrits et figurés, et environ 6.000 radules préparées d'animaux de la même superfamille. Il s'y trouve également environ 150.000 coquilles de *Cepaea*. L'ensemble a été déposé et est actuellement conservé dans le Musée zoologique de la Humboldt-Universität, 104 Berlin, Invalidenstrasse 43. La salle réservée à cette collection renferme aussi tous ses fichiers et les registres où sont inscrites les mensurations et descriptions sommaires relatives aux quelque 170.000 coquilles de *Cypraeacea* qui passèrent entre les mains du Prof[r] SCHILDER au cours d'un demi-siècle de recherches. »

Près de trois cents des quatre cents publications rédigées par F. A. SCHILDER traitent des familles *Eratoidae* et *Cypraeidae* et l'on en trouvera la liste complète dans la bibliographie du présent mémoire. Parmi les collections étudiées par lui il convient d'accorder ici une mention spéciale à l'ancienne et célèbre collection malacologique de Philippe DAUTZENBERG qui est déposée actuellement à la Section des Invertébrés récents de l'Institut royal des Sciences naturelles, à Bruxelles.

Le genre *Schilderia* TOMLIN, 1930; l'espèce récente *Lyncina schilderorum* IREDALE, 1939; l'espèce fossile *Zoila schilderi* DEY, 1941 et enfin la rare *Cypraea tigris schilderiana* CATE, 1961 ont été nommées en hommage à F. A. SCHILDER et à sa compagne. En 1924 le D[r] F. A. SCHILDER avait épousé le D[r] Maria HERTRICH, chimiste, et celle-ci prit rapidement goût à l'étude passionnante des cyprées. Dès lors elle ne cessa jamais d'assister son mari dans ses études.

MAXIME GLIBERT.

Bruxelles, le 5 juillet 1971.

GENERAL REMARKS

The present paper has been compiled after fifty years' special research work in cowries, i.e. in the marine Gastropod families Triviidae (Eratoidae), Pediculariidae, Cypraeidae, and Ovulidae (Amphiperatidae). Our studies comprised both living and fossil taxa, and concerned chiefly the taxonomy of the shells (including variability and evolution), the anatomy of living species (especially the radula), and the distribution (zoogeography, stratigraphy).

The aim of this paper is to facilitate further research work in cowries by malacologists and paleontologists. It contains three lists :

1. a systematic list of all sufficiently characterized taxa of cowries arranged according to the writers' present views (3386 taxa);

2. an alphabetical list of all names proposed for cowries, with exact references (3720 taxa);

3. a bibliography of the books and papers concerning cowries (3650 titles).

Previous papers with a similar design have been published by us in long intervals :

1924 in Abhandl. Arch. Molluskenk. **1/2** : 1-192 (bibliography; alphabetical list of established taxa with their interpretation by later writers; the Eratoinae and Ovulidae are excluded);

1932 in Fossilium Catalogus **1/55** : 1-276 (bibliography; systematic list of living and fossil taxa with indication of distribution and synonymy. alphabetical index of names);

1941 in Arch. Molluskenk. **73** : 57-120 (systematic list with indication of mutual affinity of taxa and their distribution; most synonyms are omitted; no alphabetical index).

Since World War II the world wide interest of scientists and collectors in cowries has much increased and the number both of published papers and of established new taxa has been augmented in a surprising way. Therefore the publication of the present paper seems to be justified.

In our lists the following signs have been used generally :

(designates names not established in a valid way;
(...) designates invalid authors of subsequently valid names (in the systematic list only);
|| designates names preoccupied by primary homonyms;
[...] designates remarks added by the writers, but not contained in the original text.

Besides, the following principles have been adopted generally :

1. We considered only taxa which been established as new names by an author in a valid or invalid way, but we omitted all erroneous interpretations of these names by later writers, even if this misuse has been popularized by subsequent monographers.

Such erroneous interpretations have been designated by a cross (×) preceding the name in SCHILDER 1932Q, and by a / put between the name and the misinterpreting author in SCHILDER 1941V and in our later papers.

2. We considered only authors who really have published a new name in a valid or invalid way, but we omitted all authors said to have suggested first the name or mentioned it on labels, in letters, etc. as manuscript names prior to a printed publication by another author.

3. We enumerated a taxon twice, if has been published first in an invalid way, but later on adopted in a valid way; or if an author has established twice the same taxon as new in different papers.

4. We strictly adopted the original spelling of all names, excepted if the patronymic name of a taxon dedicated to a known scientist or collector did not agree with the usual spelling of the family name by himself; in such cases even diacritic signs have been reinstalled.

5. Misprints of names have been omitted generally, excepted if the repeated use of a misspelled name points to a lapsus mentis rather than to a lapsus calami of the writer.

6. In the alphabetical list of names and in the bibliography the alphabetical sequence has been strictly observed; therefore e.g. *caeca* and *coeca* will be found on the proper place among the *ca...* and *co...*, (though they are homonyms according to the rules) and MACGLLIVRAY and MCGILL are kept apart by many other names of authors. Modified vowels, as the German ä, ö, ü and the Danish Ø have been treated as ae, oe, and ue respectively (as e.g. O. BÖTTGER spelled his name BOETTGER in 1883M himself).

7. Generally we are strict followers of the International Rules of Zoological Nomenclature (1958), but we do not think it advisible to put a comma between the author and year of publication (art. 22), to suppress the diacritic signs in spite of the right of everbody to spell his name in his national way (art. 32 c i), and to put the author in parentheses if a name of the species level is placed into another genus (art. 51 d), which sign designates invalid authors in our paper.

8. Moreover, we have adopted from our previous papers two practical formal methods which are probably new to many readers, viz.

(a.) the addition of a distinctive capital to the year of every publication which remains constant whenever the paper will be quoted (see SCHILDER 1932Q : 4), and

(b.) the use of three-digit system of numbers to replace generic (subgeneric) names so that each taxon easily can be found in the systematic list without indication of a page (see SCHILDER 1968G : 264 and SCHILDER 1969Z : 367).

Maria SCHILDER has compiled the bibliography and checked the quotations in the alphabetical list, Franz Alfred SCHILDER is responsible for the classification and the arrangement of taxa in the systematic list.

The deadline generally is December 31, 1968. Some later papers have been added only if they are important for taxonomy, especially if they contain descriptions of new taxa published in the most important malacological periodicals and books, which became known to the writers till December, 1969.

A CATALOGUE
OF LIVING AND FOSSIL COWRIES

TAXONOMY AND BIBLIOGRAPHY OF TRIVIACEA AND CYPRAEACEA

(GASTROPODA PROSOBRANCHIA)

1. SYSTEMATIC LIST OF TAXA

The systematic list contains all validly or invalidly established taxa which belong to the superfamilies Triviacea and Cypraeacea, if they can be recognized by description, indication, or figure.

Therefore many nomina nuda and several species described in an insufficient way have been omitted, as all taxa formerly included into these superfamilies by some writers, but now thought to belong to other groups of mollusca.

We have distinguished the following ten degrees of taxa :

on the family level :	superfamily, family, subfamily, tribus;
on the genus level :	genus, subgenus, nameless group;
on the species level :	species, subspecies;
on all levels :	synonym.

These ten degrees in classification will not satisfy the evolutionist, as especially the terms subgenus and subspecies lump several separable steps in evolution, and the « synonyms » comprise the names of local, ecological, or individual variants as well as those of monstrosities, young stages, and true synonyms. For his studies the way introduced by SCHILDER 1941V : 59 seems to be more appropriate. In the present paper, however, we strictly followed the International Rules of Zoological Nomenclature (1958) with regard to classification, so that we restricted the taxon « subspecies » to evidently geographical or stratigraphical races, and lumped all minor steps in speciation as synonyms.

The names of family and genus level are preceded by their taxonomic rank.

The valid names of superfamilies, families, subfamilies, and tribes have been printed in CAPITALS of different size, but their synonyms have been added in ordinary letters.

The names of genera and subgenera have been treated as coordinate in printing, as the valid name of an indivisible genus has been printed in ***bold italics*** in the same way as the valid subgeneric name within a divisible genus; synonyms have been added in chronological order by *ordinary italics*.

The names of type species have been added in parentheses; they often are recorded among the synonyms and not as valid species.

Small exponents printed before a species name indicate the beginning of a natural group of allied species, which is treated as nameless in this paper.

The names of indivisible species have been printed on the left margin of the chief colum.

The names of subspecies and some few local mutants are preceded by mostly three letters indicating the beginning of the name of the species to which they belong as subordinates according to the rules of priority.

The names of synonyms have been indented; they are enumerated chronologically according to the first year of publication even as an invalid name.

Each name is followed by its author and the year of publication with the distinctive capital used in the bibliography. Authors put in parentheses have established the name in an invalid way only, e.g. before 1758, in a non-binary book, as mere synonym, or as nomen nudum. They are followed by the first valid author according to the International Rules of Zoological Nomenclature (1958). A hyphen (—) between the names of two authors replaces the sign &, the term BUCQUOY-etc. indicates the triumvirate BUCQUOY-DAUTZENBERG-FISCHER.

Names of synonyms in all taxonomic levels can be preceded by the following signs :

(the name never has been established in a valid way;
|| the name is preoccupied by a primary homonym;
ʔ the interpretation of the taxon is doubtful.

*
* *

On the left margin of each page there is a column containing two kinds of figures and letters :

1. **Bold** figures in the lines naming taxa from subfamilies to subgenera represent the three-digit system of designating these taxa; they have been adopted almost unchanged from SCHILDER 1968G : 264 and SCHILDER 1969Z : 367 :

the first digit indicates the subfamily,
the second digit indicates the tribus,
the third digit indicates the subgenus or indivisible genus.

The meaning of each figure be explained by the following list.

Triviacea
Triviidae
1 Eratoinae
11 Johnstrupiini
111 *Johnstrupia*
112 *Eratodium*
12 *Eratotriviini*
121 *Eratotrivia*
13 Eratoini
131 *Proterato Proterato*
132 *Proterato Sulcerato*
133 *Proterato Eratoena*
134 *Proterato Cypraeerato*
135 *Archierato*
136 *Erato Eratopsis*
137 *Erato Erato*
138 *Hespererato*
2 Triviinae
21 Triviellini
211 *Willungia*
212 *Semitrivia*
213 *Fossatrivia*
214 *Nototrivia*
215 *Triviella*

22 Triviini
221 *Prototrivia*
222 *Trivia Trivia*
223 *Trivia Sulcotrivia*

23 Pusulini
231 *Pseudotrivia*
232 *Niveria Ellatrivia*
233 *Niveria Cleotrivia*
234 *Niveria Niveria*
235 *Trivirostra*
236 *Pusula Dolichupis*
237 *Pusula Pusula*

3 Pediculariidae

31 Pediculariinae
311 *Semicypraea*
312 *Cypraeogemmula*
313 *Pedicularia*
314 *Pediculariella*

32 Cypraediinae
321 *Cypraedia Protocypraedia*
322 *Cypraedia Cypraedia*
323 *Eucypraedia*
324 *Eovolva*

Cypraeacea

Cypraeidae

4 Bernayinae

41 Archicypraeini
411 *Palaeocypraea Palaeocypraea*
412 *Palaeocypraea Pustulariopsis*
413 *Archicypraea*
414 *Mandolina*

42 Bernayini
421 *Bernaya Protocypraea*
422 *Bernaya Bernaya*
423 *Barycypraea*
424 *Afrocypraea*
425 *Zoila Zoila*
426 *Zoila Gigantocypraea*
427 *Cypraeorbis*
428 *Siphocypraea Muracypraea*
429 *Siphocypraea Siphocypraea*

43 *Gisortiini*
431 *Gisortia Pseudogisortia*
432 *Gisortia Megalocypraea*
433 *Gisortia Gisortia*
434 *Vicetia*

5 Cypraeinae

51 Cypraeini
511 *Miolyncina*
512 *Trona*
513 *Macrocypraea*
514 *Mauritia Leporicypraea*
515 *Mauritia Mauritia*
516 *Talparia*
517 *Cypraea*
518 *Lyncina*

52 Luriini
521 *Jousseaumea*
522 *Fossacypraea*
523 *Chelycypraea*
524 *Luria*
525 *Tessellata*

6 Erroneinae

61 Zonariini
611 *Zonarina Prozonarina*
612 *Zonarina Zonarina*
613 *Schilderia*
614 *Nesocypraea*
615 *Zonaria Zonaria*
616 *Zonaria Pseudozonaria*
617 *Zonaria Neobernaya*

62 Cypraeovulini
621 *Notoluponia*
622 *Cypraeovula Luponia*
623 *Cypraeovula Cypraeovula*
624 *Notocypraea Guttacypraea*
625 *Notocypraea Notocypraea*
626 *Umbilia Rhynchocypraea*
627 *Umbilia Umbilia*
628 *Umbilia Palliocypraea*

63 Erroneini
631 *Erronea Adusta*
632 *Erronea Erronea*
633 *Notadusta*
634 *Palmadusta Palmadusta*
635 *Palmadusta Purpuradusta*
636 *Blasicrura*
637 *Bistolida*
638 *Ovatipsa*
639 *Cribrarula*

7 Erosariinae

71 Pustulariini
711 *Pustularia Annepona*
712 *Pustularia Pustularia*
713 *Pustularia Ipsa*
714 *Austrocypraea*
715 *Proadusta*
716 *Propustularia*

72 Erosariini
721 *Monetaria Monetaria*
722 *Monetaria Ornamentaria*
723 *Naria*
724 *Erosaria Paulonaria*
725 *Erosaria Erosaria*
726 *Erosaria Ravitrona*
727 *Staphylaea*
728 *Nucleolaria*

Ovulidae

8 Eocypraeinae

81 Eocypraeini
811 *Eocypraea Eocypraea*
812 *Eocypraea Oxycypraea*
813 *Apiocypraea Apiocypraea*
814 *Apicypraea Eschatocypraea*
815 *Pseudocypraea*
816 *Sulcocypraea*
817 *Sphaerocypraea*

82 Cyproglobinini
821 *Cyproglobina Cyproglobina*
822 *Cyproglobina Luponovula*
823 *Cypraeopsis*
824 *Eotrivia*
825 *Cypropterina Cypropterina*
826 *Cypropterina Cypraeotrivia*
827 *Cypropterina Jenneria*
828 *Transovula*

9 Ovulinae

91 Ovulini
911 *Prionovolva*
912 *Pseudosimnia Diminovula*
913 *Pseudosimnia Pseudosimnia*
914 *Primovula Primovula*
915 *Primovula Prosimnia*
916 *Calpurnus Procalpurnus*
917 *Calpurnus Calpurnus*
918 *Ovula*

92 Simniini
921 *Simnia*
922 *Cyphoma*
923 *Phenacovolva Pellasimnia*
924 *Phenacovolva Phenacovolva*
925 *Volva*

2. Ordinary figures and letters indicate the habitat of the type specimen of each taxon of the species level.

The limits of distribution of the taxa both stratigraphically and geographically have not been indicated in this paper, contrary to our former catalogue SCHILDER 1941V : 68-110. But if the original indication of habitat has been proved to be false, it has been replaced by a more probable later indication (see SCHILDER 1966T : 195).

Figures indicate the geological age :

the first digit indicates the geological formation,
the second digit restricts the locality to a special stage.

The following arrangement has been adopted from SCHILDER 1941V : 61 without any alteration; the sign ● indicates living taxa.

The first digit from 1 to 9 indicates formations from Upper Jurassic to Pliocene; the second digit points to the named exact stage, if it is an even number (2, 4, 6, or 8) or it designates strata credited to belong to the lower, middle, or upper part of the formation, if it is the odd number 3, 5, or 7; the odd numbers 1 and 9 point to the possible belonging to the adjacent lower or higher formation.

Formation	Lower stage	Middle stage	Upper stage	Uppermost stage
● Holocene		Living		
9 Pliocene	92. Pontian	94. Piacentian	96. Astian	98. Pleistocene
8 Miocene	82. Burdigalian	84. Helvetian	86. Tortonian	88. Sarmatian
7 Oligocene	72. Lattorfian	74. Rupelian	76. Kattian	78. Aquitanian
6 Eocene	62. Ypresian	64. Lutetian	66. Auversian	68. Priabonian
5 Paleocene	52. Danian	54. Montian	56. Thanetian	58. Sparnacian
4 Upper Cretaceous	42. Coniacian	44. Santonian	46. Campanian	48. Maestrichtian
3 Middle Cretaceous	32. Aptian	34. Albian	36. Cenomanian	38. Turonian
2 Lower Cretaceous	22. Tithonian	24. Valanginian	26. Hauterivian	28. Barremian
1 Upper Jurassic	12. Oxfordian	14. Sequanian	16. Kimmeridgian	18. Portlandian

No Triviacea nor Cypraeacea have been discovered in strata elder than 22. Tithonian (SCHILDER 1936A : 87), but their common ancestor family Zitteliidae occurs in 16. Kimmeridgian to 22. Tithonian beds (SCHILDER 1936A : 86).

Letters indicate the zoogeographical regions to which the type locality of each taxon of the species level belongs.

The arrangement of regions has been adopted from the map published by SCHILDER 1969Z : 373, but the capitals in italics designating regions of the Western Hemisphere have been replaced by small letters. We have added some few regions in which only fossil cowries occur; they are marked by a cross (+).

The following table shows meaning of the letters, and the map shows the approximate boundaries of the regions :

Small letters = Western Hemisphere.

Letter	Region	Range
a	Antillean	Antilles, Yucatan to Guiana
b	Brasilian	Amazonas River to Santa Catharina
c	Californian	San Francisco to Mazatlan
e	Ecuadorian	Ecuador, North Peru, Galapagos Is.
f	Floridan	Veracruz to Carolina, Bermuda Is.
g	Guinean	Liberia to Angola to Lake Chad
h	South Atlantic	St. Helena, Ascension
l	Lusitanian	Portugal to Rio de Oro to Azores Is.
m	Mediterranean	Gibraltar to Istanbul to Port Said
n	North Sea	Biscay to Norway to northern Alps
p	Panamic	Acapulco to Colombia, Clipperton Is.
r	+Russian	Vienna Basin to Black Sea to Lake Balkhash
s	Senegal	Dakar to Konakri, Cape Verde Is.
u	+North East American	Eastern U. S. north of Cape Hatteras
v	+Chilean	South Peru to Valdivia
w	+North West American	Vancouver to Oregon to Montana

Capital letters = Eastern Hemisphere.

Letter	Region	Range
A	East African	Delagoa Bay to Somaliland
B	+Baikalian	Tibet to Lake Baikal to Sakhalin
C	Cape	Walvis Bay to Zululand
D	Dampierian	Gulf of Carpentaria to Geraldton
E	Erythraean	Suez to Makalla and Socotra Is.
F	Fijian	New Caledonia to Samoa, New Hebrides to Tonga
G	Micronesian	Guam, Bonin Is. to Palau to Ellice Is.
H	Hawaiian	Hawaii Is. to Midway Is., Johnston Is.
I	Indian	Bombay to Arakan, Ceylon
J	Japanese	Hong Kong to Japan
L	Lemurian	Madagascar to Laccadive Is.
M	Malayan	Timor to Luzon, Bangkok to Merauke
N	New Guinean	Solomon Is. to Mapia Is.
P	Persian	Kuwait to Oman and Karachi
Q	Queensland	Ulladulla to Torres Straits, Lord Howe Is.
R	Rapanuian	Easter Island (Rapanui)
S	Sumatran	Mergui to South Java, Andaman Is., Keeling Is.
T	Tahitian	Howland Is. to Henderson Is. to Palmvra Is.
V	Victorian	Fremantle to Montague Is., Tasmania
Z	Neozelanic	New Zealand, Norfolk Is., Kermadec Is., Chatham Is.

Superfamilia TRIVIACEA Troschel 1863G

Familia TRIVIIDAE Troschel 1863G

Eratoidae Schilder 1927R

1 Subfamilia ERATOINAE Schilder 1927R

11 Tribus JOHNSTRUPIINI Schilder 1939G

111 Genus ***Johnstrupia*** Ravn 1933D (*faxensis*)

52 n *faxensis* Ravn 1933D

112 Genus ***Eratodium*** Korobkov 1955H (*medium*)
[possibly belonging to Marginellidae]

6 r *medium* Isaeva 1933A

12 Tribus ERATOTRIVIINI Schilder 1936A

121 Genus ***Eratotrivia*** Sacco 1894 (*crenata*)

73 w [1] *mackini* Durham 1944W
64 m [2] *ritae* Vinassa 1896V
68 n *degrangei* Oppenheim 1906B
62 n [3] *prestwichii* Edwards 1854E
62 n *wateleti* Deshayes 1865P
64 n *ber. bruxellensis* Schilder 1933B
64 n *parisiensis* Schilder 1933E
66 n *ber. bernayi* Cossmann 1886P
68 n *pla. platystoma* Edwards 1854E
68 m *pla. rediviva* Oppenheim 1901P
64 n [4] *cre. belgica* Schilder 1931B


T
H
F
Z
N
G
Q
J
D
V
M
B
S
I
L
P
r
A
E
C
m
n
g
l
h
s
b
a
u
f
v
p
e
c
W
R

64 n *cre. crenularis* (Oppenheim 1904P) Schilder 1927R
64 n || *crenata* Deshayes 1835P
72 m *oligocaena* Oppenheim 1900M
72 n *costulata* Giebel 1861L
72 n || *sulcata* Koch 1862N
78 w [5] *crescentensis* Weaver-Winkle 1922W

13 Tribus ERATOINI Schilder 1927R

131 Genus *Proterato* subgenus ***Proterato*** Schilder 1927R (*neozelanica*)

67 Z [1] *antiqua* Marshall 1919H
75 Z *vulcania* Marwick 1926W
83 Z *ten. tenuilabrum* Laws 1935E
87 Z *ten. pukeuriensis* Laws 1935E
87 Z *awa. awamoana* Schilder 1933E
9 Z *awa. pliocenica* Fleming 1943D
67 Z [2] *seposita* Laws 1935E
71 V *aus. australis* Tate 1878A
81 V *aus. tatei* Schilder 1933E
83 Z *neo. waiauensis* Laws 1935E
87 Z *neo. neozelanica* Suter 1917Z
(*striata* Marshall 1915 O

132 Genus *Proterato* subgenus ***Sulcerato*** Finlay 1930N (*illota*)
Lachryma (Sowerby 1837C) Cotton-Godfrey 1932S (*lachryma*)

93 V [1] *illota* Tate 1890A
95 V *lach. subaustralis* Ludbrook 1958A
● V *lach. denticulata* Pritchard-Gatliff 1901M
● Q *lach. lachryma* Sowerby 18321
● Q *trifasciata* (Sowerby 1837C) Cotton-Godfrey 1932S
● Q (*angiostoma* Angas 1877J
● Q (*lacrima* Dunker 1882J
● N *ang. schneideri* Schilder 1933T
● I *ang. angistoma* Sowerby 18321
● I *pellucida* Reeve 1865E
● P *olivaria* Melvill 1899A
8 S [2] *indica* Martix 1879J
● J *tomlini* Schilder 1933E
● J ? *lepida* Gould 1861P
● H [3] *sandwichensis* Sowerby 1859T
● H (*sandwicensis* Pease 1860S
87 J *cal. nomurai* Hatai-Nisiyama 1948C
89 J *cal. uedai* Hatai-Nisiyama 1948C
● J *cal. callosa* Adams-Reeve 1850S
● P *recondita* Melvill-Standen 1903P
● P *haplochila* Melvill-Standen 1903P

133 Genus *Proterato* subgenus ***Eratoena*** Iredale 1935A (*corrugata*)

81 Z [1] *waitakiensis* Laws 1935E
83 Z *clifdenensis* Laws 1835E
87 Z *simulacrum* Laws 1939K
87 Z *erro* Laws 1941P
87 Z [2] *submorosa* Laws 1935E

86 V *sen. harrisi* SCHILDER 1941V
87 Z *sen. senectus* MURDOCH 1924T
8 S [3] *martini* SCHILDER 1932F
● M *corrugata* HINDS 1844S
● L *sulcifera* SOWERBY 1832I
● M *nana* SOWERBY 1859T
● F *schmeltziana* CROSSE 1867S
● C *capensis* SCHILDER 1933E
● L *smithi* SCHILDER 1933E

134 Genus *Proterato* subgenus ***Cypraeerato*** SCHILDER 1932Q (*bimaculata*)
(*Lachryma* IREDALE 1931A (*bisinventa*)

78 Z [1] *min. marshalli* MARWICK 1929Z
86 V *min. minor* TATE 1878A
● Q *bisinventa* IREDALE 1931A
● V *bimaculata* TATE 1878M
● J [2] *gem. pygmaea* SCHILDER 1933E
● F *gem. gemma* BAVAY 1917S
● M *angulifera* SOWERBY 1859T
● M *gallinacea* HINDS 1844S

135 Genus ***Archierato*** SCHILDER 1932Q (*pyrulata*)

67 Z [1] *accola* LAWS 1935E
71 V *pyr. pyrulata* TATE 1890A
86 V *pyr. morningtonensis* TATE 1890A
86 V *obesula* CHAPMAN 1922F
87 Z [2] *zepyrulata* LAWS 1939K
87 Z *zevitellina* LAWS 1941P
7 V [3] *duplicata* JOHNSTON 1888T

136 Genus *Erato* subgenus ***Eratopsis*** HOERNES-AUINGER 1880M (*barrandei*)

66 n [1] *pro. praecursor* COSSMANN-PISSARRO 1905C
76 n *pro. prolaevis* SACCO 1894P
78 *n* *aquitanica* SCHILDER 1932Q
84 m [2] *intusplicata* SCHILDER 1933B
84 r [3] *asu. asulcata* SACCO 1894P
84 r *laevilabiata* SACCO 1894P
86 r *asu. hoernesi* BÖTTGER 1901K
84 r *barrandei* HOERNES-AUINGER 1880M
84 a [4] *domingensis* MAURY 1917D
84 n *exm. hemmoorensis* SCHILDER 1929D
96 n *exm. exmaugeriae* SACCO 1894P
86 m *per. praecedens* SCHILDER 1933E
96 m *per. pernana* SACCO 1894P
96 m ? *brevispira* SEGUENZA 1880R
96 n *per. scaldisia* SCHILDER 1933B
96 m [5] *uniplicata* DÉPONTAILLER 1881A
● s *prayensis* ROCHEBRUNE 1881D

137 Genus *Erato* subgenus ***Erato*** RISSO 1826E (*cypraeola*)

82 n [1] *sub. subcypraeola* ORBIGNY 1852P
82 n (*inflata* BASTEROT 1825F

84 m *sub. planulosa* Sacco 1894P
84 m *subagranulosa* Sacco 1894P
86 r *sub. kimakowiczi* Böttger 1884E
86 r *punctata* Csepreghyné 1956S
84 m [2] *tra. subasulcata* Sacco 1894P
84 m *tauroasulcata* Sacco 1894P
86 r *tra. transiens* Böttger 1884E
84 n [3] *inc. turonica* Schilder 1933E
86 m *inc. incrassata* (Doderlein 1862I) Coppi 1876M
86 m ? (‖ *ventricosa* Locard 1878L
86 m ? (*rugata* Cossmann 1903E
86 m *dertincrassata* Sacco 1894P
94 m *pie. subalata* Sacco 1894P
94 m *spiraretusa* (Cocconi 1873P) Sacco 1894P
96 m *pie. pieris* Stefani-Pantenelli 1878S
84 n [4] *gal. gallica* Schilder 1932F
84 n (*marginella* Cossmann-Peyrot 1924A
86 n *gal. andecavica* Schilder 1933E
86 n ? *ovuliformis* Lamarck 1822A
94 m *cyp. cypraeola* Brocchi 1814S
96 m *cyp. labiangulata* Sacco 1894P
94 m *gigantula* Fischer 1877D
84 m [5] *ger. italica* Schilder 1932P
84 n *ger. germanica* Schilder 1929D
84 n *intermedia* Schilder 1929D
84 n *paucidentata* Schilder 1929D
84 m *spi. taurofusata* Sacco 1894P
86 m *spi. spiralis* (Doderlein 1862I) Sacco 1894P
94 m *spi. cerullii* Schilder 1933E
96 m *elo. elongata* Seguenza 1880R
96 m *elo. etrusca* Schilder 1933E
98 m *vol. panormitana* Schilder 1933E
● m *vol. donovani* Payraudeau 1826C
● ? ? *cypraeoides* Anton 1839V
● m *hematita* Kiener 1834M
● m ‖ *minor* Pallary 1900 O
94 n *vol. britannica* Schilder 1933B
● n *vol. voluta* Montagu 1803B
● n *diaphana* Montagu 1803B
● n *laevis* Donovan 1804B
● n (*edentula* Donovan 1804B
● n *fusiformis* Turton 1819B
● n (*rotula* Defrance 1826D
● n *anglica* Leach 1847B
● n *oblonga* Tryon 1883M

138 Genus ***Hespererato*** Schilder 1932Q (*vitellina*)

66 n [1] *ampulla* Deshayes 1835P
76 n [2] *rhenana* Schilder 1933E
82 u *emmonsi* Whitfield 1894J
8 u ? *perexigua* Conrad 1841T
94 m *cocconii* Schilder 1933E
94 m ? (*ventricosa* (Gray 1832D) Redfield 1870M
● a *maugeriae* Sowerby 1832I
● a *martinicensis* Schilder 1933E

82 f [3] *chi. chipolana* MAURY 1910F
86 a *chi. trochala* WOODRING 1928B
91 a *chi. venezuelana* WEISBORD 1962V
● p *mar. marginata* MÖRCH 1860A
● p *oligostata* DALL 1902P
● p (*oligocostata* KOBELT 1909M
● e *mar. galapagensis* SCHILDER 1933E
● c *columbella* MENKE 1847M
● c *leucophaea* GOULD 1852C
● p ? *panamensis* CARPENTER 1856P
● c [4] *vit. vitellina* HINDS 1844
● c *vit. albescens* DALL 1905C
● p [5] *scabriuscula* SOWERBY 1832I
● p *cypraeola* SOWERBY 1832E
● p *granum* KIENER 1834M

2 Subfamilia TRIVIINAE TROSCHEL 1863G

21 Tribus TRIVIELLINI SCHILDER 1939G

211 Genus ***Willungia*** POWELL 1938W (*tasmanica*)

83 Z *maoria* POWELL 1938W
83 Z *fracta* TOMLIN 1916M
83 Z || *ventricosa* HUTTON 1873T
8 V *tasmanica* POWELL 1938W

212 Genus ***Semitrivia*** COSSMANN 1903E (*erugata*)

86 V *erugata* TATE 1890A

213 Genus ***Fossatrivia*** IREDALE 1931A (*caelatura*)

71 V [1] *pompholugota* TATE 1890A
75 Z *pinguior* MARWICK 1926W
● V *caelatura* HEDLEY 1918W
● M [2] *paucicostata* SCHEPMAN 1909S

214 Genus ***Nototrivia*** SCHILDER 1932F, 1932Q (*avellanoides*)

86 V [1] *transiens* SCHILDER 1935A
86 V [2] *subtilis* SCHILDER 1935A
86 V *tatei* SCHILDER 1935A
86 V *ave. avellanoides* McCOY 1867M
86 V *ave. daphnes* SCHILDER 1966Nf

215 Genus ***Triviella*** JOUSSEAUME 1884D, 1884C (*oniscus*)

● C [1] *ovulata* LAMARCK 1810P
● C *ovula* LAMARCK 1822A
● ? (*alba* MÖRCH 1852Y
● C (*ovularia* PAETEL 1873C
● C ? (*ovulum* SCHMELTZ 1879G
● ? *amaryllis* SCHILDER 1927R
● C *rubra* SHAW 1909C
● C [2] *ape. aperta* SWAINSON 1822B
● C || *oniscus* LAMARCK 1810P

● C ? || *rosea* Wood 1828I
● C *ape. neglecta* Schilder 1930Z
● C [3] *pseudovulata* Schilder-Schilder 1929A
● C *ves. phalacra* Schilder 1930Z
● C *ves. vesicularis* Gaskoin 1836C
● C *splendidissima* Tomlin-Schilder 1934S
● C [4] *costata* Gmelin 1791S
● C *carnea* Gray 1828M
● C || *oblonga* Gray 1828M

22 Tribus TRIVIINI Troschel 1863G

221 Genus ***Prototrivia*** Schilder 1941V (*wetherellii*)

62 n *wetherellii* Edwards 1854E

222 Genus *Trivia* subgenus ***Trivia*** (Gray 1832D) Broderip 1837P (*europaea*)
Trivea Swainson 1840T (*coccinella*)
|| *Coccinella* Herrmannsen 1846I (*arctica*)

66 n [1] *intuscrenata* Cossmann-Pissarro 1905C
72 m *michelottii* Dollfus-Dautzenberg 1886T
72 m || *grayi* Michelotti 1841I
72 m *saccoi* Schilder 1927R
82 n *bur. burdigalensis* Orbigny 1852P
82 n || *minor* Grateloup 1845A
84 n *bur. dujardini* Schilder 1941V
78 n [2] *pis. calva* Schilder 1928W
82 n *pis. francisca* Schilder 1927R
86 n *pis. pisolina* Lamarck 1810P
● m [3] *mon. tripunctata* (Requien 1848C) Bucquoy-etc. 1883R
● m (*maculata* Monterosato 1872M
● m (*trimaculata* Monterosato 1878M
● m *major* Bucquoy-etc. 1883R
● n *mon. monacha* Costa 1778B
● n (*europaea* Linnaeus 1767S
● n *europaea* Montagu 1808B
● n *coccinella* Lamarck 1810P
● n (*vulgaris* Chenu 1845D
● n (*uropaea* MacGillivray 1845B
● n *jousseaumei* Locard 1886F
● s *dakarensis* Schilder 1967Wa
● s *napolina* Kiener 1843C
84 n [4] *grateloupi* Schilder 1941V
94 n *coc. parvula* Schilder 1933B
96 n *coc. coccinelloides* Sowerby 1823M
● n *arctica* Pulteney 1799D, Montagu 1803B
● n (*anglica* Linnaeus 1767S
● n (*arctica* Humphrey 1797C
● n || *bullata* Montagu 1803B
● n *immaculata* Gray 1827M
● n *norvegica* Sars 1835B
● n (*pullus* Weinkauff 1881S
● n || *minor* Marshall 1893B
● n *minuta* Schilder 1933B

96 n *retusa* Sowerby 1823M
96 n (*obtusa* Mayer 1864M
84 a [5] *isl. islahispaniolae* Maury 1917D
96 f *isl. petrela* Olsson-Harbison 1953F
84 m *ant. antiquosphaera* Sacco 1894P
84 n *ant. densecostata* Schilder 1929D
86 m *sph. crassa* Cocconi 1873P
94 m *sph. sphaericulata* Lamarck 1810P
9 m (*acuticostata* Gray 1832D
94 m *obsoleta* (Sismonda 1842P) Sacco 1894P
94 m ? *inornata* Issel 1877G
94 m *parvosphaera* Sacco 1894P
94 m *retusoides* Sacco 1894P
94 m *perobsoleta* Sacco 1894P
84 n [6] *zim. zimmermanni* Koch 1862N
84 n *hamburgensis* Schilder 1929D
84 n *zim. westphalica* Schilder 1929D
86 m *acu. nana* Schilder 1941V
96 m *acu. acuminata* Schilder 1932F
9 m (*laevigata* Bronn 1831I
9 m (|| *sulcosa* Bronn 1831I
9 m (*pediculoides* Gray 1832D
● m *mollerati* Locard 1894D, 1897I
● m ? (|| *minor* Monterosato 1878M
● m ? *solida* (Monterosato 1878M) Bucquoy-etc. 1883R
94 m [7] *subdilatata* Schilder 1941V
● l *candidula* Gaskoin 1836C
● l (*approximans* Gaskoin 1836C
● l (*olorina* Gaskoin 1836C
● m ? *alba* Dautzenberg-Fischer 1912H
● s *bitou* Pallary 1920M
96 m [8] *mul. frigida* (Gignoux 1913I) Schilder 1932Q
● m *mul. multilirata* Sowerby 1870T
● m || *europea* Risso 1826E
● m ? *umbilicalis* Costa 1829S
● m ? (|| *carnea* Requien 1848C
● m (*crebricostata* Sowerby 1870T
● m (*majorglobosa* Monterosato 1878M
● m || *globosa* Bucquoy-etc. 1883R
● ? ? (*sphaerica* Paetel 1887C
● m *globulosa* Locard-Caziot 1900C
● m ? (*ventricosa* Locard-Caziot 1900C
● m ? (*albida* Locard-Caziot 1900C
● ? *albula* Sullioti 1924P
● m *pellucens* Coen 1933S
● m *dalmatica* Coen 1937A

223 Genus *Trivia* subgenus ***Sulcotrivia*** Schilder 1933B (*dimidiata*)

78 n [1] *peyreirensis* Cossmann-Peyrot 1924A
82 n *exc. excoccinella* Sacco 1894P
8 ? ? (*solida* Gray 1832D
84 n || *affinis* Dujardin 1837T
84 r *exc. dimidiatoaffinis* Sacco 1894P
94 m *exc. avellanula* Sacco 1894P
94 m *tes. pseudavellana* Sacco 1894P

94 m *propeavellana* Sacco 1894P
96 n *tes. anglioaffinis* Sacco 1894P
96 n *tes. testudinella* Wood 1842C
96 n || *minor* Gray 1828M
96 n (*porcellus* Gray 1832D
96 n || *dubia* Bell 1898E
96 m *per. permixta* Cristofori-Jan 1832C
96 m *dorsolaevigata* (Cocconi 1873P) Sacco 1894P
96 m *sulconitens* Sacco 1894P
96 m *per. gibba* Seguenza 1880R
96 m *per. subpediculus* Orbigny 1852P
84 m [2] *der. pseudoasulcata* Sacco 1894P
84 m *taurominor* Sacco 1894P
84 m *taurodimidiata* Sacco 1894P
86 m *der. dertominor* Sacco 1894P
86 n *der. recta* Couffon 1902C
86 m *ang. dertoparvula* Sacco 1894P
96 n *ang. angliae* Wood (1842C) 1848C
84 n [3] *dautzenbergi* Schilder 1932P
86 m *dertonensis* Michelotti 1847I
96 n *avellana* Sowerby 1823M
86 r [4] *dim. selmae* Böttger 1901K
94 m *dim. parvavellana* Sacco 1894P
94 m *eratopsoides* Sacco 1894P
96 m *dim. dimidiata* Bronn 1831I
9 m (*bronnii* Gray 1832D
96 m *dimitiata* Bronn 1849E
96 m *laevisulculata* Sacco 1894P
96 m *pediculoides* Cerulli 1911M
● m *lath. africana* Schilder 1931C
● l *minor* Dautzenberg 1889A (secondary homonym)
● m *lath. lathyrus* Blainville 1826F
● m ? *triticea* Lamarck 1810P
● m || *pulex* (Dillwyn 1817C) Gray 1827M
● m *mediterranea* Risso 1826E
● m *lacrymalis* Menke (1828S) 1830S
● m (|| *fusca* Requien 1848C
● m (|| *rosea* (Requien 1848C) Bucquoy-etc. 1883R
● m *pellucida* (Requien 1848C) Locard-Caziot 1900C
● m (*pulcisvarietas* (Gaskoin 1849D) Paetel 1887C
● m (|| *minor* Monterosato 1878M
● m || *major* Bucquoy-etc. 1883R
● m *pullicina* Mollerat 1890V
● m (|| *globosa* Locard-Caziot 1900C
● m (*violacea* Locard-Caziot 1900C
● m (*brunnea* Locard-Caziot 1900C
● m (|| *albida* Locard-Caziot 1900C
● m (*grisea* Locard-Caziot 1900C

23 Tribus PUSULINI Schilder 1936A

231 Genus ***Pseudotrivia*** Schilder 1936I (*sibogae*)

● M [1] *schepmani* Schilder 1941V
● M || *minor* Schepman 1909S
● C *suavis* Schilder 1931C

● C || *formosa* Gaskoin 1836C
78 S [2] *ijzermani* Schilder 1937N
82 P *coxi* Schilder 1936I
● M *sibogae* Schepman 1909S
● M *abyssicola* Schepman 1909S
8 J [3] *eos shimajiriensis* McNeil 1960T
87 J *eos pleres* Hatai-Nisiyama 1948C
● J *eos eos* Roberts 1913C
● I [4] *problematica* Schilder 1931C

232 Genus *Niveria* subgenus ***Ellatrivia*** Iredale 1931A (*merces*)

86 V [1] *constricta* Schilder 1941V
86 V *columellaris* Schilder 1941V
7 V [2] *min. minima* Tenison 1879F
81 V *min. torquayensis* Schilder 1935A
86 V [3] *ant. antipodum* Schilder 1935A
87 Z *ant. kaiparaensis* Laws 1939K
87 Z *aequiflora* Laws 1941P
94 V *wirrata* Ludbrook 1941A
86 V [4] *longisulcata* Schilder 1932F
86 V *crassicostata* Schilder 1935A
86 V *iredalei* Schilder 1935A
96 Z *zealandica* Kirk 1882T
96 Z (*neozelanica* Hutton 1893P
9 Z *flora* Marwick 1928Z
● Q *mer. merces* Iredale 1924B
● V || *australis* Lamarck 1822A
● V ? (|| *rosea* Potiez-Michaud 1838D
● V *addenda* Iredale 1931A
● Z *mer. memorata* Finlay 1927Z
● Z *maoriensis* Mestayer 1927Z

233 Genus *Niveria* subgenus ***Cleotrivia*** Iredale 1930Q (*pilula*)

78 S [1] *lodanensis* Schilder 1937N
7 S (*birmanica* Vredenburg 1920C
83 M *vit. berauensis* Schilder 1941V
● M *vit. vitrea* Gaskoin 1849C
● a *leucosphaera* Schilder 1931C
● a || *alba* Roberts 1885M
● L *glo. globosa* Sowerby 1832I
● I *brevissima* Sowerby 1870T
● ? *acutisulcata* Kenyon 1900C
● I (*fibula* Standen-Leicester 1906M
● L *cosmoi* Dautzenberg 1921D
● I *glo. pisum* Gaskoin 1846C
● I *pisulum* Schilder 1932Q
● N *pil. pilula* Kiener 1843C
● H *sphaerula* Mighels 1845S
● V *pil. bathypilula* Iredale 1935A
82 f *ato. vaughani* Gardner 1947A
84 a *ato. mauryae* Schilder 1932Q
● a *ato. pygmaea* Schilder 1931C
● p *ato. atomaria* Dall 1902P
● p *occidentalis* Schilder 1922C

● p || *subrostrata* Gray 1827M
● p || *pulla* Gaskoin 1846C
● p *antillarum* Schilder 1922C

234 Genus *Niveria* subgenus ***Niveria*** Jousseaume 1884D, 1884C (*nivea*)

84 a [1] *qua. sanctidominici* Maury 1917D
● a *qua. quadripunctata* Gray 1827M
● ? || *rosea* Blainville 1826D
● a || *immaculata* Gray 1827M
● a *rotunda* Kiener 1843C
● a *qua. hybrida* Schilder 1931T
82 f [2] *chi. chipolana* Maury 1910F
86 *a* *chi. cypha* Woodring 1928B
85 l *chi. meridionalis* Schilder 1928D
94 m *nix apenninica* Schilder 1941V
● a *nix nix* Schilder 1922C
● a || *nivea* Sowerby 1832I
● ? ? *grando* Potiez-Michaud 1838D
● e [3] *pacifica* Sowerby 1832I
86 a *suf. jamaicensis* Schilder 1932Q
96 f *suf. floridana* Olsson-Harbison 1953F
● a *suf. suffusa* Gray 1827M
● a *armandina* (Potiez-Michaud 1838D) Kiener 1843C
● a *pullata* Sowerby 1870T
● e *maugeriae* Sowerby 1832I
● e *maugeri* Gray (1832D) 1833C
96 f [4] *ped. permagna* Johnson 1910T
96 f incerta Tucker-Wilson 1932F
● a *ped. pediculus* Linnaeus 1758S
● a (*indica* Linnaeus 1767S
● ? (*pisum* Meuschen 1778G, 1781G
● ? *oniscus* Röding 1798B
● a *pulex* (Röding 1798B) Link 1807R
● ? *sulcata* Dillwyn 1817C
● ? *labiosa* Gaskoin 1836C
● ? ? (|| *minor* Schlüter 1838V
● f (*picturata* Mörch 1877I
● a *restituta* Sullioti 1922C
● ? (Z) ? *gamma* Mestayer 1927Z
● c *costispunctata* Sowerby 1870T
● c *costatopunctata* Weinkauff 1881S

235 Genus ***Trivirostra*** Jousseaume 1884D, 1884C (*oryza*)

78 S [1] *javana* Schilder 1937N
● T *corinneae* Shaw 1909C
● T *affinis* Marrat 1867T
● T *hidalgoi* Vredenburg 1920C
● T (*puellula* Schilder 1932T
● H [2] *insecta* Mighels 1845S
● F *hor. hordacea* Kiener 1843C
98 F *koroensis* Ladd 1934V
● Z *hor. desirabilis* Iredale 1912N
● N [3] *sphaeroides* Schilder 1933T
● M *edg. edgari* Shaw 1909C

● ? || *minor* GRAY 1827M
● M || *grando* GASKOIN 1849C
● M || *minor* SCHEPMAN 1909S
● D *oryzoidea* IREDALE 1935A
● G *insularum* SCHILDER 1944W
● A *edg. tomlini* SCHILDER 1944W
● T *shawi* SCHILDER 1933T
● G *bocki* SCHILDER 1944W
● T [4] *pellucidula* GASKOIN 1846C
● T (*pellicula* WEINKAUFF 1881S
● Q (|| *pellucida* IREDALE 1930Q
● N *cor. hyalina* SCHILDER 1933T
● T *cor. corrugata* PEASE 1868P
● F || *alba* SOWERBY 1914N
● T *exigua* GRAY 1831C
● ? *tremeza* DUCLOS 1833M
● H *gemmula* GOULD 1845S
● T (*gemmata* SCHMELTZ 1869G
94 S [5] *atjehensis* SCHILDER 1932Q
● C *natalensis* SCHILDER 1932Q
● E *turneri* (SHOPLAND 1896A) SCHILDER 1932Q
● C *triticum* SCHILDER 1932Q
● ? ? (*sandwichensis* SOWERBY 1870T
● E *subinflata* SCHILDER 1933T
● D *obscura* GASKOIN 1849C
● D *bipunctata* ODHNER 1917A
● D *pargrando* IREDALE 1935A
87 J *ory. pyrinula* HATAI-NISIYAMA 1948C
● M *ory. oryza* LAMARCK 1810P
● M *pediculus* (RUMPHIUS 1705A) ROBERTS 1870C
● ? (*nivea* DILLWYN 1817C
● ? || *intermedia* KIENER 1843C
● L *scabriuscula* GRAY 1827M
● ? (|| *rugosa* GRAY 1831C
● M || *sulcata* GASKOIN 1849C
● M *gaskoinii* ROBERTS 1870C

236 Genus *Pusula* subgenus ***Dolichupis*** IREDALE 1930Q (*producta*)
Trivellona IREDALE 1931A (*excelsa*)

74 S [1] *noetlingi* VREDENBURG 1920C
82 S [2] *smithi* nov. nomen
82 S || *smithi* MARTIN 1887J
96 S *pro. soloënsis* SCHILDER 1937N
9 J *pro. datensis* NOMURA-ZINBO 1935M
9 J (*latensis* SCHILDER 1941V
● M *pro. producta* GASKOIN 1836C
● V *pro. excelsa* IREDALE 1931A
● M *rubinicolor* GASKOIN 1836C
● ? [3] *cicatrosa* SOWERBY 1870T

Genus *Pusula* subgenus ***Pusula*** JOUSSEAUME 1884D, 1884C (*radians*)
(*Pustula* ROBERTS 1885M
(*Vusula* COSSMANN 1896S

88 a [1] *guppyi* SCHILDER 1939T
98 e *acu. pulloidea* DALL-OCHSNER 1928G

● p *acu. buttoni* Melvill 1900C
● p *panamensis* Dall 1902P
● e *acu. acutidentata* Gaskoin 1836C
● ? *paucilirata* Sowerby 1870T
● c *ritteri* Raymond 1903T
● e [2] *rubescens* Gray 1833C
● ? || *rufescens* Sowerby 1832I
● e [3] *fus. fusca* Sowerby 1832I
● e *galapagensis* Melvill 1900C
● c *fus. myrae* Campbell 1961P
● e *san. sanguinea* Sowerby 1832I
● e *circumdata* Schilder 1931T
● f *san. maltbiana* Schwengel-McGinty 1942F
● c *californiana* Gray 1827M
● c *californica* Sowerby 1832I
● c *elsiae* Howard-Sphon 1960T
85 l [4] *par. canariensis* Rothpletz-Simonelli 1890G
85 l *alienigena* Schilder 1928G
85 l *par. parcicosta* Bronn 1862A
● g *dartevellei* Knudsen 1955W
● c [5] *solanderi* Sowerby 1832I
● c *depauperata* Sowerby 1832I
95 a *rad. orientalis* Schilder 1939T
● p *rad. radians* Lamarck 1810P
● ? || *oniscus* Dillwyn 1817C
● e *rad. rota* Weinkauff 1881S

3 Familia PEDICULARIIDAE Adams-Adams 1854G

31 Subfamilia PEDICULARIINAE Adams-Adams 1854G

311 Genus ***Semicypraea*** Schilder 1936A (*koninckii*)

64 n *koninckii* Rouault 1850P
64 n (*deshayesiana* Rouault 1848P

312 Genus ***Cypraeogemmula*** Vredenburg 1920C (*scabriuscula*)

72 n *liliputana* Schilder 1922C
72 n *scabriuscula* Koenen 1890N
73 w *warnerae* Effinger 1938G

313 Genus ***Pedicularia*** Swainson 1840T (*sicula*)
|| *Thyreus* Philippi 1844S (*paradoxus*)
? *Dentiora* Pease 1862S (*rubida*)
(*Thyrius* Locard 1897T (*paradoxus*)
Pedicullariona Iredale 1935A (*stylasteris*)

● M [1] *dautzenbergi* Schilder 1931P
● G *pac. pacifica* Pease 1865P
● H ? *rubida* Pease 1862S
● Q *pac. stylasteris* Hedley 1903T
● Z *pac. maoria* Powell 1937N
● L *elegantissima* Deshayes 1863R

● L *liénardi* Robillard 1871M
● L *subtilis* Schilder 1931P
● J *japonica* Dall 1871W
92 m [2] *sic. deshayesiana* Seguenza 1865P
● m *sic. sicula* Swainson 1840T
● m *paradoxa* Philippi 1844S
● m *polymorpha* (Calcara 1845S) Petit 1869E
● m *lateralis* Requien 1848C
● m (*compressa* Monterosato 1875M
● m *sublaevigata* Locard 1886F
● l *sic. decurvata* Locard 1897T
● f *decussata* Gould 1855G
● a *albida* Dall 1881B

314 Genus ***Pediculariella*** Thiele 1925K (*californica*)

● c *californica* Newcomb 1864P
● c *ovuliformis* Berry 1946P

32 Subfamilia CYPRAEDIINAE Schilder 1927R

321 Genus *Cypraedia* subgenus ***Protocypraedia*** Schilder 1927R (*conigera*)

67 S *conigera* Martin 1914N

322 Genus *Cypraedia* subgenus ***Cypraedia*** Swainson 1840T (*cancellata*)
(*Cypraeadia* Sowerby 1842M
Cypraeoides Agassiz 1846N
(*Cypraeidia* Tate 1892A

48 n [1] *orglandensis* Schilder 1941V
62 P *hyderabadensis* Cox 1931L
62 P ? (*alveolinarum* Vredenburg 1920C
67 S *denseplicata* Böttger 1880S
52 n [2] *separabilis* Schilder 1928D
52 n *maxima* Schilder 1928D
52 n *ravni* Schilder 1928D
62 m *bullina* Oppenheim 1906A
64 n *bav. bavarica* Schilder 1927K
64 n *separata* Schilder 1927K
64 n *capito* Schilder 1927K
64 P *bav. cossmanni* (Vredenburg 1920C, Cox 1931L) Schilder 1941V
64 P ? (*striatissima* (Vredenburg 1920C) Cox 1931L
68 a *kugleri* Schilder 1939T
52 n [3] *minuta* Schilder 1928D
62 n *sub. l'hommei* Cossmann-Pissarro 1913P
64 f *sub. subcancellata* Johnson 1899L
64 m *ele. aplisiopsis* Gregorio 1880G
64 m || *arabica* Cuvillier 1835E
66 n *ele. elegans* Sowerby 1823G
66 n *cancellata* Swainson 1840T
66 n *pulchella* Sowerby 1842M
66 n *girauxi* Cossmann-Pissarro 1913P
68 a *ele. vistabellensis* Schilder 1939T
71 S *birmanica* Vredenburg 1920C

71 V *clathrata* TATE 1892A
64 m [4] *negrii* CUVILLIER 1935E
64 a *fen. subelegans* TRECHMANN 1923J
66 f *gilberti* PALMER 1937C
68 f *fen. fenestrela* CONRAD 1854M
68 f (*fenestratis* CONRAD 1854M
68 f (*fenestralis* CONRAD 1855J
66 n [5] *bramshawensis* SCHILDER 1927R
66 n || *cancellata* EDWARDS 1865C
68 n *staufeneckensis* SCHILDER 1941V
68 m *pyramidis* SCHILDER 1941V

323 Genus ***Eucypraedia*** SCHILDER 1939G (*sulcosa*)

62 n [1] *int. interposita* DESHAYES 1865P
64 m *int. elegantiformis* OPPENHEIM 1896P
66 n *vendrestensis* COSSMANN-PISSARRO 1913P
64 n [2] *geo. parisiensis* SCHILDER 1931B
66 n *geo. georgii* DEFRANCE 1826D
66 n *brasili* COSSMANN-PISSARRO 1905C
64 n *ger. exsculpta* SCHAFHÄUTL 1863K
66 n *ger. gervillei* SOWERBY 1823G
64n *soph. tenuisulcata* MAYER 1876E
64 n *soph. sophia* DESHAYES 1865P
66 n *cailliaudi* (VASSEUR 1881F) COSSMANN 1897L
62 P ? (*metingensis* VREDENBURG 1920C
64 n *sulcosa* LAMARCK 1802P
64 n *dactylosa* LAMARCK 1810P
64 m [3] *bar. barcinensis* GRAY 1828M
64 m (*bariconensis* KOENIG 1825I
64 m (*funiculigera* COSSMANN 1897L
64 m *funiculifera* COSSMANN 1898C
64 n *bar. helvetica* MAYER 1876E
68 a *mul. carmenensis* CLARK 1946E
73 f *mul. multicarinata* DALL 1890F
73 e *mul. chira* OLSSON 1931P

324 Genus ***Eovolva*** SCHILDER 1932A (*nigeriensis*)

64 g *nigeriensis* NEWTON 1922N

Superfamilia CYPRAEACEA GRAY 1824M

Familia CYPRAEIDAE GRAY 1824M

4 Subfamilia BERNAYINAE SCHILDER 1927R

41 Tribus ARCHICYPRAEINI SCHILDER 1927R

Mandolinini SCHILDER 1932A

411 Genus *Palaeocypraea* subgenus ***Palaeocypraea*** SCHILDER 1928D (*spirata*)
(*Porcellanites* (ARGENVILLE 1742) SCHLOTHEIM 1813 (*seelandicus*)
|| *Palaeocypraea* SAYN 1932B (*antiqua*)

22 m [1] *tithonica* STEFANO 1882T
28 m *drumensis* SAYN 1932B

28 m *primigenia* SCHILDER 1936A
28 m || *antiqua* SAYN 1932B
34 b *kor. riachuelana* MAURY 1936B
36 c *kor. fontana* ANDERSON 1958C
36 n *kor. korycanensis* WEINZETTL 1910C
46 C *caffrarica* SCHILDER 1932F
46 I *ano. anomala* STOLICZKA 1867I
48 m *ano. desertorum* SCHILDER 1941V
48 n *ano. limburgensis* KAUNHOWEN 1898M
41 w *squ. suciensis* WHITEAVES 1895V
46 w *squ. squyeri* CAMPBELL (1892D) 1893C
48 f *squ. corsicanana* STEPHENSON 1948C
48 f || *gracilis* STEPHENSON 1941T
48 u *squ. grooti* RICHARDS-SHAPIRO 1963D
48 m *spi. deserti* ABBASS 1963E
52 n *spi. spirata* SCHLOTHEIM 1820P
52 n (*seelandica* SCHLOTHEIM 1813V
52 n *spi. cretacea* ORBIGNY 1850P
56 m *spi. libyca* OPPENHEIM 1906A
36 m [2] *paronai* SCHILDER 1932F
38 m *vayssièrei* SCHILDER 1932B
48 n *sue. maestrichtensis* SCHILDER 1928D
48 f *sue. nuciformis* STEPHENSON 1941T
52 n *sue. suecica* SCHILDER 1928D
52 n [3] *faxensis* SCHILDER 1928D

412 Genus *Palaeocypraea* subgenus ***Pustulariopsis*** SCHILDER 1941V (*pustulifera*)

36 m [1] *pustulifera* PARONA-PREVER 1909 O
36 m || *retusa* PARONA-PREVER 1909 O
46 I [2] *globulina* STOLICZKA 1868I

413 Genus ***Archicypraea*** SCHILDER 1926I (lioyi)

56 a [1] *oxypyga* SCHILDER 1939T
56 a *tri. trinidadensis* SCHILDER 1927R
56 a || *vaughani* MAURY 1912T
56 a *tri. degenerata* SCHILDER 1939T
56 a *regalis* SCHILDER 1939T
56 n [2] *prisca* DESHAYES 1865P
62 n *exerta* DESHAYES 1835P
64 m *lioyi* BAYAN 1870V
64 m *filiola* MAYER 1870T
64 m *deshayesi* GREGORIO 1880G
64 m *sup. superba* GREGORIO 1880G
64 m *bayani* OPPENHEIM 1894P
64 m *sup. mokattamensis* OPPENHEIM 1906A
64 m *aegyptiaca* OPPENHEIM 1906A
68 m [3] *possagnoënsis* SCHILDER 1941V

414 Genus ***Mandolina*** JOUSSEAUME 1884D, 1884C (*gibbosa*)

66 m *bellardiana* SCHILDER 1932Q
66 m || *praelonga* BELLARDI (1850N) 1852N
72 m *rho. longantiqua* SACCO 1894P
74 m *rho. bassanii* FABIANI (1905B) 1908B

82 n *rho. rhomboidalis* Grateloup 1845A
82 n *juvenis* Grateloup 1845A
84 m *rho. pergibba* Sacco 1894P
84 m || *gibbosa* Borson 1820P
84 m *mucronatoides* Sacco 1894P
84 m *polysarca* Cossmann 1903E

42 Tribus BERNAYINI Schilder 1927R
Cypraeorbini Schilder 1927R
Zoilini Iredale 1935A

421 Genus *Bernaya* subgenus ***Protocypraea*** Schilder 1927R (*orbignyana*)

28 m [1] *say. sayni* Schilder 1941V
36 m *say. apenninica* Schilder 1931V
38 c *berryessae* Anderson 1958C
42 I *fic. ficulina* Stoliczka 1867I
42 n *fic. gosauensis* Schilder 1924I
42 n || *rostrata* Zekeli 1852G
42 n || *striata* Zekeli 1852G
42 n [2] *ven. ventricosa* Reuss (1844B) 1845B
46 n *ven. coquandi* Schilder 1932Q
48 P *cos. cossmanni* Vredenburg 1920C
48 m *cos. tripolitana* Schilder 1942L
38 w [3] *argonautica* Anderson 1958C
42 I *ver. orbignyana* Vredenburg 1920C
42 I *vredenburgi* Cossmann-Peyrot 1924A
46 I *ver. veraghoorensis* Stoliczka 1867I
46 I *carnatica* Stoliczka 1868I
46 I *kay. kayei* Forbes 1846I
48 m *kay. sofegginensis* Schilder 1942L
48 m *rostrifera* Schilder 1942L
48 c *kay. gualalaensis* Anderson 1958C
52 P *kay. archiaci* Vredenburg (1920C) 1927G
55 P *kohatica* Cox 1930H
62 P *ang. expansa* Archiac-Haime 1854I
64 n *ang. angystoma* Deshayes 1835P
64 n *velaini* Raincourt 1877P
64 n *schafhäutli* Schilder 1927K
62 P *sinuosa* Schilder 1932Q
● P [4] *teulèrei* Cazenavette 1846D
● E || *leucostoma* Gaskoin 1843C
● E *hidalgoi* Shaw 1909C

422 Genus *Bernaya* subgenus ***Bernaya*** Jousseaume 1884D, 1884C (*media*)
(*Bernayia* Cossmann 1889P (*obesa*)

22 m [1] *gemmellaroi* Stefano 1882T
34 m *escragnollensis* Vredenburg (1920C) 1927G
38 m *depéreti* Roman-Mazeran 1920U
48 u *bur. burlingtonensis* Schilder 1932Q
48 b *bur. azevedoi* Oliveira 1957P
52 n *globuliformis* (Michaelis-Scherk 1847N) Ravn 1902D
64 n *schlotheimi* Schilder 1927K
52 P [2] *douvilléana* Schilder 1932Q

62 n *praeobesa* Cossmann 1923G
62 P *ell. ellipsoides* Archiac-Haime 1854I
62 P (*incompleta* Archiac 1850N
62 c *ell. fresnoënsis* Anderson 1905D
64 n *lat. lata* Schafhäutl 1863K
66 n *lat. cavata* Edwards 1865C
66 n *lat. obesa* Deshayes 1865P
72 n *lat. excellens* Koenen 1890N
62 n [3] *meunieri* Cossmann 1923G
64 n *peregrina* Mayer 1876E
64 n (*cypraeata* Münster 1828K
64 n || *acuminata* Schafäutl 1863K
64 n *plicatella* Mayer 1876E
64 n *kressenbergensis* Schilder 1927K
64 n ? *fallaciosa* Schilder 1927K
66 n *med. media* Deshayes 1835P
6 P *med. soriensis* Eames 1952P
67 n *magnifica* Schilder 1931 O
67 S *geinitzi* Böttger 1880S
65 Z *zoiloides* Schilder 1958T
● D *catei* Schilder 1963F
62 P [4] *coxiana* Schilder 1932Q
64 n *mal. malandaini* Chédeville 1904P
64 n *mal. subcordiformis* Schilder 1927K
64 m *mal. vinassai* Schilder 1932F
42 I [5] *coromandelica* Vredenburg 1920C
46 n *ovu. ovula* Orbigny 1843F
46 n *orbignyi* Mayer 1904G
48 P *ovu. baluchistanensis* Noetling 1897M
64 P *pos. schlagintweiti* Mayer 1904G
64 m *pos. postalensis* Oppenheim 1896P
64 m *postalana* Mayer 1904G
64 g *pos. brevis* Douvillé 1920S

423 Genus ***Barycypraea*** Schilder 1927R (*caputviperae*)

82 S [1] *beberkiriana* Martin 1899J
86 S *mur. murisimilis* Martin 1879J
86 S *junghuhni* Martin 1899J
86 S *mur. subtetragona* Martin 1879J
86 S || *ovata* Martin 1879J
86 S *bensoni* Finlay 1927A
86 S *subovata* Schilder 1927R
86 S *burialensis* Martin 1928J
82 P [2] *humerosa* Sowerby 1840C
8 P *cylindroides* Archiac-Haime 1854I
82 P *sella* Archiac-Haime 1854I
76 S [3] *sin. singuensis* Vredenburg 1920C
7 S ? *arakanensis* Vredenburg 1920C
7 S ? *irravadica* Vredenburg 1920C
82 S *sin. muriformis* Schilder 1927R
86 S *cap. caputviperae* Martin 1899J
83 M *orangensis* Beets 1942T
86 M *cap. suryai* Beets 1942T
87 M *luxuriosa* Schilder 1939S
● C [4] *fultoni* Sowerby 1903S

424 Genus ***Afrocypraea*** SCHILDER 1932F (*chubbi*)

46 C *chubbi* RENNIE 1930P

425 Genus *Zoila* subgenus ***Zoila*** JOUSSEAUME 1884D, 1884C (*scottii*)

89 I [1] *gen. schilderi* DEY in SCHILDER (1932Q) 1941V, DEY 1962Q
96 S *gen. gendinganensis* MARTIN 1899J
● D *decipiens* SMITH 1880D
● ? || *atrata* SULLIOTI 1924P
● V *ven. episema* IREDALE 1939A
● V (|| *brunea* HIDALGO 1906C
● V (*brunnea* IREDALE 1935A
● V *sorrentensis* SCHILDER 1963F
● V *ven. venusta* SOWERBY 1846C
● V *thatcheri* COX 1869A
● V (*roseopunctata* MELVILL 1888S
● V *bakeri* GATLIFF 1916A
98 S [2] *kendengensis* SCHILDER 1941V, 1941K
● V *fri. friendii* GRAY 1831C
● V *scottii* BRODERIP 1831C
● D *fri. jeaniana* CATE 1968W
● V *fri. vercoi* SCHILDER 1930Z
● V *the. thersites* GASKOIN 1849C
● ? || *atrata* SULLIOTI 1924P
● V *the. contraria* IREDALE 1935A
● V [3] *rosselli* COTTON 1948S
● D *marginata* GASKOIN 1849C
81 V [4] *consobrina* McCOY 1877V
86 V *pla. simplicior* SCHILDER 1935A
86 V *pla. platypyga* McCOY 1876V
86 V *pla. toxorhyncha* TATE 1890A
86 V (*loxorhyncha* COSSMANN 1903E

426 Genus *Zoila* subgenus ***Gigantocypraea*** SCHILDER 1927R (*gigas*)

81 V [1] *mulderi* TATE 1892A
81 V [2] *dor. gabrieli* CHAPMAN 1912V
86 V *dor. dorsata* TATE 1890A
86 V *gigas* McCOY 1867M

427 Genus ***Cypraeorbis*** CONRAD 1865C (*sphaeroides*)

66 f [1] *ala. alabamensis* GREGORIO 1890A
66 f *nuculoides* ALDRICH 1903A
68 f *ala. ventripotens* COSSMANN 1903E
68 f || *pinguis* CONRAD 1854M
68 a *ala. colombiana* CLARK 1946E
73 f *sph. sphaeroides* CONRAD 1847V
76 a *sph. venezuelana* SCHILDER 1939T
78 f *wil. ballista* DALL 1915 O
82 f *wil. willcoxii* DALL 1890F
82 f *chilona* DALL 1900F
82 f *tapeina* GARDNER 1947A
82 f *alumensis* INGRAM 1948F
82 f *hertleini* INGRAM 1948F

82 f *apalachicolae* INGRAM 1948F
82 a *wil. perplexa* SCHILDER 1939T
72 m [2] *tru. turgidiuscula* GREGORIO 1894B
74 m *tru. truncata* BRONN 1831I
74 n *persimilis* SCHILDER 1927R
76 r *tru. hungarica* SCHILDER 1932F
72 m *spl. exsplendens* SACCO 1894P
72 m *ovatoitalica* SACCO 1894P
74 n *spl. splendens* GRATELOUP 1827D
82 n *spl. distinguenda* SCHILDER 1927R
74 n *ova. proflavicula* SACCO 1894P
76 n *ova. ovalis* SPEYER 1862C
84 m *fabagina* LAMARCK 1810P
84 m ? *minor* GRAY 1824M
84 m ? *impura* BELLARDI-MICHELOTTI 1840P
84 m ? *juvenospirata* SACCO 1894P

428 Genus *Siphocypraea* subgenus ***Muracypraea*** WOODRING 1957M (*mus*)
? *Cypraeactaeon* WHITE 1887B (*pennai*)

77 a [1] *ang. hyaena* SCHILDER 1939T
84 e *ang. angustirima* SPIEKER 1922P
84 e *tuberae* INGRAM 1948F
84 e *andersoni* INGRAM 1948F
94 e *cayapa* PILSBRY-OLSSON 1941E
68 a [2] *saltoensis* CLARK 1946E
81 c *ama. amandusi* HERTLEIN-JORDAN 1927C
82 b ? *pennai* WHITE 1887B
84 a *ama. potreronis* INGRAM 1939D
82 a *hen. lacrimula* MAURY 1925T
84 a *hen. henekeni* GABB 1873D
84 a (*henikeri* SOWERBY 1850H
82 a ? (*blandiana* VREDENBURG 1920C
84 a [3] *noueli* MAURY 1917D
86 a *alm. almirantensis* OLSSON 1922C
86 a *merriami* INGRAM 1939D
86 e *alm. projecta* INGRAM 1947V
88 a *alm. caroniensis* MAURY 1925T
87 a *grahami* INGRAM 1947V
87 a || *rugosa* INGRAM 1947V
82 b [4] *macrovoluta* FERREIRA-CUNHA 1957P
86 a [5] *mus isthmica* SCHILDER 1927R
87 a *quagga* SCHILDER 1939T
● a *mus mus* LINNAEUS 1758S
● a (|| *maculosa* (HEBENSTREIT 1743) ORBIGNY 1847C
● ? (*trogiloides* MEUSCHEN 1781G
● a *carthaginiensis* (SCHRÖTER 1788N) RÖDING 1798B
● ? *ferruginosa* GMELIN 1791S
● ? (|| *vanelli* HUMPHREY 1797C
● ? || *ovum* RÖDING 1798B
● ? *fuliginosa* RÖDING 1798B
● ? *autumnalis* PERRY 1811C
● ? (|| *ovata* GRAY 1828A
● ? *tuberculata* GRAY 1828A
● a (*simplex* ORBIGNY 1847C

● a *bicornis* Sowerby 1870T
● ? *fuscotecta* Sullioti 1924P
● a *suta* Coen 1949C

429 Genus *Siphocypraea* subgenus ***Siphocypraea*** Heilprin 1887C (*problematica*)
Akleistostoma Gardner 1948C (*carolinensis*)

87 f *car. pilsbryi* Ingram 1939F
89 f *car. carolinensis* Conrad 1841S
96 f *car. floridana* Mansfield 1931F
96 f *hug. hughesi* Olsson-Petit 1964F
96 f *hug. transitoria* Olsson-Petit 1964F
96 f *problematica* Heilprin 1887C

43 Tribus GISORTIINI Schilder 1927R

431 Genus *Gisortia* subgenus ***Pseudogisortia*** Schilder 1941V (*benedicti*)

48 P *benedicti* Vredenburg (1920C) 1927G

432 Genus *Gisortia* subgenus ***Megalocypraea*** Schilder 1927K (*ovumstruthionis*)
(*Megacypraea* Palmer 1957G)

48 m [1] *quaasi* Schilder 1941V
56 P [2] *ranikotensis* Schilder 1927R
64 E *somaliensis* Schilder 1941V
64 n *ovumstruthionis* Schilder 1927K
62 n [3] *tub. tuberculosa* Duclos 1825L
62 n *deshayesii* Gray 1828A
62 n *minor* Archiac 1850N
63 e *tub. thomasi* Olsson 1930P
64 n *tub. umbonifera* Schilder 1931B
64 n *doncieuxi* Schilder 1927R
64 n *dubia* Schilder 1927K
62 c [4] *clarki* Ingram 1940G
62 c *californica* Schilder 1941V
64 n *broilii* Schilder 1927K
64 n *gigantea* (Münster 1828K) Quenstedt 1836P
64 n (*vetusta* Quenstedt 1836P
64 n (*muensteri* Fugger 1899S
64 n *achtalensis* Schilder 1927K
64 n *triangularis* Schilder 1927K

433 Genus *Gisortia* subgenus ***Gisortia*** Jousseaume 1884D, 1884C (*gisortiana*)

56 P [1] *indica* Schilder 1930G
62 P *mur. murchisoni* Archiac 1850N
64 P *mur. orientalis* Schilder 1930G
64 a *americana* Schilder 1930G
6 f *harrisi* Palmer 1957G
64 m [2] *stefaninii* Negri 1934S
68 m *pha. pharaonum* Schilder 1927R
6 J *pha. taiwanensis* Schilder 1930G
64 n [3] *chevallieri* Cossmann 1886 O
64 n *coombei* Sowerby 1850S

64 n *gis. gisortiana* Passy 1859 O
64 n *gisortiensis* Cossmann 1886 O
64 n *pterophora* Schilder 1927R
68 m *gig. lefèvrei* Schilder 1932Q
6 r ? (*bonellii* (Dubois 1837C) Deshayes 1838C
66 m *bellardii* Bellardi (1850N) 1852N
68 m *hörnesi* Lefèvre 1878 O

434 Genus ***Vicetia*** Fabiani 1905P (*hantkeni*)

62 P [1] *metingensis* Vredenburg (1920C) 1927G
62 P *vredenburgi* Schilder 1930G
64 P *silistrensis* Vredenburg (1920C) 1927G
62 P [2] *jam. jamesi* Vredenburg (1920C) 1927G
64 P *jam. sowerbyi* Schilder 1930G
64 P || *depressa* Sowerby 1840C
64 n *ron. gennevauxi* Doncieux 1908A
64 n *ron. exspectata* Schilder 1927K
66 m *ron. roncana* Gregorio 1896R
62 n [3] *o'gormani* Cossmann 1923G
64 m *han. hantkeni* (Hébert & Munier-Chamas 1878V) Lefèvre 1878 O
6 m *sellaturcica* Marinoni 1879F
64 n *subdepressa* Schilder 1927R
64 n *han. douvillei* Cossmann-Pissarro 1911P

5 Subfamilia CYPRAEINAE Gray 1824M

51 Tribus CYPRAEINI Gray 1824M

Porcellanini Roberts 1870C
Talpariini Schilder 1936A
Mauritiini Steadman-Cotton 1946C

511 Genus ***Miolyncina*** Schilder 1932Q (*subovum*)

62 P [1] *elongata* Archiac-Haime 1854I
62 P (*elliptica* Mayer 1904G
82 P *prunum* Sowerby 1840C
78 P || *minor* Archiac-Haime 1854I
85 S *nia. sumatrensis* Schilder 1927R
87 S *nia. niasensis* Schilder 1927R
78 S *ext. simplicissima* Martin 1899J
83 S *ext. extenuata* Böttger 1880S
72 m [2] *pre. praecedens* Sacco 1894P
74 n *pre. prevostina* Grateloup 1847A
74 n (*prevostiana* Grateloup 1847A
74 n *prevostana* Bronn 1848I
76 m *sub. praemiocaenica* Venzo 1937B
82 n *sub. subovum* Orbigny 1852P
82 n || *ovum* Grateloup 1834A
82 n *aquitanica* Schilder 1927R
82 ? ? || *fragilis* Gray 1828A
82 n || *minor* Grateloup 1845A
82 n ? *amygdalina* Grateloup 1845A
82 n *tum. tumida* Grateloup 1834A

84 m *tum. conjungens* Sacco 1894P
84 m *taurospira* Sacco 1894P
82 n *peyroti* Schilder 1932P

512 Genus ***Trona*** Jousseaume 1884C (*stercoraria*)
(*Etrona* Jousseaume 1884D (*stercoraria*)
(*Bastorotia* Jousseaume 1884D (*leporina*)
|| *Basterotia* Jousseaume 1884C (*leporina*)
Cavicypraea Cossmann 1896S (*leporina*)

72 m [1] *carcarensis* Schilder 1932L
74 n *lep. rostrata* Grateloup 1845A
74 n *subcolumbaria* Orbigny 1852P
74 n ? *harmeri* Bell 1918S
82 n *lep. leporina* Lamarck 1810P
82 n || *gibbosa* Gray 1824M
82 n *praelonga* Grateloup 1847A
82 n *subleporina* Orbigny 1852P
82 n *subporcellus* Orbigny 1852P
82 r *lep. loibersdorfensis* Schilder 1932P
72 m [2] *lyn. apenninensis* Sacco 1894P
84 m *lyn. lyncoides* Brongniart 1823V
84 m *tumidula* Koenig 1825I
84 m *sublonga* Gray 1828A
84 m ? *subcylindrica* Gray 1828A
84 m *tauromarginata* Sacco 1894P
84 m *taurogibbula* Sacco 1894P
84 m *denticulolyncoides* Sacco 1894P
84 m *taurospirata* Sacco 1894P
84 r *lyn. vindobonensis* Sacco 1894P
85 l *lyn. stenostoma* Mayer 1864M
● g *stercoraria* Linnaeus 1758S
● s (*majet* (Adanson 1757S) Dautzenberg 1891C
● ? (*tumulosa* Meuschen 1778G
● ? (*gibber* Meuschen 1787G
● ? (*tabulalusoria* Chemnitz 1788C
● ? (*cauteriata* Chemnitz 1888C
● g *fasciata* (Chemnitz 1888C) Gmelin 1791S
● ? (*cuniculus* Schröter 1788N, Karsten 1789L
● ? *gibba* Gmelin 1791S
● ? *olivacea* Gmelin 1791S
● s *conspurcata* Gmelin 1791S
● ? *nebulosa* Gmelin 1791S
● g (*grumulus* Humphrey 1791C
● ? *ligata* Röding 1798B
● g *rattus* Lamarck 1810P
● ? (|| *gibba* Blainville 1826D
● ? (*grummulus* Gray 1828A
● ? || *viridis* Sullioti 1924P
● ? || *atrata* Sullioti 1924P
● ? *cineracea* Sullioti 1924P
● ? || *nigrescens* Sullioti 1924P

513 Genus ***Macrocypraea*** SCHILDER 1930T (*exanthema*)

78 a [1] *anguillana* COOKE 1919L
81 a [2] *trinitatensis* MANSFIELD 1925T
● a *zebra* LINNAEUS 1758S
● ? (*longa* (KLEIN 1753T) ORBIGNY 1847C
● a *exanthema* LINNAEUS 1767S
● ? *plumbea* GMELIN 1791S
● ? *dubia* GMELIN 1791S
● ? *glauca* RÖDING 1798B
● ? *leucopis* SHAW 1803M
● a *exanthemata* PERRY 1811C
● ? *pudica* ROUS 1905F
● b *dissimilis* SCHILDER 1924I
● a *vallei* JAUME-BORRO 1946C
87 a *c'ta. fossula* INGRAM 1947V
● p *c'ta. cervinetta* KIENER 1843C
● ? || *angustata* GRAY 1824M
98 f *c'us. peilei* SCHILDER 1932F
● f *c'us. cervus* LINNAEUS 1771M
● a *oculata* (MEUSCHEN 1781G) GMELIN 1791S
● ? (*guttata* LINCK 1783L
● ? (*atheroma* MEUSCHEN 1787G
● ? (*maxima* CHEMNITZ 1788C
● ? *bifasciata* GMELIN 1791S
● ? *meleagris* RÖDING 1798B
● a *cervina* LAMARCK 1822A
● ? || *jousseaumei* VAYSSIÈRE 1905C

514 Genus *Mauritia* subgenus ***Leporicypraea*** IREDALE 1931Q (*mappa*)

● M *map. mappa* LINNAEUS 1758S
● M *montosa* (RUMPHIUS 1705A) ROBERTS 1870C
● ? (*chartageographica* ARGENVILLE 1742C
● F || *nigricans* CROSSE 1875C
● ? (*geographica* FISCHER 1884M
● F *panerythra* MELVILL 1888S
● F *viridis* KENYON 1902C
● F *montrouzieri* DAUTZENBERG 1903C
● F *rewa* STEADMAN-COTTON 1943F
● F *cinereoviridescens* BOUGE 1961M
● S *map. geographica* SCHILDER-SCHILDER 1933N
● L *map. alga* PERRY 1811C
● ? *rosea* GRAY 1824M
● L *subsignata* MELVILL 1888S
● Q *valentia* PERRY 1811C
● Q *princeps* GRAY 1824M

Mauxiena JOUSSEAUME 1884C (*mauritiana*)
Etronsa JOUSSEAUME 1886A (*mauritiana*)
Arabia JOUSSEAUME 1886A (*arabica*)

[1] *scu. indica* GMELIN 1791S
amarata (MEUSCHEN 1787G) MÖRCH 1852Y
retifera MENKE 1829M
standeni MELVILL 1905C
nigella SULLIOTI 1924P
viridosa SULLIOTI 1924P
antelia IREDALE 1939A
vono STEADMAN-COTTON 1943F
scu. scurra (CHEMNITZ 1788C) GMELIN 1791S
argiolus RÖDING 1798B
[2] *eglantina* DUCLOS 1833M
(*elegantina* MENKE 1843N
nigricans CROSSE 1869C
niger ROBERTS 1885M
|| *pallida* DAUTZENBERG 1903C
luctuosa DAUTZENBERG 1903C
couturieri VAYSSIÈRE 1905C
perconfusa IREDALE 1935A
momokiti STEADMAN-COTTON 1943F
lakemba LADD 1945L
lakembaensis LADD 1945L
aurea COEN 1949C
rufa COEN 1949C
(*monokiti* ALLAN 1956C
ara. arabica (RUMPHIUS 1705A) LINNAEUS 1758S
(*litterata* RUMPHIUS 1705A
fragilis LINNAEUS 1758S
(*enervis* MEUSCHEN 1778G
(*violacea* LINCK 1783L
canaliculata RÖDING 1798B
intermedia GRAY 1824M
(*ebroea* BLAINVILLE 1826D
(*rectilinea* MENKE 1829M
(*liturata* MENKE 1829M
|| *atra* DAUTZENBERG 1903C
prasina SHAW 1909C
albina SULLIOTI 1924P
induta SULLIOTI 1924P
S *mioarabica* SCHILDER 1927R

● L || *typica* Smith 1903M
● L || *splendens* Gyngell 1924A
● E *ara. grayana* Schilder 1930Z
● L *histrio* (Meuschen 1787G) Gmelin 1791S
● ? (*achatina* Klein 1753T
● L *amethystea* Linnaeus 1758S (nomen oblitum)
● ? *arlequina* (Chemnitz 1788C) Mörch 1852Y
● ? *reticulata* Gmelin 1791S
● L || *oculata* Röding 1798B
● L *undosa* Röding 1798B
● ? (*amethystina* Hanley 1855L
● D *westralis* Iredale 1935A
● ? *duploreticulata* Coen 1949C
● F *maculifera* Schilder 1932Q, 1932C
● F || *reticulata* (Martyn 1784C) Chenu 1845M, Reeve 1845C
● ? || *maculata* Barnes 1824N
● T *dep. depressa* Gray 1824M
● T *gillei* Jousseaume 1893D
● S *dep. dispersa* Schilder-Schilder 1939P
● L [3] *mauritiana* Linnaeus 1758S
● ? (*caputanguinum* Rumphius 1711T
● L (*mauritanica* Linnaeus 1764L
● ? *nebulosa* Solander 1786P
● ? (*undata* Chemnitz 1788C
● M *regina* (Chemnitz 1788C) Gmelin 1791S
● ? *turbinata* Gmelin 1791S
● ? *venerea* Gmelin 1791S
● ? *trifasciata* Gmelin 1791S
● L *undulata* Gmelin 1791S
● ? *ovata* Gmelin 1791S
● ? (|| *ovum* Schreiber 1793V
● ? *paschalis* Röding 1798B
● ? *castanea* Röding 1798B
● ? || *fuliginosa* Perry 1811C
● L *mauritania* Perry 1811C
● ? (*potan* Blainville 1824D
● ? *adansonii* Blainville 1825M
● T *calxequina* Melvill-Standen 1899C
● F *atra* Dautzenberg 1903C
● T *albiflora* Petrbok 1932M
● T || *cinerea* Bouge 1961M

516 Genus ***Talparia*** Troschel 1863G (*talpa*)

9 J *tal.* ? *nahaensis* McNeil 1960T
● M *tal. talpa* (Rumphius 1705A) Linnaeus 1758S
● J (*sardonyx* Humphrey 1797C
● F *saturata* Dautzenberg 1903C
● L *imperialis* (Dautzenberg 1923M) Schilder-Schilder 1938P
● E *exusta* Sowerby 1832I

517 Genus ***Cypraea*** LINNAEUS (1740S) 1758S (*tigris*)
Erythraea (JUSSIEU 1714G, SOWERBY 1839M) MÖRCH 1877I
(*Aerythraea* ADANSON 1757S
(*Cyprea* COSTA 1776E
Cypriarius DUMÉRIL 1806Z
Cypraearius FRORIEP 1806D
(*Cyproea* SERRES 1822M
(*Cipraea* CHIAJE 1827S
|| *Tigris* TROSCHEL 1863G (*tigris*)
|| *Cypria* JEFFREYS 1867B
Vulgusella JOUSSEAUME 1884D, 1884C (*tigris*)
(*Vulpicella* COSSMANN 1889P
Pantherinaria SACCO 1894P (*pantherina*)

83 M *vandervlerki* SCHILDER 1932F
9 M *semiorbicularis* SIEMON 1929G
● L *tig. tigris* LINNAEUS 1758S
● M || *guttata* (RUMPHIUS 1705A) ROBERTS 1870C
● ? (*tygris* (KLEIN 1753T) LINCK 1783L
● ? *flammea* (SCHRÖTER 1783E) Gmelin 1791S
● ? (*seriata* SOLANDER 1786P
● ? *tigrina* GMELIN 1791S
● ? *feminea* GMELIN 1791S
● ? *ambigua* GMELIN 1791S
● M *pardalis* SHAW 1795M
● T (*alveolata* HUMPHREY 1797C
● L (*leopardalis* HUMPHREY 1797C
● L || *pardalis* RÖDING 1798B
● L *onca* RÖDING 1798B
● ? *alboguttata* SCHRÖTER 1804C
● ? (*onea* RÖDING 1819B
● ? *nigrescens* GRAY 1824M
● ? *alauda* MENKE 1830S
● ? (*serena* ORBIGNY 1847D
● ? (*fuscata* ORBIGNY 1847D
● ? (*fuscula* ORBIGNY 1847D
● ? (*aethiops* ORBIGNY 1847D, SCHILDER 1922C
● L *flavonitens* MELVILL 1888S
● ? *hinnulea* MELVILL 1888S
● ? *russonitens* MELVILL 1888S
● ? *chionia* MELVILL 1888S
● ? *ionthodes* MELVILL 1888S
● G *lyncichroa* MELVILL 1888S
● ? *zymecrasta* MELVILL 1888S
● L *flavida* DAUTZENBERG 1893S
● F || *lineata* KENYON 1902C
● F || *rossiteri* DAUTZENBERG 1903C
● L || *nigricans* DAUTZENBERG 1923M
● ? *tuberculifera* SULLIOTI 1924P
● ? *tristis* SULLIOTI 1924P
● ? *incana* SULLIOTI 1924P
● ? *laminata* SULLIOTI 1924P

● Q *nephelodes* LANCASTER 1928T
● F *volai* STEADMAN-COTTON 1943F
● F *ambolee* STEADMAN-COTTON 1943F
● Q *fuscoapicata* COEN 1949C
● H *tig. schilderiana* CATE 1961S
● E *pan. catulus* SCHILDER 1924I
● E *pan. pantherina* SOLANDER 1786P
● ? (*pellistigrina* ARGENVILLE 1772C
● E *vinosa* GMELIN 1791S
● ? *pardus* RÖDING 1798B
● ? *leopardus* LINK 1807R
● ? || *guttata* LAMARCK 1810P
● ? *obtusa* PERRY 1811C
● ? || *tigrina* LAMARCK 1822A
● ? (*guttuta* RISSO 1826E
● ? (*distorta* MELVILL 1888S
● ? *badionitens* MELVILL 1888S
● E *theriaca* MELVILL 1888S
● E *albonitens* MELVILL 1888S
● ? *juvenca* MELVILL 1888S
● E *syringa* MELVILL 1888S
● ? || *fossilis* SACCO 1894P
● ? (*ventrosa* WILLIAMS 1914E
● ? (*nigrovinosa* VAYSSIÈRE 1923A
● ? *funebralis* SULLIOTI 1924P
● ? *auricomata* SULLIOTI 1924P

518 Genus ***Lyncina*** TROSCHEL 1863G (*lynx*)
|| *Porcellana* (RUMPHIUS 1705A, LINCK 1783L) ROBERTS 1870C (*argus*)
Ponda JOUSSEAUME 1884D, 1884C (*achatina*)
Prolyncina SCHILDER 1927R (*reevei*)
Callistocypraea SCHILDER 1927R (*aurantium*)
Arestorides IREDALE 1930Q (*argus*)
Mystaponda IREDALE 1930Q (*vitellus*)
(*Aristorides* CATE 1967R

● M [1] *argus* (RUMPHIUS 1705A) LINNAEUS 1758S
● L *contrastriata* PERRY 1811C
● F *ventricosa* GRAY 1824M
● ? (*constricta* GRAY 1828A
● S || *minor* DAUTZENBERG 1903C
● ? *concatenata* DAUTZENBERG 1903C
● ? *bynei* SULLIOTI 1924P
● S *nivosa* BRODERIP 1827D
● C *broderipii* SOWERBY 1832I
● M *leucodon* BRODERIP 1828D
● F *aurantium* (MARTYN 1784C) GMELIN 1791S
● T *aurora* (SOLANDER 1786P, CHEMNITZ 1788C, 1795C, SCHRÖTER 1789U) LAMARCK 1810P
● ? (*aurantiaca* BOSC 1836C
● ? (*aurantia* ROBERTS 1870C
● F *turanga* STEADMAN-COTTON 1943F
● M [2] *porteri* CATE 1966P
● L *lynx* LINNAEUS 1758S
● M (|| *lentiginosa* RUMPHIUS 1705A

● I *vanelli* Linnaeus 1758S
● ? (*tigrea* Meuschen 1787G
● ? (*petechisans* Meuschen 1787G
● ? (*variolans* Meuschen 1787G
● ? *leucostoma* Gmelin 1791S
● ? *squalina* Gmelin 1791S
● ? ? *punctulata* Gmelin 1791S
● ? ? *ovata* Gmelin 1791S
● ? *subflava* Gmelin 1791S
● ? *cruentata* Röding 1798B
● ? *ferruginea* Fischer 1807D
● F *caledonica* Crosse 1869C
● E *williamsi* Melvill 1888S
● T || *globosa* Dautzenberg 1903C
● ? *michaelis* Melvill 1905C
● ? (*pustulosa* Hidalgo 1907C
86 ? S *miolynx* Schilder 1927R
● L *incrassata* Dautzenberg 1929M
● F *pacifica* Steadman-Cotton 1943F
● ? *nigroguttata* Coen 1949C
● S *javana* Coen 1949C
81 A [3] *pembana* Cox 1927Z
97 M *car. wanneri* Schilder 1939S
● M *car. carneola* (Rumphius 1705A) Linnaeus 1758S
● E *crassa* Gmelin 1791S
● ? *aureola* Schröter 1804C
● ? || *marmorata* Blainville 1826D
● L *sowerbyi* Anton 1939V
● T *propinqua* Garrett 1879S
● L *loebbeckeana* Weinkauff 1881S
● ? (|| *alba* (Paetel 1883C) Schilder 1930T
● ? (*chemnitzi* Jousseaume 1884C
● L *halmaja* Melvill 1888S
● H *limpida* Melvill 1888S
● L || *minor* Dautzenberg 1893S
● H *rubiola* Kenyon 1902C
● ? *adonis* Rous 1905F
● ? (*pustulosa* Hidalgo 1905C
● ? *tuberculigera* Sullioti 1924P
● T || *minima* Dautzenberg-Bouge 1933 O
● Q *thepalea* Iredale 1939A
● A || *pretiosa* Coen 1949C
● Q || *aurea* Coen 1949C
● D *gedlingae* Cate 1968W
● A *car. titan* Schilder-Schilder 1962R
● ? || *major* Dautzenberg 1929M
● H *car. leviathan* Schilder-Schilder 1937B
● T *sch. schilderorum* Iredale 1939A
● T || *arenosa* Gray 1824M
● T || *alba* (Paetel 1883C) Sullioti 1924P
● J *sch. kuroharai* Kuroda-Habe 1961J
● H *sulcidentata* Gray 1824M
● H *xanthochrysa* Melvill 1888S
● V *reevei* Sowerby 1832I
● T [4] *ventriculus* Lamarck 1810P
● T || *carneola* (Martyn 1784C) Chenu 1845M

● T *achatina* PERRY 1811C
● T *otahitensis* SCHUBERT-WAGNER 1829C
● F *topee* STEADMAN-COTTON 1943F
96 J *vit. yokoyamai* SCHILDER 1941V
● S *vit. vitellus* LINNAEUS 1758S
● M *salita* (RUMPHIUS 1705) ROBERTS 1870C
● ? *subfuscula* (MARTYN 1784C) DILLWYN 1827C
● ? (*salinator* MEUSCHEN 1787G
● L *dama* (HUMPHREY 1797C) PERRY 1811C
● ? (*subfuscata* CHENU 1845M
● L *sarcodes* MELVILL 1888S
● F || *subrostrata* DAUTZENBERG 1903C
● F *distorta* (HIDALGO 1906C) IREDALE 1935A
● Q *orcina* IREDALE 1931A
● T *polynesiae* SCHILDER-SCHILDER 1939P
● G || *gibbosa* COEN 1949C
● E *camelopardalis* PERRY 1811C
● E *melanostoma* SOWERBY 1825T
● E *mariae* SCHILDER 1924I
● ? *supertecta* SULLIOTI 1924P
98 E *pseudovinosa* SCHILDER 1927R

52 Tribus LURIINI SCHILDER 1932Q

521 Genus ***Jousseaumea*** SACCO 1894P (*sublyncoides*)

78 n *tau. grandicamera* COSSMANN-PEYROT 1924A
84 m *tau. taurorotunda* SACCO 1894P
82 n *dil. diluviana* GRAY 1824M
82 n *sublyncoides* ORBIGNY 1852P
82 n *pseudodiluviana* SCHILDER 1927R
86 r *dil. propulchra* SCHILDER 1927R
82 n *gra. grateloupi* ORBIGNY 1852P
84 m *gra. tauropraecedens* SACCO 1894P
82 a *joossi* SCHILDER 1939T

522 Genus ***Fossacypraea*** SCHILDER 1939G (*hieroglyphica*)

74 n [1] *lucida* GRATELOUP 1847A
78 n *sub. flexuosa* SCHILDER 1927R
82 n *sub. subambigua* ORBIGNY 1852P
82 n || *ambigua* LAMARCK 1810P
84 m *tau. tauroparvula* SACCO 1894P
86 r *tau. hieroglyphica* SCHILDER 1923M
86 r *pseudohieroglyphica* SCHILDER 1927R
94 m *substolida* SACCO 1894P
82 n [2] *pseudoscarabaeus* GRATELOUP 1834A
82 n *pseudohirundo* ORBIGNY 1852P
82 n (*subhirundo* SACCO 1894P
78 n *ext. apiceproducta* COSSMANN-PEYROT 1924A
82 n *daxensis* SCHILDER 1927R
84 m *ext. extusdentata* SACCO 1894P
86 r *excavata* SCHILDER 1932F
74 S [3] *minbuensis* VREDENBURG 1925S
74 S *dig. ngahlaingdwinensis* VREDENBURG 1925N

82 P *dig. digona* Sowerby 1840C
78 P *pruniformis* Schilder 1927R
89 I *simonnei* Dey in Schilder (1932Q) 1941V, Dey 1962Q

523 Genus ***Chelycypraea*** Schilder 1927R (*testudinaria*)

● M *tes. testudinaria* (Rumphius 1705A) Linnaeus 1758S
● F *testudinosa* Perry 1811C
● L *tes. ingens* Schilder-Schilder 1938P
● I (|| *talpa* Humphrey 1797C

524 Genus ***Luria*** Jousseaume 1884D, 1884C (*lurida*)

Basilitrona Iredale 1930Q (*isabella*)
78 P [1] *jenkinsi* Archiac-Haime 1854I
86 S *javana* Schilder 1927R
87 S ? || *subelongata* Woodward 1879S
● L [2] *isa. isabella* (Rumphius 1705A) Linnaeus 1758S
● ? *literata* Time 1822C
● ? || *fulva* Gray 1824M
● ? || *fulva* Rous 1905F
● L *lemuriana* Steadman-Cotton 1946C
98 F *isa. lekalekana* Ladd 1934V
● S *rumphii* Schilder-Schilder 1938P
● T *atriceps* Schilder-Schilder 1938P
● F *cavia* Steadman-Cotton 1943F
● F *cylindroides* Coen 1949C
● H *isa. controversa* Gray 1824M
● ? *clara* Gaskoin 1851C
● c *mexicana* Stearns 1893W
● p *isabelloides* Schilder 1924I
● c *isabellamexicana* Shasky 1961R
97 A *pul. gregoryi* Cox 1930K
● E *pul. pulchra* Gray 1824M
● E || *pulchella* Gray 1824M
● ? *viridacea* Sullioti 1924P
82 a [3] *adivinanzensis* Schilder 1939T
82 a *pat. sanctisebastiani* Maury 1920P
84 a *pat. patrespatriae* Maury 1917D
9 a *pat. moritura* Schilder 1939T
78 v [4] *dom. chilensis* Philippi 1887C
84 a *dom. dominicensis* Gabb 1873D
84 a *cin. campbelliana* Pilsbry 1921D
87 a *catiana* Weisbord 1962V
95 a *cin. morinis* Ingram 1939C
9 a *rutschi* Schilder 1939T
9 a *costaricaensis* Ingram 1940C
9 a *limonensis* Ingram 1940C
● a *cin. cinerea* Gmelin 1791S
● ? *fragilioides* (Meuschen 1778G) Hidalgo 1907C
● ? (*morio* Meuschen 1787G
● ? *rufescens* Gmelin 1791S
● ? *translucens* Gmelin 1791S
● a *bullata* Röding 1798B
● ? *caerulea* Schröter 1804C
● a *sordida* Lamarck 1810P

flava Sullioti 1922C
|| *pellucidula* Sullioti 1924P
(*eburna* Schilder 1930T
barbadensis Verrill 1948W
[5] *fortunatarum* Schilder 1928G
lur. oceanica Schilder 1930Z
lur. minima Dunker 1853G
(*majet* (Adanson 1757) Dautzenberg 1891C
pulchroides Alvarado-Alvarez 1964A
lur. pliolurida Schilder 1932F
lur. lurida Linnaeus 1758S
(*mus* Argenville 1772C
(*grisea* Meuschen 1787G
leucogaster Gmelin 1791S
kunthii Audouin 1827E
monstrosa Gray 1828A
|| *rufescens* Costa 1829S
amethystina (Costa 1829S) Kobelt 1906I
virescens (Costa 1829S) Hidalgo 1907C
|| *albida* (Costa 1829S) Sullioti 1924P
rufofulva (Philippi 1836S) Kobelt 1906I
murina Nardo 1847V
? || *coerulea* Nardo 1847V
(|| *cinerea* (Requien 1848C) Monterosato 1897M
(|| *brunnea* (Requien 1848C) Monterosato 1897M
pumilio Brusina 1865D
|| *nebulosa* Monterosato (1878M) 1897M
|| *aurora* Monterosato (1878M) 1897M
efasciata Monterosato (1878M) 1897M
|| *cylindrica* Mollerat 1890V
curta Mollerat 1890V
|| *ventricosa* Mollerat 1890V
monochroma Mollerat 1890V
|| *zonata* Mollerat 1890V
|| *fulva* Mollerat 1890V
|| *caerulescens* Mollerat 1890V
|| *media* Monterosato 1897M
|| *normalis* Monterosato 1897M
|| *maxima* Monterosato 1897M
pubescens Monterosato 1897M
turdiculus Monterosato 1897M
|| *efasciata* Pallary 1900 O
|| *major* Pallary 1900 O
|| *minor* Pallary 1900 O

525 Genus **Tessellata** JOUSSEAUME 1884C (*tessellata*)
Tesselata JOUSSEAUME 1884D (*tesselata*)

● H *tessellata* SWAINSON 1822Z
● ? *trigonella* BLAINVILLE 1826D

6 Subfamilia ERRONEINAE SCHILDER 1927R

61 Tribus ZONARIINI SCHILDER 1932Q

611 Genus *Zonarina* subgenus **Prozonarina** SCHILDER 1941V (*brocchii*)

78 n [1] *peyreirensis* COSSMANN-PEYROT 1924A
78 n [2] *bro. subexpansa* SCHILDER 1927R
82 n *bro. brocchii* DESHAYES 1844A
82 n || *fossilis* GRAY 1828A
82 n *expansa* GRATELOUP 1845A
82 n *subannulus* ORBIGNY 1852P
84 m *bro. flavopunctata* MYLIUS 1891T
84 m *marginatissima* SACCO 1894P
84 m *crassidentula* SACCO 1894P
82 n *maxima* GRATELOUP 1845A
82 n *lessoniana* GRATELOUP 1847A
82 n *pseudomus* ORBIGNY 1852P
82 n [3] *sub. subannularia* ORBIGNY 1852P
84 m *sub. brongniarti* SCHILDER 1932P
84 m *dec. tauroporcellus* SACCO 1894P
84 n *dec. decorticata* DEFRANCE 1826D
84 m *amygdalum* BROCCHI 1814S
84 m *haueri* MICHELOTTI (1846B) 1847I
84 m *perlabiata* SACCO 1894P
84 m *tauroplanata* SACCO 1894P
84 m || *taurospirata* SACCO 1894P
78 m [4] *carryensis* SCHILDER 1932B
82 n *orb. orbignyana* GRATELOUP 1845A
84 m *orb. colligens* SACCO 1894P
84 m *macrodonta* (SISMONDA 1842P) SACCO 1894P
84 m *orb. genéi* MICHELOTTI 1847I
84 m || *prunum* BELLARDI-MICHELOTTI 1840P

612 Genus *Zonarina* subgenus **Zonarina** SACCO 1894P (*longovulina* [«*pinguis*»])

82 n [1] *pin. pinguis* GRATELOUP 1845A
82 n ? || *undulata* GRATELOUP 1845A
82 n *eburnina* GRATELOUP 1847A
82 n *pseudoannulus* ORBIGNY 1852P
84 m *pin. longovulina* SACCO 1894P
84 m *spiratina* SACCO 1894P
84 m *dentatissima* SCHILDER 1932P
86 r *multidentata* SCHILDER 1927R
78 m [2] *pro. provincialis* MATHERON 1842B
84 m *pro. tauromagna* SACCO 1894P
86 m *lan. mioporcellus* SACCO 1894P
86 r *lan. lanciai* BRUSINA 1877V
86 r *muschelbergensis* SACCO 1894P

84 m *laterimata* Sacco 1894P
84 r *exbrocchii* Sacco 1894P
84 n *exg. grandis* Schilder 1927R
84 r *exg. exglobosa* Sacco 1894P
86 r *exg. phyletica* Schilder 1923M
82 n [3] *sub. subelongata* Orbigny 1852P
84 m *sub. elongatula* Sacco 1894P
84 m ? *tauroannulus* Sacco 1894P
86 r *der. badenensis* Schilder 1927R
86 m *der. dertamygdaloides* Sacco 1894P
86 r *austriaca* Schilder 1927R
84 m [4] *ann. annularia* Brongniart 1823V
8? ? ? || *minor* Gray 1828A
86 r *ann. hoernesiana* Sacco 1894P
86 r ? *volhynica* Eichwald 1850P
86 r *intusplicata* Schilder 1927R
86 r *graciliplicata* Schilder 1923M

613 Genus ***Schilderia*** Tomlin 1930N (*utriculata*)
|| *Globulina* Cerulli 1911M (*infernoi*)

82 n [1] *col. subatomaria* Orbigny 1852P
84 n *col. columbaria* Lamarck 1810P
84 n (*pontileviensis* Dollfus-Dautzenberg 1886T
86 n *col. andegavensis* Defrance 1826D
84 m [2] *sem. taurolonga* Sacco 1894P
86 r *sem. semidenticulata* Sacco 1894P
84 m *saccoi* Schilder 1932P
86 m *fla. dertoflavicula* Sacco 1894P
94 m *fla. flavicula* Lamarck 1810P
94 m || *elongata* Brocchi 1814S
94 m *longiscata* Mayer 1875T
96 m *pseudocylindrica* Sacco 1894P
96 m *spirapatens* Sacco 1894P
84 m [3] *tau. taurovalis* Sacco 1894P
84 m *taurodenticulata* Sacco 1894P
84 m *taurotriangularis* Sacco 1894P
84 r *grundensis* Schilder 1932Q
86 m *tau. dertocolligens* Sacco 1894P
86 m ? *dertofabagina* Sacco 1894P
86 r *obtusedentata* Schilder 1927R
84 n *dujardini* Schilder 1932P
84 n || *globosa* Dujardin 1837T
82 n [4] *sub. subglobosa* Grateloup 1845A
84 n *sub. parvodenticulata* Sacco 1894P
86 r *sub. nikolsburgensis* Schilder 1927R
86 r *transsylvanica* Schilder 1927R
86 r *labrocostata* Schilder 1927R
85 l *utr. odhneri* Schilder 1928G
94 m *utr. utriculata* Lamarck 1810P
94 m *physis* Brocchi 1814S
94 m (|| *ventricosa* Gray 1828A
94 m *longiuscula* Cocconi 1873P
94 m || *tumida* Cocconi 1873P
94 m *nucula* Cocconi 1873P
94 m (|| *pardalis* Monterosato 1875M

94 m *plioamygdalum* Sacco 1894P
94 m *pseudamygdalum* Sacco 1894P
94 m *fontannesiana* Sacco 1894P
94 m (*affinis* Cossmann 1903E
96 m *utr. apyriformis* Sacco 1894P
96 m *infernoi* Cerulli 1911M
● m *ach. achatidea* Sowerby 1837I
● m *grayi* Kiener 1843C
● m || *major* Mollerat 1890V
● m *rufula* Mollerat 1890V
● m *auricoma* Crosse 1896A
● m *oranica* Crosse 1896A
● m *nana* Crosse 1896A
● m *physoides* Monterosato 1897M
● m || *globosa* Pallary 1900 O
● m (*globosaminor* Pallary 1900 O
● m || *minor* Pallary 1900 O
● m || *elongata* Pallary 1900 O
● m || *major* Pallary 1900 O
● m || *pallida* Pallary 1900 O
● m || *punctata* Pallary 1900 O
● m || *lineata* Pallary 1900 O
● m || *efasciata* Pallary 1900 O
● g *ach. inopinata* Schilder 1930Z
● g *longinqua* Schilder-Schilder 1938P

614 Genus ***Nesiocypraea*** Azuma-Kurohara 1967M (*midwayensis*)

● J [1] *lan. langfordi* Kuroda 1938C
● Q *lan. moretonensis* Schilder 1965Q
● J *hir. hirasei* Roberts 1913C
● Q *hir. queenslandica* Schilder 1966B
● J *teramachii* Kuroda 1938C
● H [2] *midwayensis* Azuma-Kurohara 1967M

615 Genus *Zonaria* subgenus ***Zonaria*** Jousseaume 1884C (*zonaria*)
Zonatia Jousseaume 1884D (*zonata*)

78 f [1] *heilprinii* Dall 1890F
84 m *extuspirata* Sacco 1894P
85 l *hesperidum* Schilder 1928G
86 m *praesanguinolenta* Fontannes 1878R
94 m *por. cocconii* Mayer 1875T
94 m ? *fossilis* Gray 1824M
94 m || *fossilis* Gray 1825M
94 m *subarostrata* Sacco 1894P
96 m *por. porcellus* Brocchi 1814S
96 m *pseudotypica* Sacco 1894P
96 m *pliocylindrica* Sacco 1894P
96 m *plioglobosa* Sacco 1894P
78 f [2] *tumulus* Heilprin 1887B
84 a *ray. raymondrobertsi* Pilsbry 1921D
86 a *ray. bowdenensis* Pilsbry 1921D
● s *gambiensis* Shaw 1909C
● ? || *nebulosa* Kiener 1843C
● s *zonaria* Gmelin 1791S

● s *zonata* (Chemnitz 1788C) Lamarck 1810P
● ? || *maculata* Gray 1824M
● ? *alba* Blainville 1826D
98 s *pic. atava* Rochebrune 1884M
● s *pic. picta* Gray 1824M
● e *ann. aequinoctialis* Schilder 1933C
● c *ann. annettae* Dall 1909C
● ? || *ferruginosa* Kiener 1843C
● c || *sowerbyi* Kiener 1845C
84 a [3] *spurcoides* Gabb 1873D
● s *sanguinolenta* Gmelin 1791S
● s *petechialis* Röding 1798B
● ? (*purpurata* Dillwyn 1817C
● ? || *purpurascens* Swainson 1823C
● g *petitiana* Crosse 1872D
● s *pyr. senegalensis* Schilder 1928V
● m *pyr. pyrum* Gmelin 1791S
● m *maculosa* Gmelin 1791S
● m *variolosa* Gmelin 1791S
● ? *fulva* Gmelin 1791S
● m *cinnamomaea* Olivi 1792A
● m *siciliana* Salis 1793N
● m *rufa* Lamarck 1810P
● ? (*jaspidea* Lamarck 1810P
● ? (*ochracea* Dillwyn 1817C
● m (*flavescens* Reeve 1845C
● m *cynnamomaea* Nardo 1847V
● m *haematites* Nardo 1847V
● m || *pallida* (Monterosato 1878M) Pallary 1900 O
● m *piriformis* Locard 1886F
● m (*pyrrha* Locard 1886F
● m *typica* Monterosato 1897M
● m *grandis* Monterosato 1897M
● m || *minor* Monterosato 1897M
● m || *normalis* Monterosato 1897M
● m *diluta* Monterosato 1897M
● m || *fusca* Monterosato 1897M
● m || *bifasciata* Monterosato 1897M
● m || *trifasciata* Monterosato 1897M
● m (*pirum* Locard 1897T
● m || *minor* Pallary 1900 O
● m || *globosa* Pallary 1900 O
● m || *undata* Pallary 1904G
● m *lacticolor* Pallary 1906G
● l *insularum* Schilder 1928V
● m *physoides* Coen 1933S
● m *elongata* Coen 1949C
● m *cruenta* Coen 1949C
● m *confusa* Coen 1949C
● m *hepatica* Coen 1949C
● m *piperitoides* Coen 1949C
● m *compressa* Coen 1949C
● m *nivosa* Coen 1949C
● m *aurantia* Coen 1949C
● m *minima* Coen 1949C
● g *pyr. angolensis* Odhner 1923S

616 Genus *Zonaria* subgenus ***Pseudozonaria*** SCHILDER 1927R (*arabicula*)

8 e *telembiensis* OLSSON 1964E
● p *robertsi* HIDALGO 1906C
● p || *punctulata* GRAY 1824M
● p *arabicula* LAMARCK 1810P
● ? || *gemmula* WEINKAUFF 1881S
● ? *massauensis* SCHILDER 1922C
● e *nigropunctata* GRAY 1828A
● ? *irina* KIENER 1843C
99 e ? *darwini* INGRAM 1948G

617 Genus *Zonaria* subgenus ***Neobernaya*** SCHILDER 1927R (*spadicea*)

93 c *spa. fernandoensis* ARNOLD 1907C
● c *spa. spadicea* SWAINSON 1823C

62 Tribus CYPRAEOVULINI SCHILDER 1927R
Umbiliini SCHILDER 1932Q

621 Genus ***Notoluponia*** SCHILDER 1935A (*elegantior*)

7 Z [1] *fic. ficoides* HUTTON 1873T
86 V *fic. subregularis* SCHILDER 1935A
86 V *pyrulata* TATE 1890A
86 V *tea. tealei* SCHILDER 1935A
86 V *tea. oligodontota* SCHILDER 1935A
81 V [2] *mur. murraviana* TATE 1890A
81 V (*murrayana* COSSMANN 1903E
86 V *mur. elegantior* SCHILDER 1935A
86 V (*inflatula* SCHILDER 1935A
86 V *plicata* SCHILDER 1935A
86 V *sub. gracilior* SCHILDER 1935A
86 V *sub. subpyrulata* TATE 1890A
86 V *bra. brachypyga* TATE 1890A
86 V *bra. simnioides* SCHILDER 1935A

622 Genus *Cypraeovula* subgenus ***Luponia*** (GRAY 1832D) BRODERIP 1837P (*algoensis*)
(*Lupina* BRONN 1854L
(*Luponaria* WEINKAUFF 1881C
(*Luponica* WEINKAUFF 1881C
(*Luperia* OPPENHEIM 1901 O
Gaskoinia ROBERTS 1870C (*edentula*)

● C [1] *fuscorubra* SHAW 1909C
● C || *similis* GRAY 1831C
● C *castanea* HIGGINS 1868D
● C *fus. cohenae* (KERR 1964N) BURGESS 1965N
● C *fus. fuscodentata* GRAY 1825M
● C (*rufodentata* PAETEL 1869S
● C *alba* COEN 1949C
● C *fus. coronata* SCHILDER 1930C
● C [2] *algoensis* GRAY 1825M

● C *edentula* GRAY 1825M
● C || *edentula* SOWERBY 1832I
● C (*denticulata* TURTON 1932A
● C *alfredensis* SCHILDER-SCHILDER 1929A

623 Genus *Cypraeovula* subgenus ***Cypraeovula*** GRAY 1824M (*capensis*)
(*Cypreovula* FLEMING 1828B
Cypraeova SWAINSON 1840T
Cypraeovulum SOWERBY 1842M
(*Cyprovula* GRAY 1847G
Cypraeovum PAETEL 1869S

● C *amphithales* MELVILL 1888S
● C *capensis* GRAY 1828M
● C *elizabethensis* ROUS 1905C
● ? *galactina* SULLIOTI 1924P
● C *albolineata* TURTON 1932A

624 Genus *Notocypraea* subgenus ***Guttacypraea*** IREDALE 1935A (*pulicaria*)

● V *pulicaria* REEVE 1846C
● V *candida* COEN 1949C

625 Genus *Notocypraea* subgenus ***Notocypraea*** SCHILDER 1927R (*piperita*)
Thelxinovum IREDALE 1931A (*mölleri*)

93 V [1] *jon. jonesiana* TATE 1890A
95 V *jon. eryma* COTTON 1947A
● V *bic. bicolor* GASKOIN 1849C
● V *reticulifera* SCHILDER 1924I
● V *wilkinsi* GRIFFITHS 1959N
● V *bic. euclia* STEADMAN-COTTON 1946C
● V *bic. occidentalis* IREDALE 1935A
● V *pip. piperita* GRAY 1825M
● V *dissecta* IREDALE 1931A
● V *trenberthae* TRENBERTH 1961S
● V *pip. comptonii* GRAY 1847T
● V *mayi* BEDDOME 1898T
● V *pip. casta* SCHILDER-SUMMERS 1963N
● V ? *leucochroa* SULLIOTI 1924P
● V [2] *declivis* SOWERBY 1870T
● V *lentiginosa* COEN 1949C
● V *angustata* GMELIN 1791S
● V || *maculata* PERRY 1811C
● V || *castanea* ANDERSON 1836W
● V *subcarnea* BEDDOME 1896A
● V *albata* BEDDOME 1898T
● V || *globosa* VAYSSIÈRE 1910C
● V *emblema* IREDALE 1931A
● V *mölleri* IREDALE 1931A
● V *verconis* COTTON-GODFREY 1932S

626 Genus *Umbilia* subgenus ***Rhynchocypraea*** COSSMANN 1898R (*leptorhyncha*)

86 V *leptorhyncha* MCCOY 1877V

627 Genus *Umbilia* subgenus ***Umbilia*** Jousseaume 1884D, 1884C (*umbilicata*)

7 V [1] *pla. angustior* Pritchard 1896T
81 V *pla. platyrhyncha* McCoy 1876V
87 V [2] *tatei* Cossmann 1903E
87 V || *amygdalina* Tate 1890A
95 V *cera* Cotton 1947A
● V *arm. hesitata* Iredale 1916S
● V || *umbilicata* Sowerby 1825T
● V || *alba* Cox 1879C
● Q *beddomei* Schilder 1930Z
● V *howelli* Iredale 1931A
● V *arm. armeniaca* Verco 1912A
86 V [3] *bre. montismarthae* Schilder 1935A
86 V *bre. brevis* McCoy 1876V
81 V *sphaerodoma* Tate 1890A
81 V *exi. eximia* Sowerby 1845W
86 V *exi. maccoyi* Schilder 1932Q
6? ? ? *mystica* Schilder 1932F

628 Genus *Umbilia* subgenus ***Palliocypraea*** Cossmann 1906E (*gastroplax*)

86 V *bre. frankstonensis* Schilder 1935A
86 V *bre. breviplicata* Schilder 1926V
81 V *siphonata* Chapman 1922F
86 V *gastroplax* McCoy 1875V

63 Tribus ERRONEINI Schilder 1927R

Adustini Steadman-Cotton 1946C

631 Genus *Erronea* subgenus ***Adusta*** Jousseaume 1884D, 1884C (*adusta*)

Gratiadusta Iredale 1930Q (*pyriformis*)
Ipserronea Iredale 1935A (*problematica*)
Solvadusta Iredale 1935A (*vaticina*)
Ficadusta Habe-Kosuge 1966N (*pulchella*)

78 P [1] *gra. granti* (Archiac 1850N) Archiac-Haime 1854I
78 S *gra. sedanensis* Schilder 1941V
82 P *nasuta* Sowerby 1840C
78 S [2] *rembangensis* Wanner-Hahn 1935R
78 S *proxima* Schilder 1937N
78 S *ijzermani* Schilder 1937N
78 S *cincta* Martin 1899J
81 S *pro. progoensis* Schilder 1927R
83 M *pro. berauensis* Schilder 1932F
89 I *travancoria* Dey in Schilder (1932Q) 1941V, Dey 1962Q
96 S *sondeiana* Martin 1899J
● M *wal. walkeri* Sowerby 1832I
● L *amabilis* Jousseaume 1881D
● Q *continens* Iredale 1935A
98 S *surabajensis* Schilder 1937N
● Q *merista* Iredale 1939A
● F *wal. bregeriana* Crosse 1868D

● F *barbara* KENYON 1902C
● F *rossiteri* DAUTZENBERG 1903C
89 I [3] *quilonensis* DEY in SCHILDER (1932Q), 1941V, DEY 1962Q
89 M *pyr. cowiei* COX 1948D
96 S *pyr. biplicata* SCHILDER 1932F
● Q *pyr. pyriformis* GRAY 1824M
● D *smithi* SOWERBY 1881D
● D *kaiseri* KENYON 1897C
● Q *problematica* IREDALE 1935A
98 S *propyriformis* SCHILDER 1937N
98 S *ponderosa* SCHILDER 1937N
98 S *semicostata* SCHILDER 1937N
● J *pul. pulchella* SWAINSON 1823C
● E *pul. vayssièrei* SCHILDER-SCHILDER 1938P
● P *pul. pericalles* MELVILL-STANDEN 1904P
● N *pul. novaebritanniae* SCHILDER-SCHILDER 1937B, 1937D
● J *hun. hungerfordi* SOWERBY 1888D
● J *kiiensis* ROBERTS 1913C
● Q *hun. coucomi* SCHILDER 1964Ka
● C *barclayi* REEVE 1857S
● M [4] *xan. fernandoi* CATE 1969E
● Q *xan. xanthodon* SOWERBY 1832I
● Q || *carnicolor* PRESTON 1909Q
96 S *vre. jungens* SCHILDER 1937N
● S *vre. vredenburgi* SCHILDER 1927R
● I *pal. pallida* GRAY 1824M
● ? *gilva* SULLIOTI 1924P
● M *insulicola* SCHILDER-SCHILDER 1938P
● M *pal. stohleri* CATE-SCHILDER 1968N
98 S [5] *putjanganensis* SCHILDER 1937N
● F *sub. subviridis* REEVE 1835S
● F *anceyi* VAYSSIÈRE 1905C
● Q *vaticina* IREDALE 1931A
● D *sub. dorsalis* SCHILDER-SCHILDER 1938P
● ? *kesata* STEADMAN-COTTON 1943F
● J *sub. piscatorum* SCHILDER 1965K
● N [6] *onyx melanesiae* SCHILDER-SCHILDER 1937B, 1937D
● A *onyx adusta* (CHEMNITZ 1788C) LAMARCK 1810P
● I *umbilicata* (SOLANDER 1786P) DILLWYN 1823L
● ? (*castanea* MEUSCHEN 1778G
● P *persica* SCHILDER-SCHILDER 1938P
● L *onyx nymphae* JAY 1850C
● L || *fulva* GRAY 1828A
● ? *carnicolor* (JAY 1839C) MÖRCH 1852Y
● M *onyx onyx* LINNAEUS 1758S
● ? *succincta* LINNAEUS 1758S
● ? (*caerulea* LINNAEUS 1767S
● ? (*achates* ARGENVILLE 1772C
● ? *pulla* GMELIN 1791S
● ? *prunus* RÖDING 1798B

632 Genus *Erronea* subgenus ***Erronea*** TROSCHEL 1863G (*errones*)
Palangerosa IREDALE 1930Q (*cylindrica*)
Melicerona IREDALE 1930Q (*listeri*)

96 S [1] *ovum cheribonensis* SCHILDER 1932F

● M *ovum ovum* GMELIN 1791S
● ? *cruenta* GMELIN 1791S
● ? || *olivacea* LAMARCK 1810P
● ? || *ovata* GRAY 1824M
● N || *sophiae* BRAZIER 1876N
● N *chrysostoma* (BRAZIER 1881S) SCHILDER 1927R
● G *palauensis* SCHILDER-SCHILDER 1938P
● N *bartletti* STEADMAN-COTTON 1946C
● M *err. errones* LINNAEUS 1758S
● M (*dracaena* RUMPHIUS 1705A
● M *erronea* HOUTTUYN 1771N
● ? (*trifascia* MEUSCHEN 1787G
● ? (*phasma* MEUSCHEN 1787G
● ? *oblonga* GMELIN 1791S
● ? ? *pusilla* GMELIN 1791S
● M (*virescens* HUMPHREY 1797C
● N *coerulescens* SCHRÖTER 1804C
● ? (|| *ferruginosa* GRAY 1824M
● S *bimaculata* GRAY 1824M
● D *coxi* BRAZIER 1872N
● S *chrysophaea* MELVILL 1888S
● F || *major* DAUTZENBERG 1903C
● F || *minor* DAUTZENBERG 1903C
● F || *albida* DAUTZENBERG 1903C
● F *compressa* DAUTZENBERG 1903C
● F *pallidior* DAUTZENBERG 1903C
● Q *nimiserrans* IREDALE 1935A
● Q *magerrones* IREDALE 1939A
● D *proba* IREDALE 1939A
● Q (*nimisserans* STEADMAN-COTTON 1943F
● F *kalavo* STEADMAN-COTTON 1943F
● F *vivili* STEADMAN-COTTON 1943F
● M *fusca* COEN 1949C
● D *err. azurea* SCHILDER 1968K
● M [2] *cyl. cylindrica* BORN 1778I
● ? *cornus* RÖDING 1798B
● ? || *caerulea* FISCHER 1807D
● ? (*decorticata* GRAY 1824M
● ? *formosa* GRAY 1824M
● Q *lenella* IREDALE 1939A
● Q *emaculata* COEN 1949C
● D *cyl. sowerbyana* SCHILDER 1932Q
● D || *subcylindrica* SOWERBY 1870T
● D *sista* IREDALE 1939A
● D *wangga* STEADMAN-COTTON 1943F
9 J *cau. cinctoides* YOKOYAMA 1928T
● M *cau. caurica* LINNAEUS 1758S
● L *dracaena* BORN 1778I
● I (*carrosa* MEUSCHEN 1781G
● I *corrosa* (MEUSCHEN 1781G) SCHILDER-SCHILDER 1938P
● ? *derosa* (SCHRÖTER 1783E) GMELIN 1791S
● ? (*trifasciata* MEUSCHEN 1787G
● L (*dentex* HUMPHREY 1797C
● M *lentigo* RÖDING 1798B
● E *quinquefasciata* RÖDING 1798B

● ? *fuscofasciata* Schröter 1804C
● ? || *ligata* Schröter 1804C
● ? *inspersa* Link 1807R
● A *elongata* Perry 1811C
● ? ? || *dubia* Gray 1831C
● ? (*quadrifasciata* Schlüter 1838V
● F || *obscura* Crosse 1869C
● L *concava* Sowerby 1870T
● ? *oblongata* Melvill 1888S
● F || *pallida* Dautzenberg 1903C
● ? *oblongatanana* Jackson 1906E
● L || *rosea* Taylor 1913C
● ? *nigrocincta* Schilder 1924I
● ? || *atrata* Sullioti 1924P
● E || *nigricans* Pallary 1926S
● Q *longior* Iredale 1935A
● F *thema* Iredale 1939A
● D *blaesa* Iredale 1939A
● F *obscurata* Schilder-Schilder 1940V
● A *immaculata* Coen 1949C
● E *multidentata* Coen 1949C
● L *nitens* Coen 1949C
● F *caledonica* Coen 1949C
● A *pseudarabicula* Coen 1949C
● L [3] *listeri* Gray 1824M
● M *melvilli* Hidalgo 1906C
● S *pauciguttata* Schilder-Schilder 1938P
● Q *velesia* Iredale 1939A
● F *vatu* Steadman-Cotton 1943F
● C *fel. felina* Gmelin 1791S
● ? ? *lineata* Gmelin 1791S
● ? (|| *olivacea* Dillwyn 1817C
● P *fel. fabula* Kiener 1843C
● ? || *gibbosa* Gray 1824M

633 Genus ***Notadusta*** Schilder 1935A (*victoriana*)

86 V [1] *vic. victoriana* Schilder 1935A
86 V *vic. tumidula* Schilder 1935A
86 V *pygmaea* Schilder 1935A
87 Z *trelissickensis* Suter 1917Z
81 S [2] *egregia* Schilder 1937N
81 S *spolongensis* Schilder 1937N
● L [3] *punctata* Linnaeus 1771M
● M *atomaria* Gmelin 1791S
● M *stercusmuscarum* Lamarck 1810P
● ? *decolorata* Gray 1824M
● ? || *maculata* Gray 1824M
● L (|| *punctulata* Sowerby 1837I
● F (*muscarum* Schmeltz 1869G
● T *trizonata* Sowerby 1870T
● F || *rostrata* Dautzenberg 1903C
● L *berinii* Dautzenberg 1906A
● ? || *alba* Sullioti 1924P
● N *iredalei* Schilder-Schilder 1938P
● Q *persticta* Iredale 1939A

● D *carula* IREDALE 1939A
● N *kat. rabaulensis* SCHILDER 1964K
● J *kat. katsuae* KURODA 1960M
● J *musumea* KURODA-HABE 1961J
98 M *mar. martini* SCHEPMAN 1907C
● F *mar. superstes* SCHILDER 1930C
● Q [4] *hartsmithi* SCHILDER 1967H

634 Genus *Palmadusta* subgenus ***Palmadusta*** IREDALE 1930Q (*clandestina*)
Evenaria IREDALE 1930Q (*asellus*)
(*Evanaria* STEADMAN-COTTON 1943F

98 S [1] *modjokertensis* SCHILDER 1937N
● M *saulae* GASKOIN 1843C
● M (*sauliae* WEINKAUFF 1881S
● Q *nugata* IREDALE 1935A
● G *jensostergaardi* INGRAM 1939J
● M *siasiensis* CATE 1960S
● D *crakei* CATE 1968W
● N *contaminata* SOWERBY 1832I
● C *distans* SCHILDER-SCHILDER 1938P
● M *malaysiae* SCHILDER-SCHILDER 1940V
● F *lut. humphreysii* GRAY 1825M
● ? (|| *succincta* GRAY 1828A
● F *yaloka* STEADMAN-COTTON 1943F
● Q (*humphreyii* IREDALE-MCMICHAEL 1962N
● M *lut. lutea* (MEUSCHEN 1781G) GMELIN 1791S
● ? || *nivea* WOOD 1828I
● D *bizonata* IREDALE 1935A
● I *lentiginosa* GRAY 1825M
● ? (*sabulosa* SOWERBY 1825T
● M *ziczac* LINNAEUS 1758S
● ? (*musculus* MEUSCHEN 1778G
● I *undata* LAMARCK 1810P
● A *misella* PERRY 1811C
● M (*ziczag* GRAY 1824M
● ? || *undulata* WOOD 1828I
● N *vittata* DESHAYES (1828D) 1831D
● F || *decolorata* DAUTZENBERG 1903C
● Q *signata* IREDALE 1939A
● L *dil. virginalis* SCHILDER-SCHILDER 1938P
● L || *buttoni* OLDROYD 1916V
● ? *epunctata* COEN 1949C
● C *dil. diluculum* REEVE 1845C
● ? ? (*litterata* ARGENVILLE 1772C
● ? ? (*cincta* MEUSCHEN 1787G
● ? (*ziczack* RÖDING 1798B
● ? (*zikzak* FISCHER 1807D
● ? (*zigzag* LAMARCK 1810P
● ? || *fasciata* ENCYCLOPAEDIA METROPOLITANA 1810E, DONOVAN 1820C
● A *magnifica* COEN 1949C
● I [2] *clandestina* LINNAEUS 1767S
● M *moniliaris* LAMARCK 1810P
● ? ? *nitida* GRAY 1824M
● T *candida* PEASE 1865P

● F *aberrans* Ancey 1882C
● A *passerina* Melvill 1888S
● F || *marteli* Dautzenberg 1903C
● Q *whitleyi* Iredale 1939A
● Q *extrema* Iredale 1939A
● J *artuffeli* Jousseaume 1876C
● J (*artufelli* Hidalgo 1906C, 1907C
● L *asellus* (Rumphius 1711T) Linnaeus 1758S
● L (*maldivica* Petiver 1701M
● M *aselli* (Rumphius 1705A) Roberts 1870C
● ? *vespa* (Humphrey 1797C) Encyclopaedia Metropolitana 1810E
● ? ? *striatella* Link 1807R
● ? || *flavescens* Gray 1824M
● F *bitaeniata* Geret 1903C
● M *vespacea* Melvill 1905C
● F *bougei* Dautzenberg 1906C
● Q *latefasciata* Schilder 1930Z
● F *kawakawa* Steadman-Cotton 1943F
● E[?] *fusca* Coen 1949C

635 Genus *Palmadusta* subgenus ***Purpuradusta*** Schilder 1939G (*fimbriata*)
Opponaria Iredale 1939A (*minoridens*)
Cupinota Iredale 1939A (*macula*)

● M [1] *gra. gracilis* Gaskoin 1849C
● Q *gra. macula* Angas 1867J
● Q (*amacula* Rigacci-Rigacci 1874C
● Q *interpunctata* Henn 1896N
● J *gra. japonica* Schilder 1931C
93 J *fusana* Hatai-Nishiyama 1848C
● D *gra. irescens* Sowerby 1870T
● D *hilda* Iredale 1939A
● E *gra. notata* Gill 1858C
● E *cholmondeleyi* Melvill 1888S
● E *subcoerulea* Schilder-Schilder 1931A
● P *nitida* Coen 1949C
● Q *ham. hammondae* Iredale 1939A
● D *dampierensis* Schilder-Cernohorsky 1965N
● M *ham. raysummersi* Schilder 1960K
● L [2] *fim. fimbriata* Gmelin 1791S
● M *marmorata* Schröter 1804C
● ? (*tenella* Dillwyn 1817C
● C *durbanensis* Schilder-Schilder 1938P
91 J *oligodon* Hatai-Nishiyama 1848C
● H *fim. unifasciata* Mighels 1845S
● H *waikikiensis* Schilder 1933C, 1933H
● F *min. minoridens* Melvill 1901C
● Q *blandita* Iredale 1939A
● F *suvaensis* Steadman-Cotton 1943F
● T *min. serrulifera* Schilder-Schilder 1938D
● M [3] *mic. microdon* Gray 1828A
● N *granum* Schilder-Schilder 1938P
● M *katha* Iredale 1939A
● L *mic. chrysalis* Kiener 1843C

636 Genus ***Blasicrura*** IREDALE 1930Q (*rhinoceros*)
Eclogavena IREDALE 1930Q (*coxeni*)
Talostolida IREDALE 1931A (*teres*)

96 S [1] *ins. insculpta* MARTIN 1899J
97 M *ins. nikinikiensis* SCHILDER 1928C
● N *cox. hesperina* SCHILDER-SUMMERS 1963B
● N *cox. coxeni* COX 1873A
● N *steineri* CATE 1969E
● M *quadrimaculata* GRAY 1824M
● ? *nimbosa* DILLWYN 1827C
● F *garretti* SCHILDER-SCHILDER 1938P
● D *thielei* SCHILDER-SCHILDER 1938P
● M [2] *pal. pallidula* GASKOIN 1849C
● ? ? *commixta* WOOD 1828I
● M (*quadrimaculatae* (GASKOIN 1849C) SHERBORN 1932I
● F *rhinoceros* SOUVERBIE 1865C
● D *simulans* SCHILDER-SCHILDER 1940V
● F *vivia* STEADMAN-COTTON 1943F
● M *dayritiana* CATE 1963N
● J *pal. luchuana* KURODA 1960M
● F *pal. summersi* SCHILDER 1958S
● I *interrupta* GRAY 1824M
● I *prestoni* SHAW 1909C
● M [3] *ter. teres* GMELIN 1791S
● F *subfasciata* LINK 1807R
● M *tabescens* DILLWYN 1817C
● ? || *cylindrica* BLAINVILLE 1826D
● L *alveolus* TAPPARONE 1882M
● L *elaiodes* MELVILL 1888S
● H *pellucens* MELVILL 1888S
● ? (*callosa* HIDALGO 1907C
● Q *pentella* IREDALE 1939A
● Q *hermanni* IREDALE 1939A
● F *vava* STEADMAN-COTTON 1943F
● T *ter. subteres* WEINKAUFF 1881S
● F *rash. rashleighana* MELVILL 1888C
● H *rash. latior* MELVILL 1888S
● H *eunota* TAYLOR 1916V
● H *transpiciens* TAYLOR 1916V
● T *goodallii* SOWERBY 1832I
● G *fuscomaculata* PEASE 1865P
● ? *adelinae* ROBERTS 1885M
● G *dautzenbergi* HIDALGO 1907C

637 Genus ***Bistolida*** COSSMANN 1920R (*stolida*)
|| *Stolida* JOUSSEAUME 1884D, 1884C (*stolida*)
Derstolida IREDALE 1935A (*fluctuans*)

● L [1] *kie. depriesteri* SCHILDER 1933C, 1933D
● N *schneideri* SCHILDER-SCHILDER 1938P
● Q *marcia* IREDALE 1939A
● F *vitiensis* STEADMAN-COTTON 1943F
● T *landeri* SCHILDER-GRIFFITHS 1962P

● L *kie. kieneri* HIDALGO 1906C
● L *reductesignata* SCHILDER 1924I, 1927C
● C *owe. vasta* SCHILDER-SCHILDER 1938P
● C || *pulchella* GRAY 1828A
● L *owe. owenii* (GRAY 1832D) SOWERBY 1837C
● L *menkeana* DESHAYES 1863R
● L *modesta* SOWERBY 1870T
● ? || *monstrosa* SOWERBY 1870T
● L *hir. hirundo* LINNAEUS 1758S
● ? (*sowerbyi* (GRAY 1832D) CATLOW-REEVE 1845N
● M *neglecta* SOWERBY 1837C
● ? ? *parvula* PHILIPPI 1849T
● F *rouxi* ANCEY 1882C
● M *abbreviata* DAUTZENBERG 1903C
● I *subulata* DAUTZENBERG 1903C
● F *marteli* DAUTZENBERG 1903C
● Q *endela* IREDALE 1939A
● Q *cameroni* IREDALE 1939A
● Q *peropima* IREDALE 1939A
● F *korolevu* STEADMAN-COTTON 1943F
● G *ogasawarensis* SCHILDER 1944W
● L *hir. francisca* SCHILDER-SCHILDER 1938P
● S *ursellus* GMELIN 1791S
● M (*ursula* RUMPHIUS 1705A
● M *coffea* SOWERBY 1870T
● M || *minor* QUENSTEDT 1884D
● N *amoeba* SCHILDER-SCHILDER 1938P
● M [2] *sto. stolida* LINNAEUS 1758S
● ? *rubiginosa* GMELIN 1791S
● J (*ferruginea* HUMPHREY 1797C
● ? *draco* RÖDING 1798B
● ? (*rubigo* REEVE 1845C
● F *crossei* MARIE 1869C
● L *diauges* MELVILL 1888S
● L *gelasima* MELVILL 1888S
● F *nandronga* STEADMAN-COTTON 1943F
● F *thakau* STEADMAN-COTTON 1943F
● Q *sto. brevidentata* SOWERBY 1870T
● Q *moniontha* MELVILL 1888S
● D *irvineanae* COX 1889A
● Q *fluctuans* IREDALE 1935A
● Q *deceptor* IREDALE 1935A
● E *erythraeensis* SOWERBY 1837I
● E (|| *beckii* DESHAYES 1844A
● E *avalitensis* JOUSSEAUME 1894D

638 Genus ***Ovatipsa*** IREDALE 1931A (*chinensis*)

78 S [1] *vanbenthemjuttingae* SCHILDER 1941V
87 F [2] *chi. subchinensis* ABRARD 1946H
● J *chi. chinensis* (ARGENVILLE 1772C) GMELIN 1791S
● M (*variolae* RUMPHIUS 1705A
● M *variola* (KLEIN 1753T) ROBERTS 1870C
● M (*variegata* MÜLLER-CHEMNITZ 1765A
● ? *crenata* RÖDING 1798B
● ? *morbillosa* RÖDING 1798B

● ? *flavescens* Schröter 1804C
● M *variolaria* Lamarck 1810P
● ? (|| *cruentata* Sowerby 1836I
● A *violacea* Rous 1905F
● H *amiges* Melvill-Standen 1915V
● J || *splendens* Taylor 1916V
● L *convergens* Dautzenberg 1932M
● L *colorata* Dautzenberg 1932M
● Q *sydneyensis* Schilder-Schilder 1938P
● D *whitworthi* Cate 1964W
● C *chi. tortirostris* Sowerby 1906S
● I *chi. coloba* Melvill 1888S
● I *greegori* Ford 1893F
● P ? *cairnsiana* Melvill-Standen 1904P

639 Genus ***Cribrarula*** Strand 1929N (*cribraria*)

(*Criraria* Jousseaume 1884D (*criraria*)
|| *Cribraria* Jousseaume 1884C (*cribraria*)
Nivigena Iredale 1930Q (*melwardi*)

● J [1] *cri. cribraria* Linnaeus 1758S
● ? *maculata* Encyclopaedia Metropolitana 1810E
● A *comma* Perry 1911C
● D *fallax* Smith 1881S
● ? (*criraria* Jousseaume 1884D
● D *exmouthensis* Melvill 1888S
● F || *rostrata* Dautzenberg 1903C
● Q *melwardi* Iredale 1930Q
● Q *zadela* Iredale 1939A
● N *orientalis* Schilder-Schilder 1940V
● F *northi* Steadman-Cotton 1943F
● L *cri. cribellum* Gaskoin 1849D
● L *esontropia* Duclos 1833M
● L ? || *monstrosa* Smith 1878F
● L *translucida* Melvill 1888S
● L *pellucida* Taylor 1916V
● N [2] *catholicorum* Schilder-Schilder 1938D
● F *gas. fischeri* Vayssière 1910C
● H *gas. gaskoini* Reeve 1846C
● H *peasei* Sowerby 1870T
● T *cumingii* Sowerby 1832I
● T *compta* Pease 1860P
● T *cleopatra* Schilder-Schilder 1938P

7 Subfamilia EROSARIINAE Schilder 1924I

71 Tribus PUSTULARIINI Schilder 1932Q

Cypraeacitini Schilder 1930G
Austrocypraeini Iredale 1935A
Conocypraeini Schilder 1936A

711 Genus *Pustularia* subgenus ***Annepona*** Iredale 1935A (*annulata*)

● T *mariae* Schilder 1927R
● T || *annulata* Gray (1825M) 1828A

712 Genus *Pustularia* subgenus ***Pustularia*** SWAINSON 1840T (*cicercula*)
(|| *Globularia* SOWERBY 1842M (*globulus*)
Epona ADAMS-ADAMS 1854G (*cicercula*)
(*Postularia* COCCONI 1873P
(*Eponia* ROSSITER 1882C

75 a [1] *mejasensis* SCHILDER 1939T
79 a *eve. americana* SCHILDER 1939T
81 S *eve. everwijni* MARTIN 1887J
83 M *pisiformis* SCHILDER 1932F
83 M *kamai* BEETS 1941M
84 a *gur. caribaea* SCHILDER 1939T
84 a *gur. gurabonis* INGRAM 1939D
● M [2] *glo. globulus* LINNAEUS 1758S
● M *globuli* (RUMPHIUS 1705A) ROBERTS 1870C
● ? (*margarita* RUMPHIUS 1711T
● ? *affinis* GMELIN 1791S
● N *sphaeridium* SCHILDER-SCHILDER 1938P
● F *jennisoni* STEADMAN-COTTON 1943F
● D (*globula* COTTON 1958W
● J *tetsuakii* KIRA 1959J
● J (*lobulus* HABE 1961I
● L *glo. brevirostris* SCHILDER-SCHILDER 1938P
● T *mar. margarita* DILLWYN 1817C
● L *mar. tricornis* JOUSSEAUME 1874D
● M *cicercula* LINNAEUS 1758S
● ? (*porcellio* ARGENVILLE 1772C
● J (*citrina* HUMPHREY 1797C
● M ? *timorensis* GRAY 1825M
● L *liénardi* JOUSSEAUME 1874D
● F *vulavula* STEADMAN-COTTON 1943F
● L *purissima* COEN 1949C
● M *bis. bistrinotata* SCHILDER-SCHILDER 1937B
● T || *quadrimaculata* DAUTZENBERG-BOUGE 1933 O
● N *mediocris* SCHILDER-SCHILDER 1938P
● T *sublaevis* SCHILDER-SCHILDER 1938P
● S *keelingensis* SCHILDER-SCHILDER 1940V
● ? (*bistrimontata* BURGESS 1967M
● H *bis. mauiensis* BURGESS 1967H
● H (*olawaluensis* SCHILDER-SCHILDER 1966S
● H (*olowaluensis* M. SCHILDER 1967L

713 Genus *Pustularia* subgenus ***Ipsa*** JOUSSEAUME 1884D, 1884C (*childreni*)

● T *childreni* GRAY 1825M
● L *lemurica* SCHILDER-SCHILDER 1938P
● J *samurai* SCHILDER-SCHILDER 1940V
● F *novaecaledoniae* SCHILDER-SCHILDER 1952D

714 Genus ***Austrocypraea*** COSSMANN 1903C (*contusa*)

81 V [1] *ovulatella* TATE 1890A
86 V *constricta* SCHILDER 1935A
81 V [2] *arch. archeri* TENISON 1876T
86 V *arch. scalena* TATE 1890A

86 V *subsidua* TATE 1890A
86 V (*squalena* COSSMANN 1903E
86 V *contusa* MCCOY 1877V
86 V *subcontusa* SCHILDER 1935A
81 V *ampullacea* TATE 1890A
86 V [3] *parallela* TATE 1890A

715 Genus ***Proadusta*** SACCO 1894P (*denticulina* [« *splendens* »])

Cypraeacites (SCHLOTHEIM 1820P) SCHILDER 1931B (*meyeri* [« *inflatus* »])
(*Cyprecites* ORBIGNY 1850P
(*Cypraeites* BÖTTGER 1883M
Conocypraea OPPENHEIM 1901P (*persona*)

62 n [1] *chevallieri* COSSMANN 1896C
64 m *mol. moloni* BAYAN 1870V
64 n *mol. compacta* SCHILDER 1927K
66 n *brackleshamensis* SCHILDER 1929E
66 n *acyensis* RAINCOURT 1876P
66 n *sub. subrostrata* GRAY 1824M
66 n || *spirata* DEFRANCE 1826D
68 n *sub. bartonensis* EDWARDS 1854E
68 n (*bartoniensis* WRIGHT 1851H
64 n [2] *per. rhynchophora* SCHILDER 1927R
66 m *per. gregorioi* SCHILDER 1929E
68 m *per. persona* OPPENHEIM 1901P
72 m *nigroguttata* SCHILDER 1932F
72 n *ini. inaequilabiata* SACCO 1894P
72 m *postsphaeroides* SACCO 1894P
72 m *subiniquidens* SACCO 1894P
72 n *ini. iniquidens* KOENEN 1890N
74 n *exf. exflaveola* SACCO 1894P
74 n (*foveola* VREDENBURG 1925N
74 n *mariana* CERULLI 1911M
74 n *exf. rugifera* SCHILDER 1927R
74 n || *rugosa* GRATELOUP 1834A
72 n *anh. anhaltina* GIEBEL 1861L
74 n *anh. meyeri* BÖTTGER 1883M
74 n *anh. megalopyga* SCHILDER 1928W
74 n *sub. petrafixensis* COSSMANN 1893E
74 n *stampinensis* SACCO 1894P
76 n *sub. subinflata* ORBIGNY 1852P
76 n *philippii* SPEYER 1862C
78 n *stephanensis* COSSMANN-PEYROT 1924A
72 m [3] *rimulata* SACCO 1894P
72 m *parvitala* SACCO 1894P
72 m *longitala* SACCO 1894P
72 m *submonetaria* SACCO 1894P
72 m *ant. antiqua* LAMARCK 1810P
72 m *fuchsi* GREGORIO 1894B
72 m *propeangusta* GREGORIO 1894B
72 m *ant. dentatissima* SACCO 1894P
72 m *speyeri* MAYER 1894T
67 M [4] *paniculus* BÖTTGER 1875B
67 S *cordiformis* BÖTTGER 1880S
71 S *daltoni* SCHILDER 1927R

716 Genus ***Propustularia*** SCHILDER 1927R (*surinamensis*)

62 c [1] *simiensis* NELSON 1925C
62 c [2] *kemperae* NELSON 1925C
68 a *vistabellensis* SCHILDER 1939T
84 m *neu. extusplicata* SACCO 1894P
84 m *arostrata* SACCO 1894P
84 m *nudispira* SACCO 1894P
86 r *neu. neugeboreni* HOERNES-AUINGER 1880M
86 r *gaasensis* SCHILDER 1927R
86 a [3] *parisimina* OLSSON 1922C
95 a *sur. bartschi* INGRAM 1939C
● a *sur. surinamensis* PERRY 1811C
● a *bicallosa* GRAY 1831C
● a *aubryana* JOUSSEAUME 1869C
● a (*aubreyana* SOWERBY 1870T
● ? *ingloria* CROSSE 1878D
98 a *barbadensis* SCHILDER 1932F

72 Tribus EROSARIINI SCHILDER 1924I

Nariini SCHILDER 1932Q
Staphylaeini IREDALE 1935A

721 Genus *Monetaria* subgenus ***Monetaria*** TROSCHEL 1863G (*moneta*)

(*Thoracium* RUMPHIUS 1705A
|| *Aricia* (GRAY 1832D) BRODERIP 1837P (*moneta*)
(*Aria* DESHAYES 1865P
(*Mercatoria* MELVILL 1888S (*moneta*)

● L *moneta* LINNAEUS 1758S
● ? (*monetanigritarum* LISTER 1688H
● ? (*nigritarummoneta* LISTER 1688H
● ? (*africana* PETIVER 1695M
● M (*vulgaris* RUMPHIUS 1705A
● M (*cauricia* RUMPHIUS 1705A
● ? (*marginata* GEDNER 1756A
● ? (*monetacongo* ARGENVILLE 1772C, GMELIN 1791S
● ? (*monetaguinea* ARGENVILLE 1772C
● L *numisma* RÖDING 1798B
● ? *gibbosa* SCHRÖTER 1804C
● A *icterina* LAMARCK 1810P
● T || *rosea* GRAY 1828A
● ? *flava* MENKE 1829M
● F *tuberculosa* QUOY-GAIMARD 1834A
● F *barthelemyi* BERNARDI 1861D
● ? || *marginata* KIESENWETTER 1872C
● E *ethnographica* ROCHEBRUNE 1884M
● L *mercatorium* ROCHEBRUNE 1884M
● F *vestimenti* ROCHEBRUNE 1884M
● F *pleuronectes* ROCHEBRUNE 1884M
● H *plumaria* ROCHEBRUNE 1884M
● ? || *maxima* DAUTZENBERG 1903C
● T *aurea* SHAW 1909C

● ? *chionella* Sullioti 1924P
● ? *britannica* Schilder 1927R
● T || *candida* Dautzenberg-Bouge 1933 O
● M *rhomboides* Schilder-Schilder 1933N
● M *circumvallata* Schilder-Schilder 1933N
● M *subalata* Schilder-Schilder 1933N
● F *monetoides* Iredale 1939A
● F *harrisi* Iredale 1939A
● Q *isomeres* Iredale 1939A
● F *endua* Steadman-Cotton 1943F
● F *erua* Steadman-Cotton 1943F
● F *etolu* Steadman-Cotton 1943F
● ? *annulifera* Coen 1949C
● ? *bulgarica* Kojumdgieva 1960F

722 Genus *Monetaria* subgenus ***Ornamentaria*** Schilder-Schilder in Schilder 1936A, Schilder-Schilder 1937M (*annulus*)

● M *ann. annulus* Linnaeus 1758S
● M (*quarta* Rumphius 1705A
● ? ? (|| *musculus* Meuschen 1781G
● ? (*violascens* Meuschen 1787G
● ? *coerulea* Karsten 1789L
● ? *annulata* Encyclopaedia Metropolitana 1810E
● I *annularis* Perry 1811C
● ? || *coerulea* Perry 1811C
● ? *annulifera* Conrad (1862A) 1866M
● F *nouméensis* Marie 1869C
● M *knomeensis* Cox 1879C
● F (|| *rostrata* (Weinkauff 1881C) Dautzenberg 1903C
● L (*pura* Paetel 1883C
● L *camelorum* Rochebrune 1884M
● M *harmandiana* Rochebrune 1884M
● L *pura* Vayssière 1923A
● ? *tectoriata* Sullioti 1924P
98 F *sosokoana* Ladd 1934V
● I *scutellum* Schilder-Schilder 1937M
● F *dranga* Iredale 1939A
● T *ann. obvelata* Lamarck 1810P
● ? || *vitellus* Gray 1825C
● T *pressa* Dillwyn 1827C
● T *obvallata* Reeve 1845C
● ? *perrieri* Rochebrune 1884M
● ? *calcarata* Melvill 1888S
● ? *devians* Sullioti 1924P
● ? *nubilis* Sullioti 1924P

723 Genus ***Naria*** (Gray 1832D) Broderip 1837P (*irrorata*)

● T *irrorata* Gray 1828A

724 Genus *Erosaria* subgenus ***Paulonaria*** Iredale 1930Q (*beckii*)

81 S [1] *conjunctedentata* Schilder 1932F
86 S *selatjauensis* Schilder 1932F
● T *dillwyni* Schilder 1922C

● T || *margarita* GRAY 1828A
● F *theeva* STEADMAN-COTTON 1943F
78 S [2] *lodanensis* SCHILDER 1937N
81 S *sokkohensis* SCHILDER 1937N
9 M *beck. fufana* FISCHER 1921S
● N *beck. beckii* GASKOIN 1836C
● ? ? *thomasi* CROSSE 1865D
● E *macandrewi* SOWERBY 1870T

725 Genus *Erosaria* subgenus ***Erosaria*** TROSCHEL 1863G (*erosa*)
|| *Ocellaria* WEINKAUFF 1881C (*spurca*)
Perisserosa IREDALE 1930Q (*brocktoni*)
Albacypraea STEADMAN-COTTON 1946C (*eburnea*)

● F [1] *cer. tomlini* SCHILDER 1930T
● Q *percomis* IREDALE 1931A
● Q *prodiga* IREDALE 1939A
● Z *kermadecensis* POWELL 1958K
● G *cer. ogasawarensis* SCHILDER 1944W
● J *maturata* KIRA 1959J
● H *marielae* CATE 1960C
● D *cer. viridicolor* CATE 1962D
● L *cer. cernica* SOWERBY 1870T
● F *flaveola* LINNAEUS 1758S
● ? ? || *caerulea* SCHRÖTER 1804C
● N *labrolineata* GASKOIN 1849C
● F *helenae* ROBERTS 1869C
● Q *nashi* IREDALE 1931A
● Q *maccullochi* IREDALE 1939A
● F *nasese* STEADMAN-COTTON 1943F
9 F *malekulensis* ABRARD 1946H
86 S [2] *gan. subconvexa* SCHILDER 1941V
● I *gan. gangranosa* DILLWYN 1817C
● ? ? *ferruginosa* GMELIN 1791S
● ? ? *albida* GMELIN 1791S
● ? ? *minuta* GMELIN 1791S
● J (*scabiosa* HUMPHREY 1797C
● I (*gangrenosa* GRAY 1825M
● ? || *controversa* MENKE 1829M
● ? *martiniana* ANTON 1939V
● L *reentsii* DUNKER 1852D
● L (*rientzii* SOWERBY 1870T
● ? *melanosema* MELVILL 1888S
● E *annosa* VAYSSIÈRE 1905D
● ? || *alba* SULLIOTI 1924P
● ? || *obesa* FULTON 1930N
91 J *boi. subrostrata* HATAI-NISIYAMA 1948C
● M *boi. boivini* KIENER 1843C
● ? ? || *alba* SOWERBY 1832I
● M *amoena* SCHILDER 1927C
● H *boi. ostergaardi* DALL 1921N
● H || *pacifica* OSTERGAARD 1920H
● H *alleni* OSTERGAARD 1950A
● L *helvola* LINNEAUS 1758S
● ? (*orientalis* PETIVER 1701M

● M *stellata* (Rumphius 1705A) Gmelin 1791S
● ? (*cinerea* Meuschen 1787G
● ? (*radiaris* Meuschen 1787G
● ? *cancellata* Gmelin 1791S
● ? *badia* Gmelin 1791S
● ? *striata* Gmelin 1791S
● ? *australis* Schröter 1804C
● ? *argusculus* Schröter 1804C
● ? *chalcedonia* Perry 1811C
● ? || *derosa* Risso 1826E
● L *mascarena* Melvill 1888S
● M *argella* Melvill 1888S
● H *hawaiiensis* Melvill 1888S
● M *borneensis* Kenyon 1902C
● M || *timorensis* Kenyon 1902C
● F || *minor* Dautzenberg 1903C
● H *aphrodite* Rous 1905F
● ? (*callosa* Hidalgo 1907C
● T *callista* Shaw 1909C
● ? *gereti* Vayssière 1910C
98 F *agassizi* Ladd 1934V
● D *citrinicolor* Iredale 1935A
● C *meridionalis* Schilder-Schilder 1938P
● A *immaculata* Coen 1949C
● C *citrina* Gray 1825M
89 F *por. mbalavuensis* Ladd 1945L
89 F *mbalavuana* Ladd 1945L
● I *por. poraria* Linnaeus 1758S
● I *coeca* Röding 1798B
● ? (|| *punctata* Lamarck 1810P
● T *scarabaeus* Bory 1827E
● H *kauaiensis* Melvill 1888S
● F *albinella* Melvill-Standen 1895L
● D *wilhelmina* Kenyon 1897C
● F *vibex* Kenyon 1902C
● F *insignis* Dautzenberg 1903C
● I (*caeca* Hidalgo 1906C
● F (|| *albella* Taylor 1914E
● Q *theoreta* Iredale 1939A
● R *englerti* Summers-Burgess 1965E
84 a [3] *antillarum* Vredenburg 1920C
95 a *alb. aliena* Schilder 1939T
● c *alb. albuginosa* (Mawe 1823L) Gray 1825M
● c *fimbriolata* Carpenter 1872W
● c *nariaeformis* Schilder 1930Z
● a *spu. acicularis* Gmelin 1791S
● a (*articularis* Schmidt 1818V
● a *nitidiuscula* Coen 1949C
● h *spu. sanctaehelenae* Schilder 1930Z
● h (*sancthelenae* Paetel 1887C
● h || *minima* Monterosato 1897M
97 l *spu. exstincta* Schilder 1928G
● s *spu. verdensium* Melvill 1888S
● g || *minor* Weinkauff 1881S
● g *atlantica* Monterosato 1897M
● g *dilatata* Monterosato 1897M

● s *inaequipartita* Monterosato 1897M
● s || *elongata* Dautzenberg-Fischer 1906A
● m *spu. spurca* Linnaeus 1758S
● m *lota* Linnaeus 1758S
● m *cypraea* Linnaeus 1758S
● ? ? (|| *ocellata* Meuschen 1787G
● m *lunata* Fischer 1807D
● ? *elliptica* Gray 1825M
● m (|| *flavescens* Requien 1848C
● m (*grisea* Requien 1848C
● m || *pallida* (Requien 1848C) Pallary 1938S
● m || *albida* Monterosato (1878M) 1897M
● m (|| *alba* Paetel 1883C
● m || *normalis* Monterosato 1897M
● m *limitaris* Monterosato 1897M
● m || *flavida* Monterosato 1897M
● m || *major* Pallary 1900 O
● m || *minor* Pallary 1900 O
● m *luridoidea* Pallary 1900 O
● m *inversa* Pallary 1900 O
● ? || *limpida* Sullioti 1922C
● ? *viridula* Sullioti 1924P
● m || *pantherina* Pallary 1938S
● m *peculiaris* Coen 1949C
● m *inflata* Coen 1949C
86 S [4] *longanensis* Schilder 1941V
86 S *miostaphylaea* Schilder 1927R
96 S *madiunensis* Schilder 1937N
97 A *ero. mombasensis* Schilder 1941V
● L *ero. erosa* Linnaeus 1758S
● M (*oculata* Rumphius 1705A
● M (*derosa* Müller 1765A
● ? (*cicatrix* Meuschen 1781G
● A *similis* Gmelin 1791S
● ? *albopunctata* Fischer 1807D
● ? || *fasciata* Perry 1811C
● I *baltheata* Dillwyn 1823L
● ? || *inocellata* Gray 1825M
● ? (|| *subfasciata* Schlüter 1838V
● M *phagedaina* Melvill 1888S
● N *chlorizans* Melvill 1888S
● L *straminea* Melvill 1888S
● H ? *kauilani* Kenyon 1900C
● F *protracta* Dautzenberg 1906C
● ? (*callosa* Hidalgo 1907C
● L *galbula* Taylor 1916V
● L *pallens* Taylor 1916V
● L || *lucida* Taylor 1916V
● N *kaolinica* Vredenburg 1919E
● Q *purissima* Vredenburg 1919E
● ? *perlacea* Sullioti 1924P
● T *lactescens* Dautzenberg-Bouge 1933 O
98 S *duyfjesi* Schilder 1937N
● ? *marginata* Coen 1949C
● Q *diaphana* Coen 1949C
● Q *ero. pulchella* Coen 1949C

● E *ero. nebrites* Melvill 1888S
● ? ? || *stellata* Perry 1811C
● E *carmen* Smith 1912A
● E *subalba* Smith 1912A
● ? *ceylonica* Schilder-Schilder 1938P
● ? *mozambicana* Schilder-Schilder 1938P
● E *fasciomaculata* Coen 1949C
● I *ocellata* Linnaeus 1758S
● ? (*oculata* Klein 1753T
● ? *brunnea* Gray 1825M
● P *palatha* Melvill 1888S
● I *calophthalma* Melvill 1888S
● P *pelidna* Melvill-Standen 1904P
● ? *pretiosa* Melvill 1905C
● C *marginalis* Dillwyn 1827C
● C || *listeri* Gray 1825M
● E *pseudocellata* Schilder-Schilder 1938P
96 S [5] *pliostaphylaea* Schilder 1927R
87 M *mil. sabahensis* Cox 1948D
● J *mil. miliaris* Gmelin 1791S
● J *inocellata* Gray 1825M
● J *magistra* Melvill 1888S
● D *diversa* Kenyon 1902C
● M *brookei* Rous 1905C
● ? (*callosa* Hidalgo 1907C
● Q || *nivea* Preston 1909Q
● M || *brevis* Smith 1913M
● ? || *intermedia* Smith 1913M
● D || *gabrieli* Gatliff 1916A
● M *differens* Schilder 1927R
● D *gabrielana* Gatliff 1929C
● Q *metavona* Iredale 1935A
98 S *effossa* Schilder 1937N
● F *mil. eburnea* Barnes 1824N
● F (*eburna* Gray 1825M
● ? *lactea* Wood 1828I
● ? || *alba* Sowerby 1836I
● F *mara* Iredale 1939A
● S *lam. redimita* Melvill 1888S
● A *lam. lamarckii* Gray 1825M
● ? *bernardinae* Preston 1907B
● A *inocellata* Coen 1949C [secondary homonym]
● E *tur. turdus* Lamarck 1810P
● ? || *ovata* Perry 1811C
● ? *arenosa* Dillwyn 1823L
● ? *nivea* Gray 1824R
● ? || *alba* Sowerby 1832I
● E *hamyi* Rochebrune 1884M
● E (*turdoides* (Jousseaume 1884C) Schilder 1930T
● E *phyllidis* Shaw 1915C
● E *distinguenda* Schilder 1927R
● E *tur. pardalina* Dunker 1852D
● E || *pyriformis* Sowerby 1870T
● A ? *tur. zanzibarica* Sullioti 1911C
● A ? *raripunctata* Sullioti 1911C
● A ? *faedata* Sullioti 1911C

● P *tur. winckworthi* SCHILDER-SCHILDER 1938P
● N [6] *guttata* GMELIN 1791S
● N *brocktoni* IREDALE 1930Q
● J *azumai* SCHILDER 1960K

726 Genus *Erosaria* subgenus ***Ravitrona*** IREDALE 1930Q (*caputserpentis*)

● L *c's. caputserpentis* LINNAEUS 1758S
● L (*mauritiana* PETIVER 1701M
● M *reticulum* GMELIN 1791S
● ? *bandata* PERRY 1811C
● L *albella* LAMARCK 1822A
● ? ? (*coluber* SCHLÜTER 1838V
● T || *minor* DAUTZENBERG 1903C
● ? *dorsoalbida* WILLIAMS 1914E
● ? *candidata* SULLIOTI 1924P
● T *argentata* DAUTZENBERG-BOUGE 1933 O
● J *mikado* SCHILDER-SCHILDER 1938P
● I *albosignata* COEN 1949C
● H *c's. caputophidii* SCHILDER 1927R
● D *c's. kenyonae* SCHILDER-SCHILDER 1938P
● Q *c's. caputanguis* PHILIPPI 1849T
● ? (|| *sophia* BRAZIER 1897N
● Q *caputcolubri* KENYON 1898C
● R *caputdraconis* MELVILL 1888S
● R *punctatissima* COEN 1949C

727 Genus ***Staphylaea*** JOUSSEAUME 1884D, 1884C (*staphylaea*)

Purperosa IREDALE 1935A (*facifer*)
Eustaphylaea STEADMAN-COTTON 1946C (*semiplota*)

86 S [1] *burialensis* SCHILDER 1941V
● M *lim. limacina* LAMARCK 1810P
● ? *jenningsia* PERRY 1811C
● ? (|| *oryza* DILLWYN 1817C
● L *interstincta* WOOD 1828I
● ? *lilacina* WEINKAUFF 1881S
● Q *facifer* IREDALE 1935A
● Q *monstrans* IREDALE 1935A
● F *ruvaya* STEADMAN-COTTON 1943F
● ? (*purperosa* STEADMAN-COTTON 1943F
● F (*ravaya* ALLAN 1956C
● H *lim. semiplota* MIGHELS 1845S
● H *spadix* MIGHELS 1845S
● H *polita* ROBERTS 1868C
● H *annae* ROBERTS 1869C
● ? *fimbriatula* SOWERBY 1870T
● ? *diaphana* SULLIOTI 1924P
● H *ebur* COEN 1949C
● H *nitens* COEN 1949C
78 P [2] *sin. sindiensis* VREDENBURG (1920C) 1925N
87 M *sin. posewitzi* COX 1948D
● L *staphylaea* LINNAEUS 1758S
● ? (*granata* MEUSCHEN 1787G
● M (*granulata* HUMPHREY 1797C
● ? *atrata* GRAY 1825M

● F *consobrina* Garrett 1879S
● F *depravata* Dautzenberg 1903C
● ? *albicilla* Sullioti 1924P
● L *laevigata* Dautzenberg 1932M
● L *expallescens* Dautzenberg-Bouge 1933 O
● Q *descripta* Iredale 1935A
96 S *prostaphylaea* Schilder 1937N
● F *nukulau* Steadman-Cotton 1943F
● T *fortis* Coen 1949C
● Q *nitida* Coen 1949C
● M *lactea* Coen 1949C
● T *grisea* Coen 1949C

728 Genus ***Nucleolaria*** Oyama 1959N (*nucleus*)

|| *Nuclearia* Jousseaume 1884D, 1884C (*nucleus*)

96 S [1] *soloënsis* Schilder 1937N
● M [2] *nuc. nucleus* Linnaeus 1758S
● M (*nussatellana* Rumphius 1705A
● ? (*variolae* Argenville 1772C
● L *madagascariensis* Gmelin 1791S
● M || *variolosa* Röding 1798B
● ? *lima* Röding 1798B
● T *gemmosa* Perry 1811C
● N *granulosa* (Sowerby 1870T) Schilder-Schilder 1940V
● ? *cerea* (Paetel 1883C) Sullioti 1924P
● ? (*leonina* Dall 1915B
● E *sturanyi* Schilder-Schilder 1938P
● L *cerea* Coen 1949C (secondary homonym)
● T *nuc. cassiaui* Burgess 1965N
● H *nuc. granulata* Pease 1862P
● H *honoluluensis* Melvill 1888S

Familia OVULIDAE Fleming 1828B

Amphiperatidae Adams-Adams 1854G

8 Subfamilia EOCYPRAEINAE Schilder 1924I

81 Tribus EOCYPRAEINI Schilder 1924I

Sulcocypraeini Schilder 1932Q
Pseudocypraeini Steadman-Cotton 1943F

811 Genus *Eocypraea* subgenus ***Eocypraea*** Cossmann 1903E (*inflata*)

36 I [1] *pilulosa* Stoliczka 1867I
42 n *involuta* Zekeli 1852G
52 n *danica* Schilder 1927R
56 a *bartlettiana* Maury 1912T
57 b ? *gilliana* White 1887B
62 u *sabuloviridis* Whitfield 1892J
62 c *novasumma* Nelson 1925C
6 f ? *lapidosa* (Tuomey 1848C) Palmer 1937C
64 n *inf. inflata* Lamarck 1802P

64 n ? (*bulloides* HOENINGHAUS 1831V
64 n *hiantula* COSSMANN 1889P
64 n *inf. mirabilis* SCHILDER 1931B
66 n *inf. laubrièrei* COSSMANN 1889P
64 n *dollfusi* LAUBRIÈRE 1881P
66 n *boa. boadicea* SCHILDER 1929E
68 n *boa. wemmelensis* SCHILDER 1933B
68 n (*proxima* MOURLON 1881B
72 m *oligolaevis* SACCO 1894P
72 m *bullaeformis* ROVERETO 1900T
68 Z *novaezealandiae* SCHILDER 1941V
68 n *murdochi* FLEMING 1950P
38 m [2] *marticensis* MATHERON 1842B
46 f *mortoni* GABB 1860C
46 I *cun. cunliffei* FORBES 1846I
46 I *antiquata* ORBIGNY 1846A
48 r *cun. pethöi* SCHILDER 1927R
52 n *fax. faxoensis* LINK 1807R
52 n *bullaria* SCHLOTHEIM 1820P
52 L *fax. fabreae* COLLIGNON 1951A
55 P *lei. cotteri* COX 1930H
56 P *lei. leilanensis* VREDENBURG 1920C
62 n *rouaulti* COSSMANN 1923G
64 c *bay. bayerquei* GABB 1864C
64 C *bay. castacensis* STEWART 1926C
36 m [3] *abbassi* ABBASS 1963E
46 I *newboldi* FORBES 1846I
46 I *incerta* ORBIGNY 1846A
48 m *tar. tarensis* KRUMBECK 1906T
48 r *tar. zsigmondyana* PETHÖ (1896H) 1906P
48 b *tar. parahybensis* MAURY 1930P
48 m *dux* SCHILDER 1942L
56 P *jhirakensis* VREDENBURG 1920C
56 P *feddeni* VREDENBURG 1920C
67 M *angygyra* BÖTTGER 1875B

812 Genus *Eocypraea* subgenus ***Oxycypraea*** SCHILDER 1927K (*delphinoides*)

64 n [1] *ana. anachoreta* MAYER 1876E
66 f *ana. eosmithi* ALDRICH 1923N
66 f || *smithi* ALDRICH 1886A
64 n *mayeri* SCHILDER 1927K
67 n *obersuldensis* SCHILDER 1941V
64 n [2] *delphinoides* COSSMANN 1886P

813 Genus *Apiocypraea* subgenus ***Apiocypraea*** SCHILDER 1927R (*michaudiana*)

64 n [1] *att. sellei* RAINCOURT 1874P
64 n *att. attenuata* EDWARDS 1865C
66 f *att. estellensis* ALDRICH 1921A
72 m *sub. jousseaumei* BAYAN 1870T
72 m ? *ruderalis* LAMARCK 1810P
72 m || *marginata* FUCHS 1870V
72 m *longapenninica* SACCO 1894P
72 m *proalgoensoides* SACCO 1894P
72 m *pseudoadentata* SACCO 1894P

72 n *sub. pumila* KOENEN 1890N
74 n *sub. subexcisa* MICHELOTTI 1847I
74 n || *subexcisa* BRAUN 1850G
82 ? n *rotundogallica* SACCO 1894P
74 n *microtera* SCHILDER 1928W
74 n *megista* SCHILDER 1928W
68 n [2] *biarritzensis* SCHILDER 1941V
7 a *semen* COOKE 1919L
86 m *hör. montanaroae* SCHILDER 1941V
86 r *hör. hörnesi* NEUGEBOREN 1853L
86 r *eratoformis* HÖRNES-AUINGER 1880M
72 m [3] *angusta* FUCHS 1870F
74 n *subphysis* ORBIGNY 1852P
82 n *sub. subamygdalum* OOBIGNY 1852P
82 n ? || *minor* GRATELOUP 1845A
82 n *pseudoinflata* ORBIGNY 1852P
84 n *sub. bourgeoisi* MAYER 1869T
84 m *tauramygdalum* SACCO 1894P
84 m *algoensoides* SACCO 1894P
84 m *tauroperlonga* SACCO 1894P
84 n *sub. septemtrionalis* SCHILDER 1929D
84 n *crassilabris* SCHILDER 1929D
86 r *sub. miobadensis* SACCO 1894P
86 r *examygdalum* SACCO 1894P
86 m *miocolligens* SACCO 1894P
86 r *vöslauensis* SACCO 1894P
86 r *lapugyensis* COSSMANN-PEYROT 1924A
84 m [4] *mich. taurolabrosa* SACCO 1894P
86 n *mich. michaudiana* GRATELOUP 1847A
86 m *dav. dertoconjungens* SACCO 1894P
86 m *dertotransiens* SACCO 1894P
86 m (*dertocrassula* SACCO 1894P
94 m *dav. davidi* FONTANNES 1880R
94 m *pyr. pyrula* LAMARCK 1810P
94 m *labrosa* SISMONDA (1842P) 1847P
96 m *pyr. parvoastensis* SACCO 1894P
96 m *parvolonga* SACCO 1894P

814 Genus *Apiocypraea* subgenus ***Eschatocypraea*** SCHILDER 1966Nf (*balcombica*)

86 V *balcombica* SCHILDER 1966Nf

815 Genus ***Pseudocypraea*** SCHILDER 1927R (*adamsonii*)

● L *adamsonii* SOWERBY 1832I
● ? (*adansoniana* STOLICZKA 1868I
● ? (*adansoni* FISCHER 1884M

816 Genus ***Sulcocypraea*** CONRAD 1865C (*lintea*)

56 f [1] *perinflata* SCHILDER 1927R
64 c [2] *mat. mathewsonii* GABB 1869C
64 c *kerniana* ANDERSON-HANNA 1925K
71 w *mat. oakvillensis* WINKLE 1918C
64 f *vau. vaughani* JOHNSON 1899L
68 f *vau. conradi* SCHILDER 1927R

68 f *lin. healeyi* ALDRICH 1923N
68 f || *dalli* ALDRICH 1894R
68 f (*vredenburgi* SCHILDER 1926V
73 f *lin. lintea* CONRAD 1847V
64 f [3] *kennedyi* HARRIS 1895T
67 e *bullennewtoni* OLSSON 1930P

817 Genus ***Sphaerocypraea*** SCHILDER 1927R (*bowerbankii*)
Marginocypraea INGRAM 1947V (*paraguana*)

52 P [1] *globus* DOUVILLÉ 1929C
56 g *landanensis* VINCENT 1913L
62 n *ovi. oviformis* SOWERBY 1812M
62 n *retusa* SOWERBY 1837H
62 n *antiqua* EDWARDS 1854E
62 n ? *dalli* COSSMANN 1893P
64 n *ovi. subglobularis* SCHILDER 1927K
72 m *ova. oligovulaea* SACCO 1894P
72 m *pyrulatior* SACCO 1894P
72 n *ova. ovaria* SCHLOTHEIM 1820P
72 n *ovata* KLÖDEN 1834B
72 n *sphaerica* PHILIPPI (1845M) 1847M
72 n *inflatogibba* SACCO 1894P
74 n *beyrichii* SPEYER 1862C
74 n || *beyrichii* KOENEN 1867D
62 n [2] *levesquei* DESHAYES 1835P
62 c ? *martini* DICKERSON 1914C
64 m *gen. hilarionis* GREGORIO 1880G
64 m (*hilarionensis* SACCO 1894P
64 n *gen. subalpina* MAYER 1876E
64 n || *oblonga* SCHAFHÄUTL 1863K
66 m *gen. genyi* BELLARDI (1850N) 1852N
66 n *glo. tumescens* EDWARDS 1865C
66 n *orthocheila* EDWARDS 1865C
66 n *glo. globularis* EDWARDS 1854E
66 n || *globosa* SOWERBY 1850S
68 n *glo. belgica* SCHILDER 1933B
68 e *negritensis* OLSSON 1928P
62 n [3] *obo. alata* EDWARDS 1865C
62 n *edwardsi* VREDENBURG 1920C
64 n *obo. obovata* SCHAFHÄUTL 1863K
64 n || *ovum* SCHAFHÄUTL 1863K
64 m *globosa* VINASSA 1896V
64 n *raspaili* CHÉDEVILLE 1904P
64 n *transnominata* TOMLIN 1919M
64 g *obo. sudanensis* SCHILDER 1932Q
66 n *bowerbankii* SOWERBY 1850S
68 f *jacksonensis* JOHNSON 1899L
81 a *wegeneri* SCHILDER 1939T
87 a *paraguana* INGRAM 1947V
85 a *keenae* WOODRING 1959C
81 A *goliath* SCHILDER 1932Q
82 n [4] *o'in. neuvillei* COSSMANN-PEYROT 1924A
82 n *o'in. ovulina* GRATELOUP 1845A
84 m *o'in. ovulaea* (SISMONDA 1842P) MICHELOTTI 1847I

84 m *taurosimplex* Sacco 1894P
84 m *taurolongiuscula* Sacco 1894P
84 m *rotundocrassa* Sacco 1894P
84 m *gracililabiata* Sacco 1894P
84 m *interruptedentata* Sacco 1894P
84 m *juvenogracilis* Sacco 1894P

82 Tribus CYPROGLOBININI Schilder 1932Q

Jenneriini Thiele 1929H

821 Genus *Cyproglobina* subgenus ***Cyproglobina*** Gregorio 1880G (*parvulorbis*)

Cypraeoglobina Cossmann 1903E

46 m [1] *aegyptia* Schilder 1932Q
48 n *strombecki* (Kaunhowen 1898M) Schilder 1922C
48 n || *deshayesii* Binkhorst 1861L
62 g *sublandanensis* Oppenheim 1915T
64 m [2] *pre. pregnans* Gregorio 1880G
64 n *pre. inexspectata* Schilder 1931B
64 m *mazzepai* Gregorio 1880G
64 m *par. parvulorbis* Gregorio 1880G
64 m *pisularis* Gregorio 1880G
64 m *primopsis* Gregorio 1880G
64 m *phaseolina* Gregorio 1880G
66 m *par. zignoi* Oppenheim 1894P
66 m *cor. corbuloides* Bellardi (1850N) 1852N
68 m *cor. obolus* Oppenheim 1901P

822 Genus *Cyproglobina* subgenus ***Luponovula*** Sacco 1894P (*proserpinae*)

64 m [1] *pulch. pulchrina* Gregorio 1880G
66 m *pulch. pulliensis* Oppenheim 1894P
64 m [2] *nor. normalis* Gregorio 1880G
64 n *nor. schlosseri* Schilder 1927K
68 e *nor. boggsi* Olsson 1928P
72 m *oligovata* Sacco 1894P
72 m *extusadentata* Sacco 1894P
64 m *rug. ariciopsis* Gregorio 1880G
66 m *rug. rugosa* Broderip 1827D
66 m *proserpinae* Bayan 1870V
66 m *bayana* Gregorio 1880G

823 Genus ***Cypraeopsis*** Schilder 1936A (*vandervlerki*)

72 m [1] *laeviappenninica* Sacco 1894P
72 m *sulculata* Sacco 1894P
72 m *costicillatior* Sacco 1894P
72 m *acarinata* Sacco 1894P
82 n *sub. subursellus* Orbigny 1852P
84 m *sub. planodentata* Sacco 1894P
84 m || *sowerbyi* Michelotti (1846B) 1847I
84 m *taurodentata* Sacco 1894P
83 M [2] *vandervlerki* Schilder 1936A

824 Genus ***Eotrivia*** SCHILDER 1924I (*bouryi*)

64 m *far. faracii* GREGORIO 1880G
66 n *far. bouryi* COSSMANN 1889P
64 m *palumbella* GREGORIO 1880G
64 n *pedicularis* DESHAYES 1844A
64 n || *lamarckii* DESHAYES 1835P
6 n ? || *gibbosa* ANTON 1839V

825 Genus *Cypropterina* subgenus ***Cypropterina*** GREGORIO 1880G (*ceciliae*)

64 f [1] *transovuloides* SCHILDER 1926V
64 f || *attenuata* JOHNSON 1899L
64 m [2] *cec. ceciliae* GREGORIO 1880G
66 m *cec. fourtaui* OPPENHEIM 1906A
66 n *rec. recluzi* COSSMANN 1897L
66 n *aequipartita* COSSMANN 1902L
68 f *rec. ludoviciana* JOHNSON 1899L
68 a *pijiguayensis* CLARK 1946E

826 Genus *Cypropterina* subgenus ***Cypraeotrivia*** VREDENBURG 1920C (*duclosiana*)

74 S [1] *oppenheimi* VREDENBURG 1920C
81 S *gam. gampingensis* MARTIN 1912J
81 S *feuilletaui* MARTIN 1912J
85 S *gam. woodwardi* VREDENBURG 1920C
82 n [2] *duc. duclosiana* BASTEROT 1825F
82 n *sulcicauda* GRATELOUP 1845A
82 n *subnucleus* ORBIGNY 1852P
82 n *subpustulata* ORBIGNY 1852P
82 n *circumlaevigata* SACCO 1894P
84 m *duc. propustulata* SACCO 1894P
84 m (*sulcicauda* MICHELOTTI 1838P
84 m *taurolaevis* SACCO 1894P
84 m *asulcolaevis* SACCO 1894P
84 m (*praesulcata* SACCO 1894P
84 m *amplesulcata* SACCO 1894P
84 m *ovatolaevis* SACCO 1894P
84 m *subasulcolaevis* SACCO 1894P
84 m *laevissima* SACCO 1894P
86 r *neumayri* HILBER 1879S
86 r || *neumayri* HÖRNES-AUINGER 1880M
86 r *r.-hoernesi* HALAVATS 1884U
86 r *lapugyensis* SACCO 1894P

827 Genus *Cypropterina* subgenus ***Jenneria*** JOUSSEAUME 1884D, 1884C (*pustulata*)

84 a *gabbiana* GUPPY 1876H
84 a *dominicensis* OLSSON 1967J
84 a *pilsbryi* OLSSON 1967J
9 f *hepleri* OLSSON 1967J
95 f *pus. loxahatchiensis* SMITH 1936F
93 f *richardsi* OLSSON 1967J
9 p *pus. panamensis* OLSSON 1967J
● p *pus. pustulata* SOLANDER 1786P
● p *bimaculata* COEN 1949C
● p *pumilio* COEN 1949C

828 Genus ***Transovula*** Gregorio 1880G (*schefferi*)

62 n [1] *acu. acuminata* Melleville 1843P
62 n *nincki* Cossmann-Pissarro 1913P
64 m *acu. schefferi* Gregorio 1880G
66 f *regularoidea* Aldrich 1921A
64 n [2] *eug. eugènei* Deshayes 1865P
64 f *eug. naviculae* Palmer 1937C
66 f *symmetrica* Aldrich 1903A
64 f [3] *texana* Johnson 1899L

9 Subfamilia OVULINAE Fleming 1828B

91 Tribus OVULINI Fleming 1828B

Amphiperasini Adams-Adams 1854G
Amphiperatini Winckworth 1929E

911 Genus ***Prionovolva*** Iredale 1930Q (*brevis*)

● G [1] *hervieri* Hedley 1899F
● F *cal. caledonica* crosse 1872C
● L *cal. pulchella* Adams 1873N
● Q [2] *bul. manifesta* Iredale 1936A
● M *bul. bulla* Adams-Reeve 1848S
● J *bul. nipponensis* Pilsbry 1913J
● Q *brevis* Sowerby 1828 O
● F *pudica* Adams 1854C
● ? ? *bullata* Gould 1861P
● Q *cavanaghi* Iredale 1931A
● M [3] *nubeculata* Adams-Reeve 1848S
● M *fruticum* Reeve 1865 O
● I *mar. marginata* Sowerby 1828 O
● J *mar. sinensis* Sowerby 1874D
● J *ishibashii* Kuroda 1828J

912 Genus *Pseudosimnia* subgenus ***Diminovula*** Iredale 1930Q (*verepunctata*)
Margovula Iredale 1935A (*pyriformis*)

● F [1] *margarita* Sowerby 1828 O
● M *umbilicata* Sowerby 1849 O
● M *cristallina* Kiener 1843 O
● ? *alabaster* Reeve 1865 O
● L *pun. punctata* Duclos 1831M
● Q *pun. verepunctata* Iredale 1930Q
● J *florida* Kuroda 1958P
● F [2] *bimaculata* Adams 1854C
● E *ovoidea* Adams 1872R
● F *py'f. pyrulina* Adams 1854C
● Q *py'f. pyriformis* Sowerby 1828 O
● M *dondani* Cate 1964P
● M [3] *concinna* Adams-Reeve 1848S
● M *cumingii* Mörch 1850K
● F *margarita* Adams 1854C (secondary homonym)
● F *scitula* Adams 1854C
● F *adamsii* Reeve 1865 O
● ? (*coccinea* Reeve 1865 O

913 Genus *Pseudosimnia* subgenus ***Pseudosimnia*** SCHILDER 1927R (*carnea*)
(*Pseudosinarica* ARRECGROS 1965M

- f *car. vanhyningi* SMITH 1940F
- s *car. expallescens* SCHILDER 1967Wa
- m *car. carnea* POIRET 1789B
- ? *dentata* FISCHER 1807D
- m *triticea* LAMARCK 1810 O
- m ? *hordacea* LAMARCK 1810 O
- ? *cepula* SCHUMACHER 1817E
- m ? *lepida* DILLWYN 1817C
- m *nucleus* MAWE 1823L
- m *rubra* (REQUIEN 1848C) BUCQUOY-etc. 1883R
- m *pallida* (REQUIEN 1848C) BUCQUOY-etc. 1883R
- m (*rosea* (REQUIEN 1848C) BUCQUOY-etc. 1883R
- m *albida* MONTEROSATO 1875M
- m || *alba* BUCQUOY-etc. 1883R
- m *rufula* MOLLERAT 1890V
- m *major* PALLARY 1900 O
- m *obtusula* PALLARY 1900 O
- m || *globosa* PALLARY 1900 O
- m || *elongata* PALLARY 1900 O
- m *violacea* PALLARY 1900 O
- m (|| *gibbosa* COEN 1933S
- m *gibbosa* COEN 1949C
- m *dorsolirata* COEN 1949C
- m *adriatica* SOWERBY 1828 O
- m *haliotoidea* RENIER 1804A (nomen oblitum)
- m *virginea* CANTRAINE 1835D
- m (*elongata* REQUIEN 1848C
- m (*oblonga* REQUIEN 1848C
- m *major* COEN 1949C (secondary homonym)

914 Genus *Primovula* subgenus ***Primovula*** THIELE 1925K (*beckeri*)
Dentivolva HABE 1961J (*dorsuosa*)
(*Dentiovula* HABE 1961J (*dorsuosa*)

- M [1] *tro. dautzenbergi* SCHILDER 1931N
- L *tro. tropica* SCHILDER 1931N
- C *beckeri* SOWERBY 1900P
- M *fru. frumentum* SOWERBY 1828 O
- L *fru. mariae* SCHILDER 1941V
- M *dorsuosa* HINDS 1844S
- M *roseomaculata* SCHEPMAN 1909S
- I *str. striatula* SOWERBY 1828 O
- M *str. renovata* IREDALE 1930Q
- M *dentata* ADAMS-REEVE 1848S
- Q *str. tinctura* GARRARD 1963N
- V *str. verconis* COTTON-GODFREY 1932S
- M *formosa* ADAMS-REEVE 1848S
- M *traillii* ADAMS 1855C
- M (*traillei* SCHILDER 1927R
- M [2] *bullata* ADAMS-REEVE 1848S
- J (*bullulata* ADAMS 1864J

87 J *rho. atractina* HATAI-NISIYAMA 1948C
● J *rho. rhodia* ADAMS 1854C
● ? ? *aperta* SOWERBY 1849T

915 Genus *Primovula* subgenus ***Prosimnia*** SCHILDER 1927R (*semperi*)

● S *coarctata* ADAMS-REEVE 1848S
● F *semperi* WEINKAUFF 1881S

916 Genus *Calpurnus* subgenus ***Procalpurnus*** THIELE 1929H (*lacteus*)

● M *lac. lacteus* LAMARCK 1810 O
● L ? || *albus* DUFO 1840S
● G *lac. semistriatus* PEASE 1862P

917 Genus *Calpurnus* subgenus ***Calpurnus*** MONTFORT 1810C (*verrucosus*)

(*Iambos* LINCK 1783L (*alba*)
Cypraella SWAINSON 1840T (*verrucosa*)
(*Cypraela* SOWERBY 1842M

● M *verrucosus* LINNAEUS 1758S
● M (*gibbus* RUMPHIUS 1705A
● ? (*lacteus* ARGENVILLE 1772C
● ? (*albus* LINCK 1783L
● M *perla* RÖDING 1798B
● ? ? (|| *tuberculosus* GRAY-SOWERBY 1839B

918 Genus ***Ovula*** BRUGUIÈRE 1789E (*oviformis*)

(*Semiporcellana* COSTA 1776E
(*Ovum* SCHRÖTER 1788N (*rumphii*)
Amphiperas (GRONOW 1781Z) HERRMANNSEN 1846I (*ovum*)
(*Licium* HUMPHREY 1797C (*ovum*)
Ovulus MONTFORT 1810C
Ovulum SOWERBY 1828 O
Ovularia LINK 1830E
(*Anula* GRIFFITH-PIDGEON 1834K
(*Amphiceras* GRAY 1847G
Parlicium IREDALE 1935A (*costellatum*)

● F *costellata* LAMARCK 1810 O
● F *tortilis* (MARTYN 1784C) CHENU 1845M, REEVE 1865 O
● F *imperialis* (SOLANDER 1786P) DILLWYN 1817C
● ? (*columbula* MEUSCHEN 1787G
● F (*erubescens* HUMPHREY 1797C
● F *angulosa* LAMARCK 1822A
● ? *columba* SCHUBERT-WAGNER 1829C
● M *ovum* (RUMPHIUS 1705A) LINNAEUS 1758S
● ? (*cortex* GRONOW 1781Z
● M (*rumphii* SCHRÖTER 1788N
● ? (*gallinaceum* SCHRÖTER 1788N
● M *cygnea* RÖDING 1798B
● M *oviformis* LAMARCK 1801S
● ? *alba* PERRY 1811C
● ? || *alba* SCHUMACHER 1817E
● ? *pygmaea* SOWERBY 1828 O

92 Tribus SIMNIINI Schilder 1927R

Volvini Schilder 1932A

921 Genus ***Simnia*** Risso 1826E (*nicaeensis*)

(*Scymnia* Risso 1826E
Calpurna Fleming 1828B (*leathesi*)
(|| *Simia* Leach 1847B
Neosimnia Fischer 1884M (*spelta*)

62 n [1] *vibrayana* Raincourt 1870P
62 n [2] *cossmanni* Schilder 1927R
66 n *ros. rostralina* Deshayes 1865P
72 n *ros. bosqueti* (Vincent 1886L) Koenen 1890N
84 n *sem. semen* Defrance 1825D
84 m *sem. taurinensis* Sacco 1894P
86 n *str. striatula* Millet 1854M
86 n (|| *striata* Couffon 1902C
86 r *str. miocenica* Sacco 1894P
94 n *str. belgica* Schilder 1933B
96 m *str. pliomajor* Sacco 1894P
96 m *acutogracilis* Sacco 1894P
98 m *spe. bovetensis* Seguenza 1880R
● m *spe. spelta* Linnaeus 1758S
● ? (*panus* Meuschen 1787G
● m *roseocarnea* Monterosato 1875M
● m *obsoleta* Locard 1892F
● m *lutea* Pallary 1900 O
● m *rosea* Pallary 1900 O
● m *illyrica* Schilder 1927R
● m *brevis* Coen 1949C
● m || *illyrica* Coen 1949C
● m *nicaeensis* Risso 1826E
62 n [3] *lhommei* Cossmann 1906P
84 n *subcarnea* Orbigny 1852P
94 m *passerinalis* Lamarck 1810 O
96 m *capellinii* Stefani-Pantenelli 1878S
96 m *subbiconica* Sacco 1894P
96 m *pliotransiens* Sacco 1894P
94 m *birostroides* Sacco 1894P
96 n *lea. leathesi* Sowerby 1825M
96 n ? *affinis* Chenu 1859M
96 n *brevior* Wood 1872C
96 n *lea. scaldisia* Schilder 1933B
● n *patula* Pennant 1777Z
● n (*aperta* Donovan 1803B
● ? *papyracea* Fischer 1807D
● n *pennantiana* Leach 1847B
● n (*blainvillei* Leach 1847B
● s [4] *pur. senegalensis* Schilder 1931N
● m *pur. purpurea* Risso 1826E
86 a *ruf. immunita* Guppy 1873J
● a *ruf. subrostrata* Sowerby 1849 O
● ? ? *arcuata* Reeve 1865 O
● p *ruf. rufa* Sowerby 1832I

● p *livida* Reeve 1865 O
● a *ave. aureocinta* Dall 1889M
● p *ave. avena* Sowerby 1832I
● ? ? *neglecta* Reeve 1865 O
● c *ave. vidleri* Sowerby 1881D
● c *tyrianthina* Berry 1960P
● c *loebbeckeana* Weinkauff 1881S
● c *barbarensis* Dall 1892P
● c *catalinensis* Berry 1916C
● c *quaylei* Lowe 1935M
● c *bellamaris* Berry 1946N
64 f [5] *subtruncata* Johnson 1899L
84 a *inf. wisewoodae* Maury 1917D
● f *inf. uniplicata* Sowerby 1849 O
● a ? *antillarum* Reeve 1865 O
● f *carolinensis* Mörch 1877I
● ? (*canadinensis* Weinkauff 1882 O
● p *inf. inflexa* Sowerby 1832I
● p *variabilis* Adams 1852P
86 a *aci. woodringi* Schilder 1932Q
● a *aci. acicularis* Lamarck 1810 O
● ? *secalis* Dillwyn 1817C
● a *piragua* Dall 1889M
● p *aequalis* Sowerby 1832I
● c *californica* Reeve 1865 O
● c (*californensis* Paetel 1873C

922 Genus ***Cyphoma*** Röding 1798B (*gibbosa*)

Ultimus Montfort 1810C (*gibbosus*)
Binvoluta Schlüter 1838V (*gibbosa*)
Carinea Swainson 1840T (*gibbosa*)
(|| *Cyphonia* Gray 1847G

84 a [1] *int. puana* Anderson 1929C
86 a *bowdenensis* Schilder 1939T
● b *int. intermedia* Sowerby 1828 O
● p *emarginata* Sowerby 1830S
● ? (*marginata* Chenu 1859M
95 a [2] *gib. precursor* Dall 1897A
● b *gib. gibbosa* Linnaeus 1758S
● ? (*albida* (Argenville 1772C) Schilder 1932Q
● b *dorsata* Röding 1798B
● ? *pharetra* Perry 1811C
● ? *gibbosa* Schumacher 1817E (secondary homonym)
● b (*brasiliensis* Orbigny 1842C
● f *mcgintyi* Pilsbry 1939C
● f *robustior* Bayer 1941F
● f *signata* Pilsbry-McGinty 1939F

923 Genus *Phenacovolva* subgenus ***Pellasimnia*** Iredale 1931A (*angasi*)

● J [1] *obt. obtusa* Sowerby 1828 O
● M *secalis* Sowerby 1828 O
● F *similis* Sowerby 1849 O
● C *obt. smithi* Bartsch 1915S

86 V [2] *exigua* TATE 1890A
● I *for. formicaria* SOWERBY 1828 O
● L *nigerina* DUFO 1840S
● L *borbonica* DESHAYES 1863R
● I *indica* REEVE 1865 O
● L (*nigerrima* TRYON 1885M
● M *for. acuminata* ADAMS-REEVE 1848S
● Q *for. seminulum* SOWERBY 1828 O
● M [3] *sub. subreflexa* ADAMS-REEVE 1848S
● M *deflexa* SOWERBY 1849 O
● F *rosea* ROSSITER 1883D
● M *brunneiterma* CATE 1969V
● D *sub. depressa* SOWERBY 1875D
● D || *gracillima* SCHILDER 1927R
● D *praenominata* IREDALE 1935A
● M *lan. lanceolata* SOWERBY 1949 O
● M *lan. lamyi* SCHILDER 1932A
● C *gracillima* SMITH 1901S
● M *phi. philippinarum* SOWERBY 1949 O
● Q *angasi* REEVE 1865 O
● V *phi. m'coyi* TENISON 1878M
● V *exsul* IREDALE 1935A
● H *phi. lahainaensis* CATE 1969V
● D *haynesi* SOWERBY 1889D
● J *carpenteri* DUNKER 1877J
● J *adamsii* DUNKER 1877J
● J *hirasei* PILSBRY 1913J
● J *xanthochila* KURODA 1928J
● C [4] *aurantia* SOWERBY 1889E

924 Genus *Phenacovolva* subgenus ***Phenacovolva*** IREDALE 1930Q (*nectarea*)
|| *Radius* SCHUMACHER 1817E (*brevirostris*)

● M [1] *gracilis* ADAMS-REEVE 1848S
● I *sowerbyana* WEINKAUFF 1881S
● L *insculpta* ODHNER 1919M
● C [2] *labroguttata* SCHILDER 1969P
● J *honkakujiana* KURODA 1928J
● M *birostris* LINNAEUS 1767S
● M *brevirostris* SCHUMACHER 1817E
● ? (*lilacina* MENKE 1829M
● J *rosea* ADAMS 1854C
● Q *nectarea* IREDALE 1930Q
● J *recurva* ADAMS-REEVE 1848S
● J *elongata* ADAMS 1864J
● J *longirostrata* SOWERBY 1828 O

925 Genus ***Volva*** RÖDING 1798B (*volva*)
Radius MONTFORT 1810C (*volva*)
(*Birostris* FABRICIUS 1823F
Birostra SWAINSON 1840T (*volva*)
(|| *Volvula* PILSBRY 1895J

96 S *javana* MARTIN 1899J
98 S *vol. surabajensis* SCHILDER 1937N

● I *vol. volva* LINNAEUS 1758S
● ? (*textorisradius* ARGENVILLE 1772C
● J *textoria* (HUMPHREY 1797C) RÖDING 1798B
● ? *striata* LAMARCK 1810 O
● ? *aspera* PERRY 1811C
● Q *cumulata* IREDALE (1931A) 1935A
● L *lemurica* SCHILDER 1941V
● J *habei* OYAMA 1961R

2. ALPHABETICAL LIST

The alphabetical list contains all names which ever have been established for a cowrie taxon in a valid or in an invalid way.

Contrary to the Systematic List the following list also includes all never defined nomina nuda and all species the description of which is not sufficient to recognize their affinity; besides we included taxa which refer to specimens once credited to belong to Triviacea or Cypraeacea, but now removed to other groups of mollusca.

The list has been divided into three parts which treat the names of family, genus, and species level respectively.

The **bold figures** on the left margin refer to the bold figures indicated on the left margin of the Systematic List; in the alphabetical list, however, they can be replaced by the signs O or × for taxa not enumerated in the Systematic List :

O designates taxa which are said to belong to cowries but the taxonomic position of which cannot be stated (nomina nuda and nomina inquirenda);

× designates taxa which formerly have been treated as cowries, but now have been placed into other groups of mollusca (nomina excludenda).

Therefore the alphabetical list contains more numerous names than the systematic list.

The names printed in **bold letters** have been adopted by the writers as correct spelling; identical new names have been arranged chronologically according to the year of publication. They can be by the signs (and || :

(designates names published in a not valid way only, i.e. contrary to the International Rules of Zoological Nomenclature (1958);

|| designates names which are formally preoccupied by a primary homonym; secondary homonymy has not been considered.

These names can be followed by the following personal remarks put into [square brackets] :

[em.] = nomen emendatum : name according to the International Rules of Zoological Nomenclature (1958) — see above;

[err.] = errore : erroneous spelling used several times by an author or adopted by other writers; single accidental misprints generally have been omitted (contrary to SCHILDER 1924K) — see above;

[nud.] = nomen nudum : a new name established without any indication of morphological characters, though it may be accompanied by an indication of habitat;

[obl.] = nomen oblitum : a recently discovered old synonym which has been never used as valid name for fifty years (International Rules of Zoological Nomenclature (1858), art. 23 b).

The subsequent names printed in *ordinary italics* indicate the authors's classification and spelling of the new taxon.

The name of the genus (which is important on account of homonymy) often is followed by the name of a subgenus put in (parantheses). These names of the genus level are followed by the name of the species. A subspecific name has been added immediately (according to the International Rules of Zoological Nomenclature, 1958) even if the author has intercalated the term « subsp. »; but if an intraspecific taxon was called expressly a « variety » the abbreviation

var.

has been intercalated between the specific (or subspecific) and the varietal name; the term « var. » is replaced by

aber., monstr., anom.

if the taxon has been called an aberration, monstrosity, or anomaly, or by

syn.

if a new name was mentioned as a synonym only.

The name of the author is followed by the year of publication with the distinctive capital letter, and by a short quotation of the original publication.

In these quotations the bold figures indicate the volume; a preceding ordinary figure put in parentheses indicates the series; a bold figure following the number of the volume and separated from it by the sign / indicates the part or issue of the volume : it has been omitted in most old publications, excepted if each begins with page 1, but it has been added in most periodicals published in the last decennium.

The number which follows a colon always indicates the page. The numbers which follow the letter f. indicate text-figures or figures on plates if all illustrations have been numbered in succession; whereas numbers which follow the letter t. indicate the plate (tabula) and, separated by a colon, the figure.

So, for instance, the quotation (2)**3/4** : 56, f. 7 or (2)**3/4** : 56, t. 8 : 9 indicates series 2, volume 3, part 4, page 56, (text-)figure 7 or plate 8, figure 9.

1. TAXA OF FAMILY LEVEL.

63 **Adustini** — Adustinae STEADMAN & COTTON 1946C : Rec. SAustr. Mus. **8** : 504
91 **Amphiperasini** — Amphiperasidae ADAMS & ADAMS 1854G : Genera recent Moll. **1** : 269
91 **Amphiperatini** — Amphiperatidae WINCKWORTH 1929E : P. Mal. S. London **18** : 298
41 **Archicypraeini** — Archicypraeinae SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 84
71 **Austrocypraeini** — Austrocypraeinae IREDALE 1935A : Austr. Zoologist **8** : 132
4 **Bernayinae** — Bernayini SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 88
42 **Bernayini** — Bernayini SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 88
71 **Conocypraeini** — Conocypraeini SCHILDER 1936A : P. Mal. S. London **22** : 82
4-9 **Cypraeacea** — Cypraeideae GRAY 1824M : Zool. J. **1** : 71
71 **Cypraeacitini** — Cypraeacitinae SCHILDER 1930G : P. Mal. S. London **19** : 120
32 **Cypraediinae** — Cypraediinae SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 67
4-7 **Cypraeidae** — Cypraeideae GRAY 1824M : Zool. J. **1** : 71
5 **Cypraeinae** — Cypraeideae GRAY 1824M : Zool. J. **1** : 71
51 **Cypraeini** — Cypraeideae GRAY 1824M : Zool. J. **1** : 71
42 **Cypraeorbini** — Cypraeorbini SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 97
62 **Cypraeovulini** — Cypraeovulidae SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 68
82 **Cyproglobinini** — Cyproglobinini SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. (Berlin) **1/55** : 202
8 **Eocypraeinae** — Eocypraeinae SCHILDER 1924I : Arch. Naturgesch. **90/A.4** : 182

81 **Eocypraeini** — Eocypraeinae SCHILDER 1924I : Arch. Naturgesch. **90/A.4** : 182
1-2 **Eratoidae** — Eratoinae SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 57
1 **Eratoinae** — Eratoinae SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 57
13 **Eratoini** — Eratoinae SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 57
12 **Eratotriviini** — Eratotriviini SCHILDER 1936A : P. Mal. S. London **22** : 79
7 **Erosariinae** — Erosariinae SCHILDER 1924I : Arch. Naturgesch. **90/A.4** : 182
72 **Erosariini** — Erosariinae SCHILDER 1924I : Arch. Naturgesch. **90/A.4** : 182
6 **Erroneinae** — Erroneini SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 109
63 **Erroneini** — Erroneini SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 109
43 **Gisortiini** — Gisortiinae SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 85
82 **Jenneriinae** — Jenneriinae THIELE 1929H : Handbuch system. Weichtierkunde (Jena) **1/1** : 269
11 **Johnstrupiini** — Johnstrupiini SCHILDER 1939G : Arch. Mollusk. **71** : 170
52 **Luriini** — Luriini SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. (Berlin) **1/55** : 145
41 **Mandolinini** — Mandolininae SCHILDER 1932A : P. Mal. S. London **20** : 47
51 **Mauritiini** — Mauritiinae STEADMAN & COTTON 1946C : Rec. SAustr. Mus. **8** : 504
72 **Nariini** — Nariinae SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. (Berlin) **1/55** : 149
8-9 **Ovulidae** — Ovuladae FLEMING 1828B : Hist. Brit. Animals (Edinburgh) : 331
9 **Ovulinae** — Ovuladae FLEMING 1828B : Hist. Brit. Animals (Edinburgh) : 331
91 **Ovulini** — Ovuladae FLEMING 1828B : Hist. Brit. Animals (Edinburgh) : 331
3 **Pediculariidae** — Pediculariidae ADAMS & ADAMS 1854G : Genera recent Moll. **1** : 273
31 **Pediculariinae** — Pediculariidae ADAMS & ADAMS 1854G : Genera recent Moll. **1** : 273
51 **Porcellanini** — Porcellanidae ROBERTS 1870C : Amer. J. Conch. **5**, App. : 190
81 **Pseudocypraeini** — « Subfamily Pseudocypraea » STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 332
71 **Pustulariini** — Pustulariini SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. (Berlin) **1/55** : 149
23 **Pusulini** — Pusulini SCHILDER 1936A : P. Mal. S. London **22** : 80
92 **Simniini** — Simniini SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 76
72 **Staphylaeini** — Staphylaeinae IREDALE 1935A : Austr. Zoologist **8** : 118
81 **Sulcocypraeini** — Sulcocypraeini SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. (Berlin) **1/55** : 212
51 **Talpariini** — Talpariini SCHILDER 1936A : P. Mal. S. London **22** : 85
1-3 **Triviacea** — Triviacea TROSCHEL 1863G : Das Gebiss d. Schnecken (Berlin) **1** : 214
21 **Triviellini** — Triviellini SCHILDER 1939G : Arch. Mollusk. **71** : 172
1-2 **Triviidae** — Triviacea TROSCHEL 1863G : Das Gebiss d. Schnecken (Berlin) **1** : 214
2 **Triviinae** — Triviacea TROSCHEL 1863G : Das Gebiss d. Schnecken (Berlin) **1** : 214
22 **Triviini** — Triviacea TROSCHEL 1863G : Das Gebiss d. Schnecken (Berlin) **1** : 214
62 **Umbiliini** — Umbiliini SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. (Berlin) **1/55** : 182
92 **Volvini** — Volvini SCHILDER 1932A : P. Mal. S. London **20** : 47
42 **Zoilini** — Zoilinae IREDALE 1935A : Austr. Zoologist **8** : 106
61 **Zonariini** — Zonariini SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. (Berlin) **1/55** : 172

2. TAXA OF GENERIC LEVEL.

631 **Adusta** — *Adusta* JOUSSEAUME 1884D : Naturaliste **1884** : 414 — Type : *Cypraea adusta* CHEMNITZ
631 **Adusta** — *Adusta* JOUSSEAUME 1884C : B. S. Zool. France **9** : 93 — Type : *Cypraea adusta* CHEMNITZ
517 (**Aerythraea** [err.] — *Aerythraea* ADANSON 1757S : Hist. Nat. Senegal, Coqu. : 65
424 **Afrocypraea** — *Zoila* subg. *Afrocypraea* SCHILDER 1932F : S. B. Ges. Freunde Berlin **1932** : 259 — Type : *Cypraea chubbi* RENNIE
429 **Akleistostoma** — *Cypraea* (*Cypraeorbis*) sect. *Akleistostoma* GARDNER 1948C : US. Geol. Surv. Prof. Pap. **199B** : 213 — Type : *Cypraea carolinensis* CONRAD
725 **Albacypraea** — *Albacypraea* STEADMAN & COTTON 1946C : Rec. SAustr. Mus. **8** : 508 — Type : *Cypraea eburnea* BARNES

918 (**Amphiceras** [err.] — *Amphiceras* GRAY 1847G : Proc. Zool. S. London **15** : 143

918 (**Amphiperas** — *Amphiperas* GRONOVIUS 1781Z : Zoophyl. Gronoviani **3** : 293 — Type : *Bulla ovum* LINNÉ

918 **Amphiperas** — *Amphiperas* HERRMANNSEN 1846I : Ind. gener. malacoz. **1** : 41 — Type : *Bulla ovum* LINNÉ

711 **Annepona** — *Annepona* IREDALE 1935A : Austr. Zoologist **8** : 114 — Type : *Cypraea* || *annulata* GRAY

918 (**Anula** [err.] — *Anula* GRIFFITH & PIDGEON 1834K : in : CUVIER (G.), Animal Kingdom (London) **3** : 70

813 **Apiocypraea** — *Eocypraea* subg. *Apiocypraea* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 75 — Type : *Cypraea michaudiana* GRAT.

515 **Arabia** [err.] — *Arabia* JOUSSEAUME 1886A : Naturaliste **1886** : 221 — Type : *Cypraea arabica* LINNÉ

515 **Arabica** — *Arabica* JOUSSEAUME 1884D : Naturaliste **1884** : 414 — Type : *Cypraea arabica* LINNÉ

515 **Arabica** — *Arabica* JOUSSEAUME 1884C : B. S. Zool. France **9** : 90 — Type : *Cypraea arabica* LINNÉ

413 **Archicypraea** — *Archicypraea* SCHILDER 1926I : Nautilus **40** : 18 — Type : *Cypraea lioyi* BAYAN

135 **Archierato** — *Erato* subg. *Archierato* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. (Berlin) **1/55** : 82 — Type : *Erato* (*Erato*) *pyrulata* TATE

518 **Arestorides** — *Arestorides* IREDALE 1930Q : M. Queensland Mus. **10/1** : 82 — Type : *Cypraea argus* LINNÉ

721 (**Aria** [err.] — *Aria* DESHAYES 1865P : Descr. anim. s. vert. bassin Paris (Paris) **3** : 558

721 (|| **Aricia** — *Cypraea* subg. *Aricia* GRAY 1832D : Descr. Cat. Shells : 7 — *Cypraea moneta* LINNÉ

721 || **Aricia** — *Cypraea* subg. *Aricia* BRODERIP 1837P : in : KNIGHT, Penny Cyclopaedia (London) **8** : 255 — Type : *Cypraea moneta* LINNÉ — [nec R. L. 1817 nec SAVIGNY 1822 nec ROBINEAU-DESVOIDY 1830]

518 (**Aristorides** [err.] — *Aristorides* CATE 1967R : Veliger **10/1** : 26

714 **Austrocypraea** — *Cypraea* (*Luponia*) sect. *Austrocypraea* COSSMANN 1903E : Essais paléoconch. comp. (Paris) **5** : 146, 164 — Type : *Cypraea* (*Luponia*) *contusa* MAC COY

423 **Barycypraea** — *Zoila* subg. *Barycypraea* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 91 — Type : *Cypraea* (*Aricia*) *caputviperae* MARTIN

524 **Basilitrona** — *Basilitrona* IREDALE 1930Q : M. Queensland Mus. **10/1** : 83 — Type : *Cypraea isabella* LINNÉ

512 || **Basterotia** — *Basterotia* JOUSSEAUME 1884C : B. S. Zool. France **9** : 95 — Type : *Cypraea leporina* LAM. — [nec *Basterotia* HOERNES 1859]

512 (**Bastorotia** [nud.] — *Bastorotia* JOUSSEAUME 1884D : Naturaliste **1884** : 414

422 **Bernaya** [nud.] — *Bernaya* JOUSSEAUME 1884D : Naturaliste **1884** : 414

422 **Bernaya** — *Bernaya* JOUSSEAUME 1884C : B. S. Zool. France **9** : 88 — Type : *Cypraea media* DESH.

422 **Bernayia** [em.] — *Cypraea* subg. *Bernayia* COSSMANN 1889P : M. S. Mal. Belg. **24** : 102 — Type : *Cypraea obesa* DESH.

922 **Binvoluta** — *Binvoluta* SCHLÜTER 1838V : Kurzgef. syst. Verz. Conch. Samml. : 24 — Type : *Ovula gibbosa* LAM.

925 **Birostra** — *Birostra* SWAINSON 1840T : Treatise on malacology : 325 — Type : *Bulla volva* LINNÉ

925 (**Birostris** [nud.) — *Birostris* FABRICIUS 1823F : Fortegnelse natural. : 70

637 **Bistolida** — *Bistolida* COSSMANN 1920R : Revue crit. paléozool. **24** : 83 — Type : *Cypraea stolida* LINNÉ

636 **Blasicrura** — subg. *Blasicrura* IREDALE 1930Q : M. Queensland Mus. **10/1** : 84 — Type : *Cypraea rhinoceros* SOUVERBIE

518 **Callistocypraea** — *Pustularia* subg. *Callistocypraea* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 104 — Type : *Cypraea aurantium* MARTYN

921 **Calpurna** — *Calpurna* FLEMING 1828B : Hist. Brit. animals (Edinburgh) : 331 — Type : *Ovula leathesi* SOW.

917 **Calpurnus** — *Calpurnus* MONTFORT 1810C : Conchyl. syst. (Paris) **2** : 639 — Type : *Bulla verrucosa* LINNÉ

922 **Carinea** — *Carinea* SWAINSON 1840T : Treatise on malacology (London) : 326 — Type : *Bulla gibbosa* LINNÉ

512 **Cavicypraea** — *Cypraea* subg. *Cavicypraea* COSSMANN 1896S : Feuille Natural. (**3**) **26** : 48 [pro || *Basterotia* JOUSS.] — Type : *Cypraea leporina* LAM.

523 **Chelycypraea** — *Trona* subg. *Chelycypraea* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 92 — Type : *Cypraea testudinaria* LINNÉ

517 **Cipraea** — *Cipraea* CHIAJE 1827S : POLI, Test. utriusqu. Sicil. (Parma) **3/2** : 8

233 **Cleotrivia** — *Cleotrivia* IREDALE 1930Q : M. Queensland Mus. **10/1** : 83 — Type : *Cypraea pilula* KIENER

222 || **Coccinella** — *Coccinella* HERRMANNSEN 1846I : Index gener. malacoz. **1** : 254 [nec *Coccinella* LINNÉ] — Type : *Cypraea arctica* MONTAGU

715 **Conocypraea** — *Cypraea* subg. *Conocypraea* OPPENHEIM 1901P : Palaeontographica **47** : 235 — Type : *Conocypraea persona* OPP.

639 || **Cribraria** — *Cribraria* JOUSSEAUME 1884C : B. S. Zool. France **9** : 94 [nec *Cribraria* PERSOON 1794] — Type : *Cypraea cribraria* LINNÉ

639 **Cribrarula** — *Cribrarula* STRAND 1929N : Acta Univ. Latviensis **20** : 8 [pro || *Cribraria* JOUSS.]

639 (**Criraria** [err.] — *Criraria* JOUSSEAUME 1884D : Naturaliste **1884** : 414 — Type : *Cypraea criraria* LINNÉ

× **Crithe** — *Crithe* GOULD 1860P : P. Boston Soc. **7** : 384 — Type : *Crithe atomaria* GOULD

635 **Cupinota** — *Cupinota* IREDALE 1939A : Austral. Zoologist **9** : 312 — Type : *Paulonaria macula* ANGAS

922 **Cyphoma** — *Cyphoma* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 21 — Type : *Bulla gibbosa* LINNÉ

922 (**Cyphonia** [err.] — *Amphiceras* syn. *Cyphonia* GRAY 1847G : P. Zool. S. London **15** : 143 [nec *Cyphonia* LAPORTE 1832]

517 (**Cypraea** — *Cypraea* LINNÉ 1740S : Syst. nat. (2. ed.) : 64

517 **Cypraea** — *Cypraea* LINNÉ 1758S : Syst. nat. (10. ed.) : 718 — Type : *Cypraea tigris* LINNÉ

715 **Cypraeacites** — *Cypraeacites* SCHLOTHEIM 1820P : Petrefactenkunde **1** : 117 — Type : *Cypraeacites inflatus* SCHLOTH.

715 **Cypraeacites** — *Cypraeacites* SCHILDER 1931B : B. Mus. HN. Belg. **7/14** : 4 — Type : *Cypraeacites inflatus* SCHLOTHEIM=*meyeri* BÖTTG.

428 **Cypraeactaeon** — *Cypraeactaeon* WHITE 1887B : Arch. Mus. Nac. Rio de Janeiro **7** : 176 — Type : *Cypraeactaeon pennai* WHITE

322 **Cypraeadia** — *Cypraeadia* SOWERBY 1842M : Conch. Manual (London) (2. ed.) : 134 [pro *Cypraedia*]

517 **Cypraearius** — *Cypraearius* FRORIEP 1806D : DUMÉRIL's analyt. Zool. (Weimar) : 167 [nom. pro *Cypriarius* DUMÉRIL]

322 **Cypraedia** — *Cypraedia* SWAINSON 1840T : Treatise on malacology : 325 — Type : *Cypraedia cancellata* SWAINS.

134 **Cypraeerato** — *Erato* subg. *Cypraeerato* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. (Berlin) **1/55** : 86 — Type : *Erato bimaculata* TATE

322 **Cypraeidia** [err.?] — *Cypraea* (*Cypraeidia*) TATE 1892A : Tr. R. S. SAustr. **13** (in **15**) : t. 9 : 1 — Type : *Cypraea* (*Cypraeidia*) *clathrata* TATE

715 (**Cypraeites** — *Cypraeites* BOETTGER 1883M : Ber. Offenb. Ver. **22/23** : 222 — Type : *Cypraeites* [err. pro *Cypraeacites*] *inflatus* SCHLOTH.

917 (**Cypraela** — *Cypraela* SOWERBY 1942M : Conch. Manual (2. ed.) : 134

917 **Cypraella** — *Cypraella* SWAINSON 1840T : Treatise on malacology : 325 — Type : *Bulla verrucosa* LINNÉ

312 **Cypraeogemmula** — *Cypraeogemmula* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 114 Type : *Trivia* || *scabriuscula* KOENEN

821 (**Cypraeoglobina** — *Cypraea* (*Luponia*) sect. *Cypraeoglobina* COSSMANN 1903E : Essais paléoconch. comp. **5** : 146, 165 [pro *Cyproglobina* GREG.]

322 **Cypraeoides** — *Cypraeoides* AGASSIZ 1846N : Nomenclator zoolog., Index : 113 — [nom. pro *Cypraedia* SWAINSON]

823 **Cypraeopsis** — *Cypraeopsis* SCHILDER 1936A : P. Mal. S. London **22** : 81 — Type : *Cypraeopsis vanderverki* SCHILDER

427 **Cypraeorbis** — *Cypraea* subg. *Cypraeorbis* CONRAD 1865C : Amer. J. Conch. **1** : 31 — Type : *Cypraea sphaeroides* CONR.

826 **Cypraeotrivia** — *Cypraea* (*Erosaria*) sect. *Cypraeotrivia* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 110 — Type : *Cypraea duclosiana* BAST.

623 (**Cypraeova** [err.] — *Cypraeova* SWAINSON 1840T : Treatise on malacology : 325

623 **Cypraeovula** — *Cypraeovula* GRAY 1824M : Zool. J. **1** : 75 — Type : *Cypraea capensis* GRAY

623 **Cypraeovulum** — *Cypraeovulum* SOWERBY 1842M : Conch. Manual (2. ed.) : 134

623 (**Cypraeovum** — *Cypraea* (*Cypraeovula*) syn. *Cypraeovum* PAETEL 1869S : Moll. syst. Cat. (ed. SCHAUFUSS) : 7

517 (**Cyprea** — *Cyprea* COSTA 1776E : Elem. of Conchol. : 304 [em. pro *Cypraea*]

715 (**Cyprecites** — *Cyprecites* ORBIGNY 1850P : Prodr. Pal., stratigr. univ. **2** : 291

623 (**Cypreovula** — *Cypreovula* FLEMING 1828B : Hist. Brit. animals (Edinburgh) : 330

517 || **Cypria** — *Cypria* JEFFREYS 1867B : Brit. Conchology **4** : 402 [em. pro *Cypraea*] — [nec *Cypria* ZENKER 1854, nec BRADY & NORMAN 1889]

517 **Cypriarius** — *Cypriarius* DUMÉRIL 1806Z : Zool. analytique : 166 — [pro *Cypraea* LINNÉ]

517 (**Cyproea** — *Cyproea* SERRES 1822M : Ess. hist. anim. Midi France : 60

821 **Cyproglobina** — *Cypraea* subg. *Cyproglobina* GREGORIO 1880G : Fauna S. Giov. Ilarione : 35 — Type : *Cypraea* (*Cyproglobina*) *parvulorbis* GREG.

825 **Cypropterina** — *Cypraea* subg. *Cypropterina* GREGORIO 1880G : Fauna S. Giov. Ilarione : 37 — Type : *Cypraea* (*Cypropterina*) *ceciliae* GREG.

623 (**Cyprovula** [err.] — *Cyprovula* GRAY 1847G : P. Zool. S. London **15** : 142

313 **Dentiora** — *Dentiora* PEASE 1862S : P. Zool. S. London **1862** : 240 — Type : *Dentiora rubida* PEASE

914 (**Dentiovula** [err.] — *Dentiovula* HABE 1961J : Coloured Ill. shells Japan **2** : 41

914 **Dentivolva** — *Dentivolva* HABE 1961J : Coloured Ill. shells Japan **2** : App. 14 — Type : *Ovulum dorsuosum* HINDS

637 **Derstolida** — *Derstolida* IREDALE 1935A : Austr. Zoologist **8** : 121 — Type : *Derstolida fluctuans* IRED.

912 **Diminovula** — *Diminovula* IREDALE 1930Q : M. Queensland Mus. **10/1** : 85 — Type : *Diminovula verepunctata* IRED.

236 **Dolichupis** — *Dolichupis* IREDALE 1930Q : M. Queensland Mus. **10/1** : 83 — Type : *Cypraea producta* GASK.

636 **Eclogavena** — *Erronea* subg. *Eclogavena* IREDALE 1930Q : M. Queensland Mus. **10/1** : 84 — Type : *Cypraea coxeni* COX

232 **Ellatrivia** — *Ellatrivia* IREDALE 1931A : Rec. Austr. Mus. **18/4** : 221 — Type : *Triviella merces* IRED.

811 **Eocypraea** — *Cypraea* (*Lupona*) sect. *Eocypraea* COSSMANN 1903E : Essais paléoncoch. comp. **6** : 146, 162 — Type : *Cypraea inflata* LAM.

824 **Eotrivia** — *Eotrivia* SCHILDER 1924I : Arch. Naturgesch. **90/A.4** : 185 — Type : *Cypraea* (*Trivia*) *bouryi* COSSM.

324 **Eovolva** — *Eovolva* SCHILDER 1932A : P. Mal. S. London **20** : 49 — Type : *Amphiperas nigeriensis* NEWTON

712 **Epona** — *Epona* ADAMS & ADAMS 1854G : Genera recent moll. **1** : 269 — Type : *Cypraea cicercula* LINNÉ

712 (**Eponia** [err.] — *Eponia* ROSSITER 1882C : P. Linn. S. NSWales **6** : 829

137 **Erato** — *Erato* RISSO 1826E : Hist. nat. Europe mérid. **4** : 240 — Type : *Marginella cypraeola* BROCCHI

112 **Eratodium** — *Erato* subg. *Eratodium* KOROBKOV 1955H : Handbook guide Tert. moll. : 245 — Type : *Erato* (?) *medius* ISAEVA

133 **Eratoena** — *Eratoena* IREDALE 1935A : Austr. Zoologist **8** : 97 — Type : *Ovulum corrugatum* HINDS

136 **Eratopsis** — *Eratopsis* HOERNES & AUINGER 1880M : Abh. Geol. Reichsanst. **12/2** : 63 — Type : *Eratopsis barrandei* HOERN. AUING.

121 **Eratotrivia** — *Eratotrivia* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 62 — Type : *Cypraea* || *crenata* DESH.

725 **Erosaria** — *Aricia* subg. *Erosaria* TROSCHEL 1863G : Das Gebiss d. Schnecken **1** : 205, 210 — Type : *Cypraea erosa* LINNÉ

632 **Erronea** — *Aricia* subg. *Erronea* TROSCHEL 1863G : Das Gebiss d. Schnecken **1** : 205, 210 — Type : *Cypraea errones* LINNÉ

517 (**Erythraea** — *Erythraea* JUSSIEU 1714G : in : BARRELIER, Plantae per Galliam observ. : 133

517 (**Erythraea** — *Cypraea* syn. *Erythraea* SOWERBY 1839M : Conch. Manual : 43

517 **Erythraea** — *Cypraea* subg. *Erythraea* MÖRCH 1877I : Malak. Blätt. **24** : 44 [pro || *Tigris* TROSCH.]

814 **Eschatocypraea** — *Eschatocypraea* SCHILDER 1966Nf : Arch. Mollusk. **95** : 269 — Type : *Eschatocypraea balcombica* SCHILDER

512 (**Etrona** [nud.] — *Etrona* JOUSSEAUME 1884D : Naturaliste **1884** : 414

515 **Etronsa** — *Etronsa* JOUSSEAUME 1886A : Naturaliste **1885** : 220 — Type : *Etronsa mauritiana* LINNÉ

323 **Eucypraedia** — *Cypraedia* subg. *Eucypraedia* SCHILDER 1939G : Arch. Mollusk. **71** : 167, 190 — Type : *Cypraea sulcosa* LAM.

727 **Eustaphylaea** — *Eustaphylaea* STEADMAN & COTTON 1946C : Rec. SAustr. Mus. **8** : 505 — Type : *Cypraea semiplota* MIGH.

634 (**Evanaria** [err.] — *Evanaria* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 320

634 **Evenaria** — *Evenaria* IREDALE 1930Q : Mem. Queensland Mus. **10/1** : 82 — Type : *Cypraea asellus* LINNÉ

631 **Ficadusta** — *Ficadusta* HABE & KOSUGE 1966N : Venus **14** : 314 — Type : *Cypraea pulchella* SWAINS.

522 **Fossacypraea** — *Fossacypraea* SCHILDER 1939G : Arch. Mollusk. **71** : 167, 178 — Type : *Cypraea hieroglyphica* SCHIL.

213 **Fossatrivia** — *Fossatrivia* IREDALE 1931A : Rec. Austr. Mus. **18/4** : 222 — Type : *Trivia caelatura* HEDLEY

622 **Gaskoinia** — *Gaskoinia* ROBERTS 1870C : Amer. J. Conch. **5**, App. : 201 — Type : *Cypraea edentula* GRAY

426 **Gigantocypraea** — *Umbilia* subg. *Gigantocypraea* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 86 — Type : *Cypraea gigas* MacCOY

433 (**Gisortia** — *Gisortia* JOUSSEAUME 1884D : Naturaliste **1884** : 414

433 **Gisortia** — *Gisortia* JOUSSEAUME 1884C : B. S. Zool. France **9** : 88 — Type : *Ovula gisortiana* PASSY

× **Globiconcha** — *Globiconcha* ORBIGNY 1843F : Pal. franç. : Terr. cret., Moll. **2** : 143 — Type : *Globiconcha rotundata* ORB.

712 (|| **Globularia** [err.] — *Globularia* SOWERBY 1842M : Conch. Manual (2. ed.) : 313 — Type : *Cypraea globulus* LINNÉ — [nec *Globularia* SWAINS. 1840]

613 || **Globulina** — *Cypraea* subg. *Globulina* CERULLI-IRELLI 1911M : Pal. Ital. **17** : 272 — Type : *Globulina infernoi* CER.-IR. — [nec *Globulina* MORREN 1835 nec WAGNER 1905]

631 **Gratiadusta** — *Palmadusta* subg. *Gratiadusta* IREDALE 1930Q : M. Queensland Mus. **10/1** : 82 — *Cypraea pyriformis* GRAY

624 **Guttacypraea** — *Guttacypraea* IREDALE 1935A : Austr. Zoologist **8** : 134 — Type : *Cypraea pulicaria* REEVE

138 **Hespererato** — *Erato* subg. *Hespererato* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. (Berlin) **1/55** : 83 — Type : *Erato* (*Hespererato*) *vitellina* (HINDS)

917 (**Iambos** — *Bulla* syn. *Iambos* LINCK 1783L : Mus. LINCKianum : 144 — Type : *Bulla verrucosa* syn. *Iambos alba*

713 **Ipsa** — *Ipsa* JOUSSEAUME 1884D : Naturaliste **1884** : 415 — Type : *Cypraea childreni* GRAY

713 **Ipsa** — *Ipsa* JOUSSEAUME 1884C : B. S. Zool. France **9** : 97 — Type : *Cypraea childreni* GRAY

631 **Ipserronea** — *Ipserronea* IREDALE 1935A : Austr. Zoologist **8** : 131 — Type : *Ipserronea problematica* IRED.

827 (**Jenneria** — *Jenneria* JOUSSEAUME 1884D : Naturaliste **1884** : 415

827 **Jenneria** — *Jenneria* JOUSSEAUME 1884C : B. S. Zool. France **9** : 98 — Type : *Cypraea pustulata* LAM.

111 **Johnstrupia** — *Johnstrupia* RAVN 1933D : Danske Selsk. Skrif. (**9**) **2** : 60 — Type : *Johnstrupia faxensis* RAVN

521 **Jousseaumea** [em.] — *Jousseaumia* [sic] SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 8 — Type : *Cypraea sublyncoides* ORB.

132 (**Lachryma** — *Erato* syn. *Lachryma* SOWERBY 1837C : Cat. recent Cypraeadae : 15 — Type : *Lachryma trifasciata* HUMPH.

134 (**Lachryma** — *Lachryma* IREDALE 1931A : Rec. Austr. Mus. **18/4** : 223 — Type : *Lachryma bisinventa* IRED.

132 **Lachryma** — *Lachryma* COTTON & GODFREY 1932S : South Austr. Naturalist **13** : 45 — Type : *Lachryma trifasciata* COTT. GODFR.

514 **Leporicypraea** — *Leporicypraea* IREDALE 1930Q : M. Queensland Mus. **10/1** : 83 — Type : *Cypraea mappa* LINNÉ

918 (**Licium** — *Licium* HUMPHREY 1797C : Mus. Calonnianum : 7

622 (**Luperia** [err.] — *Cypraea* subg. *Luperia* OPPENHEIM 1901O : Beitr. Pal. Geol. Oesterr. Ung. **13** : 273 — Type : *Luperia inflata* LAM.

622 (**Lupina** [err.] — *Lupina* BRONN 1854L : Lethaea geognost. (3. ed.) **3** : 578

622 (**Luponaria** [err.] — *Cypraea* sect. *Luponaria* WEINKAUFF 1881C : Jahrb. Deut. Mal. Ges. **8** : 133

622 (**Luponia** — *Luponia* GRAY 1832D : Descr. Cat. Shells : 13 — Type : *Cypraea algoensis* GRAY

622 **Luponia** — *Luponia* BRODERIP 1837P : in : KNIGHT, Penny Cyclopaedia **8** : 256 — Type : *Cypraea algoensis* GRAY

622 (**Luponica** [err.] — *Cypraea* sect. *Luponica* WEINKAUFF 1881C : Jahrb. Deut. Mal. Ges. **8** : 142

822 **Luponovula** — *Cypraea* subg. *Luponovula* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 44 — Type : *Cypraea proserpinae* BAYAN

524 (**Luria** — *Luria* JOUSSEAUME 1884D : Naturaliste **1884** : 414

524 **Luria** — *Luria* JOUSSEAUME 1884C : B. S. Zool. France **9** : 92 — Type : *Cypraea lurida* LINNÉ

518 **Lyncina** — *Cypraea* subg. *Lyncina* TROSCHEL 1863G : Das Gebiss d. Schencken **1** : 205, 208 — *Cypraea lynx* LINNÉ

513 **Macrocypraea** — *Macrocypraea* SCHILDER 1930T : P. Mal. S. London **19** : 55 — Type : *Cypraea exanthema* LINNÉ

414 **Mandolina** — *Mandolina* JOUSSEAUME 1884D : Naturaliste **1884** : 414 — Type : *Cypraea* || *gibbosa* BORSON

414 **Mandolina** — *Mandolina* JOUSSEAUME 1884C : B. S. Zool. France **9** : 89 — Type : *Cyprea* || *gibbosa* BORSON

817 **Marginocypraea** — *Marginocypraea* INGRAM 1947V : B. Amer. Pal. **31/121** : 3 — Type : *Marginocypraea paraguana* INGR.

912 **Margovula** — *Margovula* IREDALE 1935A : Austr. Zoologist **8** : 103 — Type : *Ovulum pyriforme* SOW.

515 **Maurina** — *Maurina* JOUSSEAUME 1884D : Naturaliste **1884** : 414 — Type : *Cypraea mauritiana* LINNÉ

515 **Mauritia** — *Cypraea* subg. *Mauritia* TROSCHEL 1863G : Das Gebiss d. Schnecken **1** : 205, 208 — Type : *Cypraea mauritiana* LINNÉ

515 **Mauxiena** [err.?) — *Mauxiena* JOUSSEAUME 1884C : B. S. Zool. France **9** : 89 — Type : *Cypraea mauritiana* LINNÉ

432 (**Megacypraea** [err.] — *Megacypraea* PALMER 1957G : J. Pal. S. India **2** : 71

432 **Megalocypraea** — *Gisortia* subg. *Megalocypraea* SCHILDER 1927K : Senckenbergiana **9** : 204, 211 — Type : *Gisortia* (*Megalocypraea*) *ovumstruthionis* SCHIL.

632 **Melicerona** — [*Cribraria*] subg. *Melicerona* IREDALE 1930Q : M. Queensland Mus. **10/1** : 83 — Type : *Cypraea listeri* GRAY

721 **Mercatoria** [err.] — *Mercatoria* MELVILL 1888S : Mem. Manchester Lit. S. (**4**)**1** : 240 nota

511 **Miolyncina** — *Callistocypraea* subg. *Miolyncina* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1/55** : 131 — Type : *Cypraea subovum* ORB.

721 **Monetaria** — *Aricia* subg. *Monetaria* TROSCHEL 1863G : 205, 212 — Type : *Cypraea moneta* LINNÉ

428 **Muracypraea** — *Muracypraea* WOODRING 1957M : Nautilus **70** : 89 — Type : *Cypraea mus* LINNÉ

518 **Mystaponda** — *Lyncina* subg. *Mystaponda* IREDALE 1930Q : M. Queensland Mus. **10/1** : 83 — Type : *Cypraea vitellus* LINNÉ

723 (**Naria** — *Cypraea* subg. *Naria* GRAY 1832D : Descr. Cat. Shells : 12 — Type : *Cypraea irrorata* GRAY

723 **Naria** — *Cypraea* subg. *Naria* BRODERIP 1837P : in : KNIGHT, Penny Cyclopaedia **8**: 256 — Type : *Cypraea irrorata* GRAY

617 **Neobernaya** — *Bernaya* subg. *Neobernaya* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 89 — *Cypraea spadicea* SWAINS.

921 **Neosimnia** — *Ovula* subg. *Neosimnia* FISCHER 1884M : Manuel de Conchyliologie : 664 — Type : *Bulla spelta* LINNÉ

614 **Nesiocypraea** — *Nesiocypraea* AZUMA & KUROHARA 1967M : Venus **26/1** : 1-3, t. 1 — Type : *Nesiocypraea midwayensis* AZ. & KUROH.

234 **Niveria** — *Niveria* JOUSSEAUME 1884D : Naturaliste **1884** : 415 — Type : *Cypraea* || *nivea* GRAY

234 **Niveria** — *Niveria* JOUSSEAUME 1884C : B. S. Zool. France **9** : 100 — Type : *Cypraea* || *nivea* GRAY

639 **Nivigena** — *Nivigena* IREDALE 1930Q : M. Queensland Mus. **10/1** : 84 — Type : *Nivigena melwardi* IRED.

633 **Notadusta** — *Notadusta* SCHILDER 1935A : P. Mal. S. London **21** : 350 — Type : *Notadusta victoriana* SCHIL.

625 **Notocypraea** — *Notocypraea* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 110 — Type : *Cypraea piperita* GRAY

621 **Notoluponia** — *Notoluponia* SCHILDER 1935A : P. Mal. S. London **21** : 345 — Type : *Notoluponia murraviana elegantior* SCHIL.

214 **Nototrivia** — *Nototrivia* SCHILDER 1932F : SB. Ges. Nat. Freunde Berlin **1932** : 257 — Type : *Cypraea* (*Trivia*) *avellanoides* McCOY

728 (|| **Nuclearia** — *Nuclearia* JOUSSEAUME 1884D : Naturaliste **1884** : 415

728 || **Nuclearia** — *Nuclearia* JOUSSEAUME 1884C : B. S. Zool. France **9** : 98 — Type : *Cypraea nucleus* LINNÉ — [nec *Nuclearia* CIENKOWSKY 1865]

728 **Nucleolaria** — *Staphylaea* subg. *Nucleolaria* OYAMA 1959N : Venus **20/4** : 361 — Type : *Cypraea nucleus* LINNÉ — [pro || *Nuclearia* JOUSS.]

725 || **Ocellaria** — *Cypraea* sect. *Ocellaria* WEINKAUFF 1881C : Jahrb. Deut. Mal. Ges. **8** : 148 — Type : *Cypraea spurca* LINNÉ — [nec *Ocellaria* RAMOND 1801]

635 **Opponaria** — *Opponaria* IREDALE 1939A : Austr. Zoologist **9** : 312 — Type : *Paulonaria minoridens* MELV.

722 **Ornamentaria** — *Monetaria* subg. *Ornamentaria* SCHILDER (F.) & SCHILDER (M.) in : SCHILDER 1936A : P. Mal. S. London **22** : 83 — Type : *Cypraea annulus* LINNÉ

722 **Ornamentaria** — *Monetaria* sect.=subg. *Ornamentaria* SCHILDER (M.) & SCHILDER (F. A.) 1937M : P. Zool. S. London **1936** : 1113, 1115 — Type : *Cypraea annulus* LINNÉ

638 **Ovatipsa** — *Erronea* subg. *Ovatipsa* IREDALE 1931A : Rec. Austr. Mus. **18/4** : 219 — Type : *Cypraea chinensis* GMEL.

918 **Ovula** — *Ovula* BRUGUIÈRE 1789E : Encycl. méthod., hist. nat. vers **1** : XVI — Type : *Ovula oviformis* LAM.

918 **Ovularia** — *Ovularia* LINK 1830E : Handb. phys. Erdbeschr. **2/1** : 437 — [pro *Ovula* BRUG. 1792]

× **Ovulopsis** — *Ovulopsis* MÖRICKE 1896Q : Neu. Jahrb. Miner., Beil. Bd. **10** : 98 — Type : *Ovulopsis philippii* MÖRICKE

918 **Ovulum** — *Ovulum* SOWERBY 1828 O : Zool. J. **4** : 145 — [pro *Ovula* BRUG.]

918 **Ovulus** — *Ovulus* MONTFORT 1810C : Conchyl. syst. **2** : 635 — Type : *Bulla ovum* LINNÉ

918 (**Ovum** — *Ovum* SCHRÖTER 1788N : Vollst. Namensregister Syst. Conch. Cab. : 77 — Type : *Ovum rumphii* SCHRÖTER

812 **Oxycypraea** — *Eocypraea* subg. *Oxycypraea* SCHILDER 1927K : Senckenbergiana **9** : 207 — Type : *Ovula delphinoides* COSSM.

411 **Palaeocypraea** — *Palaeocypraea* SCHILDER 1928D : Danm. geol. Unders. **(4)2/3** : 17 — Type : *Cypraeacites inflatus* SCHLOTH.

411 || **Palaeocypraea** — *Cypraea* sect. *Palaeocypraea* SAYN 1932B : Trav. Lab. Géol. Lyon **18/15** : 30 — Type : *Cypraea* || *antiqua* SAYN

632 **Palangerosa** — *Palangerosa* IREDALE 1930Q : M. Queensland Mus. **10/1** : 82 — Type : *Cypraea cylindrica* BORN

628 **Palliocypraea** — *Rhynchocypraea* subg. *Palliocypraea* COSSMANN 1906E : Essais paléoconch. comp. **7** : 239 — Type : *Cypraea* (*Aricia*) *gastroplax* McCOY

634 **Palmadusta** — *Palmadusta* IREDALE 1930Q : M. Queensland Mus. **10/1** : 82 — Type : *Cypraea clandestina* LINNÉ

517 **Pantherinaria** — *Cypraea* subg. *Pantherinaria* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 10 — Type : *Cypraea pantherina* SOL.

918 **Parlicium** — *Amphiperas* subg. *Parlicium* IREDALE 1935A : Austr. Zoologist **8** : 101 — Type : *Ovula costellata* LAM.

724 **Paulonaria** — *Paulonaria* IREDALE 1930Q : M. Queensland Mus. **10/1** : 83 — Type : *Cypraea beckii* GASK.

313 **Pedicularia** — *Pedicularia* SWAINSON 1840T : Treatise on Malacology : 357 — Type : *Pedicularia sicula* SWAINS.

314 **Pediculariella** — *Pediculariella* THIELE 1925K : in : KÜKENTHAL, Handb. Zoologie **5/1** : 88 — Type : *Pedicularia californica* NEWC.

313 **Pedicullariona** — *Pedicullariona* IREDALE 1935A : Austr. Zoologist **8** : 101 — Type : *Pedicularia stylasteris* HEDL.

923 **Pellasimnia** — *Pellasimnia* IREDALE 1931A : Rec. Austr. Mus. **18/4** : 222 — Type : *Ovulum angasi* REEVE

515 (**Peribolus** — *Peribolus* ADANSON 1757S : Hist. nat. Sénégal, Coqu. : 75 — Type : Potan

515 (**Peribolus** — *Peribolus* BLAINVILLE 1824D : Dict. sci. Hist. nat. **32** : 219 — Type : « Peribole Potan »

725 **Perisserosa** — *Perisserosa* IREDALE 1930Q : M. Queensland Mus. **10/1** : 84 — Type : *Perisserosa brocktoni* IRED.

924 **Phenacovolva** — *Phenacovolva* IREDALE 1930Q : M. Queensland Mus. **10/1** : 85 — Type : *Phenacovolva nectarea* IRED.

518 (**Ponda** — *Ponda* JOUSSEAUME 1884D : Naturaliste **1884** : 414

518 **Ponda** — *Ponda* JOUSSEAUME 1884C : B. S. Zool. France **9** : 96 — Type : *Cypraea achatina* DILLW.

518 (**Porcellana** — *Porcellana* RUMPH 1705A : Amboin. Rariteitkamer : 113

718 (|| **Porcellana** — *Porcellana* LINCK 1783L : Index Mus. Linckiani : 140

518 (**Porcellana** — *Porcellana* ROBERTS 1870C : Amer. J. Conch. **5** : App. 190 — Type : *Cypraea argus* LINNÉ — [nec *Porcellana* LAMARCK 1810]

518 (**Porcellana** — *Porcellana* JOUSSEAUME 1884D : Naturaliste **1884** : 414

518 || **Porcellana** — *Porcellana* JOUSSEAUME 1884C : B. S. Zool. France **9** : 91 — Type : *Cypraea argus* LINNÉ

411 (**Porcellanites** — *Porcellanites* ARGENVILLE 1742C : Hist. nat. Lith. Conch. : 393

411 (**Porcellanites** — *Porcellanites* SCHLOTHEIM 1813V : in : LEONHARD, Taschenbuch Min. : 103 — Type : *Porcellanites seelandicus* SCHLOTH.

712 (**Postularia** — *Postularia* COCCONI 1873P : M. Ac. Sci. Torino (**3**)**3** : 569

914 **Primovula** — *Primovula* THIELE 1925K : in : KÜKENTHAL, Handb. Zool. **5/1** : 88 — Type : *Amphiperas beckeri* SOW.

911 **Prionovolva** — *Prionovolva* IREDALE 1930Q : M. Queensland Mus. **10/1** : 85 — Type : *Ovulum breve* SOW.

715 **Proadusta** — *Cypraea* subg. *Proadusta* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 33 — Type : *Cypraea splendens* SACCO=*denticulina* SAC.

916 **Procalpurnus** — *Calpurnus* sect. *Procalpurnus* THIELE 1929H : Handb. system. Weichtierkunde **1** : 272 — Type : *Ovula lactea* LAM.

518 **Prolyncina** — *Lyncina* subg. *Prolyncina* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 94 — Type : *Cypraea reevei* SOW.

716 **Propustularia** — *Pustularia* subg. *Propustularia* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 103 — Type : *Cypraea surinamensis* PERRY

915 **Prosimnia** — *Simnia* subg. *Prosimnia* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 77 — Type : *Ovula semperi* WEINK.

131 **Proterato** — *Erato* subg. *Proterato* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 57 — Type : *Erato neozelanica* SUTER

421 **Protocypraea** — *Bernaya* subg. *Protocypraea* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 88 — Type : *Eocypraea orbignyana* VRED.

321 **Protocypraedia** — *Cypraedia* subg. *Protocypraedia* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 67 — Type : *Cypraea* (*Cypraedia*) *conigera* MARTIN

221 **Prototrivia** — *Prototrivia* SCHILDER 1941V : Arch. Mollusk. **73** : 65, 118 — Type : *Cypraea* (*Trivia*) *wetherellii* EDW.

611 **Prozonarina** — *Zonarina* subg. *Prozonarina* SCHILDER 1941V : Arch. Mollusk. **73** : 66, 92, 118 — Type : *Cypraea brocchii* DESH.

× **Pseudocassis** — *Pseudocassis* PICTET & CAMPICHE 1862S : Matér. Pal. Suisse (**3**) **2** : t. 74 — Type : *Pseudocassis helveticus* PICT. CAMP.

815 **Pseudocypraea** — *Cyproglobina* subg. *Pseudocypraea* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 71 — Type : *Cypraea adamsonii* SOW.

431 **Pseudogisortia** — *Pseudogisortia* SCHILDER 1941V : Arch. Mollusk. **73** : 65, 78, 118 — Type : *Gisortia benedicti* VRED.

913 **Pseudosimnia** — *Primovula* subg. *Pseudosimnia* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 81 — Type : *Bulla carnea* POIRET

913 (**Pseudosinarica** — *Pseudosinarica* ARRECGROS 1965M : Muscheln am Meer : 14

231 **Pseudotrivia** — *Pseudotrivia* SCHILDER 1936I : Ingen. Ned. Indië, ser. 4, Mijnbouw **3** : 208 — Type : *Trivia sibogae* SCHEPM.

616 **Pseudozonaria** — *Zonarina* subg. *Pseudozonaria* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 115 — Type : *Cypraea arabicula* LAM.

727 **Purperosa** — *Purperosa* IREDALE 1935A : Austr. Zoologist **8** : 119 — Type : *Purperosa facifer* IRED.

635 **Purpuradusta** — *Palmadusta* subg. *Purpuradusta* SCHILDER 1939G : Arch. Mollusk. **71** : 167, 188 — Type : *Cypraea fimbriata* GMEL.

237 (**Pustula** [err.] — *Pustula* ROBERTS 1885M : in : TRYON, Man. Conch. **7** : 161

712 **Pustularia** — *Pustularia* SWAINSON 1840T : Treatise on Malacology : 324 — Type : *Cypraea cicercula* LINNÉ

412 **Pustulariopsis** — *Palaeocypraea* subg. *Pustulariopsis* SCHILDER 1941V : Arch. Mollusk. **73** : 65, 118 — Type : *Cypraea pustulifera* PARONA

237 (**Pusula** — *Pusula* JOUSSEAUME 1884D : Naturaliste **1884** :415

237 **Pusula** — *Pusula* JOUSSEAUME 1884C : B. S. Zool. France **9** : 99 — Type : *Cypraea radians* LAM.

925 **Radius** — *Radius* MONTFORT 1810C : Conchyl. syst. **2** : 627 — Type : *Bulla volva* LINNÉ

924 || **Radius** — *Radius* SCHUMACHER 1817E : Essais nouv. syst. vers test. : 259 — Type : *Radius brevirostris* SCHUM.

726 **Ravitrona** — *Ravitrona* IREDALE 1930Q : M. Queensland Mus. **10/1** : 82 — Type : *Cypraea caputserpentis* LINNÉ

× **Rhizorus** — *Rhizorus* MONTFORT 1810C : Conchyl. syst. **2** : 339 — Type : *Rhizorus adelaidis* MONTF.

626 **Rhynchocypraea** — *Rhynchocypraea* COSSMANN 1898R : Rev. crit. paléozool. **2** : 17 — Type : *Cypraea* (*Luponia*) *leptorhyncha* MCCOY

613 **Schilderia** — *Cypraea* subg. *Schilderia* TOMLIN 1930N : P. Mal. S. London **19** : 24 — Type : *Cypraea utriculata* LAM.

921 (**Scymnia** [err.] — *Scymnia* RISSO 1826E : Hist. nat. Europe mérid. **4** : t. 10 : 150

311 **Semicypraea** — *Semicypraea* SCHILDER 1936A : P. Mal. S. London **22** : 81 — Type : *Cypraea koninckii* ROUAULT

918 (**Semiporcellana** — *Semiporcellana* COSTA 1776E : Elements of Conchology : 176, t. 3 : 3

212 **Semitrivia** — *Cypraea* (*Trivia*) sect. *Semitrivia* COSSMANN 1903E : Essais paléoconch. comp. **5** : 147, 172 — Type : *Trivia erugata* TATE

921 || **Simia** — *Simia* LEACH 1847B : Ann. Mag. NH. **20** : 269 — Type : *Simia pennantiana* LEACH — [nec *Simia* LINNÉ 1758]

921 **Simnia** — *Simnia* RISSO 1826E : Hist. nat. Europe mérid. **4** : 235 — Type : *Simnia nicaeensis* RISSO

429 **Siphocypraea** — *Cypraea* subg. *Siphocypraea* HEILPRIN 1887C : Trans. Wagner Free Inst. **1** : 86 — Type : *Siphocypraea problematica* HEILP.

631 **Solvadusta** — *Solvadusta* IREDALE 1935A : Austr. Zoologist **8** : 127 — Type : *Gratiadusta vaticina* IRED.

817 **Sphaerocypraea** — *Eocypraea* subg. *Sphaerocypraea* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 74 — Type : *Cypraea bowerbankii* SOW.

727 **Staphylaea** — *Staphylaea* Jousseaume 1884D : Naturaliste **1884** : 415 — Type : *Cypraea staphylaea* Linné

727 **Staphylaea** — *Staphylaea* Jousseaume 1884C : B. S. Zool. France **9** : 96 — Type : *Cypraea staphylaea* Linné

637 || **Stolida** — *Stolida* Jousseaume 1884D : Naturaliste **1884** : 414 — Type : *Cypraea stolida* Linné — [nec *Stolida* Lesson 1832]

637 || **Stolida** — *Stolida* Jousseaume 1884C : B. S. Zool. France **9** : 94 — Type : *Cypraea stolida* Linné — [nec *Stolida* Lesson 1832]

132 **Sulcerato** — *Sulcerato* Finlay 1930N : Tr. NZeal. Inst. **61** : 40 — Type : *Erato illota* Tate

816 **Sulcocypraea** — *Cypraea* subg. *Sulcocypraea* Conrad 1865C : Amer. J. Conch. **1** : 31 — Type : *Cypraea lintea* Conr.

223 **Sulcotrivia** — *Trivia* subg. *Sulcotrivia* Schilder 1933B : B. Mus. HN. Belg. **9/9** : 18 — Type : *Cypraea dimidiata* Bronn

× **Sycodes** — *Sycodes* Gabb 1869C : Pal. of California **2** : 160 — Type : *Sycodes cypraeoides* Gabb

636 **Talostolida** — *Talostolida* Iredale 1931A : Rec. Austr. Mus. **18/4** : 219 — Type : *Cypraea teres* Gmel.

516 **Talparia** — *Cypraea* subg. *Talparia* Troschel 1863G : Das Gebiss d. Schnecken **1** : 204, 206 — Type : *Cypraea talpa* Linné

525 **Tesselata** — *Tesselata* Jousseaume 1884D : Naturaliste **1884** : 415 — Type : *Cypraea tesselata* Swains.

525 **Tessellata** — *Tessellata* Jousseaume 1884C : B. S. Zool. France **9** : 97 — Type : *Cypraea tessellata* Swains.

625 **Thelxinovum** — *Thelxinovum* Iredale 1931A : Rec. Austr. Mus. **18/4** : 220 — Type : *Thelxinovum molleri* Ired.

721 (**Thoracium** — *Thoracium* Rumph 1705A : Amboin. Rariteitkamer : 117

313 || **Thyreus** — *Thyreus* Philippi 1844S : Enum. moll. Siciliae **2** : 92 — Type : *Thyreus paradoxus* Phil. — [nec *Thyreus* Panzer 1806, nec Swainson 1821, nec Lepeletier & Brullé 1835]

313 (**Thyrius** [err.] — Thyrius Locard 1897T : Expéd. Travailleur et Talisman, Moll. **1** : 97

517 || **Tigris** — *Cypraea* subg. *Tigris* Troschel 1863G : Das Gebiss d. Schnecken **1** : 204, 207 — Type : *Cypraea tigris* Linné — [nec *Tigris* Oken 1816]

828 **Transovula** — *Transovula* Gregorio 1880G : Fauna S. Giov. Ilarione : 27 — Type : *Transovula schefferi* Greg.

222 **Trivea** — *Trivea* Swainson 1840T : Treatise on Malacology : 325 — Type : *Cypraea coccinella* Lam.

236 **Trivellona** — *Trivellona* Iredale 1931A : Rec. Austr. Mus. **18/4** : 221 — Type : *Trivellona excelsa* Ired.

222 (**Trivia** — *Trivia* Gray 1832D : Descr. Cat. Shells : 13 — *Cypraea europaea* Montagu

222 **Trivia** — *Trivia* Broderip 1837P : in : Knight, Penny Cyclopaedia **8** : 256 — Type : *Cypraea europaea* Mont.

215 (**Triviella** — *Triviella* Jousseaume 1884D : Naturaliste **1884** : 415

215 **Triviella** — *Triviella* Jousseaume 1884C : B. S. Zool. France **9** : 99 — Type : *Cypraea oniscus* Lam.

235 (**Trivirostra** — *Trivirostra* Jousseaume 1884D : Naturaliste **1884** : 415

235 **Trivirostra** — *Trivirostra* Jousseaume 1884C : B. S. Zool. France **9** : 100 — Type : *Cypraea oryza* Lam.

512 **Trona** — *Trona* Jousseaume 1884C : B. S. Zool. France **9** : 89 — Type : *Cypraea stercoraria* Linné

922 **Ultimus** — *Ultimus* Montfort 1810C : Conchyl. syst. **2** : 643 — Type : *Bulla gibbosa* Linné

627 **Umbilia** — *Umbilia* Jousseaume 1884D : Naturaliste **1884** : 414 — Type : *Cypraea umbilicata* Sow.

627 **Umbilia** — *Umbilia* Jousseaume 1884C : B. S. Zool. France **9** : 90 — Type : *Cypraea umbilicata* Sow.

× || **Utriculus** — *Utriculus* Brown 1844B : Illustr. Conch. Gr. Brit. Ireland (2. ed.) : t. 19 — Type : *Utriculus candidus* Brown — [nec *Utriculus* Schumacher 1817]

434 **Vicetia** — *Vicetia* Fabiani 1905P : Atti Acc. Veneto-Trent. (n. s.) **2/2** : 150 — Type : *Ovula hantkeni* Lef.

925 **Volva** — *Volva* Röding 1798B : in : Bolten, Mus. Boltenianum : 21 — Type : *Bulla volva* Linné

925 (|| **Volvula** [err.] — *Volvula* Pilsbry 1895J : Cat. mar. moll. Japan : 53 — [nec *Volvula* Gistl 1848]

517 (**Vulgusella** — *Vulgusella* Jousseaume 1884D : Naturaliste **1884** : 414

517 **Vulgusella** — *Vulgusella* Jousseaume 1884C : B. S. Zool. France **9** : 90 — Type : *Cypraea tigris* Linné

517 (**Vulpicella** [err.] — *Cypraea* subg. *Vulpicella* Cossmann 1889P : M. S. Mal. Belg. **24** : 103

237 (**Vusula** [err.] — *Trivia* syn. *Vusula* Cossmann 1896S : Feuille Natural. (**3**) **26** : 49

211 **Willungia** — *Willungia* Powell 1938W : Tr. R. Soc. NZeal. **68**: 370 — Type: *Willungia tasmanica* Powell

× **Zittelia** — *Zittelia* Gemmellaro 1869Z: Giorn. Sci. Palermo **5** : 258 — Type: *Zittelia cipraeaeformis* Gemmellaro

425 (**Zoila** — *Zoila* Jousseaume 1884D : Naturaliste **1884** : 414

425 **Zoila** — *Zoila* Jousseaume 1884C : B. S. Zool. France **9** : 89 — Type : *Cypraea scottii* Brod.

615 **Zonaria** — *Zonaria* Jousseaume 1884C : B. S. Zool. France **9** : 92 — Type : *Cypraea zonaria* Chemn.

612 **Zonarina** — *Zonarina* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 23 — Type : *Cypraea pinguis* Sacco=*longovulina* Sac.

615 (**Zonatia** — *Zonatia* Jousseaume 1884D : Naturaliste **1884** : 414

3. TAXA OF SPECIFIC LEVEL.

811 **abbassi** — *Rhynchocypraea abbassi* abbass 1963E : Mon. Geol. Mus. Cairo, Pal. Ser. **2** : 87, t. 9 : 13-14

637 **abbreviata** — *Cypraea neglecta* var. *abbreviata* Dautzenberg 1903C : J. de Conchyl. **50** : 311

634 **aberrans** — *Cypraea clandestina* var. *aberrans* Ancey 1882C : Naturaliste **55** : 55

231 **abyssicola** — *Trivia abyssicola* Schepman 1909S : Siboga-Exp. **49/2/2** : 138, t. 11 : 1

823 **acarinata** — *Pustularia* (*Jenneria*) *laeviappenninica* var. *acarinata* Sacco 1894P: Moll. terz. Piem. Ligur. **15** : 55, t. 3 : 53

135 **accola** — *Erato accola* Laws 1935E : Tr. R. S. NZeal. **65** : 18, t. 3 : 1

631 (**achates** — *Porcellana achates* Argenville 1772C : Conchyliologie (Wien) **1** : 229, t. 18 : E

613 **achatidea** — *Cypraea achatidea* Sowerby 1837I : Conch. Illustr. : f. 179

515 (**achatina** — *Porcellana achatina* Klein 1753T : Tentam. meth. ostracol. : 86

518 **achatina** — *Cypraea achatina* Perry 1811C : Conchology : t. 20 : 6

432 **achtalensis** — *Gisortia* (*Gisortia*) *gigantea achtalensis* Schilder 1927K : Senckenbergiana **9** : 200, 204, 213

725 **acicularis** — *Cypraea acicularis* Gmelin 1791S : in : Linné, Syst. Nat. (13. ed.) **1/6** : 3421

921 **acicularis** — *Ovula acicularis* Lamarck 1810 O : Ann. Mus. HN. Paris **16** : 112

828 **acuminata** — *Cypraea acuminata* Melleville 1843P : Ann. Sci. Géol. **2** : 119, t. 10 : 14, 15

923 **acuminata** — *Ovulum acuminatum* Adams & Reeve 1848S : Voy. « Samarang », Moll. : 21, t. 6 : 1

422 || **acuminata** — *Cypraea acuminata* Schafhäutl 1863K : Südbay. Leth. geogn. : Kressenberg : 210, t. 65a : 10

222 **acuminata** — *Trivia acuminata* Schilder 1932F : SB. Ges. Freunde Berlin **1932** : 257, f. 2

222 (**acuticostata** — *Trivia acuticostata* Gray 1832D : Descr. Cat. shells : 14

237 **acutidentata** — *Cypraea acutidentata* Gaskoin 1836C : P. Zool. S. London **3** : 201

233 **acutisulcata** — *Trivia acuti-sulcata* Kenyon 1900C : P. Mal. S. London **4** : 69, f. 2

921 **acutogracilis** — *Amphiperas* (*Neosimnia*) *spelta* var. *acutogracilis* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 65, t. 3 : 75

715 **acyensis** — *Cypraea acyensis* Raincourt 1876P : B. S. Géol. France (**3**) **4** : 293, t. 5 : 8

912 **adamsii** — *Ovulum adamsii* Reeve 1865 O : Conch. icon. **15**, *Ovulum* : f. 24

923 **adamsii** — *Volva adamsii* Dunker 1877J : Malak. Blätt. **24** : 75

815 **adamsonii** — *Cypraea adamsonii* SOWERBY 1832I : Conch. Illustr. : f. 7
815 **adansoni** [err.] — *Cypraea* (*Cypraedia*) *adansoni* FISCHER 1884M : Man. Conchyl. : 667
815 (**adansoniana** [err.] — *Cypraea adansoniana* STOLICZKA 1868I : Pal. Ind. (**5**) **2** : 450
515 **adansonii** — *Peribolus adansonii* BLAINVILLE 1825M : Manuel Malacolog : 421
232 **addenda** — *Ellatrivia* (*merces*) *addenda* IREDALE 1931A : Rec. Austr. Mus. **18**/**4** : 221
× **adelaidis** — *Rhizorus adelaidis* MONTFORT 1810C : Conch. syst. **2** : 339
636 **adelinae** — *Cypraea adelinae* ROBERTS 1885M : in : TRYON, Man. Conch. **7** : 168, t. 4 : 46, 47
524 **adivinanzensis** — *Luria* (*Basilitrona*) *sanctisebastiani adivinanzensis* SCHILDER 1939T : Abh. Schweiz. Pal. Ges. **62** : 26, f. 29
518 **adonis** — *Cypraea carneola* var. *adonis* ROUS 1905F : Nautilus **19** : 77
913 **adriatica** — *Ovulum adriaticum* SOWERBY 1828 O : Zool. J. **4** : 150
631 (**adusta** — *Cypraea adusta* CHEMNITZ 1788C : Neues Syst. Conch. Cab. **10** : 106, f. 1341
631 **adusta** — *Cypraea adusta* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 92
821 **aegyptia** — *Cyproglobina* (*Cyproglobina*) *aegypta* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1**/**55** : 202
413 **aegyptiaca** — *Cypraea* (*Bernayia*) *aegyptiaca* OPPENHEIM 1906A : Palaeontographica **30**/**3** : 302, t. 25 : 16, t. 26 : 4
921 **aequalis** — *Ovulum aequale* SOWERBY 1832I : Conch. Illustr. : f. 61
232 **aequiflora** — *Trivia aequiflora* LAWS 1941P : Tr. R. S. NZeal. **71** : 144, t. 19 : 44, 49
615 **aequinoctialis** — *Zonaria* (*Zonaria*) *annettae aequinoctialis* SCHILDER 1933C : Zool. Anz. **101** : 187, 193
825 **aequipartita** — *Luponia aequipartita* COSSMANN 1902L : B. S. Sci. Ouest (**2**) **2** : 136, t. 11 : 27
517 (**aethiops** [nud.] — *Cypraea tigris* var. *aethiops* ORBIGNY 1847D : Dict. sci. hist. nat. **10** : 433
517 (**aethiops** — *Cypraea tigris* var. *nigrescens* syn. *aethiops* SCHILDER 1922C : P. Mal. S. London **15** : 116
712 **affinis** — *Cypraea affinis* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) : 3420
223 || **affinis** — *Cypraea affinis* DUJARDIN 1837T : M. S. Géol. France **12** : 304, t. 19 : 12
921 **affinis** — *Ovula affinis* CHENU 1859M : Manuel Conchyl. **1** : 265, f. 1672
235 **affinis** — *Trivia affinis* MARRAT 1867T : Ann. Mag. NH. (**3**) **20** : 215
613 (**affinis** — *Cypraea* (*Bernayia*) cf. *affinis* DUJ. [err.] COSSMANN 1903E : Essais paléoconch. comp. **5** : 156
223 **africana** — *Trivia pulex africana* SCHILDER 1931C : Zool. Anz. **96** : 69
721 (**africana** — *Monetaria moneta moneta* syn. *africana* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1**/**55** : 171
725 **agassizi** — *Cypraea* (*Erosaria*) *agassizi* LADD 1934V : B. Bernice Bishop Mus. **119** : 219, t. 39 : 3-5
427 **alabamensis** — *Cypraea media* var. *alabamensis* GREGORIO 1890A : Ann. Géol. Pal. **7** : 59, t. 9 : 8-10
912 **alabaster** — *Ovulum alabaster* REEVE 1865 O : Conch. icon. **15**, *Ovulum* : f. 23
817 **alata** — *Cypraea alata* EDWARDS 1865C : Geol. Magaz. **2** : 538, t. 14 : 4
517 **alauda** — *Cypraea alauda* MENKE 1830S : Synops. meth. moll. mus. Menkeano (2. ed.) : 82
917 (**alba** — *Iambos alba* LINCK 1783L : Mus. Linckianum : 144
918 **alba** — *Ovula alba* PERRY 1811C : Conchology : t. 53 : 1
918 || **alba** — *Ovula alba* SCHUMACHER 1817E : Essais nouv. syst. vers test. : 258
615 **alba** — *Cypraea zonaria* var. *alba* BLAINVILLE 1826D : Dict. sci. hist. nat. **43** : 15
725 || **alba** — *Cypraea spurca* var. *alba* SOWERBY 1832I : Conch. Ill. : f. 53
725 || **alba** — *Cypraea turdus* var. *alba* SOWERBY 1832I : Conch. Ill. : f. 54
725 || **alba** — *Cypraea lamarckii* var. *alba* SOWERBY 1836I : Conch. Ill. : f. 96
916 || **alba** — *Ovula alba* DUFO 1840S : Ann. Sci. Nat. **14** : 186
215 (**alba** — *Trivia ovulata* var. *alba* [nud.] MÖRCH 1852Y : Cat. conch. Yoldi : 118
627 || **alba** — *Cypraea umbilicata* var. *alba* COX 1879C : P. Linn. S. NSWales **4** : 386
913 || **alba** — *Ovula carnea* var. *alba* BUCQUOY & DAUTZENBERG & DOLLFUS 1883R : Moll. mar. Roussillon **1** : 134
518 (|| **alba** — *Cypraea* (*Aricia*) *arenosa* var. *alba* PAETEL 1883C : Cat. Conch. Samml. : 53
725 (|| **alba** — *Cypraea* (*Luponia*) *spurca* var. *alba* PAETEL 1883C : Cat. Conch. Samml. : 54

233 **alba** — *Trivia globosa* syn. ? *T. subrostrata* var. *alba* ROBERTS 1885M : in : TRYON, Man. Conch. **7** : 201

222 || **alba** — *Cypraea* (*Trivia*) *arctica* var. *alba* DAUTZENBERG & FISCHER 1912H : Résult. Camp. Monaco **37** : 167

235 || **alba** — *Trivia exigua* var. *alba* SOWERBY 1914N : P. Mal. S. London **11** : 10

633 || **alba** — *Cypraea punctata* var. *alba* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 11

0 || **alba** — *Trivia rosea* var. *alba* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 11

518 || **alba** — *Cypraea arenosa* var. *alba* SULLIOTI 1924P : Contr. stud. cypraeidae **6** : 11

725 || **alba** — *Cypraea gangrenosa* var. *alba* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 11

518 (|| **alba** — *Lyncina carneola* syn. *alba* SCHILDER 1930T : P. Mal. S. London **19** : 56

622 **alba** — *Luponia fuscodentata* var. *alba* COEN 1949C : Hist. Nat. Roma **3** : 16

625 **albata** — *Cypraea angustata* var. *albata* BEDDOME 1898T : P. Linn. S. NSWales **22** : 571, t. 21 : 11

726 **albella** — *Cypraea albella* LAMARCK 1822A : Hist. nat. anim. s. vert. **7** : 404

725 || **albella** [err.] — *Cypraea poraria albella* TAYLOR 1914E : J. of Conch. **14** : 153

138 **albescens** — *Erato albescens* DALL 1905C : Nautilus **18** : 124

727 **albicilla** — *V.* [sic!] *staphylaea* var. *albicilla* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 11

922 (**albida** — *Porcellana albida* ARGENVILLE 1772C : Conchyliologie (Wien) **1** : t. 18 : Q

725 **albida** — *Cypraea albida* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3404

524 (**albida** [nud.] — *Cypraea lurida* var. *albida* COSTA 1829S : Cat. test. due Sicilie : 69

913 **albida** — *Ovula carnea* var. *albida* MONTEROSATO 1875M : Atti Acc. Palermit. Sci. Lett. Arti **5** (**2**a) : 45

725 (|| **albida** [nud.] — *Cypraea spurca* var. *albida* MONTEROSATO 1878M : Giorn. Sci. Nat. Econ. **13** : [sep.] 49

313 **albida** — *Pedicularia albida* DALL 1881B : B. Mus. Harvard **9** : 39

725 || **albida** — *Cypraea spurca* var. *albida* MONTEROSATO 1897M : J. de Conchyl. **45** : 163

222 (**albida** [nud.] — *Trivia europaea* var. *albida* LOCARD & CAZIOT 1900C: Coqu. mar. côtes Corse : 31

223 (**albida** [nud.] — *Trivia pullicina* var. *albida* LOCARD & CAZIOT 1900C : Coqu. mar. côtes Corse : 32

632 || **albida** — *Cypraea* (*Luponia*) *errones* var. *albida* DAUTZENBERG 1903C : J. de Conchyl. **50** : 349

524 || **albida** — *Cypraea lurida* var. *albida* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 11

922 (**albida** — *Cyphoma gibbosa gibbosa* syn. *albida* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1/55** : 238

515 **albiflora** — *Mauritia mauritiana* var. *albiflora* PETRBOK 1932M : Arch. Mollusk. **64** : 207, t. 16 : 2

515 **albina** — *Cypraea arabica* var. *albina* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 11

725 **albinella** — *Cypraea* (*Luponia*) *poraria* var. *albinella* MELVILL & STANDEN 1895L : J. of Conch. **8** : 113

517 **alboguttata** — *Cypraea albo-guttata* SCHRÖTER 1804C : Wiedem. Arch. Zool. **4/1** : 7

623 **albolineata** — *Cypraea capensis* var. *albolineata* TURTON 1932A : Mar. shells Port Alfred : 113, t. 15 : 820

517 **albonitens** — *Cypraea pantherina* var. *albonitens* MELVILL 1888S : Mem. Manchester Lit. S. (**4**) **1** : 211

725 **albopunctata** — *Cypraea albopunctata* FISCHER (von WALDHEIM) 1807D : Mus. Demidoff **3** : 153

726 **albosignata** — *Erosaria* (*Ravitrona*) *caput serpentis* var. *albosignata* COEN 1949C : Hist. Nat. Roma **3** : 15

725 (**albuginosa** [nud.] — *Cypraea albuginosa* MAWE 1823L : Linn. Syst. of Conch. : 97

725 **albuginosa** — *Cypraea albuginosa* GRAY 1825M : Zool. J. **1** : 510

222 **albula** — *T. mediterranea* var. *albula* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 11

622 **alfredensis** — *Luponia edentula alfredensis* SCHILDER & SCHILDER 1929A : Ann. Nat. Mus. Wien **43** : 231

514 **alga** — *Cypraea alga* PERRY 1811C : Conchology : t. 23 : 1

622 **algoensis** — *Cypraea algoensis* GRAY 1825M : Zool. J. **1** : 498

813 **algoensoides** — *Cypraea* (*Luponia*) *subphysis* var. *algoensoides* SACCO 1894P : Moll. terz. Piem. Ligure **15** : 41, t. 3 : 16

725 **aliena** — *Erosaria* (*Ravitrona*) *aliena* SCHILDER 1939T : Abh. Schweiz. Pal. Ges. **62** : 20. f. 20

237 **alienigena** — *Pusula* (*Pusula*) *alienigena* SCHILDER 1928G : Senckenbergiana **10** : 277, f. 9

0 (**alizadei** [nud.] — *Cypraea alizadei* BAGMANOV 1957T : Dokl. Akad. Nauk. Azerb. SSR. **13** : 516

725 **alleni** — *Cypraea alleni* OSTERGAARD 1950A : Nautilus **63** : 111

428 **almirantensis** — *Cypraea almirantensis* Olsson 1922C : B. Amer. Pal. **9/39** : 140, t. 12 : 9
427 **alumensis** — *Cypraea alumensis* Ingram 1948F : P. Calif. Ac. Sci. **26** : 127, t. 2 : 3-4
517 (**alveolata** [nud.] — *Cypraea alveolata* Humphrey 1797C : Mus. Calonnianum : 8
322 **alveolinarum** — *Cypraedia* (*Cypraedia*) *alveolinarum* Vredenburg 1920C : Rec. Geol. Surv. Ind. **51/2** : 116, 118
636 **alveolus** — *Cypraea tabescens* var. *alveolus* Tapparone-Canefri 1822M : J. de Conchyl. **30** : 30, t. 2 : 5
631 **amabilis** — *Cypraea amabilis* Jousseaume 1881D : Naturaliste **1881** : 349
635 (**amacula** [err.] — *Cypraea amacula* Rigacci & Rigacci 1874C : Cat. conch. coll. Rigacci : 112
428 **amandusi** — *Cypraea amandusi* Hertlein & Jordan 1927C : P. Calif. Ac. Sci. (**4**) **16** : 628, t. 18 : 1, t. 19 : 1, 4-5
515 (**amarata** — *Porcellana amarata* Meuschen 1787G : Mus. Geversianum : 402
515 **amarata** — *Cypraea amarata* Mörch 1852Y : Cat. conch. Yoldi : 114
215 **amaryllis** — *Triviella amaryllis* Schilder 1927R : Arch. Naturgesch. **91/A. 10** : 164
517 **ambigua** — *Cypraea ambigua* Gmelin 1791S : in : Linné, Syst. Nat. (13. ed.) **1/6** : 3409
522 || **ambigua** — *Cypraea ambigua* Lamarck 1810P : Ann. Mus. HN. Paris **16** : 106
517 **ambolee** — *Cypraea tigris ambolee* Steadman & Cotton 1943F : Rec. Austr. Mus. **7** : 332
433 **americana** — *Gisortia americana* Schilder 1930G : P. Mal. S. London **19** : 134, 136, t. 12 : 27
712 **americana** — *Pustularia* (*Pustularia*) *americana* Schilder 1939T : Abh. Schweiz. Pal. Ges. **62** : 18, f. 17
515 **amethystea** — *Cypraea amethystea* Linné 1758S : Syst. Nat. (10. ed.) : 720
0 || **amethystea** — *Cypraea amethystea* Réding 1798B : Mus. Boltenianum : 27
524 (**amethystina** [nud.] — *Cypraea lurida* var. *amethystina* Costa 1829S : Cat. test. due Sicilie : 69
515 (**amethystina** [err.] — *Cypraea amethystina* Hanley 1855L : Ipsa Linnaei conch. : 184
524 **amethystina** — *Cypraea lurida* var. *amethystina* Kobelt 1906I : Iconogr. schalentrag. europ. Meeresconch. **4** : 48
638 **amiges** — *Cypraea variolaria* var. *amiges* Melvill & Standen 1915V : J. of Conch. **14** : 323
637 **amoeba** — *Blasicrura* (*Derstolida*) *ursellus amoeba* Schilder & Schilder 1938P : P. Mal. S. London **23** : 167
725 **amoena** — *Cypraea gangranosa* var. *amoena* Schilder 1927C : Nautilus **40** : 128
623 **amphithales** — *Cypraea amphithales* Melvill 1888S : M. Manchester Lit. S. (**4**) **1** : 194, 221, t. 2 : 19
826 **amplesulcata** — *Pustularia* (*Jenneria*) *duclosiana* var. *amplesulcata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 57, t. 3 : 57
138 **ampulla** — *Marginella ampulla* Deshayes 1835P : Descr. coqu. foss. envir. Paris **2** : 711, t. 95 : 17-19
714 **ampullacea** — *Cypraea ampullacea* Tate 1890A : Tr. R. S. SAustr. **13** : 205
0 (**amygdala** — *Porcellana amygdala* Meuschen 1787G : Mus. Geversianum : 400
511 **amygdalina** — *Cypraea amygdalina* Grateloup 1845A : Conch. foss. Adour **1** : t. 41 : 15
627 || **amygdalina** — *Cypraea amygdalina* Tate 1890A : Tr. R. S. SAustr. **13** : 211
611 **amygdalum** — *Cypraea amygdalum* Brocchi 1814S : Conch. foss. subapenn. **2** : 285, t. 2 : 4
812 **anachoreta** — *Ovula anachoreta* Mayer 1876E : Syst. Verz. Verstein. Einsiedeln : 64, t. 3 : 10
631 **anceyi** — *Cypraea subviridis* var. *anceyi* Vayssière 1905C : J. de Conchyl. **53** : 15, t. 1 : 4-5
137 **andecavica** — *Erato* (*Erato*) *incrassata andecavica* Schilder 1933E : P. Mal. S. London **20** : 250, 254, 259, f. 73
613 **andegavensis** — *Cypraea andegavensis* Defrance 1826D : Dict. sci. hist. nat. **43** : 37
428 **andersoni** — *Cypraea andersoni* Ingram 1948F : P. Calif. Ac. Sci. (**4**) **26** : 129, t. 2 : 5, 7
923 **angasi** — *Ovulum angasi* Reeve 1865 O : Conch. icon. **15**, *Ovulum* : f. 43
132 (**angiostoma** [err.] — *Erato angiostoma* Angas 1877J : P. Zool. S. London **1877** : 182
132 **angistoma** — *Erato angistoma* Sowerby 1832I : Conch. Illustr. : f. 51
223 (**angliae** [nud.] — *Trivia angliae* Wood 1842C : Ann. Mag. NH. **9** : 543
223 **angliae** — *Cypraea angliae* Wood 1848C : Monogr. Crag moll. **1** : 16, t. 2 : 7
222 (**anglica** — *Cypraea pediculus anglica* Linné 1767S : Syst. Nat. (12. ed.) : 1180
137 **anglica** — *Marginella anglica* Leach 1847B : Ann. Mag. NH. **20** : 269
223 **anglioaffinis** — *Trivia* (*Trivia*) *avellana* var. *anglioaffinis* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 52

615 **angolensis** — *Cypraea porcellus* var. *angolensis* ODHNER 1923S : Götheborgs Vetensk. n. Handl. (n. s.) **26/7** : 11
513 **anguillana** — *Cypraea anguillana* COOKE 1919L : Carnegie Inst. Publ. **291** : 114, t. 1 : 9
134 **angulifera** — *Erato angulifera* SOWERBY 1859T : Thesaur. conchyl. **3**, *Erato* : 83, f. 25-26
918 **angulosa** — *Ovula angulosa* LAMARCK 1822A : Hist. nat. anim. s. vert. **7** : 367
813 **angusta** — *Cypraea angusta* FUCHS 1870V : Denk. Ak. Wien (math. nat.) **30/2** : 183, t. 8 : 21-22
625 **angustata** — *Cypraea angustata* GMELIN 1791S : in : LINNÉ, Syst. Nat. (13. ed.) **1/6** : 3421
513 || **angustata** — *Cypraea exanthema* var. *angustata* GRAY 1824M : Zool. J. **1** : 140
627 **angustior** — *Cypraea platyrhyncha* var. *angustior* PRITCHARD 1896T : P. R. S. Vict. (n. s.) **8** : 107, t. 4 : 8-9
428 **angustirima** — *Cypraea angustirima* SPIEKER 1922P : John Hopkins Univ. Stud. Geol. **3** : 55, t. 2 : 7-8
811 **angygyra** — *Cypraea angygyra* BOETTGER 1875B : Palaeontographica, Suppl. **3** : 21, t. 3 : 24
421 **angystoma** — *Cypraea angystoma* DESHAYES 1835P : Descr. coqu. foss. envir. Paris **2** : 723, t. 95 : 39-40
715 **anhaltina** — *Cypraea anhaltina* GIEBEL 1861L : Zeitschr. Naturwiss. **17** : 31
727 **annae** — *Cypraea annae* ROBERTS 1869C : Amer. J. Conch. **4** : 250, t. 15 : 4-6
615 **annettae** — *Cypraea annettae* DALL 1909C : Nautilus **22** : 125
725 **annosa** — *Cypraea gangrenosa* var. *annosa* VAYSSIERE 1905D : B. Mus. HN. **1905** : 168
612 **annularia** — *Cypraea annularia* BRONGNIART 1823V : Mém. terr. sédim. Vicentin : 62, t. 4 : 10
722 **annularis** — *Cypraea annularis* PERRY 1811C : Conchology : t. 22 : 6
0 (**annularis** [nud.] — *Monetaria annularis* JOUSSEAUME 1884C : B. S. Zool. France **9** : 96
722 **annulata** — *Cypraea annulata* ENC. METROP. 1810E : Encycl. metrop., Atlas : t. 14
722 (**annulata** — *Cypraea annulata* DONOVAN 1820C : in : REES, Cyclop. pl. elem. conch. **2** : [199]
711 (**annulata** [nud.] — *Cypraea annulata* GRAY 1825M : Zool. J. **1** : 518
711 || **annulata** — *Cypraea annulata* GRAY 1828A : Zool. J. **4** : 88
722 (**annulifera** [nud.] — *Cypraea* (*Aricia*) *annulifera* CONRAD 1862A : P. Ac. N. Sci. Philad. **1862** : 567
722 **annulifera** — *Cypraea annulifera* CONRAD 1866M : Amer. J. Conch. **2** : 69, t. 4 : 19
721 **annulifera** — *Monetaria moneta* var. *annulifera* COEN 1949C : Hist. Nat. Roma **3** : 14
722 **annulus** — *Cypraea annulus* LINNÉ 1758S : Syst. nat. (10. ed.) : 723
411 **anomala** — *Cypraea* (? *Luponia*, *Epona*) *anomala* STOLICZKA 1867I : Pal. Ind. (**5**) **2** : 56, t. 4 : 6
515 **antelia** — *Arabica scurra antelia* IREDALE 1939A : Austral. Zoologist **9** : 302, t. 28 : 5-6
921 **antillarum** — *Ovulum antillarum* REEVE 1865 O : Conch. icon. **15**, *Ovulum* : f. 64
725 **antillarum** — *Cypraea* (*Erosaria*) *antillarum* VREDENBURG 1920C : Rec. Geol. Surv. India **51/2** : 112
233 **antillarum** — *Trivia antillarum* SCHILDER 1922C : P. Mal. S. London **15** : 103, 111
232 **antipodum** — *Ellatrivia antipodum* SCHILDER 1935A : P. Mal. S. London **21** : 332, f. 5-7
715 **antiqua** — *Cypraea antiqua* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 105
817 **antiqua** — *Ovula antiqua* EDWARDS 1854E : Mon. Pal. S. London **3** : 136, t. 17 : 3
131 **antiqua** — *Erato antiqua* MARSHALL 1919H : Tr. NZeal. Inst. **51** : 227, t. 15 : 7
411 || **antiqua** — *Cypraea antiqua* SAYN 1932B : Trav. Lab. Géol. Lyon **18/15** : 29, t. 3 : 1
811 **antiquata** — *Ovula antiquata* ORBIGNY 1846A : Voy. « Astrolabe » et « Zelée », Pal : t 4: 4-6
222 **antiquosphaera** — *Trivia* (*Trivia*) *europaea* var *antiquosphaera* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 47, t. 3 : 28
427 **apalachicolae** — *Cypraea apalachicolae* INGRAM 1948F : P. Calif. Ac. Sci. (**4**) **26** : 126, t. 2 : 6, 8
512 **apenninensis** — *Cypraea* (*Mauritia*) *apenninensis* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 5, t. 1 : 1
234 **apenninica** — *Niveria* (*Niveria*) *apenninica* SCHILDER 1941V : Arch. Mollusk. **73** : 75, 117, t. 8 : 1
421 **apenninica** — *Bernaya* (*Protocypraea*) *sayni apenninica* SCHILDER 1941V : Arch. Mollusk. **73** : 79, 117
921 (**aperta** — *Bulla patula* syn. *aperta* DONOVAN 1803B : Nat. hist. Brit. shells **4** : t. 142
215 **aperta** — *Cypraea aperta* SWAINSON 1822B : Cat. shells coll. Bligh, App. : 18
914 **aperta** — *Ovulum apertum* SOWERBY 1849T : Thes. conchyl. **2**, *Ovulum* : 478, f. 106-107
725 **aphrodite** — *Cypraea helvola* var. *aphrodite* ROUS 1905F : Nautilus **19** : 75

522 **apiceproducta** — *Cypraea* (*Bernayia*) *fabagina* var. *apiceproducta* COSSMANN & PEYROT 1924A : Act. Linn. Bordeaux **74** : 362, t. 9 : 7-8

322 **aplisiopsis** — *Cypraea* (*Cyprovula*) *elegans* var. *aplisiopsis* GREGORIO 1880G : Fauna S. Giov. Ilarione : 34, t. 1 : 43, t. 6 : 4

222 (**approximans** — *Cypraea condidula* syn. *approximans* GASKOIN 1836C : P. Zool. S. London **3** : 201

613 **apyriformis** — *Cypraea* (*Zonaria*) *utriculata* var. *apyriformis* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 28, t. 2 : 29

511 **aquitanica** — *Lyncina* (*Prolyncina*) *aquitanica* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 95

136 **aquitanica** — *Erato* (*Eratopsis*) *hemmoorensis aquitanica* SCHILDER 1932Q : in : QUENSTEDT Fossil. Cat. **1/55** : 87

515 (**arabica** — *Porcellana arabica* RUMPH 1705A : Amboin. Rariteitkamer : 115

515 **arabica** — *Cypraea arabica* LINNÉ 1758S : Syst. nat. (10. ed). : 718

322 || **arabica** — *Cypraea* (*Cypraedia*) *arabica* CUVILLIER 1935E : Mém. Inst. Egypte **28** : 51, t. 4 : 7-10

616 **arabicula** — *Cypraea arabicula* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 100

423 **arakanensis** — *Cypraea* (*Bernaya*) *arakanensis* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 89, 95

714 **archeri** — *Cypraea archeri* TENISON-WOODS 1876T : P. R. S. Tasm. **1875** : 23, t. 1 : 9

421 (**archiaci** [nud.] — *Gisortia* (*Gisortia*) *archiaci* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 127

421 **archiaci** — *Gisortia archiaci* VREDENBURG 1927G : Pal. Ind. (n. s.) **7/3** : 35, t. 2 : 2-3

222 (**arctica** — *Cypraea arctica* HUMPHREY 1797C : Mus. Calonnianum : 7

222 **arctica** — *Cypraea arctica* PULTENEY 1799D : Cat. of birds, shells, plants Dorsetshire : 39

222 **arctica** — *Cypraea arctica* MONTAGU 1803B : Test. Britann. **1** : 201

911 **arcuata** — *Ovulum arcuatum* REEVE 1865 O : Conch. icon. **15**, *Ovulum* : f. 58

725 **arenosa** — *Cypraea arenosa* DILLWYN 1823L : Index LISTER, Hist. synops. meth. conch. : 33

518 || **arenosa** — *Cypraea arenosa* GRAY 1824M : Zool. J. **1** : 147, t. 7 : 6, t. 12 : 6

725 **argella** — *Cypraea helvola* var. *argella* MELVILL 1888S : M. Manchester Lit. S. (**4**) **1** : 226

726 **argentata** — *Cypraea caput-serpentis* var. *argentata* DAUTZENBERG & BOUGE 1933 O : J. de Conchyl. **77** : 269

515 **argiolus** — *Cypraea argiolus* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 26

421 **argonautica** — *Cypraea argonautica* ANDERSON 1958C : M. Geol. S. America **71** : 177

518 (**argus** — *Porcellana argus* RUMPH 1705A : Amboin. Rariteitkamer : 114, t. 38 : D

518 **argus** — *Cypraea argus* LINNÉ 1758S : Syst. nat. (10. ed.) : 719

725 **argusculus** — *Cypraea argusculus* SCHRÖTER 1804C : Wiedem. Arch. Zool. **4/1** : 11

822 **ariciopsis** — *Cypraea proserpinae* var. *ariciopsis* GREGORIO 1880G : Fauna S. Giov. Ilarione : 32, t. 6 : 11, 13

515 (**arlequina** — *Cypraea arlequina* CHEMNITZ 1788C : Neues syst. Conch. Cab. **10** : 110, f. 1346-1347

515 **arlequina** — *Cypraea arlequina* MÖRCH 1852Y : Cat. conch. Yoldi : 114

234 **armandina** — *Cypraea armandina* KIENER 1843C : Spec. Iconogr. coqu., *Cypraea* : t. 46 : 2

627 **armeniaca** — *Cypraea umbilicata* var. *armeniaca* VERCO 1912A : Tr. R. S. SAustr. **36** : 211, 213, t. 10 : 1-3

716 **arostrata** — *Cypraea* (*Proadusta*) *subatomaria* var. *arostrata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 35, t. 2 : 48

725 (**articularis** [err.] — *Cypraea articularis* SCHMIDT 1818V : Versuch best. Einricht. Conch. Samml. : 220

634 (**artufelli** [err.] — *Cypraea artufelli* HIDALGO 1907C : M. Ac. Cienc. Madrid **25** : 271, etc.

634 **artuffeli** — *Cypraea artuffeli* JOUSSEAUME 1876C : B. S. Zool. France **1** : 81

634 (**aselli** — *Porcellana aselli* RUMPH 1705A : Amboin. Rariteitkamer : 118, t. 39 : M

634 **aselli** — *Porcellana aselli* ROBERTS 1870C : Amer. J. Conch. **5**, App. : 190

634 (**asellus** — *Porcellana asellus* RUMPH 1711T : Thes. cochl. conch. conchyl. : t. 39 : M

634 **asellus** — *Cypraea asellus* LINNÉ 1758S : Syst. nat. (10. ed.) : 722

515 **asiatica** — *Mauritia* (*Arabica*) *arabica asiatica* SCHILDER & SCHILDER 1939P : P. Mal. S. London **23** : 183
925 **aspera** — *Ovula aspera* PERRY 1811C : Conchology : t. 53 : 3
136 **asulcata** — *Erato* (*Eratopsis*) *barrandei* var. *asulcata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 63
826 **asulcolaevis** — *Pustularia* (*Jenneria*) *duclosiana* var. *asulcolaevis* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 56, t. 3 : 55
615 **atava** — *Monetaria atava* ROCHEBRUNE 1884M : B. S. Mal. France **1** : 83, t. 1 : 5
513 (**atheroma** — *Porcellana atheroma* MEUSCHEN 1787G : Mus. Geversianum : 402
235 **atjehensis** — *Trivirostra atjehensis* SCHILDER 1932Q : in : QUENSTEDT Fossil. Cat. **1/55** : 100
725 **atlantica** — *Cypraea spurca* var. *atlantica* MONTEROSATO 1897M : J. de Conchyl. **45** : 164
633 **atomaria** — *Cypraea atomaria* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed) **1/6** : 3412
× **atomaria** — *Crithe atomaria* GOULD 1860P : P. Boston S. **7** : 384
233 **atomaria** — *Trivia atomaria* DALL 1902P : Nautilus **16** : 43
515 **atra** — *Cypraea* (*Aricia*) *mauritiana* var. *atra* DAUTZENBERG 1903C : J. de Conchyl. **50** : 322
515 || **atra** — *Cypraea* (*Aricia*) *arabica* var. *atra* DAUTZENBERG 1903C : J. de Conchyl. **50** : 327
914 **atractina** — *Primovula* (*Primovula*) *atractina* HATAI & NISIYAMA 1948C : Nautilus **62** : 59, t. 4 : 3-4
727 **atrata** — *Cypraea staphylaea* var. *atrata* GRAY 1825M : Zool. J. **1** : 513
425 || **atrata** — *Cypraea decipiens* var. *atrata* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 9
425 || **atrata** — *Cypraea thersites* var. *atrata* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 9
512 || **atrata** — *Cypraea stercoraria* var. *atrata* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 9
632 || **atrata** — *Cypraea caurica* var. *atrata* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 10
524 **atriceps** — *Luria* (*Basilitrona*) *isabella atriceps* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 176
813 **attenuata** — *Cypraea attenuata* EDWARDS 1865C : Geol. Magaz. **2** : 539, t. 14 : 3
825 || **attenuata** — *Cypraea attenuata* JOHNSON 1899L : P. Ac. N. Sci. Philad. **1899** : 78, t. 2 : 8
716 (**aubreyana** [err.] — *Cypraea aubreyana* SOWERBY 1870T : Thes. Conch. **4**, *Cypraea* : 26, t. 37 [text]
716 **aubryana** — *Cypraea aubryana* JOUSSEAUME 1869C : Rev. Mag. Zool. **1869** : 348, t. 18 : 1-3
518 (**aurantia** [err.] — *Luponia aurantia* ROBERTS 1870C : Amer. J. Conch. **5**, App. : 193
615 **aurantia** — *Zonaria pyrum* var. *aurantia* COEN 1949C : Hist. Nat. Roma **3** : 16
518 (**aurantiaca** [err.] — *Cypraea aurantiaca* Bosc 1836C : Hist. nat. coquilles (3. ed.) **5** : 70
518 (**aurantium** — *Cypraea aurantium* MARTYN 1784C : The universal Conchologist **1** : f. 59
518 **aurantium** — *Cypraea aurantium* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed) **1/6** : 3403
923 **aurantia** — *Ovulum* (*Birostra*) *aurantium* SOWERBY 1889E : J. of Conch. **6** : 11
721 **aurea** — *Cypraea moneta aurea* SHAW 1909C : P. Mal. S. London **8** : 312
518 || **aurea** — *Cypraea* (*Lyncina*) *carneola* var. *aurea* COEN 1949C : Hist. Nat. Roma **3** : 13
515 **aurea** — *Mauritia* (*Arabica*) *eglantina* var. *aurea* COEN 1949C : Hist. Nat. Roma **3** : 14
921 **aureocincta** — *Amphiperas* (*Neosimnia*) *aureocincta* DALL 1889M : Rep. Moll. Gulf of Mexico « Blake » **2** : 236
518 **aureola** — *Cypraea aureola* SCHRÖTER 1804C : Wiedem. Arch. Zool. **4/1** : 11
613 **auricoma** — *Cypraea achatidea* var. *auricoma* CROSSE 1896A : J. de Conchyl. **44** : 219, t. 7 : 7
517 **auricomata** — *Cypraea vinosa* var. *auricomata* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 10
518 (**aurora** [nud.] — *Cypraea aurora* SOLANDER 1786P : Cat. Portland Mus. : 10, 178
518 (**aurora** — *Cypraea aurora* CHEMNITZ 1788C : Neues syst. Conch. Cab. **10** : 97
518 (**aurora** — *Cypraea aurora* CHEMNITZ 1795C : Neues syst. Conch. Cab. **11** : f. 1737-1738
518 (**aurora** [obl.] — *Cypraea aurora* SCHRÖTER 1789U : Unterhalt. Conchyl. : 92, t. 2 : 1-2
518 **aurora** — *Cypraea aurora* LAMARCK 1810 : Ann. Mus. HN. Paris **15** : 452
524 (|| **aurora** [nud.] — *Cypraea lurida* var. *aurora* MONTEROSATO 1878M : Giorn. Sci. Nat. Econ. **13** : [sep.] 49
524 || **aurora** — *Cypraea lurida* var. *aurora* MONTEROSATO 1897M : J. de Conchyl. **45** : 158, t. 6 : 2
725 **australis** — *Cypraea australis* SCHRÖTER 1804C : Wiedem. Arch. Zool. **4/1** : 10
232 || **australis** — *Cypraea australis* LAMARCK 1822A : Hist. nat. anim. s. vert. **7** : 404
131 **australis** — *Erato australis* TATE 1878A : Tr. Phil. S. Adelaide **1** : 96
612 **austriaca** — *Zonarina* (*Zonarina*) *austriaca* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 115
428 **autumnalis** — *Cypraea autumnalis* PERRY 1811C : Conchology : t. 21 : 2

637 **avalitensis** — *Stolida avalitensis* JOUSSEAUME 1894D : B. S. Philomat. (**8**) **6**: 103
223 **avellana** — *Cypraea avellana* SOWERBY 1823M : Miner. Conch. **4** : 107, t. 378 : 3
214 **avellanoides** — *Trivia avellanoides* McCOY 1867M : Ann. Mag. NH. (**3**) **20** : 436
223 **avellanula** — *Trivia* (*Trivia*) *avellana* var. *avellanula* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 51, t. 3 : 43
921 **avena** — *Ovulum avena* SOWERBY 1832I : Conch. Illustr. : f. 59
131 **awamoana** — *Proterato* (*Proterato*) *awamoana* SCHILDER 1933E : P. Mal. S. London **20** : 248, 253, 260, f. 10
422 **azevedoi** — *Cypraea azevedoi* OLIVEIRA 1957P : Bol. Div. Geol. Min. Rio de Janeiro **172** : 20, t. 2 : 1, 3
725 **azumai** — *Erosaria guttata azumai* SCHILDER 1960K : Arch. Mollusk. **89** : 189, t. 15 : 4
632 **azurea** — *Erronea errones azurea* SCHILDER 1968K : Arch. Mollusk. **98** : 73, f. 1-2
612 **badenensis** — *Zonarina* (*Zonarina*) *badenensis* SCHILDER 1927R : Arch. Naturgesch. **91**/**A. 10** : 115
725 **badia** — *Cypraea badia* GMELIN 1791S : in : LINNÉ, Syst. Nat. (13. ed.) **1**/**6** : 3414
524 **badia** — *Luria lurida* var. *badia* COEN 1949C : Hist. Nat. Roma **3** : 14
517 **badionitens** — *Cypraea pantherina* var. *badionitens* MELVILL 1888S : M. Manchester Lit. S. (**4**) **1** : 211
425 **bakeri** — *Cypraea venusta* var. *bakeri* GATLIFF 1916A : Victor. Naturalist **32** : 147, f. 1-2
814 **balcombica** — *Eschatocypraea balcombica* SCHILDER 1966Nf : Arch. Mollusk. **95** : 270, f. 1
427 **ballista** — *Cypraea ballista* DALL 1915 O : B. US. Nat. Mus. **90** : 85, t. 6 : 9-11
725 **baltheata** — *Cypraea baltheata* DILLWYN 1823L : Index LISTER, Hist. synops. meth. conch. : 32
422 **baluchistanensis** — *Ovula baluchistanensis* NOETLING 1897M : Pal. Indica (**16**) **1**/**3** : 64, t. 18 : 1
726 **bandata** — *Cypraea bandata* PERRY 1811C : Conchology : t. 20 : 2
716 **barbadensis** — *Propustularia surinamensis barbadensis* SCHILDER 1932F : SB. Ges. Freunde Berlin **1932** : 264
524 **barbadensis** — *Cypraea carneola barbadensis* VERRILL 1948W : Mollusca Tavares **2** : 70
631 **barbara** — *Cypraea bregeriana barbara* KENYON 1902C : J. of Conch. **10** : 183
921 **barbarensis** — *Ovula* (*Simnia*) *deflexa* var. *barbarense* [sic] DALL 1892P : P. US. Nat. Mus. **15** : 206, t. 21 : 1
323 **barcinensis** — *Cypraea barcinensis* GRAY 1828M : Zool. J. **3** : 575
631 **barclayi** — *Cypraea barclayi* REEVE 1857S : P. Zool. S. London **1857** : 208, t. 38 : 4
323 (**bariconensis** — *Cypraea bariconensis* KOENIG : Icones fossilium sectiles **2** : t. 18 : 224
136 **barrandei** — *Eratopsis barrandei* HOERNES & AUINGER 1880M : Gast. Mioz. Medit. Stufe Österr. **2** : 64, t. 8 : 8
721 **barthelemyi** — *Cypraea barthelemyi* BERNARDI 1861D : J. de Conchyl. **9** : 48, t. 1 : 3-4
632 **bartletti** — *Erronea errones bartletti* STEADMAN & COTTON 1946C : Rec. SAustr. Mus. **8** : 508, t. 11 : 1-3
811 **bartlettiana** — *Cypraea bartlettiana* MAURY 1912T : J. Ac. N. Sci. Philad. (**2**) **15** : 86, t. 11 : 11-13
715 **bartonensis** — *Cypraea bartonensis* EDWARDS 1854E : Mon. Pal. S. London **3** : 130, t. 17 : 6
715 (**bartoniensis** [nud.] — *Cypraea bartoniensis* WRIGHT 1851H : Ann. Mag. NH. (**2**) **7** : 444
716 **bartschi** — *Cypraea bartschi* INGRAM 1939C : B. Amer. Pal. **24**/**84** : 5, t. 1 : 5-7
414 (**bassanii** [nud.] — *Cypraea bassanii* FABIANI 1905B : Colli Berici, Nota preventiva : 1834
414 **bassanii** — *Cypraea bassanii* FABIANI 1908B : M. S. Ital. Sci. (**3**) **15** : 126, t. 3 : 19
233 **bathypilula** — *Cleotrivia bathypilula* IREDALE 1935A : Austr. Zoologist **8** : 100
322 **bavarica** — *Cypraedia bavarica* SCHILDER 1927K : Senckenbergiana **9** : 199, 201, 208, f. 1
822 **bayana** — *Cypraea proserpinae* var. *bayana* GREGORIO 1880G : Fauna S. Giov. Ilarione : 31
413 **bayani** — *Ovula bayani* OPPENHEIM 1894P : Zeitschr. Deut. Geol. Ges. **46** : 423, t. 29 : 1
811 **bayerquei** — *Cypraea bayerquei* GABB 1864C : Pal. of California **1** : 129, fig.
423 **beberkiriana** — *Cypraea* (*Aricia*) *beberkiriana* MARTIN 1899J : Samml. Geol. Reichsmus. (**2**) **1**/**1** : 171, f. 393-397
914 **beckeri** — *Amphiperas beckeri* SOWERBY 1900P : P. Mal. S. London **4** : 5, t. 1 : 13
724 **beckii** — *Cypraea beckii* GASKOIN 1836C : P. Zool. S. London **3** : 203
637 || **beckii** [err.] — *Cypraea beckii* DESHAYES 1844A : in : LAMARCK, Hist. nat. anim. s. vert. (2. ed.) **10** : 560

627 **beddomei** — *Umbilia hesitata beddomei* SCHILDER 1930Z : Zool. Anz. **92** : 77
121 **belgica** — *Eratotrivia belgica* SCHILDER 1931B : B. Mus. HN. Belg. **7/14** : 5, f. 1
921 **belgica** — *Neosimnia semen belgica* SCHILDER 1933B : B. Mus. HN. Belg. **9/9** : 15, f. 5
817 **belgica** — *Eocypraea* (*Eocypraea*) *globularis belgica* SCHILDER 1933B : B. Mus. HN. Belg. **9/9** : 26, f. 8
921 **bellamaris** — *Neosimnia bella-maris* BERRY 1946N : J. of Conch. **22** : 190, f. 1
414 **bellardiana** — *Mandolina* (*Archicypraea*) *bellardiana* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1/55** : 123
433 (**bellardii** [nud.] — *Ovula bellardi* [sic] BELLARDI 1850N : B. S. Géol. France (**2**) **7** : 682
433 **bellardii** — *Ovula bellardii* BELLARDI 1852N : M. S. Géol. France (**2**) **4** : 217, t. 14 : 1, t. 15 : 1
431 (**benedicti** [nud.] — *Gisortia* (*Gisortia*) *benedicti* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 128
431 **benedicti** — *Gisortia benedicti* VREDENBURG 1927G : Pal. Ind. (n. s.) **7/3** : 51, t. 6-12, t. 13 : 1
423 **bensoni** — *Cypraea bensoni* FINLAY 1927A : Tr. NZeal. Inst. **57** : 501
631 **berauensis** — *Erronea* (*Blasicrura*) *berauensis* SCHILDER 1932F : SB. Ges. Freunde Berlin **1932** : 268, f. 10
233 **berauensis** — *Niveria* (*Cleotrivia*) *berauensis* SCHILDER 1941V : Arch. Mollusk. **73** : 75, 116
633 **berinii** — *Cypraea punctata* var. *berinii* DAUTZENBERG 1906A : J. de Conchyl. **54** : 28
725 **bernardinae** — *Cypraea bernardinae* PRESTON 1907B : Nautilus **20** : 139
121 **bernayi** — *Erato bernayi* COSSMANN 1886P : J. de Conchyl. **34** : 99, t. 2 : 1
421 **berryessae** — *Cypraea berryessae* ANDERSON 1958C : M. Geol. S. America **71** : 176, t. 63 : 2
817 **beyrichii** — *Cypraea beyrichii* SPEYER 1862C : Palaeontogr. **9** : 103
817 || **beyrichii** — *Cypraea beyrichii* KOENEN 1867D : Palaeontogr. **16** : 100
813 **biarritzensis** — *Eocypraea* (*Apiocypraea*) *biarritzensis* SCHILDER 1941V : Arch. Mollusk. **73** : 103, 115, t. 9 : 34
716 **bicallosa** — *Cypraea bicallosa* GRAY 1831C : Zool. Misc. **1** : 35
625 **bicolor** — *Cypraea bicolor* GASKOIN 1849C : P. Zool. S. **1848** : 92
428 **bicornis** — *Cypraea mus* var. *bicornis* SOWERBY 1870T : Thesaur. conchyl. **4**, *Cypraea* : 17, f. 321
513 **bifasciata** — *Cypraea bifasciata* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3405
615 || **bifasciata** — *Cypraea pirum* var. *bifasciata* MONTEROSATO 1897M : J. de Conchyl. **45** : 160
632 **bimaculata** — *Cypraea errones* var. *bimaculata* GRAY 1824M : Zool. J. **1** : 385
912 **bimaculata** — *Amphiperas bimaculata* ADAMS 1854C : P. Zool. S. London **22** : 131
134 **bimaculata** — *Erato bimaculata* TATE 1878M : Tr. Phil. S. Adelaide **1** : 88
827 **bimaculata** — *Jenneria pustulata* var. *bimaculata* COEN 1949C : Hist. Nat. Roma **3** : 18
631 **biplicata** — *Adusta biplicata* SCHILDER 1932F : SB. Ges. Freunde Berlin **1932** : 267, f. 3
235 **bipunctata** — *Trivia bipunctata* ODHNER 1917A : Svenska Ak. Handl. **52/16** : 53, f. 10, t. 2 : 54-55
322 **birmanica** — *Cypraedia* (*Cypraedia*) *birmanica* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 119
233 (**birmanica** [nud.] — *Trivia birmanica* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 134
924 **birostris** — *Bulla birostris* LINNÉ 1767S : Syst. nat. (12. ed.) : 1182
921 **birostroides** — *Amphiperas* (*Neosimnia*) *passerinalis* var. *birostroides* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 66, t. 3 : 79-80
134 **bisinventa** — *Lachryma bisinventa* IREDALE 1931A : Rec. Austr. Mus. **18/4** : 223, t. 22 : 16
712 (**bistrimontata** [err.] — *Cypraea bistrimontata* BURGESS 1967M : Nautilus **81** : 11
712 **bistrinotata** — *Pustularia* (*Pustularia*) *bistrinotata* SCHILDER & SCHILDER 1937B : Zool. Anzeiger **119** : 179
634 **bitaeniata** — *Cypraea asellus* var. *bitaeniata* GERET 1903C : J. de Conchyl. **51** : 28
222 **bitou** — *Trivia bitou* PALLARY 1920M : Emp. chérif., Arch. sci. protect. franç. Rabat **1920** : 44
634 **bizonata** — *Palmadusta bizonata* IREDALE 1935A : Austr. Zoologist **8** : 126
632 **blaesa** — *Erronea caurica blaesa* IREDALE 1939A : Austr. Zoologist **9** : 322, t. 29 : 3-4
921 (**blainvillei** [em.] — *Simnia pennantiana* syn. *Bulla blainvillii* LEACH 1847B : Ann. Mag. NH. **20** : 269
428 (**blandiana** [nud.] — *Cypraea* (*Bernayia*) *blandiana* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 95

635 **blandita** — *Opponaria minoridens blandita* IREDALE 1939A : Austr. Zoologist **9** : 312
811 **boadicea** — *Eocypraea boadicea* SCHILDER 1929E : P. Mal. S. London **18** : 298, 302
235 **bocki** — *Trivirostra shawi bocki* SCHILDER 1944W : Arkiv Zool. **36 A.2** : 5, 15
822 **boggsi** — *Cypraea* (*Monetaria*) *boggsi* OLSSON 1928P : B. Amer. Pal. **14/52** : 74, t. 16 : 2
725 **boivini** — *Cypraea boivini* KIENER 1843C : Spec. iconogr. coquilles, *Cypraea* : t. 18 : 2
432 (**bonellii** [em., nud.] — *Strombus bonelli* aff. DUBOIS DE MONTPÉREUX 1837C : M. S. Géol. France **8** : 385
923 **borbonica** — *Ovula borbonica* DESHAYES 1863R : in : MAILLARD, Not. île Réunion, Annexe E (Moll.) : 136, t. 13 : 18-20
0 (**bordigaleus** [nud.] — *Cypraea bordigaleus* SCHLOTHEIM 1830V : Syst. Verz. Petref. Samml. : 33
725 **borneensis** — *Cypraea helvola borneensis* KENYON 1902C : J. of Conch. **10** : 183
921 (**bosqueti** [nud.] — *Ovula bosqueti* VINCENT 1886L : M. S. Mal. Belg. **21** : 9
921 **bosqueti** — *Ovula bosqueti* KOENEN 1890N : Abh. Geol. Spez. Karte Preuss. **10/2** : 568, t. 39 : 13
634 **bougei** — *Cypraea* (*Luponia*) *asellus* monstr. *bougei* DAUTZENBERG 1906C : J. de Conchyl. **54** : 266, t. 9 : 4-6
813 **bourgeoisi** — *Cypraea bourgeoisi* MAYER 1869T : J. de Conchyl. **17** : 286, t. 10 : 1
824 **bouryi** — *Trivia bouryi* COSSMANN 1889P : M. S. Mal. Belg. **24** : 107, t. 4 : 10-11
921 **bovetensis** — *Cyphoma bovetensis* SEGUENZA 1880R : Att Acc. Lincei Roma (**3**) **6** : 351, t. 17 : 41
615 **bowdenensis** — *Cypraea raymondrobertsi* var. *bowdenensis* PILSBRY 1921D : P. Ac. N. Sci. Philad. **73/2** : 365, t. 30 : 6
922 **bowdenensis** — *Cyphoma puana bowdenensis* SCHILDER 1939T : Abh. Schweiz. Pal. Ges. **62** : 14, f. 9
817 **bowerbankii** — *Cypraea bowerbankii* SOWERBY 1850S : in : DIXON, Geol. foss. Sussex : 189, t. 8 : 1-2
621 **brachypyga** — *Cypraea brachypyga* TATE 1890A : Tr. R. S. SAustr. **13** : 206
715 **brackleshamensis** — *Conocypraea brackleshamensis* SCHILDER 1929E : P. Mal. S. London **18** : 300, 308
322 **bramshawensis** — *Cypraedia* (*Cypraedia*) *bramshawensis* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 68
0 (**brannani** [nud.] — *Trivia brannani* PAETEL 1869S : Moll. syst. Cat. (ed. SCHAUFUSS) : 47
323 **brasili** — *Cypraea* (*Cypraedia*) *brasili* COSSMANN & PISSARRO 1905C : B. S. Géol. Normandie **24** : 60, t. 16 : 40-41
922 (**brasiliensis** — *Ovula gibbosa* syn. *Bulla brasiliensis* ORBIGNY 1842C : in : SAGRA, Hist. phys. île Cuba **2** : 87
631 **bregeriana** — *Cypraea bregeriana* CROSSE 1868D : J. de Conchyl. **16** : 277
637 **brevidentata** — *Cypraea* (*Cypraea*) *brevidentata* SOWERBY 1870T : Thesaur. conchyl. **4**, *Cypraea* : 11, f. 325-326
921 **brevior** — *Ovula leathesii* [sic] var. *brevior* WOOD 1872C : Monogr. Crag moll., Suppl. **3** : 5, t. 7 : 23
628 **breviplicata** — *Gisortia breviplicata* SCHILDER 1926V : Rec. Geol. Surv. Ind. **58/3** : 361, 373
924 **brevirostris** — *Radius brevirostris* SCHUMACHER 1817E : Essais nouv. syst. vers test. : 259
712 **brevirostris** — *Pustularia* (*Pustularia*) *globulus brevirostris* SCHILDER & SCHILDER 1938 P: P. Mal. S. London **23** : 127
911 **brevis** — *Ovulum breve* SOWERBY 1828 O : Zool. J. **4** : 152
627 **brevis** — *Cypraea* (*Aricia*) *eximia* var. *brevis* McCOY 1876V : Prod. Pal. Victoria **3** : 36
725 || **brevis** — *Cypraea miliaris* var. *brevis* SMITH 1913M : Nautilus **27** : 69
422 **brevis** — *Gisortia brevis* DOUVILLÉ 1920S : B. Com. Et. HN. Afr. occ. franç. **2** : 151, t. 2 : 5-6
921 **brevis** — *Simnia* (*Neosimnia*) *spelta* var. *brevis* COEN 1949C : Hist. Nat. Roma **3** : 18
136 **brevispira** — *Erato laevis* var. *brevispira* SEGUENZA 1880R : Atti Acc. Lincei Roma (**3**) **6** : 253
233 **brevissima** — *Cypraea* (*Trivia*) *brevissima* SOWERBY 1870T : Thesaur. conchyl. **4**, *Cypraea* : 47, f. 523-524
721 **britannica** — *Erosaria* (*Ocellaria*) *britannica* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 108
137 **britannica** — *Erato* (*Erato*) *cypraeola britannica* SCHILDER 1933B : B. Mus. HN. Belg. **9/9** : 7
611 **brocchii** [em.] — *Cypraea brochii* [sic] DESHAYES 1844A : in : LAMARCK, Hist. nat. anim. s. vert. (2. ed.) **10** : 572
725 **brocktoni** — *Perisserosa brocktoni* IREDALE 1930Q : M. Queensland Mus. **10/1** : 84

518 **broderipii** — *Cypraea broderipii* SOWERBY 1832I : Conch. Illustr. : f. 2
432 **broilii** — *Gisortia* (*Gisortia*) *broilii* SCHILDER 1927K : Senckenbergiana **9** : 200, 204, 212, f. 14
611 **brongniarti** — *Schilderia* (?) *brongniarti* SCHILDER 1932P : Riv. Ital. Pal. **38** : 34, 44
233 (**bronnii** — *Trivia bronnii* GRAY 1832D : Descr. Cat. Shells : 15
725 **brookei** — *Cypraea miliaris* var. *brookei* ROUS 1905C : Nautilus **19** : 29
425 (|| **brunea** [nud.] — *Cypraea venusta* var. *brunea* HIDALGO 1906C : M. Ac. Cienc. Madrid **25** : 171
725 **brunnea** — *Cypraea ocellata* var. *brunnea* GRAY 1825M : Zool. J. **1** : 505
0 (|| **brunnea** [nud.] — *Cypraea brunnea* GRAVENHORST 1832B : Zool. Mus. Breslau : 42
524 (|| **brunnea** [nud.] — *Cypraea lurida* var. *brunnea* REQUIEN 1848C : Cat. coqu. Corse : 85
524 (|| **brunnea** — *Cypraea lurida* syn. *brunnea* MONTEROSATO 1897M : J. de Conchyl. **45** : 158
223 (**brunnea** [nud.] — *Trivia pullicina* var. *brunnea* LOCARD & CAZIOT 1900C : Coqu. mar. côtes Corse : 32
425 (**brunnea** — *Zoila venusta* syn. *brunnea* IREDALE 1935A : Austr. Zoologist **8** : 106
923 **brunneiterma** — *Volva* (*Phenacovolva*) *brunneiterma* CATE 1969V : Veliger **11/4** : 366, t. 56 : 1
515 **brunnescens** — *Mauritia* (*Arabica*) *arabica brunnescens* CATE 1964W : Veliger **7/1** : 24, t. 5 : 3
121 **bruxellensis** — *Eratotrivia platystoma bruxellensis* SCHILDER 1933B : B. Mus. HN. Belg. **9/9** : 23
721 **bulgarica** — *Monetaria bulgarica* KOJUMDGIEVA 1960F : Fosilite na Bulgatija **7** : 128, 237, 244, t. 34 : 15
911 **bulla** — *Ovulum bulla* ADAMS & REEVE 1848S : Voy. « Samarang », Moll. : 21, t. 6 : 6
811 **bullaeformis** — *Amphiperas bullaeforme* ROVERETO 1900T : Atti Univ. Genova **15** : 159, t. 8 : 5
811 **bullaria** — *Cypraeacites bullarius* SCHLOTHEIM 1820P : Petrefactenkunde **1** : 117
0 (**bullata** — *Cypraea testudinaria* var. *bullata* syn. *Conus bullatus* [LINNÉ] SCHRÖTER 1783I : Über inneren Bau Seeschnecken : 17, t. 4 : 1
524 **bullata** — *Cypraea bullata* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 22
222 || **bullata** — *Cypraea bullata* MONTAGU 1803B : Test. Britann. **1** : 202, t. 6 : 1
914 **bullata** — *Ovulum bullatum* ADAMS & REEVE 1848S : Voy. « Samarang », Moll. : 23, t. 6 : 13
911 **bullata** — *Amphiperas bullatus* GOULD 1861P : P. Boston S. **7** : 385
816 **bullennewtoni** — *Amphiperas bullen-newtoni* OLSSON 1930P : B. Amer. Pal. **17/62** : 63, t. 5 : 17-18
322 **bullina** — *Cypraea bullina* OPPENHEIM 1906A : Palaeontogr. **30/3** : 302, t. 27 : 1
811 (**bulloides** [nud.] — *Ovula bulloides* HOENINGHAUS 1831V : Neu. Jahrb. Miner. **1831** : 151
914 (**bullulata** [err.] — *Calpurnus bullulatus* ADAMS 1864J : J. P. Linn. S. London **7** : 95
222 **burdigalensis** — *Cypraea burdigalensis* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 49
423 **burialensis** — *Cypraea burialensis* MARTIN 1928J : Leidsche Geol. Med. **3/2** : 125
727 **burialensis** — *Staphylaea* (*Staphylaea*) *sindiensis burialensis* SCHILDER 1941V : Arch. Mollusk. **73** : 91, 116
422 **burlingtonensis** — *Palaeocypraea burlingtonensis* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1/55** : 111
237 **buttoni** — *Cypraea* (*Trivia*) *buttoni* MELVILL 1900C : Ann. Mag. NH. (**7**) **6** : 209 fig.
634 || **buttoni** — *Cypraea diluculum* var. *buttoni* OLDROYD 1916V : Nautilus **29** : 107
518 **bynei** — *Cypraea argus* var. *bynei* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 12
725 (**caeca** [err.] — *Cypraea poraria* syn. *caeca* HIDALGO 1906C : M. Ac. Cienc. Madrid **25** : 148
213 **caelatura** — *Trivia caelatura* HEDLEY 1918W : P. R. S. NSWales **51**, Suppl. : M 71
631 (**caerulea** — *Cypraea onyx* syn. *caelatura* LINNÉ 1767S : Syst. nat. (12. ed.) : 1177
524 || **caerulea** — *Cypraea caerulea* SCHRÖTER 1804C : Wiedem. Arch. Zool. **4/1** : 8
725 || **caerulea** — *Cypraea caerulea* SCHRÖTER 1804C : Wiedem. Arch. Zool. **4/1** : 9
632 || **caerulea** — *Cypraea caerulea* FISCHER [VON WALDHEIM] 1807D : Mus. Demidoff **3** : 154
632 **caerulescens** — *Cypraea caerulescens* SCHRÖTER 1804C : Wiedem. Arch. Zool. **4/1** : 13
524 || **caerulescens** — *Cypraea lurida* var. *caerulescens* MOLLERAT 1890V : B. S. Mal. France **7** : 113
411 **caffrarica** — *Bernaya* (*Protocypraea*) *caffrarica* SCHILDER 1932F : SB. Ges. Freunde Berlin **1932** : 259
323 (**cailliaudi** [nud.] — *Cypraea cailliaudi* VASSEUR 1881F : Ann. Sci. Géol. **13** : 174, 243 [t. 1 : 29 not published]
323 **cailliaudi** — *Cypraedia cailliaudi* COSSMANN 1897L : B. S. Sci. Ouest **7** : 339, t. 7 : 28, 29, 31
638 **cairnsiana** — *Cypraea caurica* var. *cairnsiana* MELVILL & STANDEN 1904P : J. of Conch. **11** : 118

722 **calcarata** — *Cypraea obvallata* [sic] var. *calcarata* MELVILL 1888S : M. Manchester Lit. S. (**4**) **1** : 207
518 **caledonica** — *Cypraea caledonica* CROSSE 1869C : J. de Conchyl. **17** : 41, t. 1 : 1
911 **caledonica** — *Ovula caledonica* CROSSE 1872C : J. de Conchyl. **20** : 62, t. 2 : 1
632 **caledonica** — *Erronea caurica* var. *caledonica* COEN 1949C : Hist. Nat. Roma **3** : 17
237 **californiana** — *Cypraea californiana* GRAY 1827M : Zool. J. **3** : 365
237 **californica** — *Cypraea californica* SOWERBY 1832I : Conch. Illustr. : f. 42
314 **californica** — *Pedicularia californica* NEWCOMB 1864P : P. Calif. Ac. Sci. **3** : 121
921 **californica** — *Ovulum californicum* REEVE 1865 O : Conch. icon. **15**, *Ovulum* : f. 50
432 **californica** — *Gisortia* (*Megalocypraea*) *californica* SCHILDER 1941V : Arch. Mollusk. **73** : 78
921 (**californensis** [nud.] — *Birostra californensis* PAETEL 1873C : Cat. Conch. Samml. : 55
725 **callista** — *Cypraea helvola callista* SHAW 1909C : P. Mal. S. London **8** : 311
132 **callosa** — *Erato callosa* ADAMS & REEVE 1850S : Voy. « Samarang », Moll. : 25, t. 10 : 32
725 (**callosa** [nud.] — *Cypraea erosa* var. *callosa* HIDALGO 1907C : M. Ac. Cienc. Madrid **25** : 586
725 (**callosa** [nud.] — *Cypraea helvola* var. *callosa* HIDALGO 1907C : M. Ac. Cienc. Madrid **25** : 586
725 (**callosa** [nud.] — *Cypraea miliaris* var. *callosa* HIDALGO 1907C : M. Ac. Cienc. Madrid **25** : 586
636 (**callosa** [nud.] — *Cypraea punctulata* var. *callosa* HIDALGO 1907C : M. Ac. Cienc. Madrid **25** : 586
725 **calophthalma** — *Cypraea ocellata* var. *calophthalma* MELVILL 1888S : M. Manchester Lit. S. (**4**) **1** : 236
222 **calva** — *Trivia* (*Trivia*) *calva* SCHILDER 1928W : Senckenbergiana **10** : 266, 268, f. 2
515 **calxequina** — *Cypraea mauritiana* var. *calx-equina* MELVILL & STANDEN 1899C : J. of Conch. **9** : 236
0 (**cambonensis** [nud.] — *Cypraea cambonensis* VASSEUR 1881F : Ann. Sci. Géol. **13** : 185, 266
518 **camelopardalis** — *Cypraea camelopardalis* PERRY 1811C : Conchology : t. 19 : 5
722 **camelorum** — *Monetaria camelorum* ROCHEBRUNE 1884M : B. S. Mal. France **1** : 86, t. 1 : 7
637 **cameroni** — *Evenaria hirundo cameroni* IREDALE 1939A : Austr. Zoologist **9** : 314, t. 28 : 29-31
524 **campbelliana** — *Cypraea spurca campbelliana* PILSBRY 1921D : P. Ac. N. Sci. Philad. **73/2** : 365, t. 30 : 9-10
921 (**canadinensis** — *Radius uniplicatus* syn. *canadinensis* WEINKAUFF 1882 O : Jahrb. Deut. Mal. Ges. **9** : 178
515 **canaliculata** — *Cypraea canaliculata* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 24
0 (|| **canaliculata** [nud.] — *Cypraea canaliculata* RIGACCI & RIGACCI 1874C : Cat. conch. coll. Rigacci : 112
237 **canariensis** — *Trivia canariensis* ROTHPLETZ & SIMONELLI 1890G : Zeitschr. Deut. Geol. Ges. **42** : 715, t. 36 : 3
725 **cancellata** — *Cypraea cancellata* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3414
0 **cancellata** — *Ovula cancellata* GRATELOUP 1834A : Act. S. Linn. Bordeaux **6** : 302
322 **cancellata** — *Cypraedia cancellata* SWAINSON 1840T : Treatise on Malacology : 325
322 || **cancellata** — *Cypraea cancellata* EDWARDS 1865C : Geol. Mag. **2** : 540, t. 14 : 6
0 (**candida** [nud.] — *Cypraea candida* BLAINVILLE 1826D : Dict. sci. hist. nat. **43** : 33
× **candida** — *Diaphana candida* BROWN 1827B : Illustr. conch. Gr. Brit. Ireland : t. 38 : 13-14
634 **candida** — *Cypraea candida* PEASE 1865P : P. Zool. S. London **1865** : 515
721 || **candida** — *Cypraea moneta* var. *candida* DAUTZENBERG & BOUGE 1933 O : J. de Conchyl. **77** : 284
624 **candida** — *Guttacypraea pulicaria* var. *candida* COEN 1949C : Hist. Nat. Roma **3** : 16
726 **candidata** — *Cypraea caputserpentis* var. *candidata* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 11
222 **candidula** — *Cypraea candidula* GASKOIN 1836C : P. Zool. S. London **3** : 200
921 **capellinii** — *Ovula capellinii* STEFANI & PANTENELLI 1878S : B. S. Mal. Ital. **4** : 139
623 **capensis** — *Cypraea capensis* GRAY 1828M : Zool. J. **3** : 573
133 **capensis** — *Proterato* (*Proterato*) *sulcifera capensis* SCHILDER 1933E : P. Mal. S. London **20** : 248, 253, 261, f. 22
322 **capito** — *Cypraedia bavarica capito* SCHILDER 1927K : Senc kenbergiana **9** : 200, 201, 202, f. 3
515 (**caputanguinum** — *Caput anguinum* RUMPH 1711T : Thes. cochl. conch. conchyl. : t. 38 : E
726 **caputanguis** — *Cypraea caput-anguis* PHILIPPI 1849T : Zeitschr. Malak. **6** : 24

726 **caputcolubri** — *Cypraea caput-serpentis* var. *caput-colubri* KENYON 1898C : P. Mal. S. London **3** : 79, f. 3
726 **caputdraconis** — *Cypraea caput draconis* [sic] MELVILL 1888S : M. Manchester Lit. S. (**4**) **1** : 214, t. 1 : 1, t. 2 : 1a
726 **caputophidii** — *Erosaria* (*Ocellaria*) *caputophidii* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 108
726 **caputserpentis** — *Cypraea caput serpentis* LINNÉ 1758S : Syst. nat. (10. ed.) : 720
423 **caputviperae** — *Cypraea* (*Aricia*) *caput-viperae* MARTIN 1899J : Samml. Geol. Reichsmus. (**2**) **1/1** : 169, f. 389-392
512 **carcarensis** — *Trona carcarensis* SCHILDER 1932L : Riv. Ital. Pal. **38** : 11
712 **caribaea** — *Pustularia* (*Pustularia*) *caribaea* SCHILDER 1939T : Abh. Schweiz. Pal. Ges. **62** : 19, f. 18
725 **carmen** — *Cypraea erosa carmen* SMITH 1912A : Nautilus **26** : 78, t. 4 : 10
323 **carmenensis** — *Cypraedia carmenensis* CLARK 1946E : M. Geol. S. Amer. **16** : 31, t. 17 : 3-4
421 **carnatica** — *Cypraea carnatica* STOLICZKA 1868I : Pal. Ind. (**5**) 2 : 450
913 **carnea** — *Bulla carnea* POIRET 1789B : Voy. en Barbarie **2** : 21
215 **carnea** — *Cypraea carnea* GRAY 1828M : Zool. J. **3** : 569
222 (|| **carnea** [nud.] — *Cypraea europaea* var. *carnea* REQUIEN 1848C : Cat. coqu. Corse : 86
518 (**carneola** — *Porcellana carneola* RUMPH 1705A : Amboin. Rariteitkamer : t. 38 : K
518 **carneola** — *Cypraea carneola* LINNÉ 1758S : Syst. nat. (10. ed) : 719
518 (|| **carneola** — *Cypraea carneola* MARTYN 1784C : The universal conchologist **1** : f. 14
518 || **carneola** — *Cyprea* [sic] *carneola* CHENU 1845M : in : MARTYN, Le conchologiste universel : 20, t. 5 : 1
631 (**carnicolor** [nud.] — *Cypraea carnicolor* JAY 1839C : Cat. shells (3. ed.) : 94
631 **carnicolor** — *Cypraea carnicolor* MÖRCH 1852Y : Cat. conch. Yoldi : 116
631 || **carnicolor** — *Cypraea xanthodon* var. *carnicolor* PRESTON 1909Q : Nautilus **22** : 121
429 **carolinensis** — *Cypraea carolinensis* CONRAD 1841S : Amer. J. Sci. **41** : 346, t. 2 : 6
921 **carolinensis** — *Ovula* (*Rhizorus*) *carolinensis* MÖRCH 1877I : Malak. Blätt. **24** : 54
428 **caroniensis** — *Cypraea caroniensis* MAURY 1925T : B. Amer. Pal. **10/42** : 221, t. 37 : 3, 5, 6
923 **carpenteri** — *Volva carpenteri* DUNKER 1877J : Malak. Blätt. **24** : 75
632 (**carrosa** — *Cypraea carrosa* MEUSCHEN 1781G : Zoophyl. Gronov. **3**, Index : 11
611 **carryensis** — *Zonarina carryensis* SCHILDER 1932B : Ann. Mus. HN. Marseille **24** : 89, t. 1 : 4
428 (**carthaginensis** — *Porcellana carthaginensis* SCHRÖTER 1788N : Vollst. Namensregister syst. Conch. Cab. : 83
428 **carthaginiensis** — *Cypraea carthaginiensis* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 22
633 **carula** — *Evenaria carula* IREDALE 1939A : Austr. Zoologist **9** : 315, t. 28 : 27-28
728 **cassiaui** — *Cypraea cassiaui* BURGESS 1965N : Nautilus **79** : 38, t. 4 : E-H
× **cassidea** — *Cypraea cassidea* SCHRÖTER 1804C : Wiedem. Arch. Zool. **4/1** : 9
625 **casta** — *Notocypraea casta* SCHILDER & SUMMERS 1963N : Cowry **1/5** : 65, t. 8 : B-C, t. 9 : A
811 **castacensis** — *Cypraea castacensis* STEWART 1926C : P. Ac. N. Sci. Philad. **78** : 370, t. 28 : 10
631 (**castanea** — *Porcellana castanea* MEUSCHEN 1778G : Index Mus. Gronoviani : 108
515 **castanea** — *Cypraea castanea* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 23
625 || **castanea** — *Cypraea castanea* ANDERSON 1836W : L'Institut (Mat.) **4** : 193
622 **castanea** — *Luponia castanea* HIGGINS 1868D : P. Zool. S. London **1868** : 178, t. 14 : 1
921 **catalinensis** — *Neosimnia catalinensis* BERRY 1916C : Nautilus **30** : 21, t. 5 : 3
422 **catei** — *Bernaya catei* SCHILDER 1963F : Veliger **5/4** : 127
639 **catholicorum** — *Cribraria* (*Cribraria*) *catholicorum* SCHILDER & SCHILDER 1938D : P. Mal. S. London **23** : 114, f. 5
524 **catiana** — *Cypraea* (*Luria*) *cinerea catiana* WEISBORD 1962V : B. Amer. Pal. **42/193** : 16, t. 21 : 13-14
517 **catulus** — *Cypraea* (*Lyncina*) *vinosa* var. *catulus* SCHILDER 1924I : Arch. Naturgesch. **90/A.4** : 192
0 (**catus** [nud.] — *Cypraea catus* GRAVENHORST 1832B : Zool. Mus. Breslau : 42
632 **caurica** — *Cypraea caurica* LINNÉ 1758S : Syst. nat. (10. ed.) : 723
721 (**cauricia** — *Thoracium cauricium* RUMPH 1705A : Amboin. Rariteitkamer : 117, t. 39 : C
512 (**cauteriata** — *Cypraea cauteriata* CHEMNITZ 1788C : Neues syst. Conch. Cab. **10** : 99, f. 1333

911 **cavanaghi** — *Diminovula cavanaghi* IREDALE 1931A : Rec. Austr. Mus. **18/4** : 222, t. 22 : 13-14
422 **cavata** — *Cypraea cavata* EDWARDS 1865C : Geol. Mag. **2** : 537, t. 14 : 1a-d
524 **cavia** — *Basilitrona isabella cavia* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 326
428 **cayapa** — *Cypraea cayapa* PILSBRY & OLSSON 1941E : P. Ac. N. Sci. Philad. **93** : 41, t. 7 : 4
825 **ceciliae** — *Cypraea* (*Cypropterina*) *ceciliae* GREGORIO 1880G : Fauna S. Giov. Ilarione : 37, t. 1 : 32
913 **cepula** — *Ovula cepula* SCHUMACHER 1817E : Essais nouv. syst. vers test. : 259
627 **cera** — *Umbilia cera* COTTON 1947A : Rec. SAustr. Mus. Adelaide **8** : 668
728 (**cerea** [nud.] — *Trivia* (*Pustularia*) *nucleus* var. *cerea* PAETEL 1883C : Cat. Conch. Samml. : 54
728 **cerea** — *V. nucleus* var. *cerea* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 11
728 || **cerea** — *Nucleariа nucleus* var. *cerea* COEN 1949C : Hist. Nat. Roma **3** : 16
725 **cernica** — *Cypraea* (*Cypraea*) *cernica* SOWERBY 1870T : Thesaur. conchyl. **4** : *Cypraea* : 38, f. 238-240
0 (**cerulea** [nud.] — *Cypraea cerulea* HUMPHREY 1797C : Mus. Calonnianum : 8
137 **cerullii** *Erato* (*Erato*) *spiralis cerullii* SCHILDER 1933E : P. Mal. S. London **20** : 250, 254, 259, 262, f. 79-80
513 **cervina** — *Cypraea cervina* LAMARCK 1822A : Hist. nat. anim. s. vert. **7** : 375
513 **cervinetta** — *Cypraea cervinetta* KIENER 1843C : Spec. Iconogr. coqu., *Cypraea* : t. 6 : 1-2
513 **cervus** — *Cypraea cervus* LINNÉ 1771M : Mantissa plantarum : 548
725 **ceylonica** — *Erosaria* (*Erosaria*) *nebrites ceylonica* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 138
725 **chalcedonia** — *Cypraea chalcedonia* PERRY 1811C : Conchology : t. 19 : 6
514 (**chartageographica** — *Porcellana Charta Geographica* ARGENVILLE 1772C : Conchyliologie : t. 18 : B
518 (**chemnitzi** [nud.] — *Porcellana chemnitzi* JOUSSEAUME 1884C : B. S. Zool. France **9** : 91
632 **cheribonensis** — *Erronea cheribonensis* SCHILDER 1932F : SB. Ges. Freunde Berlin **1932** : 268
433 **chevallieri** — *Gisortia chevallieri* COSSMANN 1886 O : B. S. Géol. France (**3**) **14** : 435, f. 2
715 **chevallieri** — *Cypraea chevallieri* COSSMANN 1896P : Ann. S. Mal. Belg. **31** : 34, t. 3 : 7-8
713 **childreni** [em.] — *Cypraea childrini* [sic] GRAY 1825M : Zool. J. **1** : 518, 603
524 **chilensis** — *Cypraea chilensis* PHILIPPI 1887C : Tert. quatern. Verstein. Chiles : 74, fig.
427 **chilona** — *Cypraea chilona* DALL 1900F : Tr. Wagner Free Inst. **3/5** : 1195, t. 39 : 1,3
638 (**chinensis** — *Porcellana chinensis* ARGENVILLE 1772C : Conchyliologie **1** : t. 18 : Z
638 **chinensis** — *Cypraea chinensis* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed) **1/6** : 3421
721 **chionella** — *Cypraea moneta* var. *chionella* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 11
517 **chionia** — *Cypraea tigris* var. *chionia* MELVILL 1888S : M. Manchester Lit. S. (**4**) **1** : 212
234 **chipolana** — *Trivia chipolana* MAURY 1910F : B. Amer. Pal. **4/21** : 26, t. 6 : 8
138 **chipolana** — *Erato chipolana* MAURY 1910F : B. Amer. Pal. **4/21** : 27, t. 6 : 9
323 **chira** — *Cypraea* (*Cypraedia*) *chira* OLSSON 1931P : B. Amer. Pal. **17/63** : 93, t. 17 : 9, 12
725 **chlorizans** — *Cypraea erosa* var. *chlorizans* MELVILL 1888S : M. Manchester Lit. S. (**4**) **1** : 223, t. 1 : 12
635 **cholmondeleyi** — *Cypraea fimbriata* var. *cholmondeleyi* MELVILL 1888S : M. Manchester Lit. S. (**4**) **1** : 216, t. 2 : 15
0 (**chrysalis** [nud.] — *Cypraea chrysalis* BLAINVILLE 1826D : Dict. sci. hist. nat. **43** : 33
635 **chrysalis** — *Cypraea chrysalis* KIENER 1843C : Spec. Iconogr. coquilles, *Cypraea* : t. 54 : 4
632 **chrysophaea** — *Cypraea errones* var. *chrysophaea* MELVILL 1888S : M. Manchester Lit. S. (**4**) **1** : 229
632 (**chrysostoma** — *Cypraea sophiae* syn. *chrysostoma* BRAZIER 1881S : P. Linn. S. NSWales **5** : 445
632 **chrysostoma** — *Erronea* (*Erronea*) *chrysostoma* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 120
424 **chubbi** — *Cypraea chubbi* RENNIE 1930P : Ann. SAfr. Mus. **28** : 220, t. 26 : 1-6, t. 27 : 1-4
725 (**cicatrix** — *Cypraea cicatrix* MEUSCHEN 1778G : Index Mus. Gronoviani : 108
725 (**cicatrix** — *Cypraea cicatrix* MEUSCHEN 1781G : Index to : GRONOW, Zoophyl. Gronov. **3**, Index : 11
236 **cicatrosa** — *Cypraea* (*Trivia*) *cicatrosa* SOWERBY 1870T : Thesaur. conchyl. **4**, *Cypraea* : 46, f. 458-459
712 **cicercula** — *Cypraea cicercula* LINNÉ 1758S : Syst. nat. (10. ed.) : 725
234 **cimex** — *Cypraea* (*Trivia*) *pediculus* var. *cimex* SOWERBY 1870T : Thesaur. Conchyl. **4**, *Cypraea* : 34, f. 436-438

634 (**cincta** — *Porcellana cincta* MEUSCHEN 1787G : Mus. Geversianum : 400
524 (**cincta** — *Cypraea vanelli* syn. *cincta* DILLWYN 1817C : Descr. Cat. rec. shells **1** : 444
631 **cincta** — *Cypraea* (*Luponia*) *cincta* MARTIN 1899J : Samml. Geol. Reichsmus. (**2**) **1**/**1** : 172, f. 399-402
632 **cinctoides** — *Cypraea cinctoides* YOKOYAMA 1928T : Rep. Geol. Surv. Japan **101** : 48, t. 3 : 10
512 **cineracea** — *Cypraea rattus* var. *cineracea* SULLIOTI 1924P : Contr.. stud. Cypraeidae **6** : 12
725 (**cinerea** — *Porcellana cinerea* MEUSCHEN 1787G : Mus. Geversianum : 400
524 **cinerea** — *Cypraea cinerea* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1**/**6** : 3402
524 (|| **cinerea** [nud.] — *Cypraea lurida* var. *cinerea* REQUIEN 1848C : Cat. coqu. Corse : 85
524 (|| **cinerea** — *Cypraea lurida* syn. *cinerea* MONTEROSATO 1897M : J. de Conchyl. **45** : 158
515 || **cinerea** — *Cypraea mauritiana* var. *cinerea* BOUGE 1961M : J. de Conchyl. **101** : 5
514 **cinereoviridescens** — *Cypraea mappa* var. *cinereo-viridescens* BOUGE 1961M : J. de Conchyl. **101** : 5
615 **cinnamomaea** — *Cypraea cinnamomaea* OLIVI 1792A : Zool. Adriatica : 134
× **cipraeaeformis** — *Zittelia cipraeaeformis* GEMMELLARO 1869Z : Giorn. Sci. Palermo **5** : 258
237 **circumdata** — *Trivia* (*Pusula*) *sanguinea circumdata* SCHILDER 1931T : Arch. Mollusk. **63** : 43, t. 3 : 4
826 **circumlaevigata** — *Pustularia* (*Jenneria*) *duclosiana* var. *circumlaevigata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 56
721 **circumvallata** — *Monetaria ethnographica circumvallata* SCHILDER & SCHILDER 1933N : Zool. Meded. Leiden **16** : 165, 199
712 (**citrina** — *Cypraea cicercula* syn. *citrina* HUMPHREY 1797C : Mus. Calonnianum : 7
725 **citrina** — *Cypraea citrina* GRAY 1825M : Zool. J. **1** : 509
725 **citrinicolor** — *Erosaria helvola citrinicolor* IREDALE 1935A : Austr. Zoologist **8** :116
634 **clandestina** — *Cypraea clandestina* LINNÉ 1767S : Syst. nat. (12. ed.) : 1177
524 **clara** — *Cypraea clara* GASKOIN 1851C : P. Zool. S. London **1851** : 13
432 **clarki** — *Gisortia clarki* INGRAM 1940G : J. Wash. Ac. Sci. **30** : 376, f. 1
322 **clathrata** — *Cypraea* (*Cypraeidia*) *clathrata* TATE 1892A : Tr. R. S. SAustr. **13**[in **15**] : t. 9 : 1
639 **cleopatra** — *Cribraria* (*Cribraria*) *cumingii cleopatra* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 173
133 **clifdenensis** — *Erato clifdenensis* LAWS 1935E : Tr. P. R. S. NZeal. **65** : 20, t. 3 : 3
915 **coarctata** — *Ovulum coarctatum* ADAMS & REEVE 1848S : Voy. « Samarang » Moll. : 21, t. 6 : 2
O (**coccinea** [nud.] — *Cypraea coccinea* MACQUART 1850L : Cat. Mus. HN. Lille **2** : 584
912 (**coccinea** — *Ovulum concinnum* syn. *Calpurnus coccineus* REEVE 1865 O : Conch. icon. **15**, *Ovulum* : t. 5 : 21
222 **coccinella** — *Cypraea coccinella* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 104
222 **coccinelloides** — *Cypraea coccinelloides* SOWERBY 1823M : Miner. Conch. **4** : 107, t. 378 : 1
615 **cocconii** — *Cypraea cocconii* MAYER 1875T : J. de Conchyl. **23** : 66, t. 2 : 1
138 **cocconii** — *Hespererato cocconii* SCHILDER 1933E : P. Mal. S. London **20** : 249, 254, 262, f. 43
725 **coeca** — *Cypraea coeca* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 25
722 **coerulea** — *Cypraea asellus* var. *coerulea* KARSTEN 1789L : Mus. Leskeanum **1** : [199]
722 || **coerulea** — *Cypraea coerulea* PERRY 1811C : Conchology : t. 22 : 8
524 || **coerulea** — *Cypraea coerulea* NARDO 1847V : Sinon. moderna spec. CHIEREGHINI : 43
637 **coffea** — *Cypraea* (*Cypraea*) *coffea* SOWERBY 1870T : Thesaur. conchyl. **4**, *Cypraea* : 10, f. 359-360
622 (**cohenae** [nud.] — *Cypraea cohenae* KERR 1964N : Conch. S. SAfr., Circ. **58** : 8
622 **cohenae** — *Cypraea cohenae* BURGESS 1965N : Nautilus **79** : 37, t. 4 : A-D
611 **colligens** — *Cypraea* (*Vulgusella*) *orbignyana* var. *colligens* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 11, t. 1 : 16
638 **coloba** — *Cypraea cruenta* var. *coloba* MELVILL 1888S : M. Manchester Lit. S. (**4**) **1** : 218, t. 1 : 7
427 **colombiana** — *Gisortia colombiana* CLARK 1946E : M. Geol. S. Amer. **16** : 29, t. 17 : 1-2
638 **colorata** — *Cypraea chinensis* var. *colorata* DAUTZENBERG 1932M : J. de Conchyl. **76** : 49
726 (**coluber** [nud.] — *Cypraea coluber* SCHLÜTER 1838V : Kurzgef. syst. Verz. Conch. Samml. : 24
918 **columba** — *Ovula columba* SCHUBERT & WAGNER 1829C : Neues Conch.Cab. **12** : 116, f. 4043-4044
613 **columbaria** — *Cypraea columbaria* LAMARCK 1822A : Hist. nat. anim. s. vert. **7** : 407

138 **columbella** — *Erato columbella* MENKE 1847M : Zeitschr. Malak. **4** : 183
918 (**columbula** — *Bulla columbula* MEUSCHEN 1787G : Mus. Geversianum : 398
232 **columellaris** — *Niveria* (*Ellatrivia*) *columellaris* SCHILDER 1941V : Arch. Mollusk. **73** : 74
639 **comma** — *Cypraea comma* PERRY 1811C : Conchology : t. 21 : 5
636 **commixta** — *Cypraea commixta* WOOD 1828I : Index testaceol. (2. ed.) Suppl. : 9, t. 3 : 11
715 **compacta** — *Conocypraea compacta* SCHILDER 1927K : Senckenbergiana **9** : 201, 205, 218, f. 24
313 (**compressa** — *Pedicularia sicula* syn. *Calyptraea compressa* MONTEROSATO 1875M : Atti Acc. Panormit. Sci. Lett. Art. **5** (**2**a) : 45
632 **compressa** — *Cypraea* (*Luponia*) *errones* monstr. *compressa* DAUTZENBERG 1903C : J. de Conchyl. **50** : 349, t. 7 : 13-14
615 **compressa** — *Zonaria pyrum* var. *compressa* COEN 1949C : Hist. nat. Roma **3** : 16
639 **compta** — *Cypraea compta* PEASE 1860P : P. Zool. S. London **28** : 189, t. 51 : 1
625 **comptonii** — *Cypraea comptonii* GRAY 1847T : in : JUKES, Narr. Voy. « Fly » Torresstr. **2**, App. : 356, t. 1 : 3
518 **concatenata** — *Cypraea argus* var. *concatenata* DAUTZENBERG 1903C : J. de Conchyl. **50** : 296
632 **concava** — *Cypraea* (*Cypraea*) *caurica* var. *concava* SOWERBY 1870T : Thesaur. conchyl. **4**, *Cypraea* : f. 318-319
912 **concinna** — *Ovulum concinnum* ADAMS & REEVE 1848S : Voy. « Samarang », Moll. : 22, t. 6 : 8
524 **concolor** — *Luria lurida* var. *concolor* KOBELT 1906I : Iconogr. schalentrag. europ. Meeresconch. **4** : 48
615 **confusa** — *Zonaria pyrum* var. *confusa* COEN 1949C : Hist. Nat. Roma **3** : 16
321 **conigera** — *Cypraea* (*Cypraedia*) *conigera* MARTIN 1914N : Samml. Geol. Reichsmus. (n. s.) **2** : 156, t. 5 : 121
724 **conjunctedentata** — *Paulonaria conjunctedentata* SCHILDER 1932F : SB. Ges. Freunde Berlin **1932** : 264
511 **conjungens** — *Cypraea* (*Lyncina*) *minor* var. *conjungens* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 10, t. 1 : 14bis
× **conoidea** — *Cypraea conoidea* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1**/**6** : 3414
816 **conradi** — *Eocypraea* (*Eocypraea*) *conradi* SCHILDER 1927R : Arch. Naturgesch. **91**/**A.10** : 74
425 **consobrina** — *Cypraea* (*Aricia*) *consobrina* McCOY 1877V : Prodr. Pal. Victoria **5** : 36, t. 49 : 2
727 || **consobrina** — *Cypraea consobrina* GARRETT 1879S : J. of Conch. **2** : 122
512 **conspurcata** — *Cypraea conspurcata* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1**/**6** : 3405
0 (|| **conspurcata** [nud.] — *Cypraea conspurcata* SOWERBY 1825T : Cat. shells Tankerville : 85
518 (**constricta** [err.] — *Cypraea argus* syn. *constricta* GRAY 1828A : Zool. J. **4** : 70
× **constricta** — *Marginella constricta* CONRAD 1835T : Foss. shells tert. NAmer. (2. ed.) **1** : 46, t. 16 : 15
714 **constricta** — *Austrocypraea constricta* SCHILDER 1935A : P. Mal. S. London **21** : 340, f. 19
232 **constricta** — *Niveria* (*Ellatrivia*) *constricta* SCHILDER 1941V : Arch. Mollusk. **73** : 74
634 **contaminata** — *Cypraea contaminata* SOWERBY 1932I : Conch. Illustr. : f. 21
631 **continens** — *Gratiadusta walkeri continens* IREDALE 1935A : Austr. Zoologist **8** : 127, t. 9 : 2
425 **contraria** — *Zoila thersites contraria* IREDALE 1935A : Austr. Zoologist **8** : 107
518 **contrastriata** — *Cypraea contrastriata* PERRY 1811C : Conchology : t. 20 : 3
524 **controversa** — *Cypraea controversa* GRAY 1824M : Zool. J. **1** : 144, t. 7 : 7, t. 12 : 7
725 || **controversa** — *Cypraea controversa* MENKE 1829M : Verz. Conch. Samml. Malsburg : 79
714 **contusa** — *Cypraea* (*Luponia*) *contusa* McCOY 1877V : Prodr. Pal. Victoria **5** : 37, t. 49 : 3-4
638 **convergens** — *Cypraea chinensis* var. *convergens* DAUTZENBERG 1932M : J. de Conchyl. **76** : 49
433 **coombei** [em.] — *Cypraea coombii* [sic] SOWERBY 1850S : in : DIXON, Geol. foss. Sussex : 188, t. 8 : 6
421 **coquandi** — *Bernaya* (*Protocypraea*) *coquandi* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1**/**55** : 112
821 (**corbuloides** [nud.] — *Cypraea corbuloides* BELLARDI 1850N : B. S. Géol. France (**2**) **7** : 682
821 **corbuloides** — *Cypraea corbuloides* BELLARDI 1852N : M. S. Géol. France (**2**) **4** : 215, t. 13 : 5-6
715 **cordiformis** — *Cypraea cordiformis* BOETTGER 1880S : Palaeontogr. Suppl. **3**/**1** : 77, t. 6 : 11
0 (**cordiformis** [nud.] — *Cypraedia* (*Cypraeoglobina*) *cordiformis* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51**/**2** : 119
235 **corinneae** — *Trivia corinneae* SHAW 1909C : P. Mal. S. London **8** : 308

632 **cornus** — *Cypraea cornus* Röding 1798B : in : Bolten, Mus. Boltenianum : 27
422 **coromandelica** — *Gisortia* (*Gisortia*) *coromandelica* Vredenburg 1920C : Rec. Geol. Surv. Ind. **51/2** : 127
622 **coronata** — *Luponia coronata* Schilder 1930C : Zool. Anz. **87** : 113, 115 fig.
632 (**corrosa** [err.] — *Cypraea corrosa* Meuschen 1781G : Zoophyl. Gronoviani **3** : V, t. 18: 10
632 **corrosa** — *Erronea* (*Erronea*) *caurica corrosa* Schilder & Schilder 1938P : P. Mal. S. London **23** : 154
133 **corrugata** — *Ovulum corrugatum* Hinds 1844S : Zool. Voy. « Sulphur » **2**, Moll. : 47, t. 16 : 5-6
235 **corrugata** — *Trivia corrugata* Pease 1868P : Amer. J. Conch. **4** : 95, t. 11 : 14-15
411 **corsicanana** — *Cypraea corsicanana* Stephenson 1948C : J. of Paleont. **22** : 642
918 (**cortex** — *Amphiperas cortex* Meuschen 1781G : Zoophyl. Gronov. **3** Index : 11
233 **cosmoi** — *Trivia cosmoi* Dautzenberg 1921D : J. de Conchyl. **65** : 330, t. 6 : 3-5
322 (**cossmanni** [nud.] — *Cypraedia* (*Cypraedia*) *cossmanni* Vredenburg 1920C : Rec. Geol. Surv. Ind. **51/2** : 118
421 **cossmanni** — *Gisortia* (*Gisortia*) *cossmanni* Vredenburg 1920C : Rec. Geol. Surv. Ind. **51/2** : 127
921 **cossmanni** — *Simnia* (*Neosimnia*) *cossmanni* Schilder 1927R : Arch. Naturgesch. **91/A. 10** : 78
322 (**cossmanni** [nud.] — *Cypraedia cossmanni* Cox 1931L : Tr. R. S. Edinburgh **57/1** : 54
322 **cossmanni** — *Cypraedia* (*Cypraedia*) *cossmanni* Schilder 1941V : Arch. Mollusk. **73** : 101, 115, f. 31
524 **costaricaensis** — *Cypraea costaricaensis* Ingram 1940C : J. of Paleont. **14** : 505, f. 1-2
0 (**costata** [nud.] — *Cypraea costata* Solander 1786P : Cat. Portland Mus. : 30
215 **costata** — *Cypraea costata* Gmelin 1791S : in : Linné, Syst. nat. (13. ed.) **1/6** : 3418
234 **costatopunctata** — *Cypraea costatopunctata* Weinkauff 1881S : in : Martini & Chemnitz, Syst. Conch. Cab. (2. ed.) **5/3**, *Cypraea* : 137, t. 39 : 2-3
918 **costellata** — *Ovula costellata* Lamarck 1810 O : Ann. Mus. HN. Paris **16** : 110
823 **costicillatior** — *Pustularia* (*Jenneria*) *laeviappenninica costicillatior* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 55, t. 3 : 52
234 **costispunctata** — *Cypraea* (*Trivia*) *costis-punctata* Sowerby 1870T : Thesaur. conchyl. **4**, *Cypraea* : 42, f. 452-453
121 **costulata** — *Cypraea costulata* Giebel 1861L : Zeitschr. Naturwiss. **17** : 31
811 **cotteri** — *Eocypraea cotteri* Cox 1930H : Pal. Ind. (n. s.) **15** : 117, t. 19 : 7-8
631 **coucomi** — *Erronea coucomi* Schilder 1964Ka : Arch. Mollusk. **93** : 211, f. 1-2
515 **couturieri** — *Cypraea arabica* var. *couturieri* Vayssière 1905C : J. de Conchyl. **53** : 13, t. 1 : 3
631 **cowiei** — *Erronea* (*Adusta*) *cowiei* Cox 1948D : Schweiz. Palaeont. Abh. **66/2** : 33, t. 3 : 4
636 **coxeni** — *Cypraea coxeni* Cox 1873A : P. Zool. S. London **1873** : 568, t. 48 : 10
632 **coxi** — *Cypraea coxi* Brazier 1872N : P. Zool. S. London **1872** : 617, t. 44 : 3
231 **coxi** — *Pseudotrivia coxi* Schilder 1936I : Ingenieur Nederl. Indië, ser. **4**, Mijnbouw **3** : 209, f. 2-3
422 **coxiana** — *Siphocypraea* (*Barycypraea*) *coxiana* Schilder 1932Q : in : Quenstedt, Fossil. Cat. **1/55** : 117
634 **crakei** — *Palmadusta* (*Palmadusta*) *saulae crakei* Cate 1968W : Veliger **10/3** : 230, t. 17 : 26
518 **crassa** — *Cypraea crassa* Gmelin 1791S : in : Linné, Syst. nat. (13. ed) **1/6** : 3421
222 **crassa** — *Trivia sphaericulata* var. *crassa* Cocconi 1873P : M. Ac. Sci. Torino (**3**) **3** : 569
232 **crassicostata** — *Ellatrivia longisulcata crassicostata* Schilder 1935A : P. Mal. S. London **21** : 334, f. 11
611 **crassidentula** — *Cypraea* (*Zonaria*) *fabagina* var. *crassidentula* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 18, t. 2 : 4
× **crassilabra** — *Marginella crassilabra* Conrad 1833T : Foss. shells tert. NAmer. **1** : 33
813 **crassilabris** — *Eocypraea* (*Apiocypraea*) *septemtrionalis crassilabris* Schilder 1929D : Mitt. Min. Staatsinst. Hamburg **11** : 19, 20, f. 15
222 (**crebricostata** [err.] — *Cypraea* (*Trivia*) *formosa* syn. *crebricostata* Sowerby 1870T : Thesaur. conchyl. **4**, *Cypraea* : 51
638 **crenata** — *Cypraea crenata* Röding 1798B : in : Bolten, Mus. Boltenianum : 23
121 || **crenata** — *Cypraea crenata* Deshayes 1835P : Descr. coqu. foss. envir. Paris **2** : 728, t. 94 bis : 30-32

121 (**crenularis** [err.] — *Eratopsis crenularis* OPPENHEIM 1901P : Palaeontogr. **47** : 236
121 **crenularis** — *Eratotrivia crenularis* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 60
0 (**crenulata** [nud.] — *Cypraea crenulata* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 27
121 **crescentensis** — *Eratopsis crescentensis* WEAVER & VAN WINKLE-PALMER 1922W : Univ. Wash. Publ. Geol. **1/3** : 36, t. 11 : 10, 22
411 **cretacea** — *Ovula cretacea* ORBIGNY 1850P : Prodr. Pal. stratigr. univ. **2** : 291
639 **cribellum** — *Cypraea cribellum* GASKOIN 1849D : P. Zool. S. London **1849** : 22
639 **cribraria** — *Cypraea cribraria* LINNÉ 1758S : Syst. nat. (10. ed.) : 723
639 (**criraria** [err.] — *Criraria criraria* JOUSSEAUME 1884D : Naturaliste **1884** : 414
912 **cristallina** — *Ovula cristallina* KIENER 1843 O : Spec. Iconogr. coquilles, *Ovula* : 14, t. 4 : 3
637 **crossei** — *Cypraea crossei* MARIE 1869C : J. de Conchyl. **17** : 16, t. 1 : 3
632 **cruenta** — *Cypraea cruenta* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3420
615 **cruenta** — *Zonaria pyrum* var. *cruenta* COEN 1949C : Hist. Nat. Roma **3** : 16
518 **cruentata** — *Cypraea cruentata* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 24
638 (|| **cruentata** [err.] — *Cypraea cruentata* SOWERBY 1836I : Conch. Illustr. : f. 112
639 **cumingii** — *Cypraea cumingii* SOWERBY 1832I : Conch. Illustr. : f. 5
912 **cumingii** — *Ovula* (*Calpurnus*) *cumingii* MÖRCH 1850K : Cat. Conch. Kierulf : 13, f. 11
925 (**cumulata** [nud.] — *Volva volva cumulata* IREDALE 1931A : Rec. Austr. Mus. **18/4** : 222
925 **cumulata** — *Volva volva cumulata* IREDALE 1935A : Austr. Zoologist **8** : 104
512 (**cuniculus** — *Cypraea stercoraria* syn. *cuniculus* KARSTEN 1789L : Mus. Leskeanum **1** : [199]
811 **cunliffei** — *Cypraea cunliffei* FORBES 1846I : Tr. Geol. S. London (**2**) **7** : 134, t. 12 : 22
524 **curta** — *Cypraea lurida* var. *curta* MOLLERAT 1890V : B. S. Mal. France **7** : 113
918 **cygnea** — *Volva cygnea* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 21
0 (**cylindracea** [nud.] — *Cypraea cylindracea* MACQUART 1850L : Cat. Mus. HN. Lille **2** : 584
632 **cylindrica** — *Cypraea cylindrica* BORN 1778I : Index Mus. Caes. Vindob. **1** : 169
636 || **cylindrica** — *Cypraea cylindrica* BLAINVILLE 1826D : Dict. sci. hist. nat. **43** : 26
0 (|| **cylindrica** [nud.] — *Cypraea cylindrica* BLAINVILLE 1826D : Dict. sci. hist. nat. **43** : 33
524 || **cylindrica** — *Cypraea lurida* var. *cylindrica* MOLLERAT 1890V : B. S. Mal. France **7** : 113
423 **cylindroides** — *Ovula cylindroides* ARCHIAC & HAIME 1854I : Descr. anim. nummul. Inde : 330, t. 33 : 5
524 **cylindroides** — *Luria* (*Basilitrona*) *isabella* var. *cylindroides* COEN 1949C : Hist. Nat. Roma **3** : 14
615 **cynnamomaea** — *Cypraea cynnamomaea* NARDO 1847V : Sinon. spec. Chiereghini : 43
234 **cypha** — *Trivia* (*Trivia*) *cypha* WOORDRING 1928B : Carnegie Inst. Publ. **385** : 319, t. 22 : 2-3
725 **cypraea** — *Bulla cypraea* LINNÉ 1758S : Syst. nat. (10. ed.) : 728
422 (**cypraeata** [nud.] — *Bulla cypraeata* MÜNSTER 1828K : in : KEFERSTEIN, Teutschl. geogn. dargestellt **6/1** : 100
137 **cypraeoides** — *Marginella cypraeoides* ANTON 1839V : Verz. Conch. Samml. : 99
× **cypraeoides** — *Erato* (?) *cypraeoides* ADAMS 1845J : P. Boston S. **2** : 1
× **cypraeoides** — *Ficus* (*Sycotypus*) *cypraeoides* GABB 1864C : Pal. of California **1** : 105, t. 19 : 58
137 **cypraeola** — *Voluta cypraeola* BROCCHI 1814S : Conch. foss. subapenn. **2** : 321, t. 4 : 10
138 **cypraeola** — *Marginella cypraeola* SOWERBY 1832E : P. Zool. S. London **2** : 57
323 **dactylosa** — *Cypraea dactylosa* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 107
222 **dakarensis** — *Trivia* (*Trivia*) *dakarensis* SCHILDER 1967Wa : Arch. Moll. **96** : 196, f. 1
817 **dalli** — *Cypraea dalli* COSSMANN 1893P : Ann. S. Mal. Belg. **28** : 13, f. 11
816 || **dalli** — *Cypraea dalli* ALDRICH 1894R : Nautilus **7** : 98, t. 4 : 2
222 **dalmatica** — *Trivia dalmatica* COEN 1937A : R. Comit. Talassogr. Ital., M. **240** : 150
715 **daltoni** — *Pustularia* (*Conocypraea*) *daltoni* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 102
518 (**dama** — *Cypraea dama* HUMPHREY 1797C : Mus. Calonnianum : 8
518 **dama** — *Cypraea dama* PERRY 1811C : Conchology : t. 23 : 3
635 **dampierensis** — *Purpuradusta hammondae dampierensis* SCHILDER & CERNOHORSKY 1965N : Veliger **7/4** : 225, textfig. 1, t. 29 : 1-2
811 **danica** — *Eocypraea* (*Eocypraea*) *danica* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 74
214 **daphnes** — *Nototrivia avellanoides daphnes* SCHILDER 1966Nf : Arch. Mollusk. **95** : 273
237 **dartevellei** — *Trivia dartevellei* KNUDSEN 1955W : Rev. Zool. Bot. Afric. **51** : 102, f. 8-9
616 **darwini** — *Cypraea darwini* INGRAM 1948G : P. Calif. Ac. Sci. (**4**) **26** : 144, t. 2 : 10-11

236 **datensis** — *Trivia* (*Trivia*) *datensis* NOMURA & ZINBO 1935M : Saito Ho-On kai Mus. Bull. Sendai **6** : 182, t. 15 : 24a-b
636 **dautzenbergi** — *Cypraea dautzenbergi* HIDALGO 1907C : M. Ac. Cienc. Madrid **25** : 362, 571
914 **dautzenbergi** — *Primovula dautzenbergi* SCHILDER 1931N : B. S. Zool. France **56** : 366, f. 1-4
313 **dautzenbergi** — *Pediculariella dautzenbergi* SCHILDER 1931P : J. of Conch. **19** : 166, 167, t. 6 : 3
223 **dautzenbergi** — *Trivia dautzenbergi* SCHILDER 1932P : Riv. Ital. Pal. **38** : 23
813 **davidi** — *Cypraea davidi* FONTANNES 1880R : Moll. plioc. Rhône **1** : 109, t. 7 : 6
522 **daxensis** — *Zonarina* (*Pseudozonaria*) *daxensis* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 116
636 **dayritiana** — *Cypraea* (*Blasicrura*) *dayritiana* CATE 1963N : Veliger **5/4** : 141, t. 15 : 1, 3
637 **deceptor** — *Derstolida fluctuans deceptor* IREDALE 1935A : Austr. Zoologist **8** : 122
425 **decipiens** — *Cypraea decipiens* SMITH 1880D : P. Zool. S. London **1880** : 482, t. 48 : 8
625 **declivis** — *Cypraea* (*Cypraea*) *declivis* SOWERBY 1870T : Thesaur. conchyl. **4**, *Cypraea* : 31, f. 287, 328*-329*
633 **decolorata** — *Cypraea punctata* var. *decolorata* GRAY 1824M : Zool. J. **1** : 380
634 || **decolorata** — *Cypraea* (*Luponia*) *ziczac* var. *decolorata* DAUTZENBERG 1903C : J. de Conchyl. **50** : 355
524 (**decorticata** [non nomen?] — *Cypraea cinerea* var. *decorticata* GRAY 1824M : Zool. J. **1** : 146
632 (**decorticata** [non nomen?] — *Cypraea cylindrica* var. *decorticata* GRAY 1824M : Zool. J. **1** : 382
611 **decorticata** — *Cypraea decorticata* DEFRANCE 1826D : Dict. sci. hist. nat. **43** : 36
313 **decurvata** — *Pedicularia decurvata* LOCARD 1897T : Expéd. « Travailleur » et « Talisman », Moll. **1** : 96, t. 3 : 12-15
313 **decussata** — *Pedicularia decussata* GOULD 1855G : P. Boston S. **5** : 127
923 **deflexa** — *Ovulum deflexum* SOWERBY 1849 O : P. Zool. S. **1848** : 136
413 **degenerata** — *Archicypraea trinidadensis degenerata* SCHILDER 1939T : Abh. Schweiz. Pal. Ges. **62** : 17, f. 12-13
121 **degrangei** — *Cypraedia degrangei* OPPENHEIM 1906B : Monatsb. Deut. Geol. Ges. **58** : 87, t. 9 : 17
812 **delphinoides** — *Ovula delphinoides* COSSMANN 1886P : J. de Conchyl. **34** : 234, t. 10 : 1
222 **densecostata** — *Trivia densecostata* SCHILDER 1929D : Mitt. Min. Staatsinst. Hamburg **11** : 15, f. 8
322 **denseplicata** — *Cypraea denseplicata* BOETTGER 1880S : Palaeontogr. Suppl. **3/1** : 77, t. 6 : 5
913 **dentata** — *Ovula dentata* FISCHER [VON WALDHEIM] 1807D : Mus. Demidoff **3** : 157
914 **dentata** — *Ovulum dentatum* ADAMS & REEVE 1848S : Voy. « Samarang », Moll. : 21, t. 6 : 4
612 **dentatissima** — *Zonarina dentatissima* SCHILDER 1932P : Riv. Ital. Pal. **38** : 32, 44
632 (**dentex** — *Cypraea dentex* HUMPHREY 1797C : Mus. Calonnianum : 8
132 **denticulata** — *Erato denticulata* PRITCHARD & GATLIFF 1901M : P. R. S. Vict. (n. s.) **13** : 133, t. 20 : 5
622 (**denticulata** — *Cypraea edentula* syn. *denticulata* TURTON 1932A : Mar. shells Port Alfred : 113
715 **denticulina** — *Cypraea* (*Proadusta*) *splendens* var. *denticulina* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 34, t. 2 : 43
512 **denticulolyncoides** — *Cypraea* (*Basterotia*) *leporina* var. *denticulolyncoides* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 7, t. 1 : 3
237 **depauperata** — *Cypraea depauperata* SOWERBY 1832I : Conch. Illustr. : f. 49
422 **depéreti** — *Cypraea depéreti* ROMAN & MAZERAN 1920U : Arch. Mus. Lyon **12** : 63, t. 5 : 47
727 **depravata** — *Cypraea* (*Pustularia*) *staphylaea* monstr. *depravata* DAUTZENBERG 1903C : J. de Conchyl. **50** : 374, t. 7 : 9-10
515 **depressa** — *Cypraea arabica depressa* GRAY 1824M : Zool. J. **1** : 77
434 || **depressa** — *Cypraea depressa* SOWERBY 1840C : Tr. Geol. S. London (**2**) **5** : t. 24 : 12
923 **depressa** — *Ovulum depressum* SOWERBY 1875D : P. Zool. S. London **1875** : 128, t. 24 : 1
637 **depriesteri** — *Erronea* (*Blasicrura*) *kieneri depriesteri* SCHILDER 1933C : Zool. Anz. **101** : 190, 193
637 **depriesteri** — *Erronea* (*Blasicrura*) *kieneri depriesteri* SCHILDER 1933D : J. of Conch. **19** : 355, t. 8 : 5
725 (**derosa** [err.] — *Cypraea derosa* MÜLLER 1765A : in : RUMPH, Amboin. Raritätenkammer : t. 39 : A
632 (**derosa** [err.] — *Cypraea derosa* SCHRÖTER 1783E : Einleit. Conch. Kenntnis **1** : 163
632 **derosa** — *Cypraea derosa* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3416

725 || **derosa** — *Cypraea derosa* Risso 1826E : Hist. nat. Europe mérid. **4** : 238
612 **dertamygdaloides** — *Cypraea* (*Zonaria*) *fabagina* var. *dertamygdaloides* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 23, t. 2 : 17
137 **dertincrassata** — *Erato* (*Erato*) *laevis* var. *dertincrassata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 58, t. 3 : 63
613 **dertocolligens** — *Cypraea* (*Zonaria*) *utriculata* var. *dertocolligens* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 29, t. 2 : 34
813 **dertoconjungens** — *Cypraea* (*Luponia*) *labrosa* var. *dertoconjungens* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 43, t. 3 : 22
813 (**dertocrassula** [nud.] — *Cypraea* (*Luponia*) *labrosa* var. *dertocrassula* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 42
613 **dertofabagina** — *Cypraea* (*Zonaria*) *utriculata* var. *dertofabagina* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 29, t. 2 : 33
613 **dertoflavicula** — *Cypraea* (*Zonaria*) *dertoflavicula* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 32, t. 2 : 41
223 **dertominor** — *Trivia* (*Trivia*) *affinis* var. *dertominor* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 51, t. 3 : 40
223 **dertonensis** — *Cypraea dertonensis* Michelotti 1847I : Natuurk. Verhandel. Haarlem **3** : 331, t. 14 : 10
223 **dertoparvula** — *Trivia* (*Trivia*) *avellana* var. *dertoparcula* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 51, t. 3 : 42
813 **dertotransiens** — *Cypraea* (*Luponia*) *subphysis* var. ? *dertotransiens* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 42, t. 3 : 19
727 **descripta** — *Staphylaea staphylaea descripta* Iredale 1935A : Austr. Zoologist **8** : 119
411 **deserti** — *Proadusta deserti* Abbass 1963E : Monogr. Geol. Mus. Cairo, Palaeont. Ser. **2** : 86, t. 11 : 13-13a
411 **desertorum** — *Palaeocypraea* (*Palaeocypraea*) *desertorum* Schilder 1941V : Arch. Mollusk. **73** : 77
413 **deshayesi** — *Diameza deshayesi* Gregorio 1880G : Fauna S. Giov. Ilarione : 27, t. 6 : 8
311 (**deshayesiana** [nud.] — *Cypraea deshayesiana* Rouault 1848P : B. S. Géol. France (**2**) **5** : 207
313 **deshayesiana** — *Pedicularia deshayesiana* Seguenza 1865P : J. de Conchyl. (**3**) **5** : 58, t. 4 : 1-3
432 **deshayesii** — *Cypraea deshayesii* Gray 1828A : Zool. J. **4** : 83
821 || **deshayesii** — *Cypraea deshayesii* Binkhorst 1861L : Mon. Gastr. craie sup. Limbourg : 17, t. 4 : 11
235 **desirabilis** — *Trivia desirabilis* Iredale 1912N : P. Mal. S. London **10** : 226, t. 9 : 8-9
722 **devians** — *Cypraea obvelata* var. *devians* Sullioti 1924P : Contr. stud. Cypraeidae **6** : 8
137 **diaphana** — *Bulla diaphana* Montagu 1803B : Test. Britann. **1** : 225, t. 7 : 8
727 **diaphana** — *Cypraea polita* var. *diaphana* Sullioti 1924P : Contr. stud. Cypraeidae **6** : 14
725 **diaphana** — *Erosaria diaphana* Coen 1949C : Hist. Nat. Roma **3** : 14
637 **diauges** — *Cypraea stolida* var. *diauges* Melvill 1888S : M. Manchester Lit. S. (**4**) **1** : 220, t. 1 : 5
725 **differens** — *Erosaria* (*Erosaria*) *differens* Schilder 1927R : Arch. Naturgesch. **91/A. 10** : 107
522 **digona** — *Cypraea digona* Sowerby 1840C : Tr. Geol. S. London (**2**) **5** : t. 26 : 29
515 **dilacerata** — *Mauritia* (*Arabica*) *arabica dilacerata* Schilder & Schilder 1939P : P. Mal. S. London **23** : 183
0 (**dilatata** [nud.] — *Monetaria dilatata* Jousseaume 1884C : B. S. Zool. France **9** : 96
725 **dilatata** — *Cypraea spurca* var. *dilatata* Monterosato 1897M : J. de Conchyl. **45** : 164
515 **dilatata** — *Mauritia* (*Arabica*) *arabica* var. *dilatata* Coen 1949C : Hist. Nat. Roma **3** : 13
724 **dillwyni** — *Cypraea dillwyni* Schilder 1922C : P. Mal. S. London **15** : 103, 106
634 **diluculum** — *Cypraea diluculum* Reeve 1845C : Conch. icon. **3**, *Cypraea* : f. 65
615 **diluta** — *Cypraea pirum* [sic] var. *diluta* Monterosato 1897M : J. de Conchyl. **45** : 160
521 **diluviana** — *Cypraea diluviana* Gray 1824M : Zool. J. **1** : 149
223 **dimidiata** — *Cypraea dimidiata* Bronn 1831I : Italiens Tertiärgebilde : 16
223 **dimidiatoaffinis** — *Trivia* (*Trivia*) *affinis* var. *dimidiatoaffinis* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 51
223 **dimitiata** — *Trivia dimitiata* Bronn 1849E : Enumer. paleont. : 482

515 **dispersa** — *Mauritia* (*Arabica*) *depressa dispersa* SCHILDER & SCHILDER 1939P : P. Mal. S. London **23** : 184
625 **dissecta** — *Notocypraea dissecta* IREDALE 1931A : Rec. Austr. Mus. **18/4** : 220, t. 24 : 7-8
513 **dissimilis** — *Cypraea* (*Cypraea*) *zebra* var. *dissimilis* SCHILDER 1924I : Arch. Naturgesch. **90/A. 4** : 194
634 **distans** — *Palmadusta* (*Palmadusta*) *contaminata distans* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 159
427 **distinguenda** — *Cypraeorbis* (*Cypraeorbis*) *distinguenda* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 98
725 **distinguenda** — *Cypraea turdus* var. *distinguenda* SCHILDER 1927C : Nautilus **40** : 127
517 (**distorta** [non nomen?] — *Cypraea pantherina theriaca distorta* MELVILL 1888S : M. Manchester Lit. S. (**4**) **1** : 211
518 (**distorta** [nud.] — *Cypraea vitellus* var. *distorta* HIDALGO 1906C : M. Ac. Cienc. Madrid **25** : 172
518 **distorta** — *Cypraea vitellus* var. *distorta* IREDALE 1935A : Austr. Zoologist **8** : 106
725 **diversa** — *Cypraea miliaris diversa* KENYON 1902C : J. of Conch. **10** : 184
811 **dollfusi** — *Cypraea dollfusi* LAUBRIÈRE 1881P : B. S. Géol. France (**3**) **9** : 379, t. 8 : 10, 13
136 **domingensis** — *Erato maugeriae* var. *domingensis* MAURY 1917D : B. Amer. Pal. **5/29** : 119, t. 21 : 8
524 **dominicensis** — *Cypraea dominicensis* GABB 1873D : Tr. Amer. Phil. S. **15** : 236
827 **dominicensis** — *Jenneria dominicensis* OLSSON 1967J : Notul. Natur. Ac. N. Sci. Philad. **403** : 6, t. 2 : 5
432 **doncieuxi** — *Gisortia* (*Gisortia*) *doncieuxi* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 85
912 **dondani** — *Primovula* (*Diminovula*) *dondani* CATE 1964P : Veliger **7/2** : 102, t. 19 : 1-3
137 **donovani** — *Marginella donovani* PAYRAUDEAU 1826C : Cat. annél. moll. Corse : 167, t. 8 : 26-27
631 **dorsalis** — *Erronea* (*Adusta*) *subviridis dorsalis* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 149
922 **dorsata** — *Cyphoma dorsata* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 21
426 **dorsata** — *Cypraea dorsata* TATE 1890A : Tr. R. S. SAustr. **13** : 212
726 (**dorsoalbida** [nud., non nomen?] — *Cypraea caputserpentis* var. « *dorso-albida* » WILLIAMS 1914E : J. of Conch. **14** : 152
223 (**dorsolaevigata** — *Trivia affinis* var. *dorso laevigata* COCCONI 1873P : M. Ac. Sci. Torino (**3**) **3** : 569
223 **dorsolaevigata** — *Trivia* (*Trivia*) *dorsolaevigata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 52, t. 3 : 44
913 **dorsolirata** — *Primovula carnea* var. *dorsolirata* COEN 1949C : Hist. Nat. Roma **3** : 18
914 **dorsuosa** — *Ovulum dorsuosum* HINDS 1844S : Zool. Voy. « Sulphur », **2**, Moll. : 47, t. 16 : 3-4
422 **douvilléana** — *Bernaya* (*Protocypraea*) *douvilléana* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1/55** : 113
434 **douvilléi** — *Vicetia douvilléi* COSSMANN & PISSARRO 1911P : Iconogr. coqu. éoc. Paris **2/3** : t. 32 : 161bis/1
632 (**dracaena** — *Dracaena* RUMPH 1705A : Amboin. Rariteitkamer : 118, t. 39 : E
632 **dracaena** — *Cypraea dracaena* BORN 1778I : Index Mus. Caes. Vindob. **1** : 174
637 **draco** — *Cypraea draco* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 27
722 **dranga** — *Monetaria annulus dranga* IREDALE 1939A : Austr. Zoologist **9** : 308, t. 27 : 27-28
411 **drumensis** — *Zittelia drumensis* SAYN 1932B : Trav. Lab. Géol. Lyon **18/15** : 32, f. 10, t. 3 : 8-9
513 **dubia** — *Cypraea dubia* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3405
632 || **dubia** — *Cypraea dubia* GRAY 1831C : Zool. Misc. **1** : 36
223 || **dubia** — *Cypraea europaea* var. *dubia* BELL 1898E : Tr. Geol. S. Cornwall **12** : 136
432 **dubia** — *Gisortia* (*Gisortia*) *gigantea dubia* SCHILDER 1927K : Senckenbergiana **9** : 200, 204, 214, f. 17
826 **duclosiana** — *Cypraea duclosiana* BASTEROT 1825F : M. S. HN. Paris **2/1** : 41, t. 4 : 8
613 **dujardini** — *Schilderia dujardini* SCHILDER 1932P : Riv. Ital. Pal. **38** : 37
222 **dujardini** — *Trivia* (*Trivia*) *dujardini* SCHILDER 1941V : Arch. Mollusk. **73** : 72, 114
135 **duplicata** — *Erato duplicata* JOHNSTON 1888T : Syst. account Geol. Tasmania : t. 31 : 14

515 **duploreticulata** — *Mauritia* (*Arabica*) *histrio* var. *duploreticulata* COEN 1949C : Hist. Nat. Roma **3** : 14

635 **durbanensis** — *Palmadusta* (*Melicerona*) *fimbriata durbanensis* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 163

811 **dux** — *Eocypraea* (*Eocypraea*) *dux* SCHILDER 1942L : Ann. Mus. Libico **3** : 67

725 **duyfjesi** — *Erosaria* (*Erosaria*) *erosa duyfjesi* SCHILDER 1937N : De Ingenieur Nederl. Indië, ser. **4**, Mijnbouw **4** : 205, f. 23-24

515 (**ebroea** [err.] — *Cypraea ebroea* BLAINVILLE 1826D : Dict. sci. hist. nat. **43** : 4

727 **ebur** — *Staphylaea limacina* var. *ebur* COEN 1949C : Hist. Nat. Roma **3** : 15

725 (**eburna** [err.] — *Cypraea eburna* GRAY 1825M : Zool. J. **1** : 510

524 (**eburna** — *Luria cinerea* var. *subfossilis* syn. *eburna* SCHILDER 1930T : P. Mal. S. **19** : 56

725 **eburnea** — *Cypraea eburnea* BARNES 1824N : Ann. Lyc. NYork **1/1** : 133, t. 9 : 2

524 (**eburnea** [nud.] — *Cypraea cinerea* var. *subfossilis* syn. *eburnea* GRAY 1828A : Zool. J. **4** : 72

612 **eburnina** — *Cypraea annulus* var. *eburnina* GRATELOUP 1847A : Conch. foss. Adour, Suppl. : t. 47 : 10

137 (**edentula** — *Voluta laevis* syn. *edentula* DONOVAN 1804B : Nat. Hist. Brit. shells **5** : t. 165

622 **edentula** — *Cypraea algoensis* var. *edentula* GRAY 1825M : Zool. J. **1** : 498

622 || **edentula** — *Cypraea edentula* SOWERBY 1832I : Conch. Illustr. : f. 26*

235 **edgari** — *Trivia edgari* SHAW 1909C : P. Mal. S. London **8** : 310

817 **edwardsi** — *Cypraedia* (*Cypraeoglobina*) *edwardsi* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 119

524 (**efasciata** [nud.] — *Cypraea lurida* var. *efasciata* MONTEROSATO 1878M : Giorn. Sci. Nat. Econ. **13** : [sep.] 49

524 **efasciata** — *Cypraea lurida* var. *efasciata* MONTEROSATO 1897M : J. de Conchyl. **45** : 158

524 || **efasciata** — *Cypraea lurida* var. *efasciata* PALLARY 1900 O : J. de Conchyl. **48** : 302

613 || **efasciata** — *Cypraea achatidea* var. *efasciata* PALLARY 1900 O : J. de Conchyl. **48** : 305

725 **effossa** — *Erosaria* (*Erosaria*) *miliaris effossa* SCHILDER 1937N : De Ingenieur Nederl. Indië, ser. **4**, Mijnbouw **4** : 205, f. 25-27

515 **eglantina** — *Cypraea eglantina* DUCLOS 1833M : in : GUÉRIN-MÉNEVILLE Mag. Zool., Moll. **3** : 27, t. 28

633 **egregia** — *Notadusta egregia* SCHILDER 1937N : De Ingenieur Nederl. Indië, ser. **4**, Mijnbouw **4** : 198, f. 10

636 **elaiodes** — *Cypraea tabescens* var. *elaiodes* MELVILL 1888S : M. Manchester Lit. S. (**4**) **1** : 218

322 **elegans** — *Cypraea elegans* SOWERBY 1823G : Genera rec. foss. shells **17** : t. 261 : 7

323 **elegantiformis** — *Cypraea elegantiformis* OPPENHEIM 1896P : Palaeontographica **43** : 196

515 (**elegantina** [err.] — *Cypraea arabica* var. *elegantina* MENKE 1843N : Moll. Nov. Holland. specimen : 29

621 **elegantior** — *Notoluponia murraviana elegantior* SCHILDER 1935A : P. Mal. S. London **21** : 348, f. 37-39

313 **elegantissima** — *Pedicularia elegantissima* DESHAYES 1863R : in : MAILLARD, Not. île Réunion, Annexe E (Moll.) : 50, t. 6 : 23-26

623 **elizabethensis** — *Cypraea capensis* var. *elizabethensis* ROUS 1905C : Nautilus **19** : 29

422 **ellipsoides** — *Ovula ellipsoides* ARCHIAC & HAIME 1854I : Descr. anim. nummul. Inde : 330, t. 33 : 6-8

725 **elliptica** — *Cypraea spurca* var. *elliptica* GRAY 1825M : Zool. J. **1** : 502

511 (**elliptica** [err., nud.] — *Ovula elliptica* MAYER [-EYMAR] 1904G : Vierteljahrschr. Ges. Zürich **49** : 39

632 **elongata** — *Cypraea elongata* PERRY 1811C : Conchology : t. 22 : 5

613 || **elongata** — *Cypraea elongata* BROCCHI 1814S : Conch. foss. subapenn. **2** : 284, t. 1 : 12

913 (**elongata** [nud.] — *Ovula adriatica* var. *elongata* REQUIEN 1848C : Cat. coqu. Corse : 84

511 **elongata** — *Ovula elongata* ARCHIAC & HAIME 1854I : Descr. anim. nummul. Inde : 133, t. 33 : 9

924 **elongata** — *Cyphoma elongatum* [sic] ADAMS 1864J : J. P. Linn. S. London **7** : 96

137 **elongata** — *Erato laevis* var. *elongata* SEGUENZA 1880R : Atti Acc. Lincei Roma (**3**) **6** : 253

913 || **elongata** — *Ovula carnea* var. *elongata* PALLARY 1900 O : J. de Conchyl. **48** : 300, t. 8 : 17

613 || **elongata** — *Cypraea achatidea* var. *elongata* PALLARY 1900 O : J. de Conchyl. **48** : 304

725 || **elongata** — *Cypraea spurca elongata* DAUTZENBERG & FISCHER 1906A : Résult. Camp. Monaco **32** : 39
615 **elongata** — *Zonaria pyrum* var. *elongata* COEN 1949C : Hist. Nat. Roma **3** : 16
612 **elongatula** — *Cypraea* (*Zonaria*) *fabagina* var. *elongatula* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 21, t. 2 : 11
237 **elsiae** — *Trivia* (*Pusula*) *elsiae* HOWARD & SPHON 1960T : Veliger **3/2** : 41, t. 7 : 1-4
632 **emaculata** — *Blasicrura cylindrica* var. *emaculata* COEN 1949C : Hist. Nat. Roma **3** : 17
922 **emarginata** — *Ovulum emarginatum* SOWERBY 1830S : Spec. Conch. **1**, *Ovulum* : 7, f. 54-55
625 **emblema** — *Notocypraea bicolor emblema* IREDALE 1931A : Rec. Austr. Mus. **18/4** : 220, t. 24 : 3-4
138 **emmonsi** — *Erato emmonsi* WHITFIELD 1894J : Mon. US. Geol. Surv. **24** : 108, t. 19 : 9-11
637 **endela** — *Evenaria coffea endela* IREDALE 1939A : Austr. Zoologist **9** : 314, t. 28 : 36-37
721 **endua** — *Monetaria moneta endua* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 317
515 (**enervis** — *Porcellana enervis* MEUSCHEN 1787G : Mus. Geversianum : 398
725 **englerti** — *Cypraea englerti* SUMMERS & BURGESS 1965E : Nautilus **79** : 41, t. 4 : I-L
231 **eos** — *Trivia eos* ROBERTS 1913C : Nautilus **26** : 99, t. 7 : 10-11
812 **eosmithi** — *Cypraea eosmithi* ALDRICH 1923N : P. Biol. S. Wash. **36** : 199
425 **episema** — *Zoila episema* IREDALE 1939A : Austr. Zoologist **9** : 300, t. 27 : 3-4
634 **epunctata** — *Palmadusta diluculum* var. *epunctata* COEN 1949C : Hist. Nat. Roma **3** : 17
813 **eratoformis** — *Cypraea* (*Cypraeovula*) *eratoformis* HOERNES & AUINGER 1880M : Abh. Geol. Reichsanst. **12/2** : 61, t. 8 : 7
223 **eratopsoides** — *Trivia* (*Trivia*) *dimidiata* anom. *eratopsoides* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 53, t. 3 : 47
725 **erosa** — *Cypraea erosa* LINNÉ 1758S : Syst. nat. (10. ed.) : 723
133 **erro** — *Eratopsis erro* LAWS 1941P : Tr. P. R. S. NZeal. **71** : 144, t. 18 : 24
632 **erronea** [em.] — *Cypraea erronea* HOUTTUYN 1771N : Natuurl. Hist. Dieren LINNAEUS **1/16** : 106
632 **errones** — *Cypraea errones* LINNÉ 1758S : Syst. nat. (10. ed.) : 723
721 **erua** — *Monetaria moneta erua* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 317
918 (**erubescens** [nud.] — *Licium erubescens* HUMPHREY 1797C : Mus. Calonnianum : 7
212 **erugata** — *Trivia erugata* TATE 1890A : Tr. R. S. SAustr. **13** : 214
0 (**erycinoides** [nud.] — *Cypraea erycinoides* MACQUART 1850L : Cat. Mus. HN. Lille **2** : 584
625 **eryma** — *Notocypraea eryma* COTTON 1947A : Rec. Austr. Mus. **8** : 668
637 **erythraeensis** — *Cypraea erythraeensis* SOWERBY 1837I : Conch. Illustr. : f. 161
422 (**escragnollensis** [nud.] — *Gisortia* (*Gisortia*) *escragnollensis* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 127
422 **escragnollensis** — *Gisortia escragnollensis* VREDENBURG 1927G : Pal. Ind. (n. s.) **7/3** : 40, t. 2 : 5
639 **esontropia** — *Cypraea esontropia* DUCLOS 1833M : in : GUÉRIN-MÉNEVILLE, Mag. Zool., Moll. **3** : t. 26
813 **estellensis** — *Cypraea estellensis* ALDRICH 1921A : B. Amer. Pal. **9/37** : 14, t. 2 : 1
721 **ethnographica** — *Monetaria ethnographica* ROCHEBRUNE 1884M : B. S. Mal. France **1** : 78, t. 1 : 2
721 **etolu** — *Monetaria moneta etolu* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 317
137 **etrusca** — *Erato* (*Erato*) *elongata etrusca* SCHILDER 1933E : P. Mal. S. London **20** : 250, 254, 264, f. 82
625 **euclia** — *Guttacypraea euclia* STEADMAN & COTTON 1946C : Rec. SAustr. Mus. **8** : 506, t. 11 : 4-6
828 **eugènei** [em.] — *Ovula eugenii* DESHAYES 1865P : Descr. anim. s. vert. bassin Paris **3** : 571, t. 105 : 5-6
636 **eunota** — *Cypraea rashleighana* var. *eunota* TAYLOR 1916V : J. of Conch. **15** : 122
222 (**europaea** [obl.] — *Cypraea pediculus europaea* LINNÉ 1767S : Syst. nat. (12. ed.) : 1180
222 **europaea** — *Cypraea europaea* MONTAGU 1808B : Test. Britann., Suppl. : 88
222 || **europea** — *Cypraea europea* RISSO 1826E : Hist. nat. Europe mérid. **4** : 239
712 **everwijni** — *Cypraea everwijni* MARTIN 1887J : Samm. Geol. Reichsmus. (**1**) **3** : 140, t. 7 : 140
813 **examygdalum** — *Cypraea* (*Luponia*) *labrosa* var. *examygdalum* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 43

513 **exanthema** — *Cypraea exanthema* LINNÉ 1767S : Syst. nat. (12. ed.) : 1172
513 **exanthemata** — *Cypraea exanthemata* PERRY 1811C : Conchology : t. 22 : 7
612 **exbrocchii** — *Cypraea* (*Zonaria*) *fabagina* var. *exbrocchii* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 22
522 **excavata** — *Pseudozonaria excavata* SCHILDER 1932F : SB. Ges. Freunde Berlin **1932** : 261, f. 8
422 **excellens** — *Cypraea excellens* KOENEN 1890N : Abh. Geol. Spez. Karte Preuss. **10/2** : 556, t. 39 : 1
236 **excelsa** — *Trivellona excelsa* IREDALE 1931A : Rec. Austr. Mus. **18/4** : 221, t. 24 : 13-14
223 **excoccinella** — *Trivia* (*Trivia*) *affinis* var. *excoccinella* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 50
413 **exerta** — *Cypraea exerta* DESHAYES 1835P : Descr. coqu. foss. envir. Paris **2** : 725, t. 94bis : 35-37
715 **exflaveola** — *Cypraea* (*Proadusta*) *lucida* var. *exflaveola* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 33
612 **exglobosa** — *Cypraea* (*Zonaria*) *globosa* var. *exglobosa* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 15
235 **exigua** — *Cypraea exigua* GRAY 1831P : Zool. Misc. **1** : 36
923 **exigua** — *Simnia* (*Neosimnia*) *exigua* TATE 1890A : Tr. R. S. SAustr. **13** : 218
0 (**exilis** [nud.] — *Cypraea exilis* SOWERBY 1825T : Cat. shells Tankerville : 85
627 **eximia** — *Cypraea eximia* SOWERBY 1845W : in : STRZELECKI, Phys. descr. NSWales : 296, t. 19 : 1-3
136 **exmaugeriae** — *Erato* (*Erato*) *laevis* var. *exmaugeriae* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 60
639 **exmouthensis** — *Cypraea cribraria* var. *exmouthensis* MELVILL 1888S : M. Manchester Lit. Soc. (**4**) **1** : 229
727 **expallescens** — *Cypraea staphylaea* var. *expallescens* DAUTZENBERG & BOUGE 1933 O : J. de Conchyl. **77** : 287
913 **expallescens** — *Pseudosimnia carnea expallescens* SCHILDER 1967Wa : Arch. Mollusk. **96** : 197, f. 2
611 **expansa** — *Cypraea annulus* var. *expansa* GRATELOUP 1845A : Conch. foss. Adour **1** : t. 40 : 11
421 **expansa** — *Ovula expansa* ARCHIAC & HAIME 1854I : Descr. anim. nummul. Inde : 330, t. 33 : 3
323 **exsculpta** — *Cypraea exsculpta* SCHAFHÄUTL 1863K : Südbay. Leth. geogn. : Kressenberg : 210, t. 65a : 9
434 **exspectata** — *Gisortia* (*Vicetia*) *exspectata* SCHILDER 1927K : Senckenbergiana **9** : 200, 204, 214, f. 18
427 **exsplendens** — *Cypraea* (*Zonaria*) *subexcisa* var. *exsplendens* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 14, t. 1 : 22
725 **exstincta** — *Erosaria* (*Ocellaria*) *spurca exstincta* SCHILDER 1928G : Senckenbergiana **10** : 282, f. 14
923 **exsul** — *Phenacovolva exsul* IREDALE 1935A : Austr. Zoologist **8** : 104
511 **extenuata** — *Cypraea extenuata* BOETTGER 1880S : Palaeontogr., Suppl. **3/1** : 93, t. 11 : 1
0 (**extincta** [nud.] — *Cypraea extincta* SCHLOTHEIM 1830V : Syst. Verz. Petref. Samml. : 33
634 **extrema** — *Palmadusta clandestina extrema* IREDALE 1939A : Austr. Zoologist **9** : 316, t. 29 : 7-8
822 **extusadentata** — *Cypraea* (*Luponovula*) *oligovata* var. *extusadentata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 45, t. 3 : 26
522 **extusdentata** — *Cypraea* (*Zonaria*) *fabagina* var. *extusdentata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 20, t. 2 : 9
615 **extuspirata** — *Cypraea* (*Basterotia*) *sublyncoides* var. *extuspirata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 8, t. 1 : 8
716 **extusplicata** — *Cypraea* (*Proadusta*) *subatomaria* var. *extusplicata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 35, t. 2 : 47
516 **exusta** — *Cypraea exusta* SOWERBY 1832I : Conch. Illustr. : f. 2*
427 **fabagina** — *Cypraea fabagina* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 106
811 **fabreae** — *Cypraea* (*Eocypraea*) *fabreae* COLLIGNON 1951A : Ann. Géol. Serv. Mines **19** : 114, t. 18 : 3

632 **fabula** — *Cypraea fabula* KIENER 1843C : Spec. Iconogr. coquilles, *Cypraea* : t. 54 : 3
727 **facifer** — *Purperosa facifer* IREDALE 1935A : Austr. Zoologist **8** : 119, t. 8 : 6
725 **faedata** — *Cypraea* (*Erosaria*) *zanzibarica* var. *faedata* SULLIOTI 1911C : Commun. malac. **4** : 2
422 **fallaciosa** — *Propustularia fallaciosa* SCHILDER 1927K : Senckenbergiana **9** : 201, 205, 219, f. 25
639 **fallax** — *Cypraea fallax* SMITH 1881S : Ann. Mag. NH. (**5**) **8** : 441
824 **faracii** — *Cypraea* (*Cyprovula*) *faracii* GREGORIO 1880G : Fauna S. Giov. Ilarione : 33, t. 1 : 41, t. 6 : 7
512 (**fasciata** — *Cypraea fasciata* CHEMNITZ 1788C : Neues syst. Conch. Cab. **10** : 100, f. 1334
512 **fasciata** — *Cypraea fasciata* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3406
634 || **fasciata** — *Cypraea fasciata* ENC. METR. 1810E : Encycl. metrop., Atlas : t. 14
725 || **fasciata** — *Cypraea fasciata* PERRY 1811C : Conchology : t. 22 : 9
634 || **fasciata** — *Cypraea fasciata* DONOVAN 1820C : in : REES, Cyclop. pl. elem. conch. **2** : ...
725 **fasciomaculata** — *Erosaria ocellata* var. *fasciomaculata* COEN 1949C : Hist. Nat. Roma **3** : 15
411 **faxensis** — *Vicetia faxensis* SCHILDER 1928D : Danm. Geol. Unders. (**4**) **2/3** : 7, 17, f. 19
111 **faxensis** — *Johnstrupia faxensis* RAVN 1933D : Danske Selsk. Skrif. (**9**) **2** : 61, t. 6 : 3
811 **faxoensis** — *Cyphoma faxoensis* LINK 1807R : Beschr. Natur. Samml. Rostock **4** : 12
811 **feddeni** — *Cypraedia* (*Cypraeoglobina*) *feddeni* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 119
632 **felina** — *Cypraea felina* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3412
517 **feminea** — *Cypraea feminea* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3409
322 **fenestralis** [em.] — *Cypraea* (*Cypraedia*) *fenestralis* CONRAD 1855J : P. Ac. N. Sci. Philad. **7** : 257, 262, t. 17 : 5
322 **fenestratis** — *Cypraea fenestratis* CONRAD 1854M : in : WAILES, Rep. Agr. Geol. Mississ. : 289, t. 17 [nec 16] : 5
322 **fenestrela** — *Cypraea fenestrela* CONRAD 1854M : in : WAILES, Rep. Agr. Geol. Mississ. : 275
518 **fergusoni** — *Cypraea vitellus* var. *fergusoni* ROUS 1905F : Nautilus **19** : 76
617 **fernandoensis** — *Cypraea fernandoensis* ARNOLD 1907C : P. US. N. Mus. **32** : 538, t. 50 : 8
631 **fernandoi** — *Erronea fernandoi* CATE 1969E : Veliger **11/3** : 256, t. 46 : 1
637 (**ferruginea** — *Cypraea ferruginea* HUMPHREY 1797C : Mus. Calonnianum : 8
518 **ferruginea** — *Cypraea ferruginea* FISCHER [VON WALDHEIM] 1807D : Mus. Demidoff **3** : 148
725 **ferruginosa** — *Cypraea ferruginosa* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3403
428 **ferruginosa** — *Bulla ferruginosa* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3432
632 (|| **ferruginosa** — *Cypraea errones* syn. *ferruginosa* GRAY 1824M : Zool. J. **1** : 385
615 || **ferruginosa** — *Cypraea ferruginosa* KIENER 1843C : Spec. Iconogr. coquilles, *Cypraea* : t. 56 : 3
826 **feuilletaui** — *Cypraea* (*Cypraedia*) *feuilletaui* MARTIN 1912J : Samml. Geol. Reichsmus. (**1**) **9** : 134, t. 9 : 1
233 (**fibula** [err.] — *Cypraea fibula* STANDEN & LEICESTER 1906M : Gov. Ceylon Pearl Fish. Manaar **5**, Suppl. Rep. **38** : 276
621 **ficoides** — *Volvaria ficoides* HUTTON 1873T : Coll. Mus. Geol. Surv., Misc. Publ. **9** : 8
421 **ficulina** — *Cypraea* (*Aricia*) *ficulina* STOLICZKA 1867I : Pal. Ind. (**5**) **2** : 53, t. 4 : 11-12
413 **filiola** — *Cypraea filiola* MAYER [-EYMAR] 1870T : J. de Conchyl. **18** : 337, t. 12 : 3
635 **fimbriata** — *Cypraea fimbriata* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3420
× **fimbriata** — *Leptoconchus* (*Coralliobia*) *fimbriatus* ADAMS & ADAMS 1853G : Genera recent moll. **1** : 138
727 **fimbriatula** — *Cypraea* (*Cypraea*) *staphylaea* var. *fimbriatula* SOWERBY 1870T : Thesaur. conchyl. **4**, *Cypraea* : 40, f. 518
725 **fimbriolata** — *Luponia fimbriolata* CARPENTER 1872W : Moll. Western North America, Index : 154
639 **fischeri** — *Cypraea fischeri* VAYSSIERE 1910C : J. de Conchyl. **58** : 302, 307, t. 13 : 1-3
517 (**flammea** — *Cypraea flammea* SCHRÖTER 1783E : Einleit. Conch. Kenntnis **1** : 148
517 **flammea** — *Cypraea flammea* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3408
721 (**flava** [nud.] — *Cypraea moneta* var. *flava* MENKE 1829M : Verz. Conch. Samml. Malsburg : 80
524 **flava** — *Cypraea cinerea* var. *flava* SULLIOTI 1922C : Commun. malac. **5** : 16
725 **flaveola** — *Cypraea flaveola* LINNÉ 1758S : Syst. nat. (10. ed.) : 724
638 **flavescens** — *Cypraea flavescens* SCHRÖTER 1804C : Wiedem. Arch. Zool. **4/1** : 12
634 || **flavescens** — *Cypraea asellus* var. *flavescens* GRAY 1824M : Zool. J. **1** : 375

615 (**flavescens** — *Cypraea pyrum* syn. *flavescens* REEVE 1845C : Conch. icon. **3**, *Cypraea* : f. 26
725 (|| **flavescens** [nud.] — *Cypraea spurca* var. *flavescens* REQUIEN 1848C : Cat. coqu. Corse : 85
613 **flavicula** — *Cypraea flavicula* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 106
517 **flavida** — *Cypraea tigris* var. *flavida* DAUTZENBERG 1893S : B. S. Zool. France **18** : 5
725 || **flavida** — *Cypraea spurca* var. *flavida* MONTEROSATO 1879M : J. de Conchyl. **45** : 163, t. 6 : 9
517 **flavonitens** — *Cypraea tigris* var. *flavonitens* MELVILL 1888S : M. Manchester Lit. S. (**4**) **1** : 212
611 **flavopunctata** — *Cypraea brochii* var. *flavopunctata* MYLIUS 1891T : Atti Ac. Torino **26** : 460, t. 8 : 4
O **fleuriausa** — *Globiconcha fleuriausa* ORBIGNY 1843F : Pal. franç. : Terr. cret., Moll. **2** : 144, t. 169 : 18
522 **flexuosa** — *Zonarina* (*Pseudozonaria*) *flexuosa* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 116
232 **flora** — *Trivia flora* MARWICK 1928Z : Tr. NZeal. Inst. **58** : 482, f. 118-119
912 **florida** — *Pseudosimnia* (*Diminovula*) *florida* KURODA 1958P : Venus **20** : 172
429 **floridana** — *Cypraea carolinensis floridana* MANSFIELD 1931F : P. US. N. Mus. **79/21** : 6, t. 1 : 2, 6-7
234 **floridana** — *Trivia floridana* OLSSON & HARBISON 1953F : Ac. N. Sci. Philad. Mon. **8** : 265, t. 60 : 2
637 **fluctuans** — *Derstolida fluctuans* IREDALE 1935A : Austr. Zoologist **8** : 121, t. 9 : 9
411 **fontana** — *Cypraea fontana* ANDERSON 1958C : M. Geol. S. Amer. **71** : 177, t. 21 : 15-16
613 **fontannesiana** — *Cypraea* (*Zonaria*) *utriculata* var. *fontannesiana* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 28
923 **formicaria** — *Ovulum formicarium* SOWERBY 1828 O : Zool. J. **4** : 157
632 **formosa** — *Cypraea hirundo* var. *formosa* GRAY 1824M : Zool. J. **1** : 377
231 || **formosa** — *Cypraea formosa* GASKOIN 1836C : P. Zool. S. London **3** : 198
914 **formosa** — *Ovulum formosum* ADAMS & REEVE 1848S : Voy. « Samarang », Moll. : 22, t. 6 : 6
727 **fortis** — *Staphylaea staphylaea* var. *fortis* COEN 1949C : Hist. Nat. Roma **3** : 15
524 **fortunatarum** — *Luria fortunatarum* SCHILDER 1928G : Senckenbergiana **10** : 278, f. 11
615 **fossilis** — *Cypraea pyrum* var. *fossilis* GRAY 1824M : Zool. J. **1** : 371
615 || **fossilis** — *Cypraea mus* var. *fossilis* GRAY 1825M : Zool. J. **1** : 496
611 || **fossilis** — *Cypraea annulus* var. *fossilis* GRAY 1828A : Zool. J. **4** : 83
517 || **fossilis** — *Cypraea* (*Pantherinaria*) *pantherina* var. *fossilis* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 10, t. 1 : 15
513 **fossula** — *Cypraea fossula* INGRAM 1947V : B. Amer. Pal. **31/121** : 4, t. 1 : 3
825 **fourtaui** — *Cypraea fourtaui* OPPENHEIM 1906A : Palaeontogr. **30/3** : 300, t. 23 : 7
715 (**foveola** [err.] — *Cypraea* (*Bernayia*) *subexcisa* syn. *foveola* VREDENBURG 1925N : M. Geol. Surv. Ind. **50/1** : 303
211 **fracta** — *Marginella fracta* TOMLIN 1916M : J. of Conch. **15** : 43
524 (**fragilioides** — *Cypraea fragilioides* MEUSCHEN 1778G : Index Mus. Gronoviani : 101
524 **fragilioides** — *Cypraea fragilioides* HIDALGO 1907C : M. Ac. Cienc. Madrid **25** : 356
515 **fragilis** — *Cypraea fragilis* LINNÉ 1758S : Syst. nat. (10. ed.) : 720
× **fragilis** — *Ovula*? [sic] *fragilis* DEFRANCE 1825D : Dict. sci. hist. nat. **37** : 132
511 || **fragilis** — *Cypraea fragilis* GRAY 1828A : Zool. J. **4** : 74
222 **francisca** — *Trivia* (*Trivia*) *francisca* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 65
637 **francisca** — *Blasicrura* (*Derstolida*) *hirundo francisca* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 167
628 **frankstonensis** — *Umbilia* (*Umbilia*) *brevis frankstonensis* SCHILDER 1935A : P. Mal. S. London **21** : 344
422 **fresnoënsis** — *Cypraea fresnoënsis* ANDERSON 1905D : P. Calif. Ac. Sci. (**3**) **2/2** : 198, t. 13 : 2
425 **friendii** — *Cypraea friendii* GRAY 1831C : Zool. Misc. **1** : 35
222 (**frigida** — *Cypraea* (*Trivia*) *europaea* syn. *frigida* GIGNOUX 1913I : Ann. Univ. Lyon (n. s.) **1/36** : 532
222 **frigida** — *Trivia mediterranea frigida* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1/55** : 109
914 **frumentum** — *Ovulum frumentum* SOWERBY 1828 O : Zool. J. **4** : 155
911 **fruticum** — *Ovulum fruticum* REEVE 1865 O : Conch. icon. **15**, *Ovulum* : f. 16

715 **fuchsi** — *Cypraedia media* var. *fuchsi* GREGORIO 1894B : Ann. Géol. Pal. **13** : 28, t. 5 : 106-107
× **fucicola** — *Bulla fucicola* NARDO 1847V : Sinon. moderna spec. Chiereghinii : 43
724 **fufana** — *Cypraea* (*Cypraea*) *fufana* FISCHER 1921S : Centralbl. Miner. **1921** : 244
428 **fuliginosa** — *Cypraea fuliginosa* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 22
515 || **fuliginosa** — *Cypraea fuliginosa* PERRY 1811C : Conchology : t. 22 : 1
423 **fultoni** — *Cypraea fultoni* SOWERBY 1903S : Moll. South Africa : 218, t. 4 : 7
615 **fulva** — *Cypraea fulva* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3413
524 || **fulva** — *Cypraea isabella* var. *fulva* GRAY 1824M : Zool. J. **1** : 143
524 || **fulva** — *Cypraea cinerea* var. *fulva* GRAY 1824M : Zool. J. **1** : 146
631 || **fulva** — *Cypraea onyx* var. *fulva* GRAY 1828A : Zool. J. **4** : 76
524 || **fulva** — *Cypraea lurida* var. *fulva* MOLLERAT 1890V : B. S. Mal. France **7** : 113
524 || **fulva** — *Cypraea isabella* var. *fulva* ROUS 1905F : Nautilus **19** : 77
517 **funebralis** — *Cypraea vinosa* var. *funebralis* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 9
323 **funiculifera** — *Cypraeovula funiculifera* COSSMANN 1898C : B. Com. Mapa Geol. España **23** : 191, t. 9 : 1-2
323 **funiculigera** [err.?] — *Cypraedia funiculigera* COSSMANN 1897L : B. S. Sci. Ouest **7** : 339
635 **fusana** — *Palmadusta* (*Purpuradusta*?) *fusana* HATAI & NISIYAMA 1948C : Nautilus **62** : 62, t. 4 : 7
237 **fusca** — *Cypraea fusca* SOWERBY 1832I : Conch. Illustr. : f. 37
223 (|| **fusca** [nud.] — *Cypraea pulex* var. *fusca* REQUIEN 1848C : Cat. coqu. Corse : 86
615 || **fusca** — *Cypraea pirum* var. *fusca* MONTEROSATO 1897M : J. de Conchyl. **45** : 160
632 **fusca** — *Erronea errones* var. *fusca* COEN 1949C : Hist. Nat. Roma **3** : 17
634 **fusca** — *Palmadusta asellus* var. *fusca* COEN 1949C : Hist. Nat. Roma : **3** : 17
517 (**fuscata** [nud.] — *Cypraea tigris* var. *fuscata* ORBIGNY 1847D : Dict. sci. hist. nat. **10** : 433
517 **fuscoapicata** — *Cypraea* (*Vulgusella*) *tigris* var. *fuscoapicata* COEN 1949C : Hist. Nat. Roma **3** : 13
622 **fuscodentata** — *Cypraea fusco-dentata* GRAY 1825M : Zool. J. **1** : 499
632 **fuscofasciata** — *Cypraea fusco-fasciata* SCHRÖTER 1904C : Wiedem. Arch. Zool. **4/1** : 12
636 **fuscomaculata** — *Cypraea fuscomaculata* PEASE 1865P : P. Zool. S. London **1865** : 515
622 **fuscorubra** — *Cypraea fuscorubra* SHAW 1909C : P. Mal. S. London **8** : 302
428 **fuscotecta** — *Cypraea mus* var. *fuscotecta* SULLIOTI 1924P : Contr. stud. *Cypraeidae* **6** : 10
517 (**fuscula** [nud.] — *Cypraea tigris* var. *fuscula* ORBIGNY 1847D : Dict. sci. hist. nat. **10** : 433
137 **fusiformis** — *Voluta fusiformis* TURTON 1819B : Conch. Dict. Brit. Isl. : 251
716 **gaasensis** — *Pustularia* (*Propustularia*) *gaasensis* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 104
827 **gabbiana** — *Cypraea gabbiana* GUPPY 1876H : Quart. J. Geol. S. **32** : 5z8, t. 29 : 10
725 **gabrielana** — *Cypraea gabrielana* GATLIFF 1929C : Victor. Naturalist **46** : 136
426 **gabrieli** — *Cypraea gabrieli* CHAPMAN 1912V : P. R. S. Vict. **25** : 190, t. 13 : 1-3
725 || **gabrieli** — *Cypraea miliaris gabrieli* GATLIFF 1916A : Victor. Naturalist **32** : 148, f. 3
623 **galactina** — *Cypraea capensis* var. *galactina* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 11
237 **galapagensis** — *Cypraea* (*Trivia*) *galapagensis* MELVILL 1900C : Ann. Mag. NH. (**7**) **6** : 208, fig.
138 **galapagensis** — *Hespererato marginata galapagensis* SCHILDER 1933E : P. Mal. S. London **20** : 249, 254, 264, f. 46
× **galatheae** — *Cyrena galatheae* MÖRCH 1872B : J. de Conchyl. **20** : 326
725 **galbula** — *Cypraea erosa* var. *galbula* TAYLOR 1916V : J. of Conch. **15** : 122
137 **gallica** — *Erato gallica* SCHILDER 1932F : SB. Ges. Freunde Berlin **1932** : 255
918 (**gallinacea** — *Ovum gallinaceum* SCHRÖTER 1788N : Vollst. Namenregister Syst. Conch. Cab. : 77
134 **gallinacea** — *Ovulum gallinaceum* HINDS 1844S : Zool. Voy. « Sulphur » **2**, Moll. : 47, t. 16 : 1-2
615 **gambiensis** — *Cypraea gambiensis* SHAW 1909C : P. Mal. S. London **8** : 300
234 **gamma** — *Triviella gamma* MESTAYER 1927Z : P. Mal. S. London **17** : 188, f. 5
826 **gampingensis** — *Cypraea* (*Pustularia*) *gampingensis* MARTIN 1912J : Samml. Geol. Reichsmus. (**1**) **9** : 134, t. 9 : 2
725 **gangranosa** — *Cypraea gangranosa* DILLWYN 1817C : Descr. Cat. rec. shells **1** : 465
725 **gangrenosa** — *Cypraea gangrenosa* GRAY 1825M : Zool. J. **1** : 503
636 **garretti** — *Blasicrura* (*Blasicrura*) *quadrimaculata garretti* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 164
639 **gaskoini** — *Cypraea gaskoini* REEVE 1846C : Conch. icon. **3**, *Cypraea* : f. 122

235 **gaskoinii** — *Trivia gaskoinii* ROBERTS 1870C : Amer. J. Conch. **5**, App. : 206
628 **gastroplax** — *Cypraea* (*Aricia*) *gastroplax* McCOY 1875V : Prodr. Pal. Victoria **2** : 20, t. 16 : 1, t. 17/18 : 2
518 **gedlingae** — *Cypraea* (*Lyncina*) *leviathan gedlingae* CATE 1968W : Veliger **10/3** : 227, t. 26 : 28
422 **geinitzi** — *Cypraea geinitzi* BÖTTGER 1880S : Palaeontogr., Suppl. **3** : 76, t. 6 : 10
637 **gelasima** — *Cypraea stolida* var. *gelasima* MELVILL 1888S : M. Manchester Lit. S. (**4**) **1** : 220
134 **gemma** — *Erato gemma* BAVAY 1917S : J. de Conchyl. **63** : 108, t. 3 : 1-2
235 (**gemmata** — *Trivia tremeza* syn. *gemmata* SCHMELTZ 1869G : Cat. Mus. Godeffroy **4** : 94
422 **gemmellaroi** — *Cypraea gemmellaroi* STEFANO 1882T : Natural. Siciliano **1** : 75, t. 4 : 3
728 **gemmosa** — *Cypraea gemmosa* PERRY 1811C : Conchology : t. 23 : 5
235 **gemmula** — *Cypraea gemmula* GOULD 1845S : P. Boston S. **2** : 27
616 || **gemmula** — *Cypraea gemmula* WEINKAUFF 1881S : in : MARTINI & CHEMNITZ, Syst. Conch. Cab. (2. ed.) **5/3** : 54, t. 16 : 1, 2, 9
425 **gendinganensis** — *Cypraea* (*Aricia*) *gendinganensis* MARTIN 1899J : Samm. Geol. Reichsmus. (**2**) **1/1** : 167, f. 385
611 **genéi** [em.] — *Cypraea genei* MICHELOTTI 1847I : Natuurk. Verhandel. Haarlem **3**: 326, t. 14: 1
434 **gennevauxi** — *Gisortia gennevauxi* DONCIEUX 1908A : Ann. Univ. Lyon (n. s.) **22** : 88, t. 5 : 1
817 (**genyi** [nud.] — *Cypraea genyi* BELLARDI 1850N : B. S. Géol. France (**2**) **7** : 682
817 **genyi** — *Cypraea genyi* BELLARDI 1852N : M. S. Géol. France (**2**) **4** : 215, t. 13 : 3-4
514 (**geographica** [err.] — *Cypraea geographica* FISCHER 1884M : Manuel de conchyliologie : 663
514 **geographica** — *Mauritia* (*Leporicypraea*) *mappa geographica* SCHILDER & SCHILDER 1933N : Zool. Meded. Leiden **16** : 198
323 **georgii** — *Cypraea dactylosa* var. *georgii* DEFRANCE 1826D : Dict. sci. hist. nat. **43** : 37
725 **gereti** — *Cypraea helvola gereti* VAYSSIERE 1910C : J. de Conchyl. **58** : 308, t. 13 : 4
137 **germanica** — *Erato germanica* SCHILDER 1929D : Mitt. Min. Staatsinst. Hamburg **11** : 9, f. 2
323 **gervillei** [em.] — *Cypraea gervillii* SOWERBY 1823G : Genera rec. foss. shells **17**, *Cypraea* : t. 261 : 8
917 (**gibba** — [*Porcellana*] *Gibba* RUMPH 1705A : Amboin. Rariteitkamer : 114, t. 38 : H
512 **gibba** — *Cypraea gibba* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3403
512 || **gibba** — *Cypraea gibba* BLAINVILLE 1826D : Dict. sci. hist. nat. **37** : 33
223 **gibba** — *Trivia gibba* SEGUENZA 1880R : Atti. Ac. Lincei Roma (**3**) **6** : 252
515 **gibba** — *Mauritia* (*Arabica*) *arabica* var. *gibba* COEN 1949C : Hist. Nat. Roma **3** : 14
512 (**gibber** — *Porcellana gibber* MEUSCHEN 1787G : Mus. Geversianum : 406
922 **gibbosa** — *Bulla gibbosa* LINNÉ 1758S : Syst. nat. (10. ed.) : 726
721 **gibbosa** — *Cypraea gibbosa* SCHRÖTER 1804C : Wiedem. Arch. Zool. **4/1** : 14
922 **gibbosa** — *Ovula gibbosa* SCHUMACHER 1817E : Ess. nouv. syst. habit. vers test. : 258
414 || **gibbosa** — *Cypraea gibbosa* BORSON 1820P : M. Ac. Sci. Torino **25** : 200, t. 1 : 5
512 || **gibbosa** — *Cypraea gibbosa* GRAY 1824M : Zool. J. **1** : 149
632 || **gibbosa** — *Cypraea felina* var. *gibbosa* GRAY 1824M : Zool. J. **1** : 384
0 (|| **gibbosa** [nud.] — *Cypraea gibbosa* GRAVENHORST 1832B : Zool. Mus. Breslau : 42
824 || **gibbosa** — *Cypraea gibbosa* ANTON 1839V : Verzeichn. Conch. Samml. : 98
913 || **gibbosa** — *Ovula* (*Amphiperas*) *carnea* var. *gibbosa* COEN 1933S : R. Comit. Talassogr. Ital., M. **192** : 46
518 || **gibbosa** — *Cypraea* (*Lyncina*) *vitellus* var. *gibbosa* COEN 1949C : Hist. Nat. Roma **3** : 13
913 **gibbosa** — *Primovula carnea* var. *gibbosa* COEN 1949C : Hist. Nat. Roma **3** : 18
432 (**gigantea** [nud.] — *Conus giganteus* MÜNSTER 1828K : in : KEFERSTEIN, Teutschl. geogn. dargestellt **6/1** : 101
432 **gigantea** — *Conus giganteus* QUENSTEDT 1836P : Arch. Naturgesch. **2/1** : 249
137 **gigantula** — *Erato gigantula* FISCHER 1877D : J. de Conchyl. **25** : 79
426 **gigas** — *Cypraea gigas* McCOY 1867M : Ann. Mag. NH. (**3**) 20 : 437
322 **gilberti** — *Cypraedia gilberti* PALMER 1937C : B. Amer. Pal. **7/23** : 234, t. 30 : 27-28
515 **gillei** — *Arabica gillei* JOUSSEAUME 1893D : Naturaliste **1893** : 171, fig.
811 **gilliana** — *Simnia gilliana* WHITE 1887B : Arch. Mus. Nac. Rio de Janeiro **7** : 175, t. 18 : 12-14
631 **gilva** — *Cypraea pallida* var. *gilva* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 12
322 **girauxi** — *Cypraea* (*Cypraedia*) *girauxi* COSSMANN & PISSARRO 1913P : Iconogr. coqu. éoc. Paris **2/3** : t. 65 : 162/24
433 **gisortiana** — *Ovula gisortiana* PASSY 1859 O : C. R. Ac. Sci. **48/1** : 948

433 **gisortiensis** — *Gisortia gisortiensis* COSSMANN 1886 O : B. S. Géol. France (**3**) **14** : 434,, f. 1
513 **glauca** — *Cypraea glauca* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 26
233 **globosa** — *Cypraea globosa* SOWERBY 1832I : Conch. Illustr. : f. 34
613 || **globosa** — *Cypraea globosa* DUJARDIN 1837T : M. S. Géol. France **12** : 303, t. 19 : 21
817 || **globosa** — *Cypraea globosa* SOWERBY 1850S : in : DIXON, Geol. foss. Sussex : 189, t. 8 : 3
222 || **globosa** — *Cypraea* (*Trivia*) *europaea* var. *globosa* BUCQUOY & DAUTZENBERG & DOLLFUS 1883R : Moll. mar. Roussillon **1** : 129, t. 16 : 21
817 **globosa** — *Ovula globosa* VINASSA 1896V : Pal. Ital. **1** : 260, t. 18 : 5
223 (**globosa** [nud.] — *Trivia pullicina* var. *globosa* LOCARD & CAZIOT 1900C : Coqu. mar. côtes de Corse : 32
913 || **globosa** — *Ovula carnea* var. *globosa* PALLARY 1900 O : J. de Conchyl. **48** : 300, t. 8 : 15
615 || **globosa** — *Cypraea pirum* var. *globosa* PALLARY 1900 O : J. de Conchyl. **48** : 303
613 || **globosa** — *Cypraea achatidea* var. *globosa* PALLARY 1900 O : J. de Conchyl. **48** : 304, f. 8
518 || **globosa** — *Cypraea* (*Luponia*) *lynx* var. *globosa* DAUTZENBERG 1903C : J. de Conchyl. **50** : 346
625 || **globosa** — *Cypraea angustata globosa* VAYSSIÈRE 1910C : J. de Conchyl. **58** : 310, t. 13 : 8-9
613 (**globosaminor** — *Cypraea achatidea* var. *globosa minor* PALLARY 1900 O : J. de Conchyl. **48** : 304
712 (**globula** [err.] — *Pustularia globula* COTTON 1958W : J. Mal. S. Austr. **2** : 8
817 **globularis** — *Cypraea globularis* EDWARDS 1854E : Mon. Pal. S. London **3** : 130, t. 16 : 3
712 (**globuli** — *Globuli* RUMPH 1705A : Amboin. Rariteitkamer : 118, t. 39 : K. L
712 **globuli** — *Epona globuli* ROBERTS 1870C : Amer. J. Conch. **5**, App. : 204
422 (**globuliformis** [nud.] — *Cypraea globuliformis* MICHAELIS & SCHERK 1847N : Amtl. Ber. 24. Versamml. Naturf. Ärzte Kiel : 118
422 **globuliformis** — *Cypraea globuliformis* RAVN 1902D : Danske Selsk. Skrif. (**6**) **11** : 227, t. 2 : 6
412 **globulina** — *Cypraea* (*Epona*) *globulina* STOLICZKA 1868I : Pal. Ind. (**5**) **2** : 451, t. 28 : 30
0 (**globulosa** [nud.] — *Trivia globulosa* WOOD 1842C : Ann. Mag. NH. **9** : 544
222 **globulosa** — *Trivia globulosa* LOCARD & CAZIOT 1900C : Coqu. mar. côtes Corse : 32
712 **globulus** — *Cypraea globulus* LINNÉ 1758S : Syst. nat. (10. ed.) : 725
817 **globus** — *Cypraea* (*Bernaya*) *globus* DOUVILLÉ 1929C : Pal. Ind. (n. s.) **10**/**3** : 45, t. 8 : 12-14
817 **goliath** — *Eocypraea* (*Sphaerocypraea*) *goliath* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1**/**55** : 218
0 (**gondwanalandensis** [nud.] — *Cypraea gondwanalandensis* KERR 1964N : Conch. S. SAfr. Circ. **58** : 8
636 **goodallii** — *Cypraea goodallii* SOWERBY 1832I : Conch. Illustr. : f. 16
421 **gosauensis** — *Cypraeorbis* (*Zoila*) *gosauensis* SCHILDER 1924I : Arch. Naturgesch. **90**/**A. 4** : 187
817 **gracililabiata** — *Cypraea* (*Luponia*) *ovulina* var. *gracililabiata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 39, t. 3 : 7
621 **gracilior** — *Notoluponia gracilior* SCHILDER 1935A : P. Mal. S. London **21** : 349, f. 42
612 **graciliplicata** — *Cypraea graciliplicata* SCHILDER 1923M : Senckenbergiana **5** : 105, f. 3
924 **gracilis** — *Ovulum gracile* ADAMS & REEVE 1848S : Voy. « Samarang » Moll. : 22, t. 6 : 11
635 **gracilis** — *Cypraea gracilis* GASKOIN 1849C : P. Zool. S. London **1848** : 93
411 || **gracilis** — *Cypraea gracilis* STEPHENSON 1941T : Publ. Univ. Texas **4101** : 314, t. 59 : 12-13
923 **gracillima** — *Radius gracillimus* SMITH 1901S : J. of Conch. **10** : 540, t. 1 : 20-21
923 || **gracillima** — *Radius gracillimus* SCHILDER 1927R : Arch. Naturgesch. **91**/**A. 10** : 79
428 **grahami** — *Cypraea grahami* INGRAM 1947V : B. Amer. Pal. **31**/**121** : 6, t. 2 : 6-7
727 (**granata** — *Porcellana granata* MEUSCHEN 1787G : Mus. Geversianum : 404
521 **grandicamera** — *Cypraea* (*Bernayia*) *grandicamera* COSSMANN & PEYROT 1924A : Act. Linn. Bordeaux **74** : 372, t. 10 : 11-12
615 **grandis** — *Cypraea pirum* var. *grandis* MONTEROSATO 1897M : J. de Conchyl. **45** : 160
612 **grandis** — *Tigris grandis* SCHILDER 1927R : Arch. Naturgesch. **91**/**A. 10** : 97
234 **grando** — *Cypraea grando* POTIEZ & MICHAUD 1838D : Galér. moll. mus. Douai **1** : 481
235 || **grando** — *Cypraea grando* GASKOIN 1849C : P. Zool. S. London **1848** : 96
631 (**granti** [nud.] — *Cypraea grantii* ARCHIAC 1850N : Hist. Progr. Géol. Paris **3** : 299
631 **granti** — *Cypraea granti* ARCHIAC & HAIME 1854I : Descr. anim. nummul. Inde : 332, t. 32 : 14
727 (**granulata** — *Cypraea granulata* HUMPHREY 1797C : Mus. Calonnianum : 8
728 **granulata** — *Cypraea granulata* PEASE 1862P : P. Zool. S. London **1862** : 278

728 (**granulosa** — *Cypraea* (*Cypraea*) *nucleus* syn. *granulosa* SOWERBY 1870T : Thesaur. Conchyl. **4**, *Cypraea* : f. 532
728 **granulosa** — *Nuclearia nucleus granulosa* SCHILDER & SCHILDER 1940V : Arch. Mollusk. **72** : 42
138 **granum** — *Marginella granum* KIENER 1834M : Spec. Iconogr. coquilles, *Marginella* : 17, t. 8 : 33
635 **granum** — *Palmadusta* (*Melicerona*) *microdon granum* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 163
521 **grateloupi** [em.] — *Cypraea gratteloupi* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 48
222 **grateloupi** — *Trivia* (*Trivia*) *grateloupi* SCHILDER 1941V : -Arch. Mollusk. **73** : 73, 114
515 **grayana** — *Mauritia arabica grayana* SCHILDER 1930Z : Zool. Anz. **92** : 75
613 **grayi** — *Cypraea grayi* KIENER 1943C : Spec. Iconogr. coquilles, *Cypraea* : t. 26 : 3
222 || **grayi** — *Cypraea grayi* MICHELOTTI 1847I : Natuurk. Verhandel. Haarlem **3** : 331, t. 14 : 11
638 **greegori** — *Cypraea cruenta greegori* FORD 1893F : Nautilus **6** : 112, t. 2 : 4-5
715 **gregorioi** — *Conocypraea gregorioi* SCHILDER 1929E : P. Mal. S. London **18** : 309
524 **gregoryi** — *Talparia* (*Jousseaumea*) *gregoryi* COX 1930K : Mon. Geol. Hunterian Mus. Glasgow **4** : 117, t. 12 : 22
524 (**grisea** — *Porcellana grisea* MEUSCHEN 1787G : Mus. Geversianum : 400
725 (**grisea** [nud.] — *Cypraea spurca* var. *grisea* REQUIEN 1948C : Cat. coqu. Corse : 85
0 (**grisea** [nud.] — *Cypraea* (*Luponia*) *grisea* PAETEL 1873C : Cat. Conch. Samml. : 54
223 (**grisea** [nud.] — *Trivia pullicina* var. *grisea* LOCARD & CAZIOT 1900C : Coqu. mar. côtes Corse : 32
727 **grisea** — *Staphylaea staphylaea consobrina* var. *grisea* COEN 1949C : Hist. Nat. Roma **3** : 15
411 **grooti** — *Cypraea grooti* RICHARDS & SHAPIRO 1963D : Rep. Invert. Delaware Geol. Surv. **7** : 12, t. 4 : 3
0 (**gruma** [nud.] — *Cypraea gruma* BLAINVILLE 1826D : Dict. sci. hist. nat. **43** : 33
512 (**grumulus** — *Cypraea grumulus* HUMPHREY 1797C : Mus. Calonnianum : 8
613 **grundensis** — *Schilderia taurovalis grundensis* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1**/**55** : 176
421 **gualalaensis** — *Cypraea gualalaensis* ANDERSON 1958C : M. Geol. S. America **71** : 176, t. 62 : 8
× **guildfordia** — *Columbella guildfordia* RISSO 1826E : Hist. nat. Europe mérid. **4** : t. 7 : 87
0 (**gula** [nud.] — *Cypraea gula* DESHAYES 1828D : Dict. class. hist. nat. **14** : 220
237 **guppyi** — *Pusula* (*Pusula*) *guppyi* SCHILDER 1939T : -Abh. Schweiz. Pal. Ges. **62** : 10, f. 1
712 **gurabonis** — *Cypraea gurabonis* INGRAM 1939D : B. Amer. Pal. **24**/**85** : 3, t. 1 : 6-7
517 (**guttata** — *Porcellana guttata* RUMPH 1705A : Amboin. Rariteitkamer : 113, t. 38 : A
513 (**guttata** — *Cypraea guttata* LINCK 1783L : Index Mus. Linckiani : 141
725 **guttata** — *Cypraea guttata* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1**/**6** : 3402
517 || **guttata** — *Cypraea guttata* LAMARCK 1810P : Ann. Mus. HN. Paris **15** : 453
× (**guttata** [err.] — *Erato guttata* SOWERBY 1859T : Thesaur. conchyl. **3**, *Erato* : 82, f. 29-30
0 (**guttata** [nud.] — *Erato guttata* REEVE 1865E : Conch. icon. **15**, *Erato* : f. 15
517 **guttata** — *Luponia guttata* ROBERTS 1870C : Amer. J. Conch. **5** App. : 196
× **guttula** — *Erato guttula* SOWERBY 1832I : Conch. Illustr. : f. 50
517 **guttuta** [err.] — *Cypraea guttuta* RISSO 1826E : Hist. nat. Europe mérid. **4** : 238
925 **habei** — *Volva volva habei* OYAMA 1961R : Venus **21** : 228, f. 3-4
× **haematina** — *Erato haematina* SOWERBY 1859T : Thesaur. conchyl. **3**, *Erato* : 82, f. 17-18
615 **haematites** — *Cypraea haematites* NARDO 1847V : Sinon. moderna spec. Chierechini : 43
913 **haliotoidea** — *Bulla haliotoidea* RENIER 1804A : Tavola alfabet. conch. Adriatiche : p. VIII
518 · **halmaja** — *Cypraea carneola* var. *halmaja* MELVILL 1888S : M. Manchester Lit. S. (**4**) **1** : 231
222 **hamburgensis** — *Trivia hamburgensis* SCHILDER 1929D : Mitt. Min. Staatsinst. Hamburg **11** : 13, f. 6
635 **hammondae** — *Cupinota hammondae* IREDALE 1939A : Austr. Zoologist **9** : 312, t. 28 : 19-22
725 **hamyi** — *Monetaria hamyi* ROCHEBRUNE 1884M : B. S. Mal. France **1** : 88, t. 2 : 3
434 (**hantkeni** [nud.] — *Ovula hantkeni* HÉBERT & MUNIER-CHALMAS 1878V : C. R. Ac. Sci. **86** : 1487
434 **hantkeni** — *Ovula hantkeni* LEFÈVRE 1878 O : M. S. Mal. Belg. **13** : 49, t. 7 : 1, t. 8 : 1
132 **haplochila** — *Erato recondita* var. (vel sp.?) *haplochila* MELVILL & STANDEN 1903P : Ann. Mag. NH. (**7**) **12** : 302, t. 21 : 10
722 **harmandiana** — *Monetaria harmandiana* ROCHEBRUNE 1884M : B. S. Mal. France **1** : 90, t. 2 : 5
512 **harmeri** — *Pseudocassis harmeri* BELL 1918S : Geol. Mag. (**6**) **5** : 20, t. 3 : 7

721 **harrisi** — *Monetaria harrisi* IREDALE 1939A : Austr. Zoologist **9** : 309, t. 27 : 19-20
133 **harrisi** — *Proterato* (*Eratoena*) *senectus harrisi* SCHILDER 1941V : Arch. Mollusk. **73** : 69
433 **harrisi** — *Gisortia harrisi* PALMER 1957G : J. Pal. S. India **2** : 71, t. 9 : 1-3
633 **hartsmithi** — *Notadusta hartsmithi* SCHILDER 1967H : Arch. Mollusk. **96** : 39, f. 1
611 (**haueri** [nud.] — *Cypraea haueri* MICHELOTTI 1846B : Neu. Jahrb. Miner. **1846** : 56
611 **haueri** [em.] — *Cypraea haveri* MICHELOTTI 1847I : Natuurk. Verhandel. Haarlem **3**: 326, t. 14: 8
611 (**haveri** — see *haueri*
725 **hawaiiensis** — *Cypraea helvola* var. *hawaiiensis* MELVILL 1888S : M. Manchester Lit. S. (**4**) **1** : 226, t. 2 : 18
923 **haynesi** — *Ovulum* (*Birostra*) *haynesi* SOWERBY 1889D : J. Linn. S. London **20** : 397, t. 25 : 1-2
816 **healeyi** — *Cypraea healeyi* ALDRICH 1923N : P. Biol. S. Wash. **36** : 199
× **hebraea** — *Cypraea hebraea* ODHNER 1919M : Ark. Zool. **12/6** : 37
615 **heilprinii** — *Cypraea heilprinii* DALL 1890F : Tr. Wagner Free Inst. **3/1** : 166, t. 11 : 2
725 **helenae** — *Cypraea helenae* ROBERTS 1869C : Amer. J. Conch. **4** : 250, t. 15 : 7-10
× **helvetica** — *Pseudocassis helveticus* PICTET & CAMPICHE 1862S : Matér. Pal. Suisse (**3**) **2** : t. 74 : 2-3
323 **helvetica** — *Cypraea helvetica* MAYER [-EYMAR] 1876E : Syst. Verz. Verstein. Einsiedeln : 61, t. 3 : 6
725 **helvola** — *Cypraea helvola* LINNÉ 1758S : Syst. nat. (10. ed.) : 724
137 **hematita** — *Marginella hematita* KIENER 1834M : Spec. Iconogr. coquilles, *Marginella* : 11, t. 7 : 31
0 (**hemispherica** [nud.] — *Cypraea hemispherica* TUOMEY 1848C : Rep. Geol. SCarolina : 209
136 **hemmoorensis** — *Erato subcypraeola hemmoorensis* SCHILDER 1929D : Mitt. Min. Staatsinst. Hamburg **11** : 11, f. 4
428 **henekeni** — *Cypraea henekeni* GABB 1873D : Tr. Amer. Phil. S. **15** : 235
428 **henikeri** — *Cypraea henikeri* SOWERBY 1850H : Quart. J. Geol. S. London **6** : 45, t. 9 : 3
615 **hepatica** — *Zonaria pyrum* var. *hepatica* COEN 1949C : Hist. Nat. Roma **3** : 16
827 **hepleri** — *Jenneria hepleri* OLSSON 1967J : Notul. Natur. Ac. N. Sci. Philad. **403** : 8, t. 2 : 4
636 **hermanni** — *Talostolida subteres hermanni* IREDALE 1939A : Austr. Zoologist **9** : 311, t. 28 : 13-14
427 **hertleini** — *Cypraea hertleini* INGRAM 1948F : P. Calif. Ac. Sci. (**4**) **26** : 125, t. 2 : 1-2
911 **hervieri** — *Ovula hervieri* HEDLEY 1899F : M. Austr. Mus. **3** : 448, f. 34
627 **hesitata** — *Cypraea hesitata* IREDALE 1916S : P. Mal. S. London **12** : 93
615 **hesperidum** — *Zonarina* (*Globulina*) *hesperidum* SCHILDER 1928G : Senckenbergiana **10** : 280, f. 12
636 **hesperina** — *Blasicrura coxeni hesperina* SCHILDER & SUMMERS 1963B : Cowry **1/5** : 68, t. 8 : F, t. 9 : D-E
811 **hiantula** — *Cypraea* (*Luponia*) *hiantula* COSSMANN 1889P : M. S. Mal. Belg. **24** : 106, t. 4 : 3-4
0 (**hiberna** [nud.] — *Cypraea hiberna* BÖTTGER 1875B : Palaeontogr., Suppl. **3** : 33
421 **hidalgoi** — *Cypraea hidalgoi* SHAW 1909C : P. Mal. S. London. **8** : 299
235 **hidalgoi** [em.] — *Trivia hidalgi* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 134
522 **hieroglyphica** — *Cypraea hieroglyphica* SCHILDER 1923M : Senckenbergiana **5** : 100, f. 1
817 (**hilarionensis** [nud., err.] — *Cypraea* (*Luponia*) *hilarionensis* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 44
817 **hilarionis** — *Cypraea* (*Luponia*) *inflata* var. *hilarionis* GREGORIO 1880G : Fauna S. Giov. Ilarione : 29, t. 6 : 10
635 **hilda** — *Cupinota macula hilda* IREDALE 1939A : Austr. Zoologist **9** : 312, t. 28 : 11-12
517 **hinnulea** — *Cypraea tigris* var. *hinnulea* MELVILL 1888S : M. Manchester Lit. S. (**4**) 1 : 212
614 **hirasei** — *Cypraea hirasei* ROBERTS 1913C : Nautilus **26** : 97, t. 7 : 1-2
923 **hirasei** — *Ovula* (*Neosimnia*) *hirasei* PILSBRY 1913J : Nautilus **26** : 114, t. 7 : 4
637 **hirundo** — *Cypraea hirundo* LINNÉ 1758S : Syst. nat. (10. ed.) : 722
515 (**histrio** — *Porcellana histrio* MEUSCHEN 1787G : Mus. Geversianum : 404
515 **histrio** — *Cypraea histrio* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3403
813 **hörnesi** — *Cypraea hörnesi* NEUGEBOREN 1853L : Verh. Siebenbürg. Ver. **4** : 148
433 **hörnesi** — *Ovula gigantea* var. *hörnesi* LEFÈVRE 1878 O : M. S. Mal. Belg. **13** : 41, t. 7 : 4, t. 8 : 4
136 **hoernesi** — *Eratopsis hoernesi* BÖTTGER 1901K : Verh. Siebenb. Ver. **51** : 10

612 **hoernesiana** — *Cypraea* (*Zonaria*) *globosa* var. *hoernesiana* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 15
924 **honkakujiana** — *Radius honkakujianus* Kuroda 1928J : Venus **1** : t. 1 : 1-2
728 **honoluluensis** — *Cypraea* (*Trivia*) *honoluluensis* Melvill 1888S : M. Manchester Lit. S. (**4**)**1** : 245
913 **hordacea** — *Ovula hordacea* Lamarck 1810, O : Ann. Mus. HN. Paris **16** : 112
235 **hordacea** — *Cypraea hordacea* Kiener 1843C : Spec. Iconogr. coquilles, *Cypraea* : t. 54 : 5
627 **howelli** — *Umbilia hesitata howelli* Iredale 1931A : Rec. Austr. Mus. **18**/**4** : 220, t. 24 : 1-2
429 **hughesi** — *Siphocypraea* (*Siphocypraea*) *carolinensis hughesi* Olsson & Petit 1964F : B. Amer. Pal. **47**/**217** : 559, t. 83 : 5
× **humerosa** — *Marginella humerosa* Conrad 1835T : Foss. shells tert. NAmer. (2. ed.) **1** : 45, t. 16 : 14
423 **humerosa** — *Cypraea humerosa* Sowerby 1840C : Tr. Geol. S. London (**2**)**5** : t. 26 : 27
634 **humphreyii** — *Palmadusta humphreyii* [em.] Iredale & McMichael 1962N : M. Austr. Mus. **11** : 58
634 **humphreysii** — *Cypraea humphreysii* Gray 1825M : Zool. J. **1** : 489
427 **hungarica** — *Cypraeorbis hungarica* Schilder 1932F : SB. Ges. Freunde Berlin **1932** : 261
631 **hungerfordi** — *Cypraea hungerfordi* Sowerby 1888D : P. Zool. S. London **1888** : 208, t. 11 : 1-3
428 **hyaena** — *Siphocypraea angustirima hyaena* Schilder 1939T : Abh. Schweiz. Pal. Ges. **62** : 23, f. 24
235 **hyalina** — *Trivirostra exigua hyalina* Schilder 1933T : Zool. Anz. **102** : 290, 297, f. 9
234 **hybrida** — *Trivia* (*Niveria*) *hybrida* Schilder 1931T : Arch. Mollusk. **63** : 42, t. 3 : 2
322 **hyderabadensis** — *Cypraedia hyderabadensis* Cox 1931L : Tr. R. S. Edinburgh **57**/**1** : 53, t. 2 : 5
0 (**hyemalis** [nud.] — *Cypraea hyemalis* Solander 1786P : Cat. Portland Mus. : 12, 32
0 (**hypenemium** [nud.] — *Volva hypenemium* Röding 1798B : in : Bolten, Mus. Boltenianum : 22
721 **icterina** — *Cypraea icterina* Lamarck 1810P : Ann. Mus. HN. Paris **16** : 91
631 **ijzermani** — *Erronea* (*Adusta*) *ijzermani* Schilder 1937N : Ingenieur Nederl. Indië, ser. **4**, Mijnb. **4** : 197, f. 6
231 **ijzermani** — *Pseudotrivia ijzermani* Schilder 1937N : Ingenieur Nederl. Indië, ser. **4**, Mijnb. **4** : 198, f. 12
132 **illota** — *Erato* (*Eratopsis*) *illota* Tate 1890A : Tr. R. S. SAustr. **13** : 216
921 || **illyrica** — *Simnia* (*Neosimnia*) *illyrica* Schilder 1927R : Arch. Naturgesch. **91**/**A.10** : 78
921 **illyrica** — *Simnia* (*Neosimnia*) *spelta* var. *illyrica* Coen 1949C : Hist. Nat. Roma **3** : 18
222 **immaculata** — *Cypraea europaea* var. *immaculata* Gray 1827M : Zool. J. **3** : 367
234 || **immaculata** — *Cypraea quadripunctata* var. *immaculata* Gray 1827M : Zool. J. **3** : 368
725 **immaculata** — *Erosaria helvola* var. *immaculata* Coen 1949C : Hist. Nat. Roma **3** : 15
632 **immaculata** — *Erronea caurica* var. *immaculata* Coen 1949C : Hist. Nat. Roma **3** : 17
515 **immanis** — *Mauritia* (*Arabica*) *arabica immanis* Schilder & Schilder 1939P : P. Mal. S. London **23** : 183
921 **immunita** — *Ovulum immunitum* Guppy 1873J : P. Sci. Ass. Trinidad **2**/**2**/**10** : 78, t. 1 : 7
918 (**imperialis** [nud.] — *Bulla imperialis* Solander 1786P : Cat. Portland Mus. : 155
918 **imperialis** — *Bulla imperialis* Dillwyn 1817C : Descr. Cat. rec. shells **1** : 473
516 (**imperialis** [nud.] — *Cypraea talpa* var. *imperialis* Dautzenberg 1923M : J. de Conchyl. **68** : 44
516 **imperialis** — *Talparia* (*Talparia*) *talpa imperialis* Schilder & Schilder 1938P : P. Mal. S. London **23** : 180
427 **impura** — *Cypraea impura* Bellardi & Michelotti 1840P : M. Ac. Sci. Torino (**2**)**15** : 156, t. 6 : 11-12
715 **inaequilabiata** — *Cypraea* (*Zonaria*) *subexcisa* var. *inaequilabiata* Sacco 1894P : Moll. terz. Piem. Ligur **15** : 15, t. 1 : 26
725 **inaequipartita** — *Cypraea spurca* var. *inaequipartita* Monterosato 1897M : J. de Conchyl. **45** : 163, t. 6 : 6
517 **incana** — *Cypraea tigris* var. *incana* Sullioti 1924P : Contr. stud. Cypraeidae **6** : 11
811 **incerta** — *Ovula incerta* Orbigny 1846A : in : Urville, Voy. « Astrolabe » et « Zelée », Pal. : t. 4 : 7-8
234 **incerta** — *Trivia incerta* Tucker & Wilson 1932F : B. Amer. Pal. **18**/**65** : 12, t. 2 : 9-10
422 (**incompleta** [nud.] — *Ovula incompleta* Archiac 1850N : Hist. Progr. Géol. Paris **3** : 299

137 (**incrassata** [nud.] — *Erato laevis* var. *incrassata* Doderlein 1862I : Atti 10. Congr. Sci. Itəl. Siena **1862** : 106
137 **incrassata** — *Erato laevis* var. *incrassata* Coppi 1876M : Boll. Com. Geol. Italia **1876** : [sep.] 9
518 **incrassata** — *Cypraea lynx* var. *incrassata* Dautzenberg 1929M : Faune colon. franç. **3** : 460
524 **incrassata** — *Luria lurida* var. *incrassata* Coen 1949C : Hist. Nat. Roma **3** : 14
234 (**indica** [obl.] — *Cypraea pediculus indica* Linné 1767S : Syst. nat. (12. ed.) : 1180
515 **indica** — *Cypraea indica* Gmelin 1791S : in : Linné, Syst. nat. (13. ed.) **1/6** : 3412
923 **indica** — *Ovulum indicum* Reeve 1865 O : Conch. icon. **15**, *Ovulum* : f. 47
132 **indica** — *Erato indica* Martin 1879J : Tertiärschichten v. Java : 23, t. 5 : 1
433 **indica** — *Gisortia indica* Schilder 1930G : P. Mal. S. London **19** : 133, 136
515 **induta** — *Cypraea arabica* var. *induta* Sullioti 1924P : Contr. stud. Cypraeidae **6** : 12
821 **inexspectata** — *Cyproglobina inexspectata* Schilder 1931B : B. Mus. HN. Belg. **7/14** : 8. f. 7
613 **infernoi** — *Cypraea* (*Globulina*) *infernoi* Cerulli-Irelli 1911M : Pal. Ital. **17** : 272, t. 26 (43) : 14
0 (**inflata** [nud.] — *Cypraea inflata* Solander 1786P : Cat. Portland Mus. : 30, 106
811 **inflata** — *Cypraea inflata* Lamarck 1802P : Ann. Mus. HN. **1** : 389
134 (**inflata** — *Marginella cypraeola* syn. *inflata* Basterot 1825F : M. S. HN. Paris **2/1** : 44
725 **inflata** — *Erosaria spurca* var. *inflata* Coen 1949C : Hist. Nat. Roma **3** : 15
817 **inflatogibba** — *Cypraea* (*Luponia*) *oligovulaea* var. *inflatogibba* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 37
621 (**inflatula** [nud.] — *Notoluponia inflatula* Schilder 1935A : P. Mal. S. London **21** : 342
921 **inflexa** — *Ovulum inflexum* Sowerby 1832I : Conch. Illustr. : f. 60
523 **ingens** — *Callistocypraea* (*Chelycypraea*) *testudinaria ingens* Schilder & Schilder 1938P : P. Mal. S. London **23** : 178
716 **ingloria** — *Cypraea ingloria* Crosse 1878D : J. de Conchyl. **26** : 166, t. 3 : 2
715 **iniquidens** — *Cypraea iniquidens* Koenen 1890N : Abh. Geol. Spez. Karte Preuss. **10/2** : 558, t. 39 : 4
725 || **inocellata** — *Cypraea erosa* var. *inocellata* Gray 1825M : Zool. J. **1** : 504
725 **inocellata** — *Cypraea lamarckii* var. *inocellata* Gray 1825M : Zool. J. **1** : 506
725 **inocellata** — *Erosaria lamarcki* var. *inocellata* Coen 1949C : Hist. Nat. Roma **3** : 15
613 **inopinata** — *Schilderia achatidea inopinata* Schilder 1930Z : Zool. Anz. **92** : 77
222 **inornata** — *Cypraea inornata* Issel 1877G : Foss. marne Genova : 28
636 **insculpta** — *Cypraea* (*Cypraea*) *insculpta* Martin 1899J : Samml. Geol. Reichsmus. **(2)1/1** : 166, f. 382
924 **insculpta** — *Ovula insculpta* Odhner 1919M : Ark. Zool. **12/6** : 37, t. 3 : 34
235 **insecta** — *Cypraea insecta* Mighels 1845S : P. Boston S. **2** : 24
725 **insignis** — *Cypraea* (*Luponia*) *poraria* var. *insignis* Dautzenberg 1903C : J. de Conchyl. **50** : 368, t. 7 : 11-12
632 **inspersa** — *Cypraea inspersa* Link 1807R : Beschr. Natur. Samml. Rostock **2** : 89
615 **insularum** — *Zonaria pyrum insularum* Schilder 1928V : Zool. Anz. **79** : 9, 10
235 **insularum** — *Trivirostra edgari insularum* Schilder 1944W : Arkiv Zool. **36A2** : 5, 14
631 **insulicola** — *Erronea* (*Adusta*) *pallida insulicola* Schilder & Schilder 1938P : P. Mal. S. London **23** : 148
515 **intermedia** — *Cypraea arabica intermedia* Gray 1824M : Zool. J. **1** : 77
922 **intermedia** — *Ovulum intermedium* Sowerby 1828 O : Zool. J. **4** : 158
× **intermedia** — *Ovula intermedia* Deshayes 1835P : Descr. coqu. foss. envir. Paris **2** : 718, t. 95 : 34-36
235 || **intermedia** — *Cypraea intermedia* Kiener 1843C : Spec. Iconogr. coquilles, *Cypraea* : t. 54 : 1
725 || **intermedia** — *Cypraea miliaris* var. *intermedia* Smith 1913M : Nautilus **27** : 69
137 **intermedia** — *Erato germanica intermedia* Schilder 1929D : Mitt. Min. Staatsinst. Hamburg **11** : 10
323 **interposita** — *Cypraea interposita* Deshayes 1865P : Descr. anim. s. vert. bassin Paris **3** : 565, t. 105 : 13-16
635 **interpunctata** — *Cypraea macula* var. *interpunctata* Henn 1896N : P. Linn. S. NSWales **(2)10** : 520
0 (**interrupta** [nud.] — *Cypraea interrupta* Röding 1798B : in : Bolten, Mus. Boltenianum : 27
636 **interrupta** — *Cypraea interrupta* Gray 1824M : Zool. J. **1** : 376

817 **interruptedentata** — *Cypraea* (*Luponia*) *ovulina* var. *interruptedentata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 39, t. 3 : 8
727 **interstincta** — *Cypraea interstincta* WOOD 1828I : Index testaceol. (2. ed.) Suppl. : 9, t. 3 : 9
222 **intuscrenata** — *Cypraea* (*Trivia*) *intuscrenata* COSSMANN & PISSARRO 1905C: B. S. Géol. Normandie **24** : 59, t. 15 : 15-17
612 **intusplicata** — *Zonarina* (*Zonarina*) *intusplicata* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 115
136 **intusplicata** — *Erato* (*Eratopsis*) *aquitanica intusplicata* SCHILDER 1933B : B. Mus. HN. Belg. **9/9** : 6
725 **inversa** — *Cypraea spurca* var. *inversa* PALLARY 1900 O : J. de Conchyl. **48** : 306
811 **involuta** — *Marginella involuta* ZEKELI 1852G : Abh. Geol. Reichsanst. **1/2/2** : 65, t. 11 : 11
× **involuta** — *Actaeonella involuta* COQUAND 1862C : Pal. Constantine : t. 6 : 2
517 **ionthodes** — *Cypraea tigris* var. *ionthodes* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 212
× **iota** — *Ovula iota* CONRAD 1843P : P. Ac. Nat. Sci. Philad. **1** : 309
232 **iredalei** — *Ellatrivia iredalei* SCHILDER 1935A : P. Mal. S. London **21** : 334, f. 12
633 **iredalei** — *Palmadusta* (*Palmadusta*) *punctata iredalei* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 156
635 **irescens** — *Cypraea* (*Cypraea*) *macula* var. *irescens* SOWERBY 1870T : Thesaur. conchyl. **4**, *Cypraea* : f. 379
616 **irina** — *Cypraea irina* KIENER 1843C : Spec. Iconogr. coquilles, *Cypraea* : t. 56 : 2
423 **irravadica** — *Cypraea* (*Bernayia*) *irravadica* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 89, 95
723 **irrorata** — *Cypraea irrorata* GRAY 1828A : Zool. J. **4** : 80
637 **irvineanae** — *Cypraea irvineanae* COX 1889A : P. Linn. S. NSWales (**2**)**4** : 659, t. 19 : 7-9
524 (**isabella** — *Isabella* RUMPH 1705A : Amboin. Rariteitkamer : 114, t. 39 : G
524 **isabella** — *Cypraea isabella* LINNÉ 1758S : Syst. nat. (10. ed.) : 722
524 **isabellamexicana** — *Cypraea* (*Luria*) *isabellamexicana* SHASKY 1961R : Veliger **3/4** : 111
524 **isabelloides** — *Cypraeorbis* (*Cypraeorbis*) *isabella* var. *isabelloides* SCHILDER 1924I : Arch. Naturgesch. **90/A.4** : 196
911 **ishibashii** [em.] — *Amphiperas isibasii* KURODA 1928J : Venus **1** : t. 1 : 3-4
222 **islahispaniolae** — *Trivia islahispaniolae* MAURY 1917D : B. Amer. Pal. **5/29** : 117, t. 19 : 14
721 **isomeres** — *Monetaria isomeres* IREDALE 1939A : Austr. Zoologist **9** : 309, t. 27 : 21-22
428 **isthmica** — *Cypraeorbis* (*Siphocypraea*) *isthmica* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 99
137 **italica** — *Erato italica* SCHILDER 1932P : Riv. Ital. Pal. **38** : 20, 44
817 **jacksonensis** — *Cypraea jacksonensis* JOHNSON 1899L : P. Ac. N. Sci. Philad. **51** : 77
234 **jamaicensis** — *Pusula* (*Niveria*) *suffusa jamaicensis* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1/55** : 95
434 (**jamesi** [nud.] — *Gisortia* (*Vicetia*) *jamesi* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 128
434 **jamesi** — *Gisortia* (*Vicetia*) *jamesi* VREDENBURG 1927G : Pal. Ind. (n. s.) **7/3** : 69, t. 23-25
313 **japonica** — *Pedicularia japonica* DALL 1871W : Amer. J. Conch. 7 : 121, t. 16 : 12
635 **japonica** — *Erronea japonica* SCHILDER 1931C : Zool. Anz. **96** : 67, 68
615 (**jaspidea** — *Cypraea rufa* syn. *jaspidea* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 92
925 **javana** — *Ovula* (*Amphiperas*) *javana* MARTIN 1899J : Samml. Geol. Reichsmus. (**2**) **1/1** : 165, t. 26 : 381
524 **javana** — *Lyncina* (*Lyncina*) *javana* SCHILDER 1927R : Arch. Naturgesch. **91/A. 10** : 96
235 **javana** — *Cleotrivia* (?) *javana* SCHILDER 1937N : Ingenieur Nederl. Indië, ser. **4**, Mijnb. **4** : 199, f. 14
518 **javana** — *Cypraea* (*Lyncina*) *lynx* var. *javana* COEN 1949C : Hist. Nat. Roma **3** : 13
425 **jeaniana** — *Zoila friendii jeaniana* CATE 1968W : Veliger **10/3** : 222, t. 24 : 13
524 **jenkinsi** — *Cypraea jenkinsi* ARCHIAC & HAIME 1854I : Descr. anim. nummul. Inde : 333, t. 32 : 15
727 **jenningsia** — *Cypraea jenningsia* PERRY 1811C : Conchology : t. 19 : 4
712 **jennisoni** — *Pustularia cicercula jennisoni* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 310
634 **jensostergaardi** — *Cypraea jensostergaardi* INGRAM 1939J : Nautilus **52** : 122, t. 9 : 3

× **jewettii** — *Marginella jewettii* CARPENTER 1856Z : P. Zool. S. London **1856** : 207
811 **jhirakensis** — *Gisortia* (*Gisortia*) *jhirakensis* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51**/**2** : 127
× **jonensis** — *Voluta jonensis* PENNANT 1777Z : Brit. Zoology (2. ed.) **4** : 117, t. 71 : 87
625 **jonesiana** — *Cypraea jonesiana* TATE 1890A : Tr. R. S. SAustr. **13** : 205
521 **joossi** — *Jousseaumea joossi* SCHILDER 1939T : Abh. Schweiz. Pal. Ges. **62** : 23, f. 23
813 **jousseaumei** — *Cypraea jousseaumei* BAYAN 1870T : Études École des Mines **1** : 58
222 **jousseaumei** — *Trivia jousseaumei* LOCARD 1886F : Prod. malac. France : Cat. gén. moll. viv. France : 535
513 || **jousseaumei** — *Cypraea cervus* var. *jousseaumei* VAYSSIÈRE 1905C : J. de Conchyl. **53** : 11
631 **jungens** — *Erronea* (*Adusta*) *jungens* SCHILDER 1937N : Ingenieur Nederl. Indië, ser. **4**, Mijnb. **4** : 202, f. 35
423 **junghuhni** — *Cypraea* (*Luponia*) *junghuhni* MARTIN 1899J : Samml. Geol. Reichsmus. (**2**)**1**/**1** : 172, f. 398
517 **juvenca** — *Cypraea pantherina* var. *juvenca* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 211
414 **juvenis** — *Cypraea pyrula* var. *juvenis* GRATELOUP 1845A : Conch. foss. Adour **1** : t. 41 : 17
0 **juvenoaspira** — *Cypraea* (*Zonaria*) *fabagina* var. *juvenoaspira* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 18, t. 2 : 3
817 **juvenogracilis** — *Cypraea* (*Luponia*) *ovulina* var. *juvenogracilis* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 39, t. 3 : 9
427 **juvenospirata** — *Cypraea* (*Zonaria*) *fabagina* var. *juvenospirata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 17, t. 2 : 2bis
232 **kaiparaensis** — *Ellatrivia kaiparaensis* LAWS 1939K : Tr. P. R. S. NZeal. **68** : 489, t. 64 : 26, 28, 31
631 **kaiseri** — *Cypraea kaiseri* KENYON 1897C : P. Linn. S. NSWales **22** : 145
632 **kalavo** — *Erronea nimisserans* [sic] *kalavo* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 324
712 **kamai** — *Erronea* (*Adusta*) *kamai* BEETS 1941M : Verh. Geol. Mijnb. Gen. Ned. Kol., Geol. **13** : 82, t. 4 : 156-179
725 **kaolinica** — *Cypraea erosa* var. *kaolinica* VREDENBURG 1919E : J. Asiat. S. Bengal **15** : 143
635 **katha** — *Opponaria microdon katha* IREDALE 1939A : Austr. Zoologist **9** : 312
633 **katsuae** — *Erronea* (*Gratiadusta*) *katsuae* KURODA 1960M : Cat. moll. fauna Okinawa Is. : 74, t. 3 : 32-34
725 **kauaiensis** — *Cypraea poraria* var. *kauaiensis* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 226
725 **kauilani** — *Cypraea kauilani* KENYON 1900C : P. Mal. S. London **4** : 68, f. 1
634 **kawakawa** — *Evanaria asellus kawakawa* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 320
421 **kayei** — *Cypraea kayei* FORBES 1846I : Tr. Geol. S. London (**2**)**7** : 133, t. 12 : 20
712 **keelingensis** — *Pustularia* (*Pustularia*) *bistrinotata keelingensis* SCHILDER & SCHILDER 1940V : Arch. Mollusk. **72** : 42
817 **keenae** — *Eocypraea* (*Apiocypraea* ?) *keenae* WOODRING 1959C : US. Geol. Surv. Prof. Pap. **306-B** : 196, t. 32 : 8, 10
716 **kemperae** — *Cypraea kemperae* NELSON 1925C : B. Geol. Univ. Calif. **15**/**11** : 424, t. 56 : 9-10, t. 57 : 4
425 **kendengensis** — *Zoila* (*Zoila*) *friendii* psp. *kendengensis* SCHILDER 1941V : Arch. Mollusk. **73** : 81, 117, t. 8 : 10
425 **kendengensis** — *Zoila* (*Zoila*) *kendengensis* SCHILDER 1941K : Leidsche Geol. Meded. **12** : 174, f. 1
816 **kennedyi** — *Cypraea kennedyi* HARRIS 1895T : P. Ac. N. Sci. Philad. **1895** : 78, t. 8 : 12
726 **kenyonae** — *Erosaria* (*Ravitrona*) *caputserpentis kenyonae* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 136
725 **kermadecensis** — *Ravitrona tomlini kermadecensis* POWELL 1958K : Rec. Auckland Inst. Mus. **5** : 79, t. 10 : 5
816 **kerniana** — *Cypraea kerniana* ANDERSON & HANNA 1925K : Occ. Pap. Calif. Ac. Sci. **11** : 104, t. 13 : 9-11
631 **kesata** — *Solvadusta subviridis kesata* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 322
637 **kieneri** — *Cypraea kieneri* HIDALGO 1906C : M. Ac. Cienc. Madrid **25** : 177
631 **kiiensis** — *Cypraea hungerfordi kiiensis* ROBERTS 1913C : Nautilus **26** : 98, t. 7 : 5-8
137 **kimakowiczi** — *Erato* (*Eratopsis*) *kimakowiczi* BÖTTGER 1884E : Neu. Jahrb. Miner. Abh. **2** : 137

722 **knomeensis** [err. ?] — *Cypraea annulus* var. *knomeensis* Cox 1879C : P. Linn. S. NSWales **4** : 385
421 **kohatica** — *Protocypraea kohatica* Cox 1930H : Pal. Ind. (n. s.) **15** : 178, t. 19 : 5-6
311 **koninckii** — *Cypraea koninckii* Rouault 1850P : M. S. Géol. France **(2)3** : 501, t. 18 : 20
235 **koroensis** — *Trivia* (*Trivia*) *koroensis* Ladd 1934V : B. Bishop Mus. **119** : 220, t. 39 : 9-10
637 **korolevu** — *Evanaria hirundo korolevu* Steadman & Cotton 1943F : Rec. SAustr. Mus. **7** : 320
411 **korycanensis** — *Cypraea korycanensis* Weinzettl 1910C : Pal. Bohem. **8** : 43, t. 5 : 37, 40
422 **kressenbergensis** — *Cypraeorbis* (*Cypraeorbis*) *kressenbergensis* Schilder 1927R : Arch. Naturg. **91/A. 10** : 98
322 **kugleri** — *Cypraedia kugleri* Schilder 1939T : Abh. Schweiz. Pal. Ges. **62** : 12, f. 5
524 **kunthii** — *Cypraea kunthii* Audouin 1827E : in : Savigny, Descr. Égypte **(2)22** : 190
518 **kuroharai** — *Ponda kuroharai* Kuroda & Habe 1961J : in : Habe, Coloured Illustr. shells Japan **2** : 42, t. 19 : 17, App. : 14
137 **labiangulata** — *Erato* (*Erato*) *laevis* var. *labiangulata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 60, t. 3 : 67
234 **labiosa** — *Cypraea pediculus* var. *labiosa* Gaskoin 1836C : P. Zool. S. London **3** : 202
613 **labrocostata** — *Zonarina* (*Globulina*) *labrocostata* Schilder 1927R : Arch. Naturgesch. **91/A.10** : 114
924 **labroguttata** — *Phenacovolva labroguttata* Schilder 1969P : Arch. Molluskenk. **99** : 209, f. 1-2
725 **labrolineata** — *Cypraeae flaveolae* var. *labrolineata* Gaskoin 1849C : P. Zool. S. London **1848** : 97
813 (**labrosa** [nud.] — *Cypraea labrosa* Sismonda 1842P : Synops. meth. Pedemont. foss. : 43
813 **labrosa** — *Cypraea labrosa* Sismonda 1847P : Synops. meth. Pedemont. foss. (2. ed.) : 47
132 **lachryma** — *Erato lachryma* Sowerby 1832I : Conch. Illustr. : f. 48
132 **lacrima** [err.] — *Erato lacrima* Dunker 1882J : Index moll. maris Japonici : 257
428 **lacrimula** — *Cypraea henekeni* var. *lacrimula* Maury 1925T : B. Amer. Pal. **10/42** : 220, t. 37 : 2
223 (**lacrymalis** [nud.] — *Cypraea lacrymalis* Menke 1828S : Synops. meth. moll. mus. Menkeano (1. ed.) : 49
223 **lacrymalis** — *Cypraea lacrymalis* Menke 1830S : Synops. meth. moll. mus. Menkeano (2. ed.) : 83
917 (**lactea** — *Porcellana lactea* Argenville 1772C : Conchyliologie **1** : t. 18 : M
916 **lactea** — *Ovula lactea* Lamarck 1810 O : Ann. Mus. HN. Paris **16** : 111
725 **lactea** — *Cypraea lactea* Wood 1828I : Index testaceol. (2. ed.) Suppl. : 8, t. 3 : 2
× **lactea** — *Erato lactea* Hutton 1880Z : Manual NZealand moll. : 63
727 **lactea** — *Staphylaea staphylaea consobrina* var. *lactea* Coen 1949C : Hist. Nat. Roma **3** : 15
725 **lactescens** — *Cypraea erosa* var. *lactescens* Dautzenberg & Bouge 1933 O : J. de Conchyl. **77** : 274
615 **lacticolor** — *Cypraea pyrum lacticolor* Pallary 1906G : J. de Conchyl. **54** : 94
823 **laeviappenninica** — *Pustularia* (*Jenneria*) *laeviappenninica* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 55, t. 3 : 50
222 (**laevigata** [nud.] — *Cypraea coccinella* var. *laevigata* Bronn 1831I : Italiens Tertiärgebilde : 16
727 **laevigata** — *Cypraea staphylaea* var. *laevigata* Dautzenberg 1932M : J. de Conchyl. **76** : 52
136 **laevilabiata** — *Erato* (*Eratopsis*) *barrandei* var. *laevilabiata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 62
137 **laevis** — *Voluta laevis* Donovan 1804B : Nat. Hist. Brit. shells **5** : t. 165
826 **laevissima** — *Pustularia* (*Jenneria*) *duclosiana* var. *laevissima* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 57, t. 3 : 61
223 **laevisulcata** — *Trivia* (*Trivia*) *dimidiata* var. *laevisulcata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 53, t. 3 : 48
923 **lahainaensis** — *Volva* (*Phenacovolva*) *lahainaensis* Cate 1969V : Veliger **11/4** : 365, t. 56 : 2
515 **lakemba** — *Cypraea* (*Lyncina*) *carneola lakemba* Ladd 1945L : B. Bernice Bishop Mus. **181** : 362
515 **lakembaensis** [err.] — *Cypraea* (*Lyncina*) *carneola lakembaensis* Ladd 1945L : B. Bernice Bishop Mus. **181** : t. 51 : K, L, t. 52 : A
725 **lamarckii** — *Cypraea lamarckii* Gray 1825M : Zool. J. **1** : 506
824 || **lamarckii** — *Cypraea lamarckii* Deshayes 1835P : Descr. coqu. foss. envir. Paris **2** : 727, t. 97 : 9-10
517 **laminata** — *Cypraea tigris* var. *laminata* Sullioti 1924P : Contr. stud. Cypraeidae **6** : 12
923 **lamyi** — *Neosimnia lamyi* Schilder 1932A : P. Mal. S. London **20** : 54, 60, f. 44
923 **lanceolata** — *Ovulum lanceolatum* Sowerby 1849 O : P. Zool. S. London **1848** : 135
612 **lanciai** [em.] — *Cypraea lanciae* Brusina 1877V : J. de Conchyl. **25** : 369

817 **landanensis** — *Cypraea landanensis* VINCENT 1913L : Ann. Mus. Congo Belge, Geol. Pal. **(3)1** : 11, t. 1 : 1-2
637 **landeri** — *Bistolida kieneri landeri* SCHILDER & GRIFFITHS 1962P : Cowry **1/3** : 34, t. 5 : A-C
614 **langfordi** — *Erronea* (*Gratiadusta* ?) *langfordi* KURODA 1938C : Venus **8** : 132, f. 5-7
811 (**lapidosa** [nud.] — *Cypraea lapidosa* TUOMEY 1848C : Rep. Geol. SCarolina : 209
811 **lapidosa** — *Cypraeorbis* (?) *lapidosa* PALMER 1937C : B. Amer. Pal. **7/32** : 232
826 **lapugyensis** — *Pustularia* (*Jenneria*) *duclosiana* var. *lapugyensis* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 57
813 **lapugyensis** — *Cypraea* (*Adusta*) *lapugyensis* COSSMANN & PEYROT 1924A : Act. Linn. Bordeaux **74** : 359
0 (**larva** [nud.] — *Cypraea larva* BLAINVILLE 1826D : Dict. sci. hist. nat. **43** : 33
422 **lata** — *Marginella lata* SCHAFHÄUTL 1863K : Südbay. Leth. geogn. : Kressenberg : 209, t. 40 : 4
634 **latefasciata** — *Adusta asellus latefasciata* SCHILDER 1930Z : Zool. Anz. **92** : 78
236 (**latensis** [err., nud.] — *Trivia* (*Trivia*) *latensis* SCHILDER 1941V : Arch. Moll. **73** : 110
313 **lateralis** — *Gadinia lateralis* REQUIEN 1848C : Cat. coqu. Corse : 32
612 **laterimata** — *Cypraea* (*Zonaria*) *fabagina* var. *laterimata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 22, t. 2 : 15
223 **lathyrus** — *Cypraea lathyrus* BLAINVILLE 1826F : Faune française, Malac. : 248, t. 9A : 3
636 **latior** — *Cypraea tabescens* var. *latior* MELVILL 1888S : M. Manchester Lit. S. **(4)1** : 218
811 **laubrièrei** [em.] — *Cypraea* (*Luponia*) *laubrierei* COSSMANN 1889P : M. S. Mal. Belg. **24** : 105, t. 4 : 1-2
921 **leathesi** — *Ovula leathesi* SOWERBY 1825M : Miner. Conch. **5** : 124, t. 478
433 **lefèvrei** — *Gisortia lefèvrei* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1/55** : 130
811 **leilanensis** — *Eocypraea leilanensis* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 123
524 **lekalekana** — *Cypraea* (*Cypraea*) *isabella lekalekana* LADD 1934V : B. Bernice Bishop Mus. **119** : 218, t. 38 : 9-12
524 **lemuriana** — *Basilitrona isabella lemuriana* STEADMAN & COTTON 1946C : Rec. SAustr. Mus. **8** : 507
713 **lemurica** — *Pustularia* (*Ipsa*) *childreni lemurica* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 127
925 **lemurica** — *Volva* (*Volva*) *volva lemurica* SCHILDER 1941V : Arch. Mollusk. **73** : 110
632 **lenella** — *Palangerosa cylindrica lenella* IREDALE 1939A : Austr. Zoologist **9** : 321, t. 29 : 29-30
518 (**lentiginosa** — *Porcellana lentiginosa* RUMPH 1705A : Amboin. Rariteitkamer : 115, t. 38 : N
634 **lentiginosa** — *Cypraea lentiginosa* GRAY 1825M : Zool. J. **1** : 489, t. 7 : 1, t. 12 : 1
625 **lentiginosa** — *Notocypraea angustata* var. *lentiginosa* COEN 1949C : Hist. Nat. Roma **3** : 16
632 **lentigo** — *Cypraea lentigo* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 23
728 (**leonina** [err.] — *Cypraea leonina* DALL 1915B : Smithson. Inst. Publ. **2360** : 27
517 (**leopardalis** — *Cypraea leopardalis* HUMPHREY 1797C : Mus. Calonnianum : 9
517 **leopardus** — *Cypraea leopardus* LINK 1807R : Beschr. Natur. Samml. Rostock **2** : 88
913 **lepida** — *Bulla lepida* DILLWYN 1817C : Descr. Cat. rec. shells **1** : 474
0 (**lepida** [nud.] — *Cypraea lepida* THEOBALD 1860B : Cat. rec. shells Mus. Asiat. S. Bengal, App. : 1
132 **lepida** — *Marginella* (*Glabella*) *lepida* GOULD 1861P : P. Boston S. **7** : 384
512 **leporina** — *Cypraea leporina* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 104
626 **leptorhyncha** — *Cypraea* (*Luponia*) *leptorhyncha* McCOY 1877V : Prodr. Pal. Victoria **5** : 35, t. 49 : 1
611 **lessoniana** — *Cypraea lessoniana* GRATELOUP 1847A : Conch. foss. Adour, Suppl. : t. 47 : 8
625 **leucochroa** — *Cypraea piperita* var. *leucochroa* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 11
518 **leucodon** — *Cypraea leucodon* BRODERIP 1828D : Zool. J. **4** : 163, t. 6 : 1-2
524 **leucogaster** — *Cypraea leucogaster* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3413
138 **leucophaea** — *Erato leucophaea* GOULD 1852C : Boston J. Nat. Hist. **6** : 386, t. 14 : 20
513 **leucopis** — *Cypraea leucopis* SHAW 1803M : Vivar. natur., Natur. Misc. **14** : t. 583
233 **leucosphaera** — *Pusula* (*Cleotrivia*) *leucosphaera* SCHILDER 1931C : Zool. Anz. **96** : 71, f. 4
518 **leucostoma** — *Cypraea leucostoma* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3413
421 || **leucostoma** — *Cypraea leucostoma* GASKOIN 1843C : P. Zool. S. London **1843** : 25
817 **levesquei** — *Cypraea levesquei* DESHAYES 1835P : Descr. coqu. foss. envir. Paris **2** : 722, t. 94bis : 33-34

518 **leviathan** — *Cypraea* (*Lyncina*) *carneola leviathan* SCHILDER & SCHILDER 1937B : Zool. Anz. **119** : 190

921 **lhommei** — *Amphiperas* (*Neosimnia*) *lhommei* COSSMANN 1906P : Ann. S. Mal. Belg. **41** : 252, t. 9 : 159bis/1

322 **lhommei** — *Cypraea* (*Cypraedia*) *lhommei* COSSMANN & PISSARRO 1913P : Iconogr. coqu. éoc. Paris **2/3** : t. 65 : 162/23

524 **liburnica** — *Cypraea lurida* var. *liburnica* COEN 1933S : R. Comit. Talassogr. Ital. Mem. **192** : 46, 162

411 **libyca** — *Cypraea* (*Bernayia*) *libyca* OPPENHEIM 1906A : Palaeontogr. **30/3** : 301, t. 24 : 2

313 **liénardi** [em.] — [*Pedicularia*] *lienardi* ROBILLARD 1871M : Tr. R. S. Mauritius (n. s.) **5**

712 **liénardi** [em.] — *Cypraea lienardi* JOUSSEAUME 1874D : Rev. Mag. Zool. (**3**)**2** : 11, t. 1 : 1-2

512 **ligata** — *Cypraea ligata* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 23

632 || **ligata** — *Cypraea ligata* SCHRÖTER 1804C : Wiedem. Arch. Zool. **4/1** : 13

924 (**lilacina** [nud.] — *Ovula birostris* var. *lilacina* MENKE 1829M : Verz. Conch. Samml. Malsburg : 73

727 **lilacina** — *Cypraea staphylaea* var. *lilacina* WEINKAUFF 1881S : in : MARTINI & CHEMNITZ, Syst. Conch. Cab. (2. ed.) **5/3** (*Cypraea*) : 118

312 **liliputana** — *Cypraea liliputana* SCHILDER 1922C : P. Mal. S. London **15** : 103, 111

728 **lima** — *Cypraea lima* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 24

727 **limacina** — *Cypraea limacina* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 101

0 (**limbata** [nud.] — *Cypraea limbata* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 22

411 **limburgensis** — *Cypraea limburgensis* KAUNHOWEN 1898M : Pal. Abh. **8/1** : 76, t. 9 : 2

725 **limitaris** — *Cypraea spurca* var. *limitaris* MONTEROSATO 1897M : J. de Conchyl. **45** : 163, t. 6 : 8

524 **limonensis** — *Cypraea cinerea* var. *limonensis* INGRAM 1940C : J. of Paleont. **14** : 505, f. 3-4

518 **limpida** — *Cypraea isabella* var. *limpida* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 231

725 || **limpida** — *Cypraea spurca* var. *limpida* SULLIOTI 1922C : Commun. malac, **5** : 16

632 **lineata** — *Cypraea lineata* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3413

613 || **lineata** — *Cypraea achatidea* var. *lineata* PALLARY 1900 O : J. de Conchyl. **48** : 305

517 || **lineata** — *Cypraea tigris lineata* KENYON 1902C : J. of Conch. **10** : 183

816 **lintea** — *Cypraea lintea* CONRAD 1847V : P. Ac. Nat. Sci. Philad. **3** : 282

413 **lioyi** — *Cypraea lioyi* BAYAN 1870V : B.S. Géol. France (**2**)**27** : 481

632 **listeri** — *Cypraea felina* var. *listeri* GRAY 1824M : Zool. J. **1** : 384

725 || **listeri** — *Cypraea listeri* GRAY 1825M : Zool. J. **1** : 507

524 **literata** — *Cypraea literata* TIME 1822C : Time's Telescope for **1822** : 320, t. frontisp. : 6

515 (**litterata** — *Porcellana litterata* RUMPH 1705A : Amboin. Rariteitkamer : 115, t. 38 : M

634 (**litterata** — *Porcellana litterata* ARGENVILLE 1772C : Conchyliologie **1** : t. 18 : N

515 (**liturata** [nud.] — *Cypraea arabica* var. *liturata* MENKE 1829M : Verz. Conch. Samml. Malsburg : 75

0 **livida** — *Cypraea livida* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3403

921 **livida** — *Ovulum lividum* REEVE 1865 O : Conch. icon. **15**, *Ovulum* : f. 63

712 (**lobulus** [err.] — *Pustularia lobulus* HABE 1961I : Coloured Illustr. shells Japan : 42, t. 19 : 16

233 **lodanensis** — *Pseudotrivia lodanensis* SCHILDER 1937N : Ingenieur Nederl. Indië, ser. **4**, Mijnb. **4** : 199, f. 13

724 **lodanensis** — *Paulonaria lodanensis* SCHILDER 1937N : Ingenieur Nederl. Indië, ser. **4**, Mijnb. **4** : 199, f. 15

518 **loebbeckeana** — *Cypraea loebbeckeana* WEINKAUFF 1881S : in : MARTINI & CHEMNITZ, Syst. Conch. Cab. (2. ed.) **5/3**, *Cypraea* : 82, t. 24 : 2-3

921 **loebbeckeana** — *Ovula loebbeckeana* WEINKAUFF 1881S : in : MARTINI & CHEMNITZ, Syst. Conch. Cab. (2. ed) **5/3**, *Ovula* : 197, t. 50 : 6-7

512 **loibersdorfensis** — *Trona loibersdorfensis* SCHILDER 1932P : Riv. Ital. Pal. **38** : 24

513 (**longa** — *Cypraea exanthema* syn. *longa* ORBIGNY 1847C : in : SAGRA, Hist. île de Cuba, Pal., Moll. : 19

725 **longanensis** — *Erosaria* (*Erosaria*) *longanensis* SCHILDER 1941V : Arch. Mollusk. **73** : 91, 116

414 **longantiqua** — *Cypraea* (*Mandolina*) *gibbosa* var. *longantiqua* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 9, t. 1 : 13

813 **longapenninica** — *Cypraea* (*Luponia*) *jousseaumei* var. *longapenninica* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 40, t. 3 : 12

613 **longinqua** — *Schilderia achatidea longinqua* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 143
632 **longior** — *Erronea caurica longior* IREDALE 1935A : Austr. Zoologist **8** : 130
924 **longirostrata** — *Ovulum longirostratum* SOWERBY 1828 O : Zool. J. **4** : 160
613 **longiscata** — *Cypraea longiscata* MAYER[-EYMAR] 1875T : J. de Conchyl. **23** : 66, t. 2 : 2
232 **longisulcata** — *Ellatrivia longisulcata* SCHILDER 1932F : SB. Ges. Freunde Berlin **1932** : 256, f. 1
715 **longitala** — *Cypraea* (*Proadusta*) *splendens* var. *longitala* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 34, t. 2 : 44
613 **longiuscula** — *Cypraea physis* var. *longiuscula* COCCONI 1873P : M. Ac. Sci. Torino (**3**)**3** : 566
612 **longovulina** — *Zonarina pinguis* var. *longovulina* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 24, t. 2 : 20
725 **lota** — *Cypraea lota* LINNÉ 1758S : Syst. nat. (10. ed.) : 720
827 **loxahatchiensis** — *Cypraea* (*Pustularia*) *gabbiana* (?) *loxahatchiensis* SMITH 1936F : Nautilus **49** : 137, t. 9 : 3, 3A
425 (**loxorhyncha** [err.] — *Rhynchocypraea loxorhyncha* COSSMANN 1903E : Essais paléoconch. comp. **5** : 175 [nec fig.]
636 **luchuana** — *Cypraea* (*Blasicrura*) *pallidula luchuana* KURODA 1960M : Cat. moll. fauna Okinawa Is. : 74, t. 3 : 40-45
522 **lucida** — *Cypraea ambigua* var. *lucida* GRATELOUP 1847A : Conch. foss. Adour, Suppl. : t. 47 : 7
725 || **lucida** — *Cypraea erosa* var. *lucida* TAYLOR 1916V : J. of Conch. **15** : 122
515 **luctuosa** — *Cypraea* (*Aricia*) *histrio* var. *luctuosa* DAUTZENBERG 1903C : J. de Conchyl. **50** : 331
825 **ludoviciana** — *Cypraea ludoviciana* JOHNSON 1899L : P. Ac. N. Sci. Philad. **55** : 77, t. 2 : 6
725 **lunata** —*Cypraea lunata* FISCHER [VON WALDHEIM] 1807D : Mus. Demidoff **3** : 153
524 **lurida** — *Cypraea lurida* LINNÉ 1758S : Syst. nat. (10. ed.) : 720
725 **luridoidea** — *Cypraea spurca* var. *luridoidea* PALLARY 1900 O : J. de Conchyl. **48** : 306
634 (**lutea** — *Cypraea lutea* MEUSCHEN 1781G : Zoophyl. Gronoviani **3** : V, t. 19 : 17
634 **lutea** — *Cypraea lutea* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1**/**6** : 3414
921 **lutea** — *Ovula* (*Simnia*) *spelta* var. *lutea* PALLARY 1900 O : J. de Conchyl. **48** : 301
423 **luxuriosa** — *Barycypraea luxuriosa* SCHILDER 1939S : Neu. Jahrb. Min., Beil. Bd. **81**, **B** : 498, t. 19 : 6
517 **lyncichroa** — *Cypraea tigris* var. *lyncichroa* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 212
512 **lyncoides** — *Cypraea lyncoides* BRONGNIART 1823V : Mém. terr. sédim. Vicentin : 62, t. 4 : 11
518 **lynx** — *Cypraea lynx* LINNÉ, Syst. nat. (10. ed.) : 721
724 **macandrewi** [em.] — *Cypraea* (*Cypraea*) *macandrei* [fig. : *macandraei*] SOWERBY 1870T : Thesaur. conchyl. **4**, *Cypraea* : 38, 52, f. 537-538
627 **maccoyi** — *Umbilia* (*Umbilia*) *eximia maccoyi* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1**/**55** : 183
725 **maccullochi** — *Erosaria maccullochi* IREDALE 1939A : Austr. Zoologist **9** : 306, t. 27 : 9-10
121 **mackini** — *Erato mackini* DURHAM 1944W : B. Dept. Geol. Surv. Univ. Calif. **27** : 165, t. 18 : 7, 9
611 (**macrodonta** [nud.] — *Cypraea macrodonta* SISMONDA 1842P : Synops. meth. Pedemont. foss. : 42
611 **macrodonta** — *Cypraea* (*Vulgusella*) *orbignyana* var. *macrodonta* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 11, t. 1 : 18
428 **macrovoluta** — *Cypraea macrovoluta* FERREIRA DA CUNHA 1957P : B. Mus. Paraense Emilio Goeldi (n. s.) Geol. **2** : 28, t. 1 : 1-2A
635 **macula** — *Cypraea macula* ANGAS 1867J : P. Zool. S. London **1867** : 206
639 **maculata** — *Cypraea maculata* ENC. METR. 1810E : Encycl. metrop. Atlas : t. 14
625 || **maculata** — *Cypraea maculata* PERRY 1811C : Conchology : t. 20 : 5
O (|| **maculata** [nud.] — *Cypraea maculata* SERRES 1822M : Essai hist. anim. Midi France : 60
515 || **maculata** — *Cypraea maculata* BARNES 1824N : Ann. Lyc. NYork **1**/**1** : 132, t. 9 : 1
633 || **maculata** — *Cypraea punctata* var. *maculata* GRAY 1824M : Zool. J. **1** : 380
615 || **maculata** — *Cypraea maculata* GRAY 1824M : Zool. J. **1** : t. 7 : 8
O (|| **maculata** [nud.] — *Cypraea maculata* BLAINVILLE 1826D : Dict. sci. hist. nat. **43** : 33
222 (**maculata** [nud.] — *Trivia europaea* var. *maculata* MONTEROSATO 1872M : Nuova revista conch. mediterr. : 54
515 **maculifera** — *Mauritia* (*Arabica*) *maculifera* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1**/**55** : 138

515 **maculifera** — *Mauritia* (*Arabica*) *arabica maculifera* SCHILDER 1932C : Zool. Anz. **100** : 165
428 (**maculosa** — *Porcellana maculosa* HEBENSTREIT 1743M : Mus. Richterianum **4**/**3** : 300
615 **maculosa** — *Cypraea maculosa* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1**/**6** : 3412
428 (|| **maculosa** — *Cypraea mus* syn. *maculosa* ORBIGNY 1847C : in : SAGRA, Hist. île de Cuba, Pal., Moll. : 20
728 **madagascariensis** — *Cypraea madagascariensis* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1**/**6** : 3419
0 (|| **madagascariensis** [nud.] — *Cypraea madagascariensis* BLAINVILLE 1826D : Dict. sci. hist. nat. **43** : 33
725 **madiunensis** — *Erosaria* (*Ravitrona* ?) *madiunensis* SCHILDER 1937N : Ingenieur Nederl. Indië, ser. **4**, Mijnb. **4** : 202, f. 22
411 **maestrichtensis** — *Palaeocypraea maestrichtensis* SCHILDER 1928D : Danm. Geol. Unders. (**4**)**2**/**3** : 19
632 **magerrones** — *Erronea magerrones* IREDALE 1939A : Austr. Zoologist **9** : 322, t. 29 : 31-32
725 **magistra** — *Cypraea miliaris* var. *magistra* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 227, t. 1 : 6
422 **magnifica** — *Bernaya magnifica* SCHILDER 1931 O : Mitt. Nat. Ges. Bern **1931** : 85, f. 8
634 **magnifica** — *Palmadusta diluculum* var. *magnifica* COEN 1949C : Hist. Nat. Roma **3** : 17
512 (**majet** [nom. barbar.] — *Majet* ADANSON 1757S : Hist. nat. Senegal, Coqu. : t. 5 : 1A
524 (**majet** [nom. barbar.] — *Majet* ADANSON 1757S : Hist. nat. Senegal, Coqu. : t. 5 : 1D
512 (**majet** — *Cypraea stercoraria* syn. *majet* DAUTZENBERG 1891C : M.S. Zool. France **4** : 42
524 (**majet** — *Cypraea lurida* syn. *majet* DAUTZENBERG 1891C : M. S. Zool. France **4** : 42
222 **major** — *Cypraea* (*Trivia*) *europaea* var. *major* BUCQUOY & DAUTZENBERG & DOLLFUS 1883R : Moll. mar. Roussillon **1** : 129, t. 16 : 18-19
223 || **major** — *Cypraea* (*Trivia*) *pulex* var. *major* BUCQUOY & DAUTZENBERG & DOLLFUS 1883R : Moll. mar. Roussillon **1** : 131, t. 16 : 17
613 || **major** — *Cypraea grayi* var. *major* MOLLERAT 1890V : B. S. Mal. France **7** : 115
913 **major** — *Ovula carnea* var. *major* PALLARY 1900 O : J. de Conchyl. **48** : 300, t. 8 : 18
524 || **major** — *Cypraea lurida* var. *major* PALLARY 1900 O : J. de Conchyl. **48** : 302
613 || **major** — *Cypraea achatidea* var. *major* PALLARY 1900 O : J. de Conchyl. **48** : 304
725 || **major** — *Cypraea spurca* var. *major* PALLARY 1900 O : J. de Conchyl. **48** : 306
632 || **major** — *Cypraea* (*Luponia*) *errones* var. *major* DAUTZENBERG 1903C : J. de Conchyl. **50** : 348
518 || **major** — *Cypraea carneola* var. *major* DAUTZENBERG 1929M : Faune colon. franç. **3** : 453
913 **major** — *Primovula carnea* var. *major* COEN 1949C : Hist. Nat. Roma **3** : 18
222 (**majorglobosa** [nud.] — *Cypraea* (*Trivia*) *europaea* var. *major-globosa* MONTEROSATO 1878 M: Giorn. Sci. Nat. Econ. **13** : [sep.] 49
422 **malandaini** — *Cypraea malandaini* CHÉDEVILLE 1904P : Feuille Natural. **34** : 86, t. 4 : 3
634 **malaysiae** — *Palmadusta* (*Palmadusta*) *contaminata malaysiae* SCHILDER & SCHILDER 1940V : Arch. Mollusk. **72** : 42
634 (**maldivica** — *Concha Veneris maldivica* PETIVER 1701M : Mus. Petiv. cent. **8** : 66
725 **malekulensis** — *Cypraea* (*Erosaria*) *malekulensis* ABRARD 1946H : Ann. Paléont. **32** : 67, t. 4 : 38-39
237 **maltbiana** — *Trivia maltbiana* SCHWENGEL & MCGINTY 1942F : Nautilus **56** : 16, t. 4 : d
911 **manifesta** — *Diminovula manifesta* IREDALE 1936A : Rec. Austr. Mus. **19** : 313, t. 24 : 10
313 **maoria** — *Pedicularia maoria* POWELL 1937N : Discovery Reports **15** : 208, t. 54 : 13-14
211 **maoria** — *Willungia maoria* POWELL 1938W : Tr. P. R. S. NZeal. **68** : 371, t. 39 : 8-9
232 **maoriensis** — *Triviella maoriensis* MESTAYER 1927Z : P. Mal. S. London **17** : 186, f. 3-4
514 **mappa** — *Cypraea mappa* LINNÉ 1758S : Syst. nat. (10. ed.) : 718
725 **mara** — *Erosaria eburnea mara* IREDALE 1939A : Austr. Zoologist **9** : 308
637 **marcia** — *Evenaria ursellus marcia* IREDALE 1939A : Austr. Zoologist **9** : 314, t. 28 : 23-24
712 (**margarita** — *Margarita* RUMPH 1711T : Thes. cochl. conch. conchyl. : t. 39 : N
712 **margarita** — *Cypraea margarita* DILLWYN 1817C : Descr. Cat. rec. shells **1** : 470
724 || **margarita** — *Cypraea margarita* GRAY 1828A : Zool. J. **4** : 87
912 **margarita** — *Ovulum margarita* SOWERBY 1828 O : Zool. J. **4** : 145
912 **margarita** — *Amphiperas margarita* ADAMS 1854C : P. Zool. S. London **22** : 130
725 **marginalis** — *Cypraea marginalis* DILLWYN 1827C : Zool. J. **3** : 317

721 (**marginata** — *Cypraea marginata* GEDNER 1756A : in : LINNÉ, Amoen. acad. **3** : 239
911 **marginata** — *Ovulum marginatum* SOWERBY 1828 O : Zool. J. **4** : 151
0 (**marginata** [nud.] — *Cypraea marginata* GRAVENHORST 1832B : Zool. Mus. Breslau : 42
425 **marginata** — *Cypraea marginata* GASKOIN 1849C : P. Zool. S. London **1848** : 91
922 (**marginata** [err.] — *Cyphoma marginata* CHENU 1859M : Manuel de Conchyliologie **1** : 273, f. 1789, 1793
138 **marginata** — *Erato marginata* MÖRCH 1860A : Malak. Blätt. **7** : 85
813 || **marginata** — *Cypraea marginata* FUCHS 1870V : Denk. Ak. Wien (math. nat.) **30/2** : 184, t. 8 : 25-26
721 || **marginata** — *Cypraea marginata* KIESENWETTER 1872C : SB. Nat. Ges. Isis **1872** : 47
725 **marginata** — *Erosaria erosa* var. *marginata* COEN 1949C : Hist. Nat. Roma **3** : 14
611 **marginatissima** — *Cypraea* (*Zonaria*) *fabagina* var. *marginatissima* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 20, t. 2 : 7
137 (**marginella** [err.] — *Erato* (*Eratopsis* ?) *marginella* COSSMANN & PEYROT 1924A : Act. Linn. Bordeaux **74** : 394
518 **mariae** — *Cypraea* (*Lyncina*) *camelopardalis* var. *mariae* SCHILDER 1924I : Arch. Naturgesch. **90/A.4** : 191
711 **mariae** — *Pustularia* (*Pustularia*) *mariae* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 104
914 **mariae** — *Primovula* (*Primovula*) *mariae* SCHILDER 1941V : Arch. Mollusk. **73** : 107, 118, t. 9 : 37
715 **mariana** — *Cypraea* (*Bernaya*) *denticulina* var. (an. sp.) *mariana* CERULLI-IRELLI 1911M : Pal. Ital. **17** : 270, t. 26 (43) : 12
725 **marielae** — *Cypraea cernica marielae* CATE 1960C : Veliger **3/1** : 4, t. 1 : 1-2
635 **marmorata** — *Cypraea marmorata* SCHRÖTER 1804C : Wiedem. Arch. Zool. **4/1** : 14
518 || **marmorata** — *Cypraea marmorata* BLAINVILLE 1826D : Dict. sci. hist. nat. **43** : 26
× **marrotiana** — *Globiconcha marrotiana* ORBIGNY 1843F : Pal. franç. : Terr. cret., Moll. **2** : 145, t. 170 : 1-2
134 **marshalli** — *Erato marshalli* MARWICK 1929Z : Tr. NZeal. Inst. **59** : 922, f. 56
637 **marteli** — *Cypraea neglecta* monstr. *marteli* DAUTZENBERG 1903C : J. de Conchyl. **50** : 311, t. 7 : 3-4
634 || **marteli** — *Cypraea* (*Luponia*) *clandestina* monstr. *marteli* DAUTZENBERG 1903C : J. de Conchyl. **50** : 358, t. 7 : 1-2
811 **marticensis** — *Cyproea* [sic] *marticensis* MATHERON 1842B : Cat. foss. Bouches-du-Rhône : 255, t. 40 : 21
633 **martini** — *Cypraea martini* SCHEPMAN 1907C : Samml. Geol. Reichsmus. **8** : 184, t. 11 : 4
817 **martini** — *Ovula martini* DICKERSON 1914C : Univ. Calif. B. Geol. **8/6** : 145, t. 14 : 7
133 **martini** — *Erato martini* SCHILDER 1932F : SB. Ges. Freunde Berlin **1932** : 255
725 **martiniana** — *Cypraea martiniana* ANTON 1839V : Verzeichn. Conch. Samml. : 96
138 **martinicensis** — *Hespererato maugeriae martinicensis* SCHILDER 1933E : P. Mal. S. London **20** : 249, 254, 267, f. 45
725 **mascarena** — *Cypraea helvola* var. *mascarena* MELVILL 1888S : M. Manchester Lit. S. **(4)1** : 225
616 **massauensis** — *Cypraea massauensis* SCHILDER 1922C : P. Mal. S. London **15** : 103, 105
816 **mathewsonii** — *Cypraea* (*Epona*) *mathewsonii* GABB 1869C : Calif. Geol. Surv., Pal. **2** : 164, t. 27 : 44
725 **maturata** — *Erosaria tomlini maturata* KIRA 1959J : Coloured Ill. shells Japan (2. ed.) : 47, t. 19 : 11
234 (**maugeri** — *Trivia maugeri* GRAY 1832D : Descr. Cat. shells : 13
234 **maugeri** — *Cypraea maugeri* GRAY 1833C : P. Zool. S. London **2(1832)** : 185
234 **maugeriae** — *Cypraea maugeriae* SOWERBY 1832I : Conch. Illustr. : f. 30
138 **maugeriae** — *Erato maugeriae* SOWERBY 1832I : Conch. Illustr. f. 47
712 **mauiensis** — *Cypraea mauiensis* BURGESS 1967H : Nautilus **81** : 6, t. 2
515 **mauritania** — *Cypraea mauritania* PERRY 1811C : Conchology : t. 21 : 6-7
515 (**mauritanica** [err.] — *Cypraea mauritanica* LINNÉ 1764L : Mus. Ludov. Ulric. : 571
726 (**mauritiana** — *Concha Veneris mauritiana* PETIVER 1701M : Mus. Petiv. cent. **8** : 67
515 **mauritiana** — *Cypraea mauritiana* LINNÉ 1758S : Syst. nat. (10. ed.) : 721
233 **mauryae** — *Pusula* (*Cleotrivia*) *mauryae* SCHILDER 1932Q : in : QUENSTEDT. Fossil. Cat. **1/55** : 97
513 (**maxima** — *Cypraearum maxima* CHEMNITZ 1788C : Neues Syst. Conch. Cab. **10** : 108, f. 1343

611 **maxima** — *Cypraea mus* var. *maxima* Grateloup 1845A : Conch. foss. Adour **1** : t. 41 : 6
524 || **maxima** — *Cypraea lurida* var. *maxima* Monterosato 1897M : J. de Conchyl. **45** : 157
721 || **maxima** — *Cypraea* (*Aricia*) *moneta* var. *maxima* Dautzenberg 1903C : J. de Conchyl. **50** : 333
322 **maxima** — *Cypraedia separabilis maxima* Schilder 1928D : Danm. Geol. Unders. (**4**)**2**/**3** : 7, 11
812 **mayeri** — *Eocypraea* (*Oxycypraea*) *anachoreta mayeri* Schilder 1927K : Senckenbergiana **9** : 200, 203, 207, f. 7
625 **mayi** — *Cypraea angustata* var. *mayi* Beddome 1898T : P. Linn. S. NSWales **22** : 570, t. 21 : 4-7
821 **mazzepai** [em.] — *Cypraea* (*Aricia*) *mazzepae* Gregorio 1880G : Fauna S. Giov. Ilarione : 32, t. 1 : 39
725 **mbalavuana** — *Cypraea* (*Erronea*) *mbalavuana* Ladd 1945L : B. Bernice Bishop Mus. **181** : t. 52 : H-J
725 **mbalavuensis** — *Cypraea* (*Erronea*) *mbalavuensis* Ladd 1945L : B. Bernice Bishop Mus. **181** : 364
922 **mcgintyi** — *Cyphoma mcgintyi* Pilsbry 1939C : Nautilus **52** : 108
923 **m'coyi** — *Birostra m'coyi* Tenison-Woods 1878M : Tr. R. S. Vict. **14** : 56
422 **media** — *Cypraea media* Deshayes 1835P : Descr. coqu. foss. envir. Paris **2** : 723, t. 95 : 37-38
× **media** — *Ovula* vel *Diameza media* Deshayes 1865P : Descr. anim. s. vert. bassin Paris **3** : 572
524 || **media** — *Cypraea lurida* var. *media* Monterosato 1897M : J. de Conchyl. **45** : 157
712 **mediocris** — *Pustularia* (*Pustularia*) *bistrinotata mediocris* Schilder & Schilder 1938P : P. Mal. S. London **23** : 126
223 **mediterranea** — *Cypraea mediterranea* Risso 1826E : Hist. nat. Europe mérid. **4** : 239
112 **medius** — *Erato* (?) *medius* Isaeva 1933A : Tr. Geol. Prosp. Serv. USSR. **305** : 34, t. 3 : 17-18
715 **megalopyga** — *Conocypraea meyeri megalopyga* Schilder 1928W : Senckenberginana **10** : 266, 272, f. 5-6
813 **megista** — *Eocypraea* (*Apiocypraea*) *subexcisa megista* Schilder 1928W : Senckenbergiana **10** : 270
712 **mejasensis** — *Pustularia* (*Pustularia*) *mejasensis* Schilder 1939T : Abh. Schweiz. Pal. Ges. **62** : 18, f. 16
631 **melanesiae** — *Erronea* (*Adusta*) *onyx melanesiae* Schilder & Schilder 1937B : Zool. Anz. **119** : 184
631 **melanesiae** — *Erronea* (*Adusta*) *onyx melanesiae* Schilder 1937D : P. Mal. S. London **22** : 368
725 **melanosema** — *Cypraea gangrenosa* var. *melanosema* Melvill 1888S : M. Manchester Lit. S. (**4**)**1** : 222
518 **melanostoma** — *Cypraea melanostoma* Sowerby 1825T : Cat. shells Tankerville, App. : 31
513 **meleagris** — *Cypraea meleagris* Röding 1798B : in : Bolten, Mus. Boltenianum : 25
632 **melvilli** — *Cypraea melvilli* Hidalgo 1906C : M. Ac. Cienc. Madrid **25** : 180
639 **melwardi** — *Nivigena melwardi* Iredale 1930Q : M. Queensland Mus. **10**/**1** : 84, t. 9 : 12-13
232 **memorata** — *Triviella memorata* Finlay 1927Z : Tr. NZeal. Inst. **57** : 396, t. 21 : 73
637 **menkeana** — *Cyprea* [sic] *menkeana* Deshayes 1863R : in : Maillard, Not. île Réunion, Annexe E (Moll.) : 139, t. 13 : 21-22
721 **mercatorium** — *Monetaria mercatorium* Rochebrune 1884M : B. S. Mal. France **1** : 80, t. 1 : 3
232 **merces** — *Triviella merces* Iredale 1924B : P. Linn. S. NSWales **49** : 257, t. 35 : 16-17
234 **meridionalis** — *Trivia* (*Trivia* ?) *avellana meridionalis* Schilder 1928G : Senckenbergiana **10** : 278, f. 10
725 **meridionalis** — *Erosaria* (*Ravitrona*) *helvola meridionalis* Schilder & Schilder 1938P : P. Mal. S. London **23** : 135
631 **merista** — *Gratiadusta walkeri merista* Iredale 1939A : Austr. Zoologist **9** : 318, t. 29 : 20-21
428 **merriami** — *Cypraea merriami* Ingram 1939D : B. Amer. Pal. **24**/**85** : 4, t. 1 : 10-11
725 **metavona** — *Erosaria metavona* Iredale 1935A : Austr. Zoologist **8** : 117
323 (**metingensis** [nud., err. ?] — *Cypraedia metingensis* Vredenburg 1920C : Rec. Geol. Surv. Ind. **51**/**2** : 116
434 (**metingensis** [nud.] — *Gisortia* (*Vicetia*) *metingensis* Vredenburg 1920C : Rec. Geol. Surv. Ind. **51**/**2** : 129
434 **metingensis** — *Gisortia* (*Vicetia*) *metingensis* Vredenburg 1927G : Pal. Ind. (n. s.) **7**/**3** : 75, t. 30 : 2-3, t. 31 : 1
422 **meunieri** — *Cypraea* (*Bernayia*) *meunieri* Cossmann 1923G : in : O'Gorman, Gisem. cuis. Gan : 78, t. 5 : 34-35

524 **mexicana** — *Cypraea* (*Luponia*) *isabella-mexicana* STEARNS 1893W : P. US. Nat. Mus. **16** : 348, t. 50 : 3-4
715 **meyeri** — *Cypraea* (*Aricia*) *meyeri* BÖTTGER 1883M : Ber. Offenb. Ver. **22/23** : 222, t. 1 : 6-7
518 **michaelis** — *Cypraea lynx michaelis* MELVILL 1905C : J. of Conch. **11** : 192
813 **michaudiana** — *Cypraea michaudiana* GRATELOUP 1847A : Conch. foss. Adour, Suppl. : t. 47 : 4
222 **michelottii** — *Trivia michelottii* DOLLFUS & DAUTZENBERG 1886T : Feuille Natural. **189** : 105
635 **microdon** — *Cypraea microdon* GRAY 1828A : Zool. J. **4** : 71
813 **microtera** — *Eocypraea* (*Apiocypraea*) *subexcisa microtera* SCHILDER 1928W : Senckenbergiana **10** : 269
614 **midwayensis** — *Nesiocypraea midwayensis* AZUMA & KUROHARA 1967M : Venus **26** : 1-3, t. 1, Textfig. 1
726 **mikado** — *Erosaria* (*Ravitrona*) *caputserpentis mikado* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 136
725 **miliaris** — *Cypraea miliaris* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3420
522 **minbuensis** — *Cypraea* (*Bernayia*) *subexcisa minbuensis* VREDENBURG 1925N : M. Geol. Surv. Ind. **50/1** : 306
524 **minima** — *Cypraea lurida* var. *minima* DUNKER 1853G : Index moll. Guinea Infer. : 30, t. 4 : 5-6
232 **minima** — *Trivia minima* TENISON-WOODS 1879F : P. Linn. S. NSWales **4** : 4, t. 1 : 8
725 || **minima** — *Cypraea spurca* var. *minima* MONTEROSATO 1897M : J. de Conchyl. **45** : 164, t. 6 : 7
518 || **minima** — *Cypraea carneola* var. *minima* DAUTZENBERG & BOUGE 1933 O : J. de Conchyl. **77** : 270
615 **minima** — *Zonaria pyrum* var. *minima* COEN 1949C : Hist. Nat. Roma **3** : 16
427 **minor** — *Cypraea diluviana* var. *minor* GRAY 1824M : Zool. J. **1** : 149
235 || **minor** — *Cypraea scabriuscula* var. *minor* GRAY 1827M : Zool. J. **3** : 364
223 || **minor** — *Cypraea avellana* var. *minor* GRAY 1828M : Zool. J. **3** : 568
612 || **minor** — *Cypraea gibbosa* = *leporina* var. *minor* GRAY 1828A : Zool. J. **4** : 73
234 (|| **minor** [nud.] — *Cypraea pediculus* (var.) *minor* SCHLÜTER 1838V : Kurzgef. syst. Verz. Conch. Samml. : 25
813 || **minor** — *Cypraea annularia* var. *minor* GRATELOUP 1845A : Conch. foss. Adour **1** : t. 41 : 10
511 || **minor** — *Cypraea ovum* var. *minor* GRATELOUP 1845A : Conch. foss. Adour **1** : t. 41 : 16
222 || **minor** — *Cypraea sphaericulata* var. *minor* GRATELOUP 1845A : Conch. foss. Adour **1** : t. 41 : 27b
432 **minor** — *Ovula tuberculosa* var. *minor* ARCHIAC 1850N : Hist. Progr. Géol. Paris **3** : 299
511 || **minor** — *Cypraea prunum* var. *minor* ARCHIAC & HAIME 1854I : Descr. anim. nummul. Inde : 332, t. 32 : 11
222 (|| **minor** [nud.] — *Cypraea* (*Trivia*) *europaea* var. *minor* MONTEROSATO 1878M : Giorn. Sci. Nat. Econ. **13** : [sep.] 49
223 (|| **minor** [nud.] — *Cypraea* (*Trivia*) *pulex* var. *minor* MONTEROSATO 1878M : Giorn. Sci. Nat. Econ. **13** : [sep.] 49
134 **minor** — *Erato minor* TATE 1878A : Tr. Phil. S. Adelaide **1** : 96
725 || **minor** — *Cypraea spurca* var. *minor* WEINKAUFF 1881S : in : MARTINI & CHEMNITZ, Syst. Conch. Cab. (2. ed.) **5/3**, *Cypraea* : 103
637 || **minor** — *Cypraea minor* QUENSTEDT, 1884D : Petrefaktenkunde Deutschl. (**1**)**7**, Gastr. : 735, t. 214 : 52
223 **minor** — *Trivia pulex* var. *minor* DAUTZENBERG 1889A : Résult. Camp. Monaco **1** : 40
518 || **minor** — *Cypraea carneola* var. *minor* DAUTZENBERG 1893S : B. S. Zool. France **18** : 82
222 || **minor** — *Cypraea europaea* var. *minor* MARSHALL 1893B : J. of Conch. **7** : 263
615 || **minor** — *Cypraea pirum* var. *minor* MONTEROSATO 1897M : J. de Conchyl. **45** : 160
913 || **minor** — *Ovula carnea* var. *minor* PALLARY 1900 O : J. de Conchyl. **48** : 300, t. 8 : 13
524 || **minor** — *Cypraea lurida* var. *minor* PALLARY 1900 O : J. de Conchyl. **48** : 302
615 || **minor** — *Cypraea pyrum* var. *minor* PALLARY 1900 O : J. de Conchyl. **48** : 303
613 || **minor** — *Cypraea achatidea* var. *minor* PALLARY 1900 O : J. de Conchyl. **48** : 304
725 || **minor** — *Cypraea spurca* var. *minor* PALLARY 1900 O : J. de Conchyl. **48** : 306
137 || **minor** — *Erato laevis* var. *minor* PALLARY 1900 O : J. de Conchyl. **48** : 307
518 || **minor** — *Cypraea argus* var. *minor* DAUTZENBERG 1903C : J. de Conchyl. **50** : 296

726 || **minor** — *Cypraea* (*Aricia*) *caput-serpentis* var. *minor* DAUTZENBERG 1903C : J. de Conchyl. **50** : 323
632 || **minor** — *Cypraea* (*Luponia*) *errones* var. *minor* DAUTZENBERG 1903C : J. de Conchyl. **50** : 348
725 || **minor** — *Cypraea* (*Luponia*) *helvola* var. *minor* DAUTZENBERG 1903C : J. de Conchyl. **50** : 369
235 || **minor** — *Trivia oryza* var. *minor* SCHEPMAN 1909S : Siboga-Exped. **49/2/2** : 137
231 || **minor** — *Trivia sibogae* var. *minor* SCHEPMAN 1909S : Siboga-Exped. **49/2/2** : 140, t. 11 : 4
635 **minoridens** — *Cypraea minoridens* MELVILL 1901C : J. of Conch. **10** : 119
725 **minuta** — *Cypraea minuta* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3406
× **minuta** — *Erato minuta* REEVE 1865E : Conch. icon. **15**, *Erato* : f. 11
322 **minuta** — *Cypraedia separabilis minuta* SCHILDER 1928D : Danm. Geol. Unders. (**4**)**2/3** : 7, 11
222 **minuta** — *Trivia arctica minuta* SCHILDER 1933B : B. Mus. HN. Belg. **9/9** : 13, 14
515 **mioarabica** — *Cypraea* (*Arabica*) *mioarabica* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 93
813 **miobadensis** — *Cypraea* (*Luponia*) *labrosa* var. *miobadensis* SACCO 1894P : Moll. terz. Piem. Ligur. 15 : 43
921 **miocenica** — *Amphiperas* (*Neosimnia*) *spelta* var. *miocenica* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 65
813 **miocolligens** — *Cypraea* (*Luponia*) *labrosa* var. *miocolligens* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 43, t. 3 : 21
518 **miolynx** — *Lyncina* (*Lyncina*) *miolynx* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 96
612 **mioporcellus** — *Cypraea* (*Zonaria*) *fabagina* var. *mioporcellus* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 23, t. 2 : 18
725 **miostaphylaea** — *Erosaria* (*Staphylaea*) *miostaphylaea* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 106
811 **mirabilis** — *Eocypraea inflata mirabilis* SCHILDER 1931B : B. Mus. HN. Belg. **7/14** : 9, f. 9-10, 13, 15-17
634 **misella** — *Cypraea misella* PERRY 1811C : Conchology : t. 23 : 6
637 **modesta** — *Cypraea* (*Cypraea*) *menkeana* var. *modesta* SOWERBY 1870T : Thesaur. conchyl. **4**, *Cypraea* : 11, f. 333-334
634 **modjokertensis** — *Palmadusta saulae modjokertensis* SCHILDER 1937N : Ingenieur Nederl. Indië, ser. **4**, Mijnb. **4** : 208, f. 36
625 **mölleri** [em.] — *Thelxinovum molleri* [sic] IREDALE 1931A : Rec. Austr. Mus. **18/4** : 220, t. 24 : 17-18
413 **mokattamensis** — *Cypraea* (*Eocypraea*) *mokattamensis* OPPENHEIM 1906A : Palaeontogr. **30/3** : 300, t. 24 : 22, t. 25 : 17
222 **mollerati** — *Trivia mollerati* LOCARD 1894D : L'Échange **10** (119) : 131
222 **mollerati** — *Trivia mollerati* LOCARD 1897T : Expéd. « Travailleur » et « Talisman », Moll. **1** : 104, t. 3 : f. 16-18
715 **moloni** — *Cypraea moloni* BAYAN 1870V : B. S. Géol. France (**2**)**27** : 481
725 **mombasensis** — *Erosaria* (*Erosaria*) *mombasensis* SCHILDER 1941V : Arch. Mollusk. **73** : 91, 115, t. 9 : 18
515 **momokiti** — *Arabica eglantina momokiti* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 327
222 **monacha** — *Cypraea pediculus* seu *monacha* COSTA 1778B : British Conchology : 33
721 **moneta** — *Cypraea moneta* LINNÉ 1758S : Syst. nat. (10. ed.) : 723
721 (**monetacongo** — *Porcellana moneta Congo* ARGENVILLE 1772C : Conchyliologie **1** : t. 18 : K
721 (**monetacongo** — *Cypraea moneta* syn. *moneta congo* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3415
721 (**monetaguinea** — *Porcellana moneta Guinea* ARGENVILLE 1772C : Conchyliologie **1** : t. 18 : K
721 (**monetanigritarum** — *Cypraea moneta* syn. *moneta Nigritarum* LINNÉ 1758S : Syst. nat. (10. ed.) : 723
721 **monetoides** — *Monetaria monetoides* IREDALE 1939A : Austr. Zoologist **9** : 309, t. 27 : 25-26
634 **moniliaris** — *Cypraea moniliaris* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 98
637 **moniontha** — *Cypraea stolida* var. *moniontha* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 219, t. 1 : 4
524 **monochroma** — *Cypraea lurida* var. *monochroma* MOLLERAT 1890V : B.S. Mal. France **7** : 113
515 (**monokiti** [err.] — *Arabica eglantina monokiti* ALLAN 1956C : Cowry shells world seas : 84
727 **monstrans** — *Purperosa facifer monstrans* IREDALE 1935A : Austr. Zoologist **8** : 120

524 **monstrosa** — *Cypraea lurida* var. *monstrosa* GRAY 1828A : Zool. J. **4** : 72
637 || **monstrosa** — *Cypraea* (*Cypraea*) *owenii* var. *monstrosa* SOWERBY 1870T : Thesaur. Conchyl. **4**, *Cypraea* : 10, f. 366
639 || **monstrosa** — *Cypraea peasei* var. *monstrosa* SMITH 1878F : P. Zool. S. London **1878** : 733, t. 46 : 13-14
813 **montanaroae** — *Eocypraea* (*Apiocypraea*) *hörnesi montanaroae* SCHILDER 1941V : Arch. Mollusk. **73** : 103, 118, t. 9 : 35
627 **montismarthae** — *Umbilia* (*Umbilia*) *brevis montis-marthae* SCHILDER 1935A : P. Mal. S. London **21** : 344, f. 29
514 (**montosa** — *Porcellana montosa* RUMPH 1705A : Amboin. Rariteitkamer : 114, t. 38 : B
514 **montosa** — *Luponia montosa* ROBERTS 1870C : Amer. J. Conch. **5**, App. : 197
514 **montrouzieri** — *Cypraea* (*Aricia*) *mappa* var. *montrouzieri* DAUTZENBERG 1903C : J. de Conchyl. **50** : 325
638 **morbillosa** — *Cypraea morbillosa* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 27
614 **moretonensis** — *Schilderia langfordi moretonensis* SCHILDER 1965Q : Arch. Mollusk. **94** : 57, f. 3-5
524 **morinis** — *Cypraea cinerea* var. *morinis* INGRAM 1939C : B. Amer. Pal. **24/84** : 6, t. 1 : 8-9
524 (**morio** — *Porcellana morio* MEUSCHEN 1787G : Mus. Geversianum : 406
524 **moritura** — *Luria* (*Basilitrona*) *moritura* SCHILDER 1939T : Abh. Schweiz. Pal. Ges. **62** : 27, f. 30
135 **morningtonensis** — *Erato morningtonensis* TATE 1890A : Tr. R. S. SAustr. **13** : 217
811 **mortoni** — *Cypraea mortoni* GABB 1860C : J. Ac. N. Sci. Philad. (**2**)**4** : 391, t. 68 : 8
725 **mozambicana** — *Erosaria* (*Erosaria*) *nebrites mozambicana* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 138
414 **mucronatoides** — *Cypraea* (*Mandolina*) *gibbosa* var. *mucronatoides* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 9. t. 1 : 11
432 (**muensteri** [nud.] — *Ovula muensteri* FUGGER 1899S : Jahrb. Geol. Reichsanst. **49** : 398
426 **mulderi** — *Cypraea mulderi* TATE 1892A : Tr. R. S. SAustr. **13** (in **15**) : t. 9 : 4
323 **multicarinata** — *Ovula* (*Transovula*) *multicarinata* DALL 1890F : Tr. Wagner Free Inst. **3/1** : 164, t. 10 : 10-11
612 **multidentata** —*Zonarina* (*Globulina*) *multidentata* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 114
632 **multidentata** — *Erronea caurica* var. *multidentata* COEN 1949C : Hist. Nat. Roma **3** : 17
222 **multilirata** — *Cypraea* (*Trivia*) *multilirata* SOWERBY 1870T : Thesaur. Conchyl. **4**, *Cypraea* : 50, f. 427-428, 521-522
433 **murchisoni** — *Ovula murchisoni* ARCHIAC 1850N : Hist. Progr. Géol. Paris **3** : 299
811 **murdochi** — *Cypraea* (? *Eocypraea*) *murdochi* FLEMING 1950P : Tr. P. R. S. NZeal. **78** : 248, f. 1a-c
423 **muriformis** — *Zoila* (*Barycypraea*) *muriformis* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 91
524 **murina** — *Cypraea murina* NARDO 1847V : Sinon. moderna spec. Chiereghini : 43
423 **murisimilis** — *Cypraea murisimilis* MARTIN 1879J : Tertiärschichten v. Java : 21, t. 4 : 3
621 **murraviana** — *Cypraea murraviana* TATE 1890A : Tr. R. S. SAustr. **13** : 207
621 (**murrayana** [err.] — *Cypraea* (*Austrocypraea*) *murrayana* COSSMANN 1903E : Essais paléoconch. comp. **5** : 164
428 **mus** — *Cypraea mus* LINNÉ 1758S : Syst. nat. (10. ed.) : 721
524 (**mus** — *Porcellana mus* ARGENVILLE 1772C : Conchyliologie **1** : 229, t. 18 : C
633 (**muscarum** [err.] — *Luponia muscarum* SCHMELTZ 1869G : Cat. Mus. Godeffroy **4** : 94
612 **muschelbergensis** — *Cypraea* (*Zonaria*) *fabagina* var. *muschelbergensis* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 22
634 (**musculus** — *Cypraea musculus* MEUSCHEN 1778G : Index Mus. Gronoviani : 107
722 (|| **musculus** — *Cypraea musculus* MEUSCHEN 1781G : in : GRONOW, Zoophyl. Gronov. **3**, Index : 12
633 **musumea** — *Notadusta musumea* KURODA & HABE 1961J : in : HABE, Coloured Illustr. shells Japan **2** : 42, t. 19 : 18, App. : 14
237 **myrae** — *Trivia* (*Pusula*) *myrae* CAMPBELL 1961P : Veliger **4/1** : 25, t. 5 : 1-3
627 **mystica** — *Umbilia* (?) *mystica* SCHILDER 1932F : SB. Ges. Freunde Berlin **1932** : 266, f. 7

516 **nahaensis** — *Talparia* (*Arestorides*) *nahaensis* Mac Neil 1960T : Prof. Pap. US. Geol. Surv. **339** : 49, t. 17 : 3, 7
133 **nana** — *Erato nana* Sowerby 1859T : Thesaur. Conchyl. **3**, *Erato* : 82, f. 10-12, 18
613 **nana** — *Cypraea achatidea* var. *nana* Crosse 1896A : J. de Conchyl. **44** : 219
222 **nana** — *Trivia* (*Trivia*) *acuminata nana* Schilder 1941V : Arch. Mollusk. **73** : 73, 114
637 **nandronga** — *Bistolida fluctuans nandronga* Steadman & Cotton 1943F : Rec. SAustr. Mus. **7** : 318
222 **napolina** — *Cypraea napolina* Kiener 1843C : Spec. Iconogr. coquilles, *Cypraea* : t. 53 : 3
725 **nariaeformis** — *Erosaria albuginosa nariaeformis* Schilder 1930Z : Zool. Anz. **92** : 76
725 **nasese** — *Erosaria helenae nasese* Steadman & Cotton 1943F : Rec. SAustr. Mus. **7** : 313
725 **nashi** — *Erosaria nashi* Iredale 1931A : Rec. Austr. Mus. **18/4** : 219, t. 24 : 5-6
631 **nasuta** — *Cypraea nasuta* Sowerby 1840C : Tr. Geol. S. London (**2**)**5** : t. 26 : 30
235 **natalensis** — *Trivirostra pellucidula natalensis* Schilder 1932Q : in : Quenstedt, Fossil. Cat. **1/55** : 102
828 **naviculae** — *Transovula* (*Oxycypraea*) *naviculae* Palmer 1937C : B. Amer. Pal. **7/32** : 238, t. 30 : 15, 23
725 **nebrites** — *Cypraea erosa* var. *nebrites* Melvill 1888S : M. Manchester Lit. S. (**4**)**1** : 223, t. 1 : 13
515 (**nebulosa** — *Cypraea nebulosa* Solander 1786P : Cat. Portland Mus. : 133
512 **nebulosa** — *Cypraea nebulosa* Gmelin 1791S : in : Linné, Syst. nat. (13. ed.) **1/6** : 3413
615 || **nebulosa** — *Cypraea nebulosa* Kiener 1843C : Spec. Iconogr. coquilles, *Cypraea* : t. 32 : 3
524 (|| **nebulosa** [nud.] — *Cypraea lurida* var. *nebulosa* Monterosato 1878M : Giorn. Sci. Nat. Econ. **13** : [sep.] 49
524 || **nebulosa** — *Cypraea lurida* var. *nebulosa* Monterosato 1897M : J. de Conchyl. **45** : 158, t. 6 : 3
924 **nectarea** — *Phenacovolva nectarea* Iredale 1930Q : M. Queensland Mus. **10/1** : 85, t. 9 : 6
637 **neglecta** — *Cypraea neglecta* Sowerby 1837C : Cat. recent Cypraeadae : 6
921 **neglecta** — *Ovulum neglectum* Reeve 1865 O : Conch. icon. **15**, *Ovulum* : f. 62
215 **neglecta** — *Triviella neglecta* Schilder 1930Z : Zool. Anz. **92** : 72, 73
322 **negrii** — *Cypraea negrii* Cuvillier 1935E : M. Inst. Égypte **28** : 48, t. 4 : 1
817 **negritensis** — *Ovula negritensis* Olsson 1928P : B. Amer. Pal. **14/52** : 74, t. 20 : 3
232 (**neozelanica** [err., nud.] — *Trivia neozelanica* Hutton 1893P: Macleay Mem. Vol. Linn. S. NSWales: 58
131 **neozelanica** — *Erato neozelanica* Suter 1917Z : NZeal. Geol. Surv., Pal. B. **5** : 12, t. 3 : 6-7
517 **nephelodes** — *Cypraea tigris* var. *nephelodes* Lancaster 1928T : J. of Conch. **18** : 247
716 **neugeboreni** — *Cypraea* (*Aricia*) *neugeboreni* Hoernes & Auinger 1880M : Gast. Mioz. Medit. Stufe Österr. **2** : 60, t. 7 : 5-6, t. 8 : 6
826 **neumayri** — *Cypraea neumayri* Hilber 1879S : SB. Ak. Wien (math. nat.) **79** : 420
826 || **neumayri** — *Cypraea neumayri* Hoernes & Auinger 1880M : Gast. Mioz. Medit. Stufe Österr. **2** : 58, t. 8 : 3
817 **neuvillei** — *Cypraea* (*Eocypraea*) *neuvillei* Cossmann & Peyrot 1924A : Act. Linn. Bordeaux **74** : 380, t. 10 : 33-34
811 **newboldi** — *Cypraea newboldi* Forbes 1846I : Tr. Geol. S. London (**2**)**7** : 134, t. 12 : 21
522 **ngahlaingdwinensis** — *Cypraea* (*Bernayia*) *subexcisa ngahlaingdwinensis* Vredenburg 1925N : M. Geol. Surv. Ind. **50/1** : 306
511 **niasensis** — *Erronea* (*Adusta*) *niasensis* Schilder 1927R : Arch. Naturgesch. **91/A.10** : 117
921 **nicaeensis** — *Simnia nicaeensis* Risso 1826E : Hist. nat. Europe mérid. **4** : 235, t. 10 : 150
515 **nigella** — *Cypraea scurra* var. *nigella* Sullioti 1924P : Contr. stud. Cypraeidae **6** : 9
515 **niger** — *Cypraea arabica* var. *niger* Roberts 1885M : in : Tryon, Manual Conch. **7** : 174, t. 8 : 23
324 **nigeriensis** — *Amphiperas nigeriensis* Newton 1922N : Geol. Surv. Nigeria, B. **3** : 18, t. 3 : 14-15
923 **nigerina** — *Ovula nigerina* Dufo 1840S : Ann. Sci. Nat. **14** : 186
923 (**nigerrima** [nud., err.] — *Ovula nigerrima* Tryon 1885M : Manual of Conchology **7** : 256
517 **nigrescens** — *Cypraea tigris* var. *nigrescens* Gray 1824M : Zool. J. **1** : 367
512 || **nigrescens** — *Cypraea rattus* var. *nigrescens* Sullioti 1924P : Contr. stud. Cypraeidae **6** : 9
515 **nigricans** — *Cypraea* (*Aricia*) *arabica* var. *nigricans* Crosse 1869C : J. de Conchyl. **17** : 39
514 || **nigricans** — *Cypraea nigricans* Crosse 1875C : J. de Conchyl. **23** : 220, t. 8 : 5, t. 9 : 3
517 || **nigricans** — *Cypraea tigris* var. *nigricans* Dautzenberg 1923M : J. de Conchyl. **68** : 44
632 || **nigricans** — *Cypraea erosa* var. *nigricans* Pallary 1926S : M. Inst. Égypt. **11** : 96

721 (**nigritarummoneta** — *Concha Veneris Nigritarum Moneta* LISTER 1688H : Hist. synops. meth. conchyl. **4**, s. **9** : t. 709 : 59
632 **nigrocincta** — *Erronea* (*Erronea*) *caurica* var. *nigrocincta* SCHILDER 1924I : Arch. Naturgesch. **90**/**A.4** : 203
715 **nigroguttata** — *Conocypraea nigroguttata* SCHILDER 1932F : SB. Ges. Freunde Berlin **1932** : 263
518 **nigroguttata** — *Cypraea* (*Lyncina*) *lynx* var. *nigroguttata* COEN 1949C : Hist. Nat. Roma **3** : 13
616 **nigropunctata** — *Cypraea nigro-punctata* GRAY 1828A : Zool. J. **4** : 81
517 (**nigrovinosa** [nud., err. ?] — *Cypraea nigrovinosa* VAYSSIÈRE 1923A : Ann. Mus. HN. Marseille, Zool. **18** : 12
636 **nikinikiensis** — *Stolida nikinikiensis* SCHILDER 1928C : Arch. Mollusk. **60** : 194
613 **nikolsburgensis** — *Zonarina* (*Globulina*) *nikolsburgensis* SCHILDER 1927R : Arch. Naturgesch. **91**/**A.10** : 114
636 **nimbosa** — *Cypraea nimbosa* DILLWYN 1827C : Zool. J. **3** : 317
632 **nimiserrans** — *Erronea nimiserrans* IREDALE 1935A : Austr. Zoologist **8** : 130, t. 9 : 1
632 (**nimisserans** [err.] — *Erronea nimisserans* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 324
828 **nincki** — *Transovula nincki* COSSMANN & PISSARRO 1913P : Iconogr. coqu. éoc. Paris **2**/**3** : t. 65 : 160/4
911 **nipponensis** — *Ovula nipponensis* PILSBRY 1913J : Nautilus **26** : 114, t. 7 : 9
727 **nitens** — *Staphylaea limacina* var. *nitens* COEN 1949C : Hist. Nat. Roma **3** : 15
632 **nitens** — *Erronea caurica* var. *nitens* COEN 1949C : Hist. Nat. Roma **3** : 17
634 (**nitida** — *Cypraea clandestina* syn. *nitida* GRAY 1824M : Zool. J. **1** : 374
727 **nitida** — *Staphylaea staphylaea* var. *nitida* COEN 1949C : Hist. Nat. Roma **3** : 15
635 **nitida** — *Palmadusta* (*Purpuradusta*) *fimbriata* var. *nitida* COEN 1949C : Hist. Nat. Roma **3** : 17
725 **nitidiuscula** — *Erosaria acicularis* var. *nitidiuscula* COEN 1949C : Hist. Nat. Roma **3** : 15
0 (**nivea** [nud.] — *Cypraea nivea* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 22
235 (**nivea** — *Cypraea sulcata* var. *oryza* syn. *nivea* DILLWYN 1817C : Descr. Cat. rec. shells **1** : 466
725 **nivea** — *Cypraea nivea* GRAY 1824R : Zool. J. **1** : 420
634 || **nivea** — *Cypraea nivea* WOOD 1828I : Index testaceol. (2. ed.) Suppl. : 9, t. 3 : 12
234 || **nivea** — *Cypraea nivea* SOWERBY 1832I : Conch. Illustr. : f. 38*
725 || **nivea** — *Cypraea miliaris nivea* PRESTON 1909Q : Nautilus **22** : 121
518 **nivosa** — *Cypraea nivosa* BRODERIP 1827D : Zool. J. **3** : 84, t. 4 : 1
615 **nivosa** — *Zonaria pyrum* var. *nivosa* COEN 1949C : Hist. Nat. Roma **3** : 16
234 **nix** — *Trivia nix* SCHILDER 1922C : P. Mal. S. London **15** : 103, 111
236 **noetlingi** — *Trivia noetlingi* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51**/**2** : 135
132 **nomurai** — *Proterato* (*Sulcerato*) *callosa nomurai* HATAI & NISIYAMA 1948C : Nautilus **62** : 61, t. 4 : 1
822 **normalis** — *Cypraea proserpinae* var. *normalis* GREGORIO 1880G : Fauna S. Giov. Ilarione : 32, t. 6 : 14
524 || **normalis** — *Cypraea lurida* var. *normalis* MONTEROSATO 1897M : J. de Conchyl. **45** : 157
615 || **normalis** — *Cypraea pirum* var. *normalis* MONTEROSATO 1897M : J. de Conchyl. **45** : 160
725 || **normalis** — *Cypraea spurca* var. *normalis* MONTEROSATO 1897M : J. de Conchyl. **45** : 163
639 **northi** — *Cribraria cribraria northi* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 318
222 **norvegica** — *Cypraea norvegica* SARS 1835B : Beskr. Moll. Bergenske Kyst : 71, t. 12 : 35
635 **notata** — *Cypraea notata* GILL 1858C : Ann. Lyc. NYork **6** : 255, t. 9 : **1-3**
428 **noueli** — *Cypraea noueli* MAURY 1917D : B. Amer. Pal. **5**/**29** : 114, t. 19 : 5
722 **nouméensis** — *Cypraea nouméensis* MARIE 1869C : J. de Conchyl. **17** : 18, t. 2 : 6
631 **novaebritanniae** — *Erronea* (*Adusta*) *pulchella novaebritanniae* SCHILDER & SCHILDER 1937B : Zool. Anz. **119** : 183
631 **novaebritanniae** — *Erronea* (*Adusta*) *pulchella novaebritanniae* SCHILDER 1937D : P. Mal. S. London **22** : 367
713 **novaecaledoniae** — *Pustularia* (*Ipsa*) *childreni novaecaledoniae* SCHILDER & SCHILDER 1952D : M. Inst. R. Sci. N. Belg. (**2**)**45** : 61, 234, t. 4 : 2
811 **novaezealandiae** — *Notoluponia novaezealandiae* SCHILDER 1941V : Arch. Mollusk. **73** : 95
811 **novasumma** — *Ovula novasumma* NELSON 1925C : B. Geol. Univ. Calif. **15**/**11** : 425, t. 57 : 2

× **novemprovincialis** — *Erato novemprovincialis* YOKOYAMA 1929H : J. Fac. Sci. Tokyo (**2**)**2** : 346, t. 67 : 7
911 **nubeculata** — *Ovulum nubeculatum* ADAMS & REEVE 1848S : Voy. « Samarang », Moll. : 23, t. 6 : 12
722 **nubilis** — *Cypraea obvelata* var. *nubilis* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 11
411 **nuciformis** — *Cypraea nuciformis* STEPHENSON 1941T : Publ. Univ. Texas **4101** : 314, t. 59 : 8-11
728 **nucleus** — *Cypraea nucleus* LINNÉ 1758S : Syst. nat. (10. ed.) : 724
913 **nucleus** — *Ovula nucleus* MAWE 1823L : Linn. Syst. of Conch. : 100
613 **nucula** — *Cypraea nucula* COCCONI 1873P : M. Ac. Sci. Torino (**3**)**3** : 568, t. 3 : 30-31
427 **nuculoides** — *Cypraea nuculoides* ALDRICH 1903A : Nautilus **16** : 98, t. 3 : 4-6
716 **nudispira** — *Cypraea* (*Proadusta*) *subatomaria* var. *nudispira* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 35, t. 2 : 49
634 **nugata** — *Palmadusta saulae nugata* IREDALE 1935A : Austr. Zoologist **8** : 126
727 **nukulau** — *Staphylaea nukulau* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 312
721 **numisma** — *Cypraea numisma* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 24
728 (**nussatellana** — *Porcellana Nussatellana granulata* RUMPH 1705A : Amboin. Rariteitkamer : t. 39 : I
515 (**nuxaromatica** — *Cypraea nux aromatica* HUMPHREY 1797C : Mus. Calonnianum : 8
631 **nymphae** — *Cypraea nymphae* JAY 1850C : Cat. recent shells (4. ed.) : 391
816 **oakvillensis** — *Cypraea oakvillensis* WINKLE 1918C : Univ. Wash. Publ. Geol. **1**/**2** : 88, t. 7 : 19
812 **obersuldensis** — *Eocypraea* (*Oxycypraea*) *anachoreta obersuldensis* SCHILDER 1941V : Arch. Mollusk. **73** : 103
422 **obesa** — *Cypraea obesa* DESHAYES 1865P : Descr. anim. s. vert. bassin Paris **3** : 561, t. 105 : 11-12
725 || **obesa** — *Cypraea gangranosa* var. *obesa* FULTON 1930N : P. Mal. S. London **19** : 19
135 **obesula** — *Erato obesula* CHAPMAN 1922F : P. R. S. Victoria (n. s.) **35** : 12, t. 3 : 18
632 **oblonga** — *Cypraea oblonga* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1**/**6** : 3416
215 || **oblonga** — *Cypraea carnea* var. *oblonga* GRAY 1828M : Zool. J. **3** : 569
913 (**oblonga** [nud.] — *Ovula adriatica* var. *oblonga* REQUIEN 1848C : Cat. coqu. Corse : 84
817 || **oblonga** — *Cypraea oblonga* SCHAFHÄUTL 1863K : Südbay. Leth. geogn. : Kressenberg : 210, t. 65a : 13
137 **oblonga** — *Erato laevis* var. *oblonga* TRYON 1883M : Manual of Conchology **5** : 9
632 **oblongata** — *Cypraea caurica* var. *oblongata* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 217, t. 1 : 8
632 **oblongatanana** — *Cypraea caurica* var. *oblongata-nana* JACKSON 1906E : J. of Conch. **11** : 351
821 **obolus** — *Cypraea obolus* OPPENHEIM 1901P : Palaeontogr. **47** : 234, t. 1 : 8
817 **obovata** — *Cypraea obovata* SCHAFHÄUTL 1863K : Südbay. Leth. geogn. : Kressenberg : 210, t. 40 : 3
0 (**obscura** [nud.] — *Cypraea obscurus* POE 1839C : The conchol. first book : 138
235 **obscura** — *Cypraea obscura* GASKOIN 1849C : P. Zool. S. London **1848** : 94
632 || **obscura** — *Cypraea caurica* var. *obscura* CROSSE 1869C : J. de Conchyl. **17** : 45
632 **obscurata** — *Erronea* (*Erronea*) *caurica obscurata* SCHILDER & SCHILDER 1940V : Arch. Mollusk. **72** : 43
222 (**obsoleta** [nud.] — *Cypraea obsoleta* SISMONDA 1842P : Synops. meth. Pedemont. foss. : 43
921 **obsoleta** — *Ovula obsoleta* LOCARD 1892F : Coqu. mar. côtes de France : 36
222 **obsoleta** — *Trivia* (*Trivia*) *sphaericulata* var. *obsoleta* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 49, t. 3 : 32
524 **obstructa** — *Cypraea lurida* var. *obstructa* COEN 1933S : R. Comit. Talassogr. Ital., M. **192** : 46, 162
517 **obtusa** — *Cypraea obtusa* PERRY 1811C : Conchology : t. 19 : 1
923 **obtusa** — *Ovulum obtusum* SOWERBY 1828 O : Zool. J. **4** : 156
222 (**obtusa** [nud., err. ?] — *Trivia obtusa* MAYER 1864M : in : HARTUNG, Geol. Beschr. Madeira : 265
613 **obtusedentata** — *Zonarina* (*Zonarina*) *obtusedentata* SCHILDER 1927R : Arch. Naturgesch. **91**/**A.10** : 115
913 **obtusula** — *Ovula carnea* var. *obtusula* PALLARY 1900 O : J. de Conchyl. **48** : 300, t. 8 : 16
722 **obvallata** — *Cypraea obvallata* REEVE 1845C : Conch. icon. **3**, *Cypraea* : f. 69

722 **obvelata** — *Cypraea obvelata* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 102
× **obvolutum** — *Terebellum obvolutum* BRONGNIART 1823V : Mém. terr. sédim. Vicentin : 86
233 **occidentalis** — *Trivia occidentalis* SCHILDER 1922C : P. Mal. S. London **15** : 103, 111
625 **occidentalis** — *Notocypraea declivis occidentalis* IREDALE 1935A : Austr. Zoologist **8** : 134
524 **oceanica** — *Luria lurida oceanica* SCHILDER 1930Z : Zool. Anz. **92** : 76
725 **ocellata** — *Cypraea ocellata* LINNÉ 1758S : Syst. nat. (10. ed.) : 724
725 (|| **ocellata** — *Porcellana ocellata* MEUSCHEN 1787G : Mus. Geversianum : 408
615 (**ochracea** — *Cypraea pyrum* syn. *ochracea* DILLWYN 1817C : Descr. Cat. rec. shells **1** : 457
0 **ochroleuca** — *Cypraea ochroleuca* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3413
× **octoplicata** — *Marginella octoplicata* TENISON-WOODS 1877F : P. R. S. Tasm. **1876** : 109
725 (**oculata** — *Thoracium oculatum* RUMPH 1705A : Amboin. Rariteitkamer : 117, t. 39 : A
725 (**oculata** — *Porcellana oculata* KLEIN 1753T : Tentam. meth. ostracol : 88, 89
513 (**oculata** — *Cypraea oculata* MEUSCHEN 1781G : in : GRONOW, Zoophyl. Gronov. **3**, Index : 13
513 **oculata** — *Cypraea oculata* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3403
515 || **oculata** — *Cypraea oculata* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 23
613 **odhneri** — *Zonarina* (*Globulina*) *odhneri* SCHILDER 1928G : Senckenbergiana **10** : 281, f. 13
725 **ogasawarensis** — *Erosaria* (*Ravitrona*) *cernica ogasawarensis* SCHILDER 1944W : Arkiv Zool. **36A.2** : 6, 23
637 **ogasawarensis** — *Blasicrura* (*Derstolida*) *hirundo ogasawarensis* SCHILDER 1944W : Arkiv Zool. **36A.2** : 7, 28
434 **o'gormani** — *Vicetia o'gormani* COSSMANN 1923G : in : O'GORMAN, Gisem. cuis. Gan : 80, t. 10 : 11-13
712 (**olawaluensis** [nud.] — *Pustularia olawaluensis* SCHILDER & SCHILDER 1966S : Veliger **8/4** : 211
121 **oligocaena** — *Trivia oligocaena* OPPENHEIM 1900M : Z. Deut. Geol. Ges. **52** : 308, t. 11 : 5
138 (**oligocostata** [err. ?] — *Erato oligocostata* KOBELT 1909M : Arch. Mollusk. **3** : 29
635 **oligodon** — *Palmadusta* (*Purpuradusta*) *oligodon* HATAI & NISIYAMA 1948C : Nautilus **62** : 63, t. 4 : 11-12
621 **oligodontota** — *Notoluponia oligodontota* SCHILDER 1935A : P. Mal. S. London **21** : 347, f. 31
811 **oligolaevis** — *Cypraea* (*Luponia*) *oligolaevis* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 39, t. 3 : 10
138 **oligostata** — *Erato oligostata* DALL 1902P : Nautilus **16** : 44
822 **oligovata** — *Cypraea* (*Luponovula*) *oligovata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 44, t. 3 : 25
817 **oligovulaea** — *Cypraea* (*Luponia*) *oligovulaea* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 37, t. 3 : 1
0 (**oliva** — *Porcellana oliva* MEUSCHEN 1787G : Mus. Geversianum : 406
0 (**oliva** [nud.] — *Cypraea oliva* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 27
512 **olivacea** — *Cypraea olivacea* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3408
632 || **olivacea** — *Cypraea olivacea* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 95
632 (|| **olivacea** — *Cypraea felina* syn. *olivacea* DILLWYN 1817C : Descr. Cat. rec. shells **1** : 450
132 **olivaria** — *Erato olivaria* MELVILL 1899A : Ann. Mag. NH. (**7**)**4** : 91, t. 1 : 9
222 (**olorina** — *Cypraea candidula* syn. *olorina* GASKOIN 1836C : P. Zool. S. London **3** : 201
712 (**olowaluensis** [em., nud.] — *Pustularia olowaluensis* SCHILDER 1967L : Veliger **9/4** : 371
517 **onca** — *Cypraea onca* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 24
517 (**onea** [err.] — *Cypraea onea* RÖDING 1819B : Mus. Boltenianum (2. ed.) : 17
234 **oniscus** — *Cypraea oniscus* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 24
215 || **oniscus** — *Cypraea oniscus* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 103
237 || **oniscus** — *Cypraea oniscus* DILLWYN 1817C : Descr. Cat. rec. shells **1** : 466
524 **onycina** — *Luria lurida* var. *onycina* COEN 1949C : Hist. Nat. Roma **3** : 14
631 **onyx** — *Cypraea onyx* LINNÉ, Syst. nat. (10. ed.) : 722
826 **oppenheimi** — *Cypraea* (*Cypraeotrivia*) *oppenheimi* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 113
423 **orangensis** — *Zoila* (*Barycypraea*) *caputviperae* var. *orangensis* BEETS 1942T : Leid. Geol. Med. **13** : 233, t. 25 : 11-13
613 **oranica** — *Cypraea achatidea* var. *oranica* CROSSE 1896A : J. de Conchyl. **44** : 219, t. 7 : 8
611 **orbignyana** [em.] — *Cypraea orbigniana* GRATELOUP 1845A : Conch. foss. Adour **1** : t. 41 : 2
421 **orbignyana** — *Eocypraea orbignyana* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 122

422 **orbignyi** — *Ovula* (*Gisortia*) *orbignyi* MAYER 1904G : Vierteljahrschr. Ges. Zürich **49** : 36
518 **orcina** — *Mystaponda orcina* IREDALE 1931A : Rec. Austr. Mus. **18/4** : 220, t. 24 : 9-10
322 **orglandensis** — *Cypraedia* (*Cypraedia*) *orglandensis* SCHILDER 1941V : Arch. Mollusk. **73** : 101, 115, t. 9 : 28
725 (**orientalis** — *Concha Veneris orientalis* PETIVER 1701M : Mus. Petiv. cent. **8** : 66
433 **orientalis** — *Gisortia orientalis* SCHILDER 1930G : P. Mal. S. London **19** : 134, 136, t. 12 : 25-26
237 **orientalis** — *Pusula* (*Pusula*) *radians orientalis* SCHILDER 1939T : Abh. Schweiz. Pal. Ges. **62** : 11, f. 2-3
639 **orientalis** — *Cribraria* (*Cribraria*) *cribraria orientalis* SCHILDER & SCHILDER 1940V : Arch. Mollusk. **72** : 43
817 **orthocheila** — *Cypraea orthocheila* EDWARDS 1865C : Geol. Magaz. **2** : 538, t. 14 : 2
235 **oryza** — *Cypraea oryza* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 104
727 (|| **oryza** — *Cypraea nucleus* var. *limacina* syn. *oryza* DILLWYN 1817C : Descr. Cat. rec. shells **1** : 469
235 **oryzoidea** — *Trivirostra oryzoidea* IREDALE 1935A : Austr. Zoologist **8** : 99
725 **ostergaardi** — *Cypraea ostergaardi* DALL 1921N : Nautilus **35** : 50
518 **otahitensis** — *Cypraea otahitensis* SCHUBERT & WAGNER 1829C : Neues syst. Conch. Cab. **12** : 108, f. 4029-4030
427 **ovalis** — *Cypraea ovalis* SPEYER 1862C : Palaeontogr. **9** : 105
817 **ovaria** — *Bullacites ovarius* SCHLOTHEIM 1820P : Petrefactenkunde **1** : 119
518 **ovata** — *Cypraea ovata* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3405
515 **ovata** — *Bulla ovata* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3432
725 || **ovata** — *Cypraea ovata* PERRY 1811C : Conchology : t. 21 : 3
632 || **ovata** — *Cypraea errones* var. *ovata* GRAY 1824M : Zool. J. **1** : 385
428 (|| **ovata** — *Cypraea mus* syn. *ovata* GRAY 1828A : Zool. J. **4** : 83
817 **ovata** — *Ovula ovata* KLÖDEN 1834B : Verstein. Mark Brandenburg : 163, t. 2 : 8
423 || **ovata** — *Cypraea ovata* MARTIN 1880J : Tertiärschichten v. Java : 21, t. 4 : 1
427 **ovatoitalica** — *Cypraea* (*Zonaria*) *subexcisa* var. *ovatoitalica* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 14, t. 1 : 23
826 **ovatolaevis** — *Pustularia* (*Jenneria*) *duclosiana* var. *ovatolaevis* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 57, t. 3 : 59
918 **oviformis** — *Ovula oviformis* LAMARCK 1801S : Syst. anim. s. vert. : 72
817 **oviformis** — *Cypraea oviformis* SOWERBY 1812M : Miner. Conch. **1** : 17, t. 4 : tres infer.
912 **ovoidea** — *Amphiperas ovoideus* ADAMS 1872R : P. Zool. S. London **1872** : 10, t. 3 : 4
215 **ovula** [err. ?] — *Cypraea ovula* LAMARCK 1822A : Hist. nat. anim. s. vert. **7** : 398
422 **ovula** — *Globiconcha ovula* ORBIGNY 1843F : Pal. franç. : Terr. cret., Moll. **2** : 145, t. 170 : 3
817 (**ovulaea** [nud.] — *Cypraea ovulaea* SISMONDA 1842P : Synops. meth. Pedemont. foss. : 42
817 **ovulaea** — *Cypraea ovulaea* MICHELOTTI 1847I : Natuurk. Verhandel. Haarlem **3** : 327, t. 14 : 7
215 (**ovularia** [nud., err. ?] — *Trivia* (*Trivia*) *ovularia* PAETEL 1873C : Cat. Conch. Samml. : 54
215 **ovulata** — *Cypraea ovulata* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 99
714 **ovulatella** — *Cypraea ovulatella* TATE 1890A : Tr. R. S. SAustr. **13** : 208
137 **ovuliformis** — *Cypraea ovuliformis* LAMARCK 1822A : Hist. nat. anim. s. vert. **7** : 409
314 **ovuliformis** — *Pedicularia californica* (phase or forma) *ovuliformis* BERRY 1946P : Leaflets in Malacology **1** : 3, fig.
817 **ovulina** — *Cypraea ovulina* GRATELOUP 1845A : Conch. foss. Adour **1** : t. 41 : 1
215 (**ovulum** [nud.] — *Trivia ovulum* SCHMELTZ 1879G : Cat. Mus. Godeffroy **7** : 88
918 (**ovum** — *Porcellana ovum* RUMPH 1705A : Amboin. Rariteitkamer : 115, t. 38 : Q
918 **ovum** — *Bulla ovum* LINNÉ 1758S : Syst. nat. (10. ed.) : 725
632 **ovum** — *Cypraea ovum* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3412
515 (|| **ovum** — *Bulla ovum* SCHREIBER 1793V : Versuch vollst. Conch. Kenntnis : 81
428 || **ovum** — *Cypraea ovum* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 22
511 || **ovum** — *Cypraea ovum* GRATELOUP 1834A : Act. S. Linn. Bordeaux **6** : 304
817 **ovum** — *Marginella ovum* SCHAFHÄUTL 1863K : Südbay. Leth. geogn. : Kressenberg : 209, t. 65a : 12
0 (**ovumpasseris** [nud.] — *Cypraea ovum passeris* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 28

432 **ovumstruthionis** — *Gisortia* (*Megalocypraea*) *ovumstruthionis* SCHILDER 1927K : Senckenbergiana **9** : 200, 204, 211, f. 13

637 (**owenii** — *Cypraea* (*Aricia*) *hirundo* var. *owenii* GRAY 1832D : Descr. Cat. Shells : 9

637 **owenii** — *Cypraea hirundo* var. *owenii* SOWERBY 1837C : Cat. recent Cypraeidae : 6

413 **oxypyga** — *Archicypraea oxypyga* SCHILDER 1939T : Abh. Schweiz. Pal. Ges. **62** : 15, f. 10

234 **pacifica** — *Cypraea pacifica* SOWERBY 1832I : Conch. Illustr. : f. 39*

313 **pacifica** — *Pedicularia pacifica* PEASE 1865P : P. Zool. S. London **1865** : 516

725 || **pacifica** — *Cypraea pacifica* OSTERGAARD 1920H : Nautilus **33** : 92, t. 2 : 5 infra

518 **pacifica** — *Lyncina lynx pacifica* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 330

725 **palatha** — *Cypraea ocellata* var. *palatha* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 224, t. 1 : 14

632 **palauensis** — *Erronea* (*Erronea*) *ovum palauensis* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 152

725 **pallens** — *Cypraea erosa* var. *pallens* TAYLOR 1916V : J. of Conch. **15** : 122

631 **pallida** — *Cypraea pallida* GRAY 1824M : Zool. J. **1** : 387

913 (**pallida** [nud.] — *Ovula carnea* var. *pallida* REQUIEN 1848C : Cat. coqu. Corse : 85

725 (|| **pallida** [nud.] — *Cypraea spurca* var. *pallida* REQUIEN 1848C : Cat. coqu. Corse : 85

615 (|| **pallida** [nud.] — *Cypraea pyrum* var. *pallida* MONTEROSATO 1878M : Giorn. Sci. Nat. Econ. **13** : [sep.] 49

913 **pallida** — *Ovula carnea* var. *pallida* BUCQUOY & DAUTZENBERG & DOLLFUS 1883R : Moll. mar. Roussillon **1** : 134

615 || **pallida** — *Cypraea pirum* var. *pallida* PALLARY 1900 O : J. de Conchyl. **48** : 303

613 || **pallida** — *Cypraea achatidea* var. *pallida* PALLARY 1900 O : J. de Conchyl. **48** : 305

632 || **pallida** — *Cypraea caurica* var. *pallida* DAUTZENBERG 1903C : J. de Conchyl. **50** : 317

515 || **pallida** — *Cypraea* (*Aricia*) *eglantina* var. *pallida* DAUTZENBERG 1903C : J. de Conchyl. **50** : 328

725 || **pallida** — *Cypraea* (*Ocellaria*) *spurca* var. *pallida* PALLARY 1938S : J. de Conchyl. **82** : 31

632 **pallidior** — *Cypraea* (*Luponia*) *errones* var. *pallidior* DAUTZENBERG 1903C : J. de Conchyl. **50** : 349

636 **pallidula** — *Cypraeae quadrimaculatae* var. *pallidula* GASKOIN 1849C: P. Zool. S. London **1848** : 97

824 **palumbella** — *Cypraea* (*Trivia*) *palumbella* GREGORIO 1880G : Fauna S. Giov. Ilarione : 36, t. 6 : 5

138 **panamensis** — *Erato* ? *maugeriae* var. *panamensis* CARPENTER 1856P : P. Zool. S. London **24** : 162

237 **panamensis** — *Trivia panamensis* DALL 1902P : Nautilus **16** : 43

827 **panamensis** — *Jenneria panamensis* OLSSON 1967J : Notul. Natur. Ac. N. Sci. Philad. **403** : 9, t. 1 : 3

514 **panerythra** — *Cypraea mappa* var. *panerythra* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 210

715 **paniculus** — *Cypraea paniculus* BÖTTGER 1875B : Palaeontogr., Suppl. **3** : 22, t. 3 : 23

137 **panormitana** — *Erato* (*Erato*) *voluta panormitana* SCHILDER 1933E : P. Mal. S. London **20** : 250, 254, 269, f. 83

517 **pantherina** — *Cypraea pantherina* SOLANDER Cat. Portland Mus. : 50

725 || **pantherina** — *Cypraea* (*Ocellaria*) *spurca* var. *pantherina* PALLARY 1938S : J. de Conchyl. **82** : 31

921 (**panus** — *Bulla panus* MEUSCHEN 1787G : Mus. Geversianum : 396

921 **papyracea** — *Ovula papyracea* FISCHER [VON WALDHEIM] 1807D : Mus. Demidoff **3** : 156

313 **paradoxa** — *Thyreus paradoxus* PHILIPPI 1844S : Enum. moll. Siciliae **2** : 92, t. 18 : 11

817 **paraguana** — *Marginocypraea paraguana* INGRAM 1947V : B. Amer. Pal. **31**/**121** : 3, t. 1 : 1-2

811 **parahybensis** — *Cypraea parahybensis* MAURY 1930P : Monogr. Serv. Geol. Brazil **8** : 202, t. 10 : 4

714 **parallela** — *Cypraea parallela* TATE 1890A : Tr. R. S. SAustr. **13** : 203

237 **parcicosta** — *Cypraea* (*Trivia*) *parcicosta* BRONN 1862A : Neu. Jahrb. Miner. **1862** : 24, t. 1 : 3

725 **pardalina** — *Cypraea pardalina* DUNKER 1852D : Zeitschr. Malakoz. **9** : 126

517 **pardalis** — *Cypraea pardalis* SHAW 1795M : Vivar. natur., Natur. Misc. **6** : t. 193

517 || **pardalis** — *Cypraea pardalis* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 24

613 (|| **pardalis** — *Cypraea physis* syn. *pardalis* MONTEROSATO 1875M : Atti Acc. Panormitana Sci. **5**(**2a**) : 45

517 **pardus** — *Cypraea pardus* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 24

235 **pargrando** — *Trivirostra pargrando* IREDALE 1935A : Austr. Zoologist **8** : 99

323 **parisiensis** — *Cypraedia parisiensis* SCHILDER 1931B : B. Mus. HN. Belg. **7**/**14** : 6, f. 3-4

121 **parisiensis** — *Eratotrivia bruxellensis parisiensis* SCHILDER 1933E : P. Mal. S. London **20** : 247, 253, 269, f. 2

716 **parisimina** — *Cypraea parisimina* Olsson 1922C : B. Amer. Pal. **9/39** : 139, t. 12 : 10
411 **paronai** — *Palaeocypraea paronai* Schilder 1932F : SB. Ges. Freunde Berlin **1932** : 258
223 **parvavellana** — *Trivia* (*Trivia*) *sphaericulata* var. *parvavellana* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 49, t. 3 : 36
715 **parvitala** — *Cypraea* (*Proadusta*) *splendens* var. *parvitala* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 34, t. 2 : 42
813 **parvoastensis** — *Cypraea* (*Luponia*) *labrosa* var. *parvoastensis* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 43, t. 3 : 23
613 **parvodenticulata** — *Cypraea* (*Zonaria*) *globosa* var. *parvodenticulata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 15
813 **parvolonga** — *Cypraea* (*Luponia*) *labrosa* var. *parvolonga* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 44, t. 3 : 24
222 **parvosphaera** — *Trivia* (*Trivia*) *sphaericulata* var. *parvosphaera* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 48, t. 3 : 30
637 **parvula** — *Cypraea parvula* Philippi 1849T : Zeitschr. Malak. **6** : 24
222 **parvula** — *Trivia coccinelloides parvula* Schilder 1933B : B. Mus. HN. Belg. **9/9** : 8, 13
821 **parvulorbis** — *Cypraea* (*Cyproglobina*) *parvulorbis* Gregorio 1880G : Fauna S. Giov. Ilarione : 34
515 **paschalis** — *Cypraea paschalis* Röding 1798B : in : Bolten, Mus. Boltenianum : 22
634 **passerina** — *Cypraea clandestina* var. *passerina* Melvill 1888S : M. Manchester Lit. S. **(4)1** : 221
921 **passerinalis** — *Ovula passerinalis* Lamarck 1810 O : Ann. Mus. HN. Paris **16** : 114
524 **patrespatriae** — *Cypraea patrespatriae* Maury 1917D : B. Amer. Pal. **5/29** : 116, t. 19 : 10
921 **patula** — *Bulla patula* Pennant 1777Z : Brit. Zoology (2. ed.) **4** : 117, t. 70 : 85A
213 **paucicostata** — *Trivia paucicostata* Schepman 1909S : « Siboga »-Exped. **49/2/2** : 139, t. 11 : 2
137 **paucidentata** — *Erato germanica paucidentata* Schilder 1929D : Mitt. Min. Staatsinst. Hamburg **11** : 10, f. 3
632 **pauciguttata** — *Palmadusta* (*Melicerona*) *felina pauciguttata* Schilder & Schilder 1938P : P. Mal. S. London **23** : 161
237 **paucilirata** — *Cypraea* (*Trivia*) *paucilirata* Sowerby 1870T : Thesaur. conchyl. **4**, *Cypraea* : 49, 53, f. 502, 526
639 **peasei** — *Cypraea* (*Cypraea*) *peasei* Sowerby 1870T : Thesaur. conchyl. **4**, *Cypraea* : 33, f. 167-168
725 **peculiaris** — *Erosaria spurca* var. *peculiaris* Coen 1949C : Hist. Nat. Roma **3** : 15
824 **pedicularis** — *Cypraea pedicularis* Deshayes 1844A : in : Lamarck, Hist. nat. anim. s. vert. (2. ed.) **10** : 578
222 (**pediculoides** — *Trivia pediculoides* Gray 1832D : Descr. Cat. shells : 14
223 **pediculoides** — *Cypraea* (*Trivia*) *europaea* var. *pediculoides* Cerulli-Irelli 1911M : Pal. Ital. **17** : 273, t. 26 (43) : 19-21
235 (**pediculus** — *Porcellana pediculus* Rumph 1705A : Amboin. Rariteitkamer : 18, t. 39 : 5
234 **pediculus** — *Cypraea pediculus* Linné 1758S : Syst. nat. (10. ed.) : 724
235 **pediculus** — *Trivia pediculus* Roberts 1870C : Amer. J. Conch. **5**, App. : 207
513 **peilei** — *Macrocypraea peilei* Schilder 1932F : SB. Ges. Freunde Berlin **1932** : 260
725 **pelidna** — *Cypraea ocellata* var. *pelidna* Melvill & Standen 1904P : J. of Conch. **11** : 120
235 (**pellicula** [err.] — *Cypraea pellicula* Weinkauff 1881S : in : Martini & Chemnitz, Syst. Conch. Cab. (2. ed.) **5/3**, *Cypraea* : 161, t. 43 : 1, 4
517 (**pellistigrina** — *Porcellana pellis tigrina* Argenville 1772C : Conchyliologie **1** : t. 18 : F
636 **pellucens** — *Cypraea tabescens* var. *pellucens* Melvill 1888S : M. Manchester Lit. S. **(4)1** : 218
222 **pellucens** — *Trivia mediterranea* var. *pellucens* Coen 1933S : R. Comit. Talassogr. Ital., M. **192** : 46
0 (**pellucida** [nud.] — *Cypraea pellucida* Sowerby 1825T : Cat. shells Tankerville : 85
223 (**pellucida** [nud.] — *Cypraea pulex* var. *pellucida* Requien 1848C : Cat. coqu. Corse : 86
132 **pellucida** — *Erato pellucida* Reeve 1865E : Conch. icon. **15**, *Erato* : f. 16
× || **pellucida** — *Erato pellucida* Tenison-Woods 1879T : Moll. fauna Tasmania : 35
223 **pellucida** — *Trivia pullicina* var. *pellucida* Locard & Caziot 1900C : Coqu. mar. côtes Corse : 32
639 **pellucida** — *Cypraea esontropia* var. *pellucida* Taylor 1916V : J. of Conch. **15** : 122
235 (|| **pellucida** [err.] — *Trivia pellucida* Iredale 1930Q : M. Queensland Mus. **10** : 83

235 **pellucidula** — *Cypraea pellucidula* GASKOIN 1846C : P. Zool. S. London **1846** : 23
524 || **pellucidula** — *Cypraea cinerea* var. *pellucidula* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 13
518 **pembana** — *Cypraea pembana* COX 1927Z : Rep. Pal. Zanzib. Protect. **1927** : 25, t. 10 : 3
428 **pennai** [em.] — *Cypraeactaeon pennae* WHITE 1887B : Arch. Mus. Nac. Rio de Janeiro **7** : 178, t. 9 : 1-5
921 **pennantiana** — *Simia* [sic] *pennantiana* LEACH 1847B : Ann. Mag. NH. **20** : 269
636 **pentella** — *Talostolida teres pentella* IREDALE 1939A : Austr. Zoologist **9** : 311, t. 28 : 15-16
725 **percomis** — *Erosaria percomis* IREDALE 1931A : Rec. Austr. Mus. **18/4** : 219, t. 24 : 15-16
515 **perconfusa** — *Arabica perconfusa* IREDALE 1935A : Austr. Zoologist **8** : 108
422 **peregrina** — *Cypraea peregrina* MAYER 1876E : Syst. Verz. Verstein. Einsiedeln : 62, t. 3 : 7
138 **perexigua** — *Marginella perexigua* CONRAD 1841T : P. Ac. N. Sci. Philad. **1** : 31
0 (**perforata** [nud.] — *Cypraea perforata* GRAVENHORST 1832B : Zool. Mus. Breslau : 42
414 **pergibba** — *Cypraea* (*Mandolina*) *gibbosa* var. *pergibba* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 9, t. 1 : 12
631 **pericalles** — *Cypraea pulchella* var. *pericalles* MELVILL & STANDEN 1904P : J. of Conch. **11** : 121
816 **perinflata** — *Eocypraea* (*Eocypraea*) *perinflata* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 74
917 **perla** — *Volva perla* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 22
611 **perlabiata** — *Cypraea* (*Vulgusella*) *subrostrata haveri* var. *perlabiata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 13, t. 1 : 20
725 **perlacea** — *Cypraea erosa* var. *perlacea* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 11
234 **permagna** — *Trivia pediculus* var. *permagna* JOHNSON 1910T : Nautilus **24** : 12
223 **permixta** — *Cypraea permixta* CRISTOFOR & JAN 1832C : Cat. Mus. Cristofori et Jan : 15
136 **pernana** — *Erato* (*Erato*) *laevis* var. *pernana* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 60, t. 3 : 64
222 **perobsoleta** — *Trivia* (*Trivia*) *sphaericulata* var. *perobsoleta* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 49, t. 3 : 33
637 **peropima** — *Evenaria peropima* IREDALE 1939A : Austr. Zoologist **9** : 314, t. 28 : 38-39
427 **perplexa** — *Cypraeorbis perplexa* SCHILDER 1939T : Abh. Schweiz. Pal. Ges. **62** : 22, f. 22
722 **perrieri** — *Monetaria perrieri* ROCHEBRUNE 1884M : B.S. Mal. France **1** : 92, t. 2 : 6
631 **persica** — *Erronea* (*Adusta*) *onyx persica* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 150
427 **persimilis** — *Cypraeorbis* (*Cypraeorbis*) *persimilis* SCHILDER 1927R : Arch. Naturgesch. **91/A, 10** : 98
715 **persona** — *Cypraea* (*Conocypraea*) *persona* OPPENHEIM 1901P : Palaeontogr. **47** : 235, t. 15 : 6
633 **persticta** — *Evenaria persticta* IREDALE 1939A : Austr. Zoologist **9** : 315, t. 28 : 34-35
615 **petechialis** — *Cypraea petechialis* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 27
518 (**petechisans** — *Porcellana petechisans* MEUSCHEN 1787G : Mus. Geversianum : 406
811 **pethöi** — *Eocypraea* (*Eocypraea*) *pethöi* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 74
615 **petitiana** — *Cypraea petitiana* CROSSE 1872D : J. de Conchyl. **20** : 213
715 **petrafixensis** — *Cypraea petrafixensis* COSSMANN 1893E : J. de Conchyl. **41** : 327, t. 10 : 2-3
222 **petrela** — *Trivia islahispaniolae petrela* OLSSON & HARBISON 1953F : Monogr. Ac. Nat. Sci. Philad. **8** : 264, t. 60 : 3
611 **peyreirensis** — *Cypraea* (*Eocypraea*) *peyreirensis* COSSMANN & PEYROT 1924A : Act. Linn. Bordeaux **74** : 379, t. 10 : 13-14
223 **peyreirensis** — *Trivia peyreirensis* COSSMANN & PEYROT 1924A : Act. Linn. Bordeaux **74** : 386, t. 11 : 14-15
511 **peyroti** — *Callistocypraea peyroti* SCHILDER 1932P : Riv. Ital. Pal. **38** : 25, 44
725 **phagedaina** — *Cypraea erosa* var. *phagedaina* MELVILL 1888S : M. Manchester Lit. S. **(4)1** : 233, t. 1 : 11
215 **phalacra** — *Triviella phalacra* SCHILDER 1930Z : Zool. Anz. **92** : 72, 73
433 **pharaonum** — *Gisortia* (*Gisortia*) *pharaonum* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 86
922 **pharetra** — *Ovula pharetra* PERRY 1811C : Conchology : t. 53 : 2

821 **phaseolina** — *Cypraea* (*Cyproglobina*) *parvulorbis* var. *phaseolina* Gregorio 1880G : Fauna S. Giov. Ilarione : 36, t. 1 : 24

632 (**phasma** — *Porcellana phasma* Meuschen 1787G : Mus. Geversianum : 402

715 **philippii** — *Cypraea* (*Luponia*) *philippii* Speyer 1862C : Palaeontogr. **9** : 104, t. 18 : 13-15

× **philippii** — *Ovulopsis philippii* Möricke 1896Q : Neu. Jahrb. Miner., Beil. Bd. **10** : 98, t. 7 : 5-6

923 **philippinarum** — *Ovulum philippinarum* Sowerby 1849 O : P. Zool. S. London **1848** : 136

612 **phyletica** — *Cypraea phyletica* Schilder 1923M : Senckenbergiana **5** : 102, f. 2

725 **phyllidis** — *Cypraea lamarckii* var. *phyllidis* Shaw 1915C : P. Mal. S. London **11** : 210

613 **physis** — *Cypraea physis* Brocchi 1814S : Conch. foss. subapenn. **2** : 284, t. 2 : 3

613 **physoides** — *Cypraea achatidea* var. *physoides* Monterosato 1897M : J. de Conchyl. **45** : 161

615 || **physoides** — *Cypraea pirum* var. *physoides* Coen 1933S : R. Comit. Talassogr. Ital., M. **192** : 46, 162, t. 3 : 28

615 **picta** — *Cypraea picta* Gray 1824M : Zool. J. **1** : 389, t. 7 : 10, t. 12 : 10

234 (**picturata** [nud.] — *Trivia pediculus* var. *picturata* Mörch 1877I : Malak. Blätt. **24** : 49

137 **pieris** — *Erato pieris* Stefani & Pantenelli 1878S : B. S. Mal. Ital. **4** : 138

825 **pijiguayensis** — *Cypraea* (*Bernayia*) *pijiguayensis* Clark 1946E : M. Geol. SAmer. **16** : 31, t. 17 : 5-6

429 **pilsbryi** — *Cypraea pilsbryi* Ingram 1939F : Nautilus **52** : 120, t. 9 : 2

827 **pilsbryi** — *Jenneria pilsbryi* Olsson 1967J : Notul. Natur. Ac. N. Sci. Philad. **403** : 7. t. 1 : 5

233 **pilula** — *Cypraea pilula* Kiener 1843C : Spec. Iconogr. coqu., *Cypraea* : t. 54 : 2

811 **pilulosa** — *Cypraea* (*Luponia*) *pilulosa* Stoliczka 1867I : Pal. Ind. (**5**)**2** : 53, t. 4 : 5

213 **pinguior** — *Trivia pinguior* Marwick 1926W : Tr. NZeal. Inst. **56** : 314, t. 72 : 14-15

612 **pinguis** — *Cypraea annulus* var. *pinguis* Grateloup 1845A : Conch. foss. Adour **1** : t. 41 : 23

427 || **pinguis** — *Cypraea pinguis* Conrad 1854M : in : Wailes, Rep. Agr. Geol. Mississ. : 289, t. 17 : 3

625 **piperita** — *Cypraea piperita* Gray 1825M : Zool. J. **1** : 498

615 **piperitoides** — *Zonaria pyrum* var. *piperitoides* Coen 1949C : Hist. Nat. Roma **3** : 16

921 **piragua** — *Amphiperas* (*Simnia*) *piragua* Dall 1889M : Rep. moll. Gulf of Mexico « Blake » **2** : 235

615 **piriformis** [em.] — *Zonaria piriformis* Locard 1886F : Prodr. mal. France : Cat. gén. moll. viv. France : 95

615 (**pirum** [em.] — *Cypraea pirum* Locard 1897T : Expéd. « Travailleur » et « Talisman », Moll. **1** : 101

631 **piscatorum** — *Erronea subviridis piscatorum* Schilder 1965K : Arch. Mollusk. **94** : 148, f. 1-2

712 **pisiformis** — *Pustularia pisiformis* Schilder 1932F : SB. Ges. Freunde Berlin **1932** : 265, f. 4

222 **pisolina** — *Cypraea pisolina* Lamarck 1810P : Ann. Mus. HN. Paris **16** : 108

821 **pisularis** — *Cypraea* (*Cyproglobina*) *parvulorbis* var. *pisularis* Gregorio 1880G : Fauna S. Giov. Ilarione : 35, t. 1 : 34

233 **pisulum** — *Pusula* (*Cleotrivia*) *globosa pisulum* Schilder 1932Q : in : Quenstedt, Fossil. Cat. **1**/**55** : 96

234 (**pisum** — *Cypraea pisum* Meuschen 1778G : Index Mus. Gronoviani : 108

234 (**pisum** — *Cypraea pisum* Meuschen 1871G : in : Gronow, Zoophyl. Gronov. **3**, Index : 13

233 **pisum** — *Cypraea pisum* Gaskoin 1846C : P. Zool. S. London **1846** : 24

823 **planodentata** — *Cypraea* (*Naria*) *planodentata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 36, t. 2 : 50

137 **planulosa** — *Erato* (*Eratopsis*) *barrandei* var. *planulosa* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 62, t. 3 : 70

425 **platypyga** — *Cypraea* (*Aricia*) *platypyga* McCoy 1876V : Prodr. Pal. Victoria **3** : 39, t. 30 : 1

627 **platyrhyncha** — *Cypraea* (*Aricia*) *platyrhyncha* McCoy 1876V : Prodr. Pal. Victoria **3** : 40, t. 30 : 2

121 **platystoma** — *Cypraea* (*Trivia*) *platystoma* Edwards 1854E : Mon. Pal. S. London **3** : 132, t. 17 : 7

231 **pleres** — *Pseudotrivia pleres* Hatai & Nisiyama 1948C : Nautilus **62** : 60, t. 4 : 5-6

721 **pleuronectes** — *Monetaria pleuronectes* Rochebrune 1884M : B. S. Mal. France **1** : 85, t. 1 : 6

621 **plicata** — *Notoluponia plicata* Schilder 1935A : P. Mal. S. London **21** : 348, f. 40-41

422 **plicatella** — *Cypraea* (*Trivia*) *plicatella* MAYER 1876E : Syst. Verz. Verstein. Einsiedeln : 63, t. 3 : 8

613 **plioamygdalum** — *Cypraea* (*Zonaria*) *utriculata* var. *plioamygdalum* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 28, t. 2 : 31

131 **pliocenica** — *Proterato pliocenica* FLEMING 1943D : Tr. P. R. S. NZeal. **73** : 196, t. 29 : 10

615 **pliocylindrica** — *Cypraea* (*Zonaria*) *porcellus* var. *pliocylindrica* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 26, t. 2 : 25

615 **plioglobosa** — *Cypraea* (*Zonaria*) *porcellus* var. *plioglobosa* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 26, t. 2 : 26

524 **pliolurida** — *Luria lurida pliolurida* SCHILDER 1932F : SB. Ges. Freunde Berlin **1932** : 262, f. 9

921 **pliomajor** — *Amphiperas* (*Neosimnia*) *spelta* var. *pliomajor* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 65, t. 3 : 74

725 **pliostaphylaea** — *Erosaria* (*Staphylaea*) *pliostaphylaea* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 106

921 **pliotransiens** — *Amphiperas* (*Neosimnia*) *passerinalis* var. *pliotransiens* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 66, t. 3 : 78

721 **plumaria** — *Monetaria plumaria* ROCHEBRUNE 1884M : B. S. Mal. France **1** : 87, t. 2 : 2

513 **plumbea** — *Cypraea plumbea* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3403

727 **polita** — *Cypraea polita* ROBERTS 1868C : Amer. J. Conch. **4** : 70, t. 15 : 1-3

313 (**polymorpha** — *Calyptraea polymorpha* CALCARA 1845S : Cenno moll. viv. foss. Sicilia

313 **polymorpha** — *Calyptraea polymorpha* = *Pedicularia sicula* PETIT [de la SAUSSAYE] 1869E : Cat. moll. test. mers d'Europe : 178

518 **polynesiae** — *Cypraea* (*Lyncina*) *vitellus polynesiae* SCHILDER & SCHILDER 1939P : P. Mal. S. London **23** : 187

414 **polysarca** — *Cypraea* (*Mandolina*) *polysarca* COSSMANN 1903E : Essais paléoconch. comp. **5** : 154, t. 7 : 8

0 (**pomaria** [nud.] — *Ovula pomaria* GRAVENHORST 1832B : Zool. Mus. Breslau : 43

213 **pompholugota** — *Trivia pompholugota* TATE 1890A : Tr. R. S. SAustr. **13** : 214

631 **ponderosa** — *Erronea* (*Adusta*) *pyriformis ponderosa* SCHILDER 1937N : Ingenieur Nederl. Indië, ser. **4**, Mijnb. **4** : 207, f. 33

613 (**pontileviensis** [nud.] — *Cypraea* (*Luria*) *pontileviensis* DOLLFUS & DAUTZENBERG 1886T : Feuille Natural. **189** : 104

725 **poraria** — *Cypraea poraria* LINNÉ 1758S : Syst. nat. (10. ed.) : 724

712 (**porcellio** — *Porcellana porcellio* ARGENVILLE 1772C : Conchyliologie **1** : 301

615 **porcellus** — *Cypraea porcellus* BROCCHI 1814S : Conch. foss. subapenn. **2** : 283, t. 2 : 2

223 (**porcellus** — *Trivia porcellus* GRAY 1832D : Descr. Cat. shells : 14

518 **porteri** — *Cypraea* (*Lyncina*) *porteri* CATE 1966P : Veliger **8/3** : 200, t. 29 : 1-4

727 **posewitzi** — *Erronea* (*Adusta*) *posewitzi* COX 1948D : Schweiz. Palaeont. Abh. **66/2** : 34, t. 3 : 3

413 **possagnoensis** — *Archicypraea* ? *possagnoensis* SCHILDER 1941V : Arch. Mollusk. **73** : 77

422 **postalana** — *Ovula* (*Gisortia*) *postalana* MAYER 1904G : Vierteljahrschr. Ges. Zürich **49** : 37

422 **postalensis** — *Gisortia postalensis* OPPENHEIM 1896P : Palaeontogr. **43** : 197, t. 16 : 1

715 **postsphaeroides** — *Cypraea* (*Zonaria*) *subexcisa* var. *postsphaeroides* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 14, t. 1 : 24

515 (**potan** — *Peribole potan* [no latin name !] BLAINVILLE 1824D : Dict. sci. hist. nat. **32** : 219

428 **potreronis** — *Cypraea henekeni* var. *potreronis* INGRAM 1939D : B. Amer. Pal. **24/85** : 5, t. 1 : 8-9

511 **praecedens** — *Cypraea* (*Basterotia*) *leporina* var. *praecedens* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 6, t. 1 : 2

136 **praecedens** — *Erato* (*Eratopsis*) *pernana praecedens* SCHILDER 1933E : P. Mal. S. London **20** : 249, 254, 270, f. 55

136 **praecursor** — *Erato praecursor* COSSMANN & PISSARRO 1905C : B. S. Géol. Normandie **24** : 61, t. 16 : 38-39

512 **praelonga** — *Cypraea leporina* var. *praelonga* GRATELOUP 1847A : Conch. foss. Adour, Suppl. : t. 47 : 5

414 (|| **praelonga** [nud.] — *Cypraea praelonga* BELLARDI 1850N : B. S. Géol. France (**2**)**7** : 682

414 || **praelonga** — *Cypraea praelonga* BELLARDI 1852N : M. S. Géol. France (**2**)**4** : 216, t. 13 : 10-11

511 **praemiocaenica** — *Cypraea* (*Cavicypraea*) *subovum* var. *praemiocaenica* VENZO 1937B : M. Ist. Geol. Univ. Padova **13** : 56, t. 3 : 14
923 **praenominata** — *Phenacovolva praenominata* IREDALE 1935A : Austr. Zoologist **8** : 104
422 **praeobesa** — *Cypraea* (*Bernaya*) *praeobesa* COSSMANN 1923G : in : O'GORMAN, Gisem. cuis. Gan : 79, t. 5 : 28-29
615 **praesanguinolenta** — *Cypraea praesanguinolenta* FONTANNES 1878R : Ét. terr. bassin Rhône **4** : Terr. néogèn. Cucuron : 84, t. 1 : 13
826 (**praesulcata** — *Pustularia* (*Jenneria*) *duclosiana* var. *sulcicauda* syn. *praesulcata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 56
515 **prasina** — *Cypraea arabica prasina* SHAW 1909C : P. Mal. S. London **8** : 312
136 **prayensis** — *Erato prayensis* ROCHEBRUNE 1881D : B. S. Philom. (**7**)**6** : 30
922 **precursor** — *Ultimus precursor* DALL 1887A : P. US. N. Mus. **19** : 318, t. 29 : 2-3
821 **pregnans** — *Cypraea proserpinae* var. *pregnans* GREGORIO 1880G : Fauna S. Giov. Ilarione : 32
722 **pressa** — *Cypraea pressa* DILLWYN 1827C : Zool. J. **3** : 317
636 **prestoni** — *Cypraea prestoni* SHAW 1909C : P. Mal. S. London **8** : 299
121 **prestwichii** — *Cypraea* (*Trivia*) *prestwichii* EDWARDS 1854E : Mon. Pal. S. London **3** : 134, t. 17 : 2
725 **pretiosa** — *Cypraea ocellata pretiosa* MELVILL 1905C : J. of Conch. **11** : 192
518 || **pretiosa** — *Cypraea* (*Lyncina*) *carneola* [sic] var. *pretiosa* COEN 1949C : Hist. Nat. Roma **3** : 13
511 **prevostana** — *Cypraea prevostana* [em.] BRONN 1848I : Index pal. **1** : 384
511 (**prevostiana** [err.] — *Cypraea prevostiana* GRATELOUP 1847A : Conch. foss. Adour, Suppl. : Explanation to t. 47 : 6
511 **prevostina** — *Cypraea prevostina* GRATELOUP 1847A : Conch. foss. Adour, Suppl. : t. 47 : 6, Index p. 4
411 **primigenia** — *Palaeocypraea primigenia* SCHILDER 1936A : P. Mal. S. London **22** : 82, 87
821 **primopsis** — *Cypraea* (*Cyproglobina*) *parvulorbis* var. *primopsis* GREGORIO 1880G : Fauna S. Giov. Ilarione : 35, t. 6 : 6
514 **princeps** — *Cypraea princeps* GRAY 1824M : Zool. J. **1** : 75
× **prisca** — *Oliva ? prisca* BINKHORST 1861L : Mon. gastr. craie sup. Limbourg : 71, t. 5a2 : 14
413 **prisca** — *Cypraea prisca* DESHAYES 1865P : Descr. anim. s. vert. bassin Paris **3** : 563, t. 105 : 7-8
813 **proalgoensoides** — *Cypraea* (*Luponia*) *jousseaumei* var. *proalgoensoides* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 40, t. 3 : 13
0 **proavius** — *Cypraeacites proavius* SCHLOTHEIM 1820P : Petrefactenkunde **1** : 118
632 **proba** — *Erronea magerrones proba* IREDALE 1939A : Austr. Zoologist **9** : 322, t. 29 : 33-34
429 **problematica** — *Cypraea* (*Siphocypraea*) *problematica* HEILPRIN 1887C : Tr. Wagner Free Inst. **1** : 87, t. 4 : 12
231 **problematica** — *Pusula* (*Niveria*) *problematica* SCHILDER 1931C : Zool. Anz. **96** : 70, f. 2
631 **problematica** — *Ipserronea problematica* IREDALE 1935A : Austr. Zoologist **8** : 132, t. 9 : 8
0 (**proboscidifera** [nud.] — *Cypraea proboscidifera* DODERLEIN 1862I : Atti 10. Congr. Sci. Ital. Siena **1862** : 106
0 (**procellaria** [nud.] — *Cypraea procellaria* HUMPHREY 1797C : Mus. Calonnianum : 8
725 **prodiga** — *Erosaria tomlini prodiga* IREDALE 1939A : Austr. Zoologist **9** : 307, t. 27 : 7-8
236 **producta** — *Cypraea producta* GASKOIN 1836C : P. Zool. S. London **3** : 200
427 **proflavicula** — *Cypraea* (*Zonaria*) *flavicula* var. *proflavicula* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 31
631 **progoensis** — *Erronea* (*Adusta*) *progoensis* SCHILDER 1927R : Arch. Naturgesch. **91**/**A.10** : 118
428 **projecta** — *Cypraea projecta* INGRAM 1947V : B. Amer. Pal. **31**/**121** : 5, t. 1 : 4-5
136 **prolaevis** — *Erato* (*Erato*) *prolaevis* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 58
715 **propeangusta** — *Cypraea media* var. *propeangusta* GREGORIO 1894B : Ann. Géol. Pal. **14** : 28, t. 5 : 108-109
223 **propeavellana** — *Trivia* (*Trivia*) *sphaericulata* var. *propeavellana* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 49, t. 3 : 35
518 **propinqua** — *Cypraea propinqua* GARRETT 1879S : J. of Conch. **2** : 116
521 **propulchra** — *Talparia* (*Jousseaumea*) *propulchra* SCHILDER 1927R : Arch. Naturgesch. **91**/**A.10** : 100

826 **propustulata** — *Pustularia* (*Jenneria*) *duclosiana* var. *propustulata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 57, t. 3 : 58

631 **propyriformis** — *Erronea* (*Adusta*) *pyriformis propyriformis* Schilder 1937N : Ingenieur Nederl. Indië, ser. **4**, Mijnb. **4** : 206

822 **proserpinae** — *Cypraea proserpinae* Bayan 1870V : B. S. Géol. France (**2**)**27** : 481

727 **prostaphylaea** — *Staphylaea prostaphylaea* Schilder 1937N : Ingenieur Nederl. Indië, ser. **4**, Mijnb. **4** : 200, f. 20

725 **protracta** — *Cypraea* (*Luponia*) *erosa* monstr. *protracta* Dautzenberg 1906C : J. de Conchyl. **54** : 266, t. 9 : 10-12

612 **provincialis** — *Cypraea provincialis* Matheron 1842B : Cat. foss. Bouches-du-Rhône : 256, t. 40 : 22-23

811 (**proxima** [nud.] — *Cypraea proxima* Mourlon 1881B : Géol. de la Belgique **2** : 185

631 **proxima** — *Erronea* (*Adusta*) *proxima* Schilder 1937N : Ingenieur Nederl. Indië, ser. **4**, Mijnb. **4** : 199, f. 16-17

522 **pruniformis** — *Cypraeorbis* (*Cypraeorbis*) *pruniformis* Schilder 1927R : Arch. Naturgesch. **91**/**A.10** : 98

511 **prunum** — *Cypraea prunum* Sowerby 1840C : Tr. Geol. S. London (**2**)**5** : t. 26 : 28

611 || **prunum** — *Cypraea prunum* Bellardi & Michelotti 1840P : M. Ac. Sci. Torino (**2**)**3** : 64, t. 6 : 1-2

631 **prunus** — *Cypraea prunus* Röding 1798B : in : Bolten, Mus. Boltenianum : 22

613 **pseudamygdalum** — *Cypraea* (*Zonaria*) *utriculata* var. *pseudamygdalum* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 28, t. 2 : 32

632 **pseudarabicula** — *Erronea pseudarabicula* Coen 1949C : Hist. Nat. Roma **3** : 17

223 **pseudavellana** — *Trivia* (*Trivia*) *sphaericulata* var. *pseudavellana* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 49, t. 3 : 34

813 **pseudoadentata** — *Cypraea* (*Luponia*) *jousseaumei* var. *pseudoadentata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 40, t. 3 : 14

612 **pseudoannulus** — *Cypraea pseudo-annulus* Orbigny 1852P : Prodr. Pal., stratigr. univ. **3** : 9

223 **pseudoasulcata** — *Trivia*) *affinis* var. *pseudoasulcata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 50, t. 3 : 37

725 **pseudocellata** — *Erosaria* (*Erosaria*) *marginalis pseudocellata* Schilder & Schilder 1938P : P. Mal. S. London **23** : 138

613 **pseudocylindrica** — *Cypraea* (*Zonaria*) *flavicula* var. *pseudocylindrica* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 32, t. 2 : 39

521 **pseudodiluviana** — *Talparia* (*Jousseaumea*) *pseudodiluviana* Schilder 1927R : Arch. Naturgesch. **91**/**A.10** : 100

522 **pseudohieroglyphica** — *Talparia* (*Jousseaumea*) *pseudohieroglyphica* Schilder 1927R : Arch. Naturgesch. **91**/**A.10** : 100

522 **pseudohirundo** — *Cypraea pseudo-hirundo* Orbigny 1852P : Prodr. Pal. stratigr. univ. **3** : 49

813 **pseudoinflata** — *Cypraea pseudo-inflata* Orbigny 1852P : Prodr. Pal., stratigr. univ. **3** : 49

611 **pseudomus** — *Cypraea pseudo-mus* Orbigny 1852P : Prodr. Pal., stratigr. univ. **3** : 48

522 **pseudoscarabaeus** — *Cypraea pseudo-scarabaeus* Grateloup 1834A : Act. S. Linn. Bordeaux **6** : 311

615 **pseudotypica** — *Cypraea* (*Zonaria*) *porcellus* var. *pseudotypica* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 25, t. 2 : 24

811 **pseudoumbilica** — *Cypraea pseudoumbilica* Alekseev 1963P : Ak. Nauk. Armanskoi SSR. Erevan **1963** : 95, t. 18 : 1-2

518 **pseudovinosa** — *Lyncina* (*Lyncina*) *pseudovinosa* Schilder 1927R : Arch. Naturgesch. **91**/**A.10** : 96

215 **pseudovulata** — *Triviella vesicularis pseudovulata* Schilder & Schilder 1929A : Ann. Nat. Mus. Wien **43** : 233

433 **pterophora** — *Gisortia* (*Gisortia*) *gigantea* var. *pterophora* Schilder 1927R : Arch. Naturgesch. **91**/**A.10** : 136

922 **puana** — *Ovula* (*Neosimnia*) *puana* Anderson 1929C : P. Calif. Ac. Sci. (**4**)**18** : 140, t. 9 : 9-10

524 **pubescens** — *Cypraea lurida* var. *pubescens* Monterosato 1897M : J. de Conchyl. **45** : 157

911 **pudica** — *Amphiperas* (*Ovula*) *pudica* Adams 1854C : P. Zool. S. London **22** : 131

513 **pudica** — *Cypraea exanthema* var. *pudica* Rous 1905F : Nautilus **19** : 75
235 (**puellula** — *Trivirostra corinneae* syn. *puellula* Schilder 1932T : B. S. Zool. France **57** : 399
131 **pukeuriensis** — *Erato pukeuriensis* Laws 1935E : Tr. P. R. S. NZeal. **65** : 21, t. 3 : 6
631 **pulchella** — *Cypraea pulchella* Swainson 1823C : Tilloch's Phil. Mag. **61** : 376
524 || **pulchella** — *Cypraea pulchella* Gray 1824M : Zool. J. **1** : 143
637 || **pulchella** — *Cypraea hirundo* var. *pulchella* Gray 1828A : Zool. J. **4** : 78
322 **pulchella** [err. ?] — *Cypraedia pulchella* Sowerby 1842M : Conch. Manual (2. ed.) : 313, f. 564
911 **pulchella** — *Amphiperas pulchellus* Adams 1873N : P. Zool. S. London **1873** : 206
725 **pulchella** — *Erosaria erosa* var. *pulchella* Coen 1949C : Hist. Nat. Roma **3** : 14
524 **pulchra** — *Cypraea pulchra* Gray 1824M : Zool. J. **1** : 380, t. 7 : 9, t. 12 : 9
822 **pulchrina** — *Cypraea* (*Cyproglobina*) *parvulorbis* var. *pulchrina* Gregorio 1880G : Fauna S. Giov. Ilarione : 35, t. 1 : 30
524 **pulchroides** — *Cypraea* (*Luria*) *pulchroides* Alvarado & Alvarez 1964A : Bol. R. S. Esp. HN. Secc. Biol. **62/3** : 268, f. 1
223 (**pulcis varietas** — « *Cypraea* no name » Gaskoin 1849D : P. Zool. S. London **1849** : 23
223 (**pulcisvarietas** [nud.] — *Trivia pulcis-varietas* Paetel 1887C : Cat. Conch. Samml. (ultima ed.) **1** : 320
0 (**pulex** [nud.] — *Cypraea pulex* Humphrey 1797C : Mus. Calonnianum : 7
234 (**pulex** [nud.] — *Cypraea pulex* Röding 1798B : in : Bolten, Mus. Boltenianum : 24
234 **pulex** — *Cypraea pulex* Link 1807R : Beschr. Natur. Samml. Rostock **2** : 92
223 (|| **pulex** — *Cypraea sulcata* syn. *pulex* Dillwyn 1817C : Descr. Cat. rec. shells **1** : 467
223 || **pulex** — *Cypraea pulex* Gray 1827M : Zool. J. **3** : 368
624 **pulicaria** — *Cypraea pulicaria* Reeve 1846C : Conch. icon. **3**, *Cypraea* : f. 84
631 **pulla** — *Cypraea pulla* Gmelin 1791S : in : Linné, Syst. nat. (13. ed.) **1/6** : 3412
0 (|| **pulla** [nud.] — *Cypraea pulla* Gravenhorst 1832B : Zool. Mus. Breslau : 42
233 || **pulla** — *Cypraea pulla* Gaskoin 1846C : P. Zool. S. **1846** : 24
234 **pullata** — *Cypraea* (*Trivia*) *suffusa* var. *pullata* Sowerby 1870T : Thesaur. Conchyl. **4**, *Cypraea* : 45, f. 446-447
223 **pullicina** — *Trivia pullicina* Mollerat 1890V : B. S. Mal. France **7** : 107
822 **pulliensis** — *Cypraea* (*Luponia*) *proserpinae* var. *pulliensis* Oppenheim 1894P : Zeitschr. Deut. Geol. Ges. **46** : 419, t. 29 : 12
237 **pulloidea** — *Trivia pulloidea* Dall & Ochsner 1928G : P. Calif. Ac. Sci. **17** : 113, t. 6 : 16-17
222 (**pullus** [err.] — *Cypraea europaea* syn. *pullus* Weinkauff 1881S : in : Martini & Chemnitz, Syst. Conch. Cab, (2. ed.) **5/3**, *Cypraea* : 144
813 **pumila** — *Cypraea pumila* Koenen 1890N : Abh. Geol. Spez. Karte Preuss. **10/2** : 562, t. 39 : 2-3
524 **pumilio** — *Voluta pumilio* Brusina 1865D : Verh. Zool. Bot. Ges. Wien **15** : 13
827 **pumilio** — *Jenneria pustulata* var. *pumilio* Coen 1949C : Hist. Nat. Roma **3** : 18
633 **punctata** — *Cypraea punctata* Linné 1771M : Mantissa plantarum : 548
0 || **punctata** — *Cypraea punctata* Blainville 1826D : Dict. sci. hist. nat. **43** : 26
912 **punctata** — *Ovula punctata* Duclos 1831M : in : Guérin-Méneville, Mag. Zool. **1** : 7, t. 7 : 1-3
613 || **punctata** — *Cypraea achatidea* var. *punctata* Pallary 1900 O : J. de Conchyl. **48** : 305
137 **punctata** — *Erato laevis punctata* Csepreghyne-Meznerics 1956S : Ann. Hung. Geol. Inst. **45** : 395, 445, t. 4 : 4-5
726 **punctatissima** — *Erosaria* (*Ravitrona*) *caput draconis punctatissima* Coen 1949C : Hist. Nat. Roma **3** : 15
518 **punctulata** — *Cypraea punctulata* Gmelin 1791S : in : Linné, Syst. nat. (13. ed.) **1/6** : 3404
725 (|| **punctulata** — *Cypraea poraria* syn. *punctulata* Lamarck 1810P : Ann. Mus. HN. Paris **16** : 97
0 (|| **punctulata** [nud.] — *Cypraea punctulata* Serres 1822M : Essai hist. anim. Midi France : 60
616 || **punctulata** — *Cypraea punctulata* Gray 1824M : Zool. J. **1** : 387, t. 7 : 4, t. 12 : 4
633 || **punctulata** [err.] — *Cypraea punctulata* Sowerby 1837I : Conch. Illustr. : f. 117
0 (|| **punctulata** [nud.] — *Cypraea punctulata* Schlüter 1838V : Kurzgef. Verz. Conch. Samml. : 24
0 (**puncturata** [nud.] — *Cypraea puncturata* Liénard 1877M : Cat. faune mal. Maurice : 41
722 (**pura** [nud.] — *Cypraea* (*Aricia*) *annulus* var. *pura* Paetel 1883C : Cat. Conch. Samml. : 52
722 **pura** — *Cypraea annulus* var. *pura* Vayssière 1923A : Ann. Mus. HN. Marseille, Zool. **18** : 40

725 **purissima** — *Cypraea erosa* var. *purissima* VREDENBURG 1919E : J. Asiat. S. Bengal **15** : 145
712 **purissima** — *Pustularia cicercula* var. *purissima* COEN 1949C : Hist. Nat. Roma **3** : 16
727 **purperosa** — *Staphylaea* (*Purperosa*) *purperosa* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 313
O **purpurascens** — *Cypraea purpurascens* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3404
615 || **purpurascens** — *Cypraea purpurascens* SWAINSON 1823C : Tilloch's Phil. Mag. **61** : 376
615 (**purpurata** — *Cypraea sanguinolenta* syn. *purpurata* DILLWYN 1817C : Descr. Cat. shells **1** : 445
921 **purpurea** — *Simnia purpurea* RISSO 1826E : Hist. Nat. Europe mérid. **4** : 235
632 **pusilla** — *Cypraea pusilla* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3421
827 **pustulata** — *Cypraea pustulata* SOLANDER 1786P : Cat. Portland Mus. : 106
412 **pustulifera** — *Cypraea pustulifera* PARONA & PREVER 1909 O : M. carta geol. Ital. **5/1** : 230, t. 26 : 40-41
O (**pustulosa** [nud.] — *Cypraea pustulosa* MÖRCH 1860C : Cat. coll. coqu. (C. Frimundt) vente 4.12.**1860** : 17
518 (**pustulosa** [nud.] — *Cypraea carneola* var. *pustulosa* HIDALGO 1907C : M. Ac. Cienc. Madrid **25** : 582, 587
518 (**pustulosa** [nud.] — *Cypraea lynx* var. *pustulosa* HIDALGO 1907C : M. Ac. Cienc. Madrid **25** : 582, 587
631 **putjanganensis** — *Erronea* (*Adusta*) *subviridis putjanganensis* SCHILDER 1937N : Ingenieur Nederl. Indië, ser. **4**, Mijnb. **4** : 270, f. 37-38
918 **pygmaea** — *Ovulum ovum* var. *pygmaea* SOWERBY 1828 O : Zool. J. **4** : 149
233 **pygmaea** — *Pusula* (*Cleotrivia*) *pygmaea* SCHILDER 1931C : Zool. Anz. **96** : 71, f. 5
134 **pygmaea** — *Proterato* (*Cypraeerato*) *pygmaea* SCHILDER 1933E : P. Mal. S. London **20** : 248, 254, 270, f. 29
633 **pygmaea** — *Notadusta pygmaea* SCHILDER 1935A : P. Mal. S. London **21** : 351, f. 50
322 **pyramidis** — *Cypraedia* (*Cypraedia*) *pyramidis* SCHILDER 1941V : Arch. Mollusk. **73** : 101
631 **pyriformis** — *Cypraea pyriformis* GRAY 1824M : Zool. J. **1** : 371
912 **pyriformis** — *Ovulum pyriforme* SOWERBY 1828 O : Zool. J. **4** : 151
725 || **pyriformis** — *Cypraea turdus* var. *pyriformis* SOWERBY 1870T : Thesaur. Conchyl. **4**, *Cypraea* : f. 284
235 **pyrinula** — *Trivirostra pyrinula* HATAI & NISIYAMA 1948C : Nautilus **62** : 59, t. 4 : 9-10
615 (**pyrrha** — *Zonaria piriformis* syn. *pyrrha* LOCARD 1886F : Prodr. malac. France : Cat. gén., moll. viv. France : 95 nota
813 **pyrula** — *Cypraea pyrula* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 105
621 **pyrulata** — *Cypraea pyrulata* TATE 1890A : Tr. R. S. SAustr. **13** : 207
135 **pyrulata** — *Erato pyrulata* TATE 1890A : Tr. R. S. SAustr. **13** : 216
817 **pyrulatior** — *Cypraea* (*Luponia*) *oligovulaea* var. *pyrulatior* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 38, t. 3 : 2
912 **pyrulina** — *Amphiperas pyrulina* ADAMS 1854C : P. Zool. S. London **22** : 131
235 **pyrulina** — *Trivirostra pyrulina* HATAI & NISIYAMA 1948C : Nautilus **62** : 59, t. 4 : 9-10
615 **pyrum** — *Cypraea pyrum* GMELIN 1791S : in : LINNÉ Syst. nat. (13. ed.) **1/6** : 3411
432 **quaasi** — *Gisortia* (*Megalocypraea*) *quaasi* SCHILDER 1941V : Arch. Mollusk. **73** : 78
632 (**quadrifasciata** [nud.] — *Cypraea quadrifasciata* SCHLÜTER 1838V : Kurzgef. syst. Verz. Conch. Samml. : 24
636 **quadrimaculata** — *Cypraea quadrimaculata* GRAY 1824M : Zool. J. **1** : 376
712 || **quadrimaculata** — *Cypraea globulus* var. *quadrimaculata* DAUTZENBERG & BOUGE 1933 O : J. de Conchyl. **77** : 276
636 (**quadrimaculatae** [non nomen] — *Cypraea quadrimaculatae* GASKOIN 1849C : P. Zool. S. London **1848** : 97
636 (**quadrimaculatae** — *Cypraea quadrimaculatae* SHERBORN 1932I : Index Anim. sect. II. Addition : 5371
234 **quadripunctata** — *Cypraea 4-punctata* GRAY 1827M : Zool. J. **3** : 368
O (**quadripunctata** [nud.] — *Trivia pulex* var. *quadripunctata* PALLARY 1900 O : J. de Conchyl. **48** : 307
428 **quagga** — *Siphocypraea quagga* SCHILDER 1939T : Abh. Schweiz. Pal. Ges. **62** : 25, f. 28
722 (**quarta** — *Thoracium quartum* RUMPH 1705A : Amboin. Rariteitkamer : 117, t. 39 : D

921 **quaylei** — *Simnia quaylei* LOWE 1935M : Tr. SDiego S. NH. **8** : 22, t. 3 : 5
614 **queenslandica** — *Schilderia queenslandica* SCHILDER 1966 Bb : Arch. Mollusk. **95** : 157, f. 1
631 (**quilonensis** [nud.] — *Cribraria* (*Talostolida*) *cincta quilonensis* DEY in : SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1**/**55** : 199
631 **quilonensis** — *Erronea* (*Gratiadusta*) *quilonensis* DEY in : SCHILDER 1941V : Arch. Mollusk. **73** : 96, 115
631 **quilonensis** — *Stolida* (*Cribraria*) *quilonensis* DEY 1962Q : M. Geol. Surv. India, Pal. Ind. (n. s.) **36** : 72, t. 6 : 12, 18
632 **quinquefasciata** — *Cypraea quinque fasciata* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 27
633 **rabaulensis** — *Notadusta rabaulensis* SCHILDER 1964K : Arch. Mollusk. **93** : 141, f. 1
237 **radians** — *Cypraea radians* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 102
725 (**radiaris** — *Porcellana radiaris* MEUSCHEN 1787G : Mus. Geversianum : 408
432 **ranikotensis** — *Gisortia* (*Gisortia*) *ranikotensis* SCHILDER 1927R : Arch. Naturgesch. **91**/**A.10** : 86
725 **raripunctata** — *Cypraea* (*Erosaria*) *zanzibarica* var. *raripunctata* SULLIOTI 1911C : Commun. malac. **4** : 2
636 **rashleighana** — *Cypraea rashleighana* MELVILL 1888C : J. of Conch. **5** : 288, t. 2 : 26
817 **raspaili** — *Cypraea raspaili* CHÉDEVILLE 1904P : Feuille Natural. **34** : 86, t. 4 : 2
512 **rattus** — *Cypraea rattus* LAMARCK 1810P : Ann. Mus. HN. Paris **15** : 451
727 (**ravaya** [err.] — *Purperosa facifer ravaya* ALLAN 1956C : Cowry shells world seas : 21
322 **ravni** — *Cypraedia ravni* SCHILDER 1928D : Danm. Geol. Unders. (**4**)**2**/**3** : 7, 11, f. 7
615 **raymondrobertsi** — *Cypraea raymondrobertsi* PILSBRY 1921D : P. Ac. N. Sci. Philad. **73**/**2** : 365, t. 30 : 1-3
635 **raysummersi** — *Purpuradusta raysummersi* SCHILDER 1960K : Arch. Mollusk. **89** : 190, t. 15 : 5
825 **recluzi** — *Trivia recluzi* COSSMANN 1897L : B. S. Sci. Ouest **7** : 339. t. 7 : 37-38
132 **recondita** — *Erato recondita* MELVILL & STANDEN 1903P : Ann. Mag. NH. (**7**)**12** : 302, t. 21 : 9
223 **recta** — *Trivia recta* COUFFON 1902C : B. S. Angers (**2**)**32** : 130, fig.
515 (**rectilinea** [nud.] — *Cypraea arabica* var. *rectilinea* MENKE 1829M : Verz. Conch. Samml. Malsburg : 75
924 **recurva** — *Ovulum recurvum* ADAMS & REEVE 1848S : Voy. « Samarang », Moll. : 21, t. 6 : 3
725 **redimita** — *Cypraea lamarckii* var. *redimita* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 226, t. 2 : 16
121 **rediviva** — *Eratopsis rediviva* OPPENHEIM 1901P : Palaeontogr. **47** : 236, t. 1 : 7
637 **reductesignata** — *Erronea* (*Stolida*) *hirundo* var. *reductesignata* SCHILDER 1924I : Arch. Naturgesch. **90**/**A.4** : 202
637 **reductesignata** — *Cypraea neglecta* var. *reductesignata* SCHILDER 1927C : Nautilus **40** : 126
725 **reentsii** — *Cypraea reentsii* DUNKER 1852D : Zeitschr. Malakoz. **9** : 189
518 **reevei** [em.] — *Cypraea reevii* SOWERBY 1832I : Conch. Illustr. : f. 52
413 **regalis** — *Archicypraea regalis* SCHILDER 1939T : -Abh. Schweiz. Pal. Ges. **62** : 17, f. 14-15
515 (**regina** — *regina Cypraearum* CHEMNITZ 1788C : Neues Syst. Conch. Cab. **10** : 101, f. 1335-1336
515 **regina** — *Cypraea regina* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1**/**6** : 3406
828 **regularoidea** — *Ovula regularoidea* ALDRICH 1921A : B. Amer. Pal. **9**/**37** : 14, t. 1 : 30
631 **rembangensis** — *Cypraea* (*Adusta*) *rembangensis* WANNER & HAHN 1935R : Zeitschr. Deut. Geol. Ges. **87** : 258, t. 19 : 22-23
914 **renovata** — *Simnia* (*Prosimnia*) *renovata* IREDALE 1930Q : M. Queensland Mus. **10**/**1** : 85
234 **restituta** — *Cypraea restituta* SULLIOTI 1922C : Commun. malac. **5** : 14
515 (**reticulata** — *Cypraea reticulata* MARTYN 1784C : The universal Conchologist **1** : f. 15
515 **reticulata** — *Cypraea reticulata* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1**/**6** : 3420
0 (|| **reticulata** [nud.] — *Cypraea reticulata* HUMPHREY 1797C : Mus. Calonnianum : 8
515 || **reticulata** — *Cyprea* [sic] *reticulata* CHENU 1845M : in : MARTYN, Le conchyliogiste univ. : 20, t. 5 : 2
515 || **reticulata** — *Cypraea reticulata* REEVE 1845C : Conch. icon. **3**, *Cypraea* : f. 3
625 **reticulifera** — *Erronea* (*Stolida*) *angustata piperita* var. *reticulifera* SCHILDER 1924I : Arch. Naturgesch. **90**/**A.4** : 201
726 **reticulum** — *Cypraea reticulum* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1**/**6** : 3407
515 **retifera** — *Cypraea histrio* var. *retifera* MENKE 1829M : Verz. Conch. Samml. Malsburg : 76
222 **retusa** — *Cypraea retusa* SOWERBY 1823M : Miner. Conch. **4** : 107, t. 387 : 2

817 **retusa** — *Ovulum retusum* SOWERBY 1837H : Tr. Geol. S. London **(2)5** : 136, t. 8 : 19
412 || **retusa** — *Cypraea retusa* PARONA & PREVER 1909 O : M. carta geol. Ital. **5/1** : 230, t. 26 : 39
222 **retusoides** — *Trivia* (*Trivia*) *sphaericulata* var. *retusoides* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 48, t. 3 : 31
514 **rewa** — *Leporicypraea mappa rewa* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 329
138 **rhenána** — *Hespererato rhenana* SCHILDER 1933E : P. Mal. S. London **20** : 248, 254, 271, f. 42
636 **rhinoceros** — *Cypraea rhinoceros* SOUVERBIE 1865C : J. de Conchyl. **13** : 156, t. 5 : 1
914 **rhodia** — *Amphiperas rhodia* ADAMS 1854C : P. Zool. S. London **22** : 130, t. 28 : 8
826 **rhoernesi** — *Cypraea* (*Pustularia*) *r. hoernesi* HALAVÁTS 1884U : Temészet. Füz. **8** : 176, 210, t. 4 : 3
414 **rhomboidalis** — *Cypraea rhomboidalis* GRATELOUP 1845A : Conch. foss. Adour **1** : t. 41 : 4
721 **rhomboides** — *Monetaria icterina rhomboides* SCHILDER & SCHILDER 1933N : Zool. Meded. Leiden **16** : 165, 199
715 **rhynchophora** — *Pustularia* (*Conocypraea*) *rhynchophora* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 102
411 **riachuelana** — *Cypraea riachuelana* MAURY 1936B : Mon. Serv. Geol. Brazil **11** : 222, 223, t. 14:13
827 **richardsi** — *Jenneria richardsi* OLSSON 1967J : Notul. Natur. Ac. N. Sci. Philad. **403** : 8, t. 2 : 1, 3
725 (**rientzii** [err.] — *Cypraea gangraenosa* var. *rientzii* SOWERBY 1870T : Thesaur. Conchyl. **4**, *Cypraea*: f. 232
715 **rimulata** — *Cypraea* (*Peoadusta*) *splendens* var. *rimulata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 34, t. 2 : 46
121 **ritae** — *Erato ritae* VINASSA DE REGNY 1896V : Pal. Ital. **1** : 262, t. 18 : 6
237 **ritteri** — *Trivia ritteri* RAYMOND 1903T : Nautilus **17** : 85
616 **robertsi** — *Cypraea robertsi* HIDALGO 1906C : M. Ac. Cienc. Madrid **25** : 178
922 **robustior** — *Cyphoma mcgintyi* var. *robustior* BAYER 1941F : Nautilus **55** : 45, t. 3 : 10-15
434 **roncana** — *Ovula roncana* GREGORIO 1896R : Ann. Géol. Pal. **21** : 39, t. 3 : 11
514 **rosea** — *Cypraea mappa* var. *rosea* GRAY 1824M : Zool. J. **1** : 76
0 (|| **rosea** [nud.] — *Cypraea rosea* SOWERBY 1825T : Cat. shells Tankerville : 85
234 || **rosea** — *Cypraea rosea* BLAINVILLE 1826D : Dict. sci. hist. nat. **43** : 25
0 (|| **rosea** [nud.] — *Cypraea rosea* BLAINVILLE 1826D : Dict. sci. hist. nat. **43** : 33
721 || **rosea** — *Cypraea moneta* var. *rosea* GRAY 1828A : Zool. J. **4** : 82
215 || **rosea** — *Cypraea rosea* WOOD 1828I : Index testaceol. (2. ed.) Suppl. : 9, t. 3 : 15
232 (|| **rosea** [nud.] — *Cypraea rosea* POTIEZ & MICHAUD 1838D : Galér. moll. mus. Douai **1** : 477
913 (**rosea** [nud.] — *Ovula carnea* var. *rosea* REQUIEN 1848C : Cat. coqu. Corse : 85
223 (|| **rosea** [nud.] — *Cypraea pulex* var. *rosea* REQUIEN 1848C : Cat. coqu. Corse : 86
924 **rosea** — *Volva rosea* ADAMS 1854C : P. Zool. S. London **22** : 130, t. 28 : 9
223 || **rosea** — *Cypraea* (*Trivia*) *pulex* var. *rosea* BUCQUOY & DAUTZENBERG & DOLLFUS 1883R : Moll. mar. Roussillon **1** : 131
913 (**rosea** — *Ovula carnea* syn. *rosea* BUCQUOY & DAUTZENBERG & DOLLFUS 1883R : Moll. mar. Roussillon **1** : 134
923 **rosea** — *Ovulum depressum* var. *rosea* ROSSITER 1883D : P. Linn. S. NSWales **7** : 323
921 **rosea** — *Ovula* (*Simnia*) *spelta* var. *rosea* PALLARY 1900 O : J. de Conchyl. **48** : 301
632 || **rosea** — *Cypraea caurica rosea* TAYLOR 1913C : J. of Conch. **14** : 24
921 **roseocarnea** — *Ovula* (*Volva*) *spelta* var. *roseo-carnea* MONTEROSATO 1876M : Atti Acc. Panormit. Sci. **5(2a)** : 46
914 **roseomaculata** — *Amphiperas roseomaculatum* SCHEPMAN 1909S : « Siboga »-Exped. **49/2/2** : 142, t. 11 : 10
425 (**roseopunctata** [nud.] — *Cypraea venusta* syn. *roseopunctata* MELVILL 1888S : M. Manchester Lit. S. **(4)1** : 239
425 **rosselli** — *Zoila rosselli* COTTON 1948S : Tr. R. S. SAustr. **72** : 30, t. 1 : 1-6
517 || **rossiteri** — *Cypraea* (*Luponia*) *tigris* var. *rossiteri* DAUTZENBERG 1903C : J. de Conchyl. **50** : 342
631 **rossiteri** — *Cypraea* (*Luponia*) *walkeri* var. *rossiteri* DAUTZENBERG 1903C : J. de Conchyl. **50** : 352

921 **rostralina** — *Ovula rostralina* Deshayes 1865P : Descr. anim. s. vert. bassin Paris **3** : 572, t. 105 : 9-10

512 **rostrata** — *Cypraea columbaria* var. *rostrata* Grateloup 1845A : Conch. foss. Adour **1** : t. 41 : 5

421 || **rostrata** — *Cypraea rostrata* Zekeli 1852G : Abh. Geol. Reichsanst. **1/2/2** : 64, t. 11 : 10

722 (|| **rostrata** [non nomen] — *Cypraea annulus* var. *rostrata* Weinkauff 1881S : in : Martini & Chemnitz, Syst. Conch. Cab. (2. ed.) **5/3**, *Cypraea* : 69

722 (|| **rostrata** — *Cypraea* (*Aricia*) *annulus* monstr. *noumeensis* syn. *rostrata* Dautzenberg 1903C : J. de Conchyl. **50** : 339

633 || **rostrata** — *Cypraea* (*Luponia*) *punctata* monstr. *rostrata* Dautzenberg 1903C : J. de Conchyl. **50** : 360

639 || **rostrata** — *Cypraea* (*Luponia*) *cribraria* monstr. *rostrata* Dautzenberg 1903C : J. de Conchyl. **50** : 361

421 **rostrifera** — *Bernaya* (*Bernaya*) *rostrifera* Schilder 1942L : Ann. Mus. Libico St. Nat. **3** : 64, t. 2 : 13-14

237 **rota** — *Cypraea rota* Weinkauff 1881S : in : Martini & Chemnitz, Syst. Conch. Cab. (2. ed.) **5/3** : 135, t. 38 : 13, 16

137 (**rotula** [err. ?] — *Cypraea ovuliformis* syn. *rotula* Defrance 1826D : Dict. sci. hist. nat. **43** : 39

234 **rotunda** — *Cypraea rotunda* Kiener 1843C : Spec. Iconogr. coquilles, *Cypraea* : t. 53 : 2

× **rotundata** — *Globiconcha rotundata* Orbigny 1843F : Pal. franç. : Terr. cret., Moll. **2** : 143, t. 169 : 17

817 **rotundocrassa** — *Cypraea* (*Luponia*) *ovulina* var. *rotundocrassa* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 39, t. 3 : 6

813 **rotundogallica** — *Cypraea* (*Luponia*) *jousseaumei* var. *rotundogallica* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 40, t. 3 : 11

811 **rouaulti** — *Cypraea* (*Eocypraea*) *rouaulti* Cossmann 1923G : in : O'Gorman, Gisem. cuis. Gan : 77, t. 5 : 30-31

637 **rouxi** — *Cypraea hirundo* var. *rouxi* Ancey 1882C : Naturaliste **55** : 55

237 **rubescens** — *Cypraea rubescens* Gray 1833C : P. Zool. S. London **2(1832)** : 185

313 **rubida** — *Dentiora rubida* Pease 1862S : P. Zool. S. London **1862** : 240

637 **rubiginosa** — *Cypraea rubiginosa* Gmelin 1791S : in : Linné, Syst. nat. (13. ed.) **1/6** : 3420

0 (|| **rubiginosa** [nud.] — *Cypraea rubiginosa* Röding 1798B : in : Bolten, Mus. Boltenianum : 27

637 (**rubigo** — *Cypraea stolida* syn. *rubigo* Reeve 1845C : Conch. icon. **3**, *Cypraea* : f. 67

236 **rubinicolor** — *Cypraea rubinicolor* Gaskoin 1836C : P. Zool. S. London **3** : 199

518 **rubiola** — *Cypraea carneola rubiola* Kenyon 1902C : J. of Conch. **10** : 184

913 (**rubra** [nud.] — *Ovula carnea* var. *rubra* Requien 1848C : Cat. coqu. Corse : 85

913 **rubra** — *Ovula carnea* var. *rubra* Bucquoy & Dautzenberg & Dollfus 1883R : Moll. mar. Roussillon **1** : 134

215 **rubra** — *Trivia ovulata rubra* Shaw 1909C : P. Mal. S. London **8** : 312

813 **ruderalis** — *Cypraea ruderalis* Lamarck 1810P : Ann. Mus. HN. Paris **16** : 106

615 **rufa** — *Cypraea rufa* Lamarck 1810P : Ann. Mus. HN. Paris **16** : 92

921 **rufa** — *Ovulum rufum* Sowerby 1832I : Conch. Illustr. : f. 58

515 **rufa** — *Mauritia* (*Arabica*) *eglantina* var. *rufa* Coen 1949C : Hist. Nat. Roma **3** : 14

524 **rufescens** — *Cypraea rufescens* Gmelin 1791S : in : Linné, Syst. nat. (13. ed.) **1/6** : 3404

524 || **rufescens** — *Cypraea lurida* var. *rufescens* Costa 1829S : Cat. test. due Sicilie : 69

237 || **rufescens** — *Cypraea rufescens* Sowerby 1832I : Conch. Illustr. : f. 31

622 (**rufodentata** [nud., err.] — *Cypraea rufodentata* Schaufuss 1869S : Mollusc. syst. et catalogus coll. Paetel : 47

524 (**rufofulva** — non nomen ! — Philippi 1836S : Enum. moll. Siciliae **1** : 234

524 **rufofulva** — *Cypraea lurida* var. *rufofulva* Kobelt 1906I : Iconogr. schalentrag. europ. Meeresconch. **4** : 48

913 **rufula** — *Ovula carnea* var. *rufula* Mollerat 1890V : B. S. Mal. France **7** : 105

613 **rufula** — *Cypraea grayi* var. *rufula* Mollerat 1890V : B. S. Mal. France **7** : 115

137 (**rugata** [err.] — *Erato* (*Erato*) *laevis* var. *rugata* Cossmann 1903E : Essais paléoconch. comp. **5** : 182

715 **rugifera** — *Pustularia* (*Conocypraea*) *rugifera* Schilder 1927R : Arch. Naturgesch. **91/A.10** : 103

822 **rugosa** — *Cypraea rugosa* BRODERIP 1827D : Zool. J. **3** : 84, t. 4 : 2
235 || **rugosa** — *Cypraea rugosa* GRAY 1831C : Zool. Misc. **1** : 36
715 || **rugosa** — *Cypraea rugosa* GRATELOUP 1834A : Act. S. Linn. Bordeaux **6** : 308
428 || **rugosa** — *Cypraea rugosa* INGRAM 1947V : B. Amer. Pal. **31/121** : 7, t. 2 : 8-9
918 **rumphii** — *Ovum rumphii* SCHRÖTER 1788N : Vollst. Namenregister Syst. Conch. Cab. : 77
524 **rumphii** — *Luria* (*Basilitrona*) *isabella rumphii* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 177
517 **russonitens** — *Cypraea tigris* var. *russonitens* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 212
524 **rutschi** — *Luria* (*Luria*) *cinerea rutschi* SCHILDER 1939T : Abh. Schweiz. Pal. Ges. **62** : 28, f. 31
727 **ruvaya** — *Staphylaea* (*Purperosa*) *purperosa ruvaya* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 312
725 **sabahensis** — *Erosaria sabahensis* COX 1948D : Schweiz. Palaeont. Abh. **66/2** : 32, t. 3 : 7
634 (**sabulosa** — *Cypraea lentiginosa* syn. *sabulosa* SOWERBY 1825T : Cat. shells Tankerville : 84
811 **sabuloviridis** — *Cypraea sabuloviridis* WHITFIELD 1892J : Mon. US. Geol. Surv. **18** : 223, t. 33 : 20-22
222 **saccoi** — *Trivia* (*Trivirostra*) *saccoi* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 62
613 **saccoi** — *Schilderia saccoi* SCHILDER 1932P : Riv. Ital. Pal. **38** : 37
518 (**salinator** — *Porcellana salinator* MEUSCHEN 1787G : Mus. Geversianum : 406
518 (**salita** — *Porcellana salita* RUMPH 1705A : Amboin. Rariteitkamer : 115, t. 38 : L
518 **salita** — *Luponia salita* ROBERTS 1870C : Amer. J. Conch. **5**, App. : 199
428 **saltoensis** — *Cypraea* (*Bernayia*) *saltoensis* CLARK 1946E : M. Geol. SAmer. **16** : 31, t. 17 : 7-8
713 **samurai** — *Pustularia* (*Ipsa*) *childreni samurai* SCHILDER & SCHILDER 1940V : Arch. Mollusk. **72** : 42
725 **sanctaehelenae** — *Erosaria spurca sanctaehelenae* SCHILDER 1930Z : Zool. Anz. **92** : 77
725 (**sancthelenae** [nud.] — *Cypraea sancthelenae* PAETEL 1887C : Cat. Conch. Samml. (ult. ed.) **1** : 321
234 **sanctidominici** — *Trivia suffusa* var. *sancti-dominici* MAURY 1917D : B. Amer. Pal. **5/29** : 117, t. 19 : 15
524 **sanctisebastiani** — *Cypraea sancti-sebastiani* MAURY 1920P : NYork Ac. Sci. **3/1** : 58, t. 7 : 12
132 || **sandwicensis** — *Erato sandwicensis* PEASE 1860S : P. Zool. S. London **28** : 146
132 **sandwichensis** — *Erato sandwichensis* SOWERBY 1859T : Thesaur. conchyl. **3**, *Erato* : 82, f. 21-22
235 (**sandwichensis** — *Cypraea* (*Trivia*) *oryza* syn. *sandwichensis* SOWERBY 1870T : Thesaur. conchyl. **4**, *Cypraea* : 47, f. 474-476
237 **sanguinea** — *Cypraea sanguinea* SOWERBY 1832I : Conch. Illustr. : f. 32
615 **sanguinolenta** — *Cypraea sanguinolenta* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3406
518 **sarcodes** — *Cypraea vitellus* var. *sarcodes* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 206
516 (**sardonyx** — *Cypraea sardonyx* HUMPHREY 1797C : Mus. Calonnianum : 9
516 **saturata** — *Cypraea talpa* var. *saturata* DAUTZENBERG 1903C : J. de Conchyl. **50** : 302
634 **saulae** — *Cypraea saulae* GASKOIN 1843C : P. Zool. S. London **1843** : 23
634 (**sauliae** [em.] — *Cypraea sauliae* (em.) WEINKAUFF 1881S : in : MARTINI & CHEMNITZ, Syst. Conch. Cab. (2. ed.) **5/3**, *Cypraea* : 71
421 **sayni** — *Bernaya* (*Protocypraea*) *sayni* SCHILDER 1941V : Arch. Mollusk. **73** : 79
725 (**scabiosa** — *Cypraea scabiosa* HUMPHREY 1797C : Mus. Calonnianum : 8
235 **scabriuscula** — *Cypraea scabriuscula* GRAY 1827M : Zool. J. **3** : 364
138 **scabriuscula** — *Erato scabriuscula* SOWERBY 1832I : Conch. Illustr. : f. 45
312 **scabriuscula** — *Trivia scabriuscula* KOENEN 1890N : Abh. Geol. Spez. Karte Preuss. **10/2** : 565, t. 39 : 8
136 **scaldisia** — *Erato* (*Eratopsis*) *pernana scaldisia* SCHILDER 1933B : B. Mus. HN. Belg. **9/9** : 5, f. 1
921 **scaldisia** — *Neosimnia leathesi scaldisia* SCHILDER 1933B : B. Mus. HN. Belg. **9/9** : 17, f. 6
714 **scalena** — *Cypraea scalena* TATE 1890A : Tr. R. S. SAustr. **13** : 203
725 **scarabaeus** — *Cypraea scarabaeus* BORY DE ST-VINCENT 1827E : Encycl. méthod. **3**. Atlas : 164
421 **schafhäutli** — *Protocypraea schafhäutli* SCHILDER 1927K : Senckenbergiana **9** : 200, 205, 216, f. 20

828 **schefferi** — *Transovula schefferi* GREGORIO 1880G : Fauna S. Giov. Ilarione : 28, t. 6 : 12
231 **schepmani** — *Pseudotrivia schepmani* SCHILDER 1941V : Arch. Mollusk. **73** : 74
425 (**schilderi** [nud.] — *Zoila* (*Zoila*) *gendinganensis schilderi* DEY in : SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1**/**55** : 120
425 **schilderi** — *Zoila* (*Zoila*) *schilderi* DEY in : SCHILDER 1941V : Arch. Mollusk. **73** : 81, 114
425 **schilderi** — *Zoila schilderi* DEY 1962Q : M. Geol. Surv. India, Pal. Ind. (n. s.) **36** : 71, t. 6 : 3, 7
517 **schilderiana** — *Cypraea tigris schilderiana* CATE 1961S : Veliger **3**/**4** : 108, t. 19 : 1-2
518 **schilderorum** — *Ponda schilderorum* IREDALE 1939A : Austr. Zoologist **9** : 303
422 **schlagintweiti** — *Ovula* (*Gisortia*) *schlagintweiti* MAYER [-EYMAR] 1904G : Vierteljahrschr. Ges. Zürich **49** : 39
822 **schlosseri** — *Eocypraea* (*Sphaerocypraea*) *schlosseri* SCHILDER 1927K : Senckenbergiana **9** : 200, 203, 209, f. 10
422 **schlotheimi** — *Protocypraea schlotheimi* SCHILDER 1927K : Senckenbergiana **9** : 200, 205, 214, f. 19
133 **schmeltziana** — *Erato schmeltziana* CROSSE 1867S : J. de Conchyl. **15** : 301, t. 11 : 5
132 **schneideri** — *Erato* (*Cypraeerato*) *schneideri* SCHILDER 1933T : Zool. Anz. **102** : 293, 296, f. 7
637 **schneideri** — *Blasicrura* (*Derstolida*) *kieneri schneideri* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 166
912 **scitula** — *Amphiperas scitula* ADAMS 1854C : P. Zool. S. London **22** : 131
425 **scottii** — *Cypraea scottii* BRODERIP 1831C : Zool. J. **5** : 330, t. 14 : 1-3
515 (**scurra** — *Cypraea scurra* CHEMNITZ 1788C : Neues Syst. Conch. Cab. **10** : 103, f. 1338
515 **scurra** — *Cypraea scurra* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1**/**6** : 3409
722 **scutellum** — *Monetaria* (*Ornamentaria*) *annulus scutellum* SCHILDER & SCHILDER 1937M : P Zool. S. London **1936** : 1118, 1133, t. 1 : 15, 18
921 **secalis** — *Bulla secale* DILLWYN 1817C : Descr. Cat. rec. shells **1** : 474
923 **secalis** — *Ovulum secale* SOWERBY 1828 O : Zool. J. **4** : 157
631 **sedanensis** — *Erronea* (*Gratiadusta*) *sedanensis* SCHILDER 1941V : Arch. Mollusk. **73** : 96, 116
411 (**seelandica** [nud.] — *Porcellanites seelandicus* SCHLOTHEIM 1813V : in : LEONHARD, Taschenb. Min. : 103
724 **selatjauensis** — *Paulonaria selatjauensis* SCHILDER 1932F : SB. Ges. Freunde Berlin **1932** : 265
423 **sella** — *Cypraea humerosa* var. *sella* ARCHIAC & HAIME 1854I : Descr. anim. nummul. Inde : 331, t. 32 : 8-10
434 **sellaturcica** — *Ovula sella turcica* MARINONI 1879F : Atti S. Ital. Sci. Nat. **21** : 656, 657
813 **sellei** — *Cypraea sellei* RAINCOURT 1874P : B. S. Géol. France (**3**)**2** : 205, t. 6 : 2
223 **selmae** — *Trivia selmae* BÖTTGER 1901K : Verh. Siebenb. Ver. **51** : 10
921 **semen** — *Ovula semen* DEFRANCE 1825D : Dict. sci. hist. nat. **37** : 132
O (**semen** [nud.] — *Cypraea semen* TUOMEY 1848C : Rep. Geol. South Carolina : 209
813 **semen** — *Cypraea semen* COOKE 1919L : Carnegie Inst. Publ. **291** : 114, t. 1 : 10
× **semenoides** — *Erato semenoides* GABB 1860C : J. Ac. N. Sci. Philad. (**2**)**4** : 383, t. 67 : 49
631 **semicostata** — *Erronea* (*Adusta*) *pyriformis semicostata* SCHILDER 1937N : Ingenieur Nederl. Ind., ser. **4**, Mijnb. **4** : 207, f. 34
613 **semidenticulata** — *Cypraea* (*Zonaria*) *sanguinolenta* var. *semidenticulata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 30
923 **seminula** — *Ovulum seminulum* SOWERBY 1828 O : Zool. J. **4** : 157
× **seminula** — *Bulla seminula* NARDO 1847V : Sinon. moderna spec. Chiereghinii : 43
517 **semiorbicularis** — *Cypraea semiorbicularis* SIEMON 1929G : Ber. Nat. Ges. Freiburg **29** : 337, f. 3-4
727 **semiplota** — *Cypraea semiplota* MIGHELS 1845S : P. Boston S. **2** : 24
916 **semistriatus** — *Amphiperas semistriata* PEASE 1862P : P. Zool. S. London **1862** : 241
915 **semperi** [em.] — *Ovula sempieri* WEINKAUFF 1881S : in : MARTINI & CHEMNITZ, Syst. Conch. Cab. (2. ed.) **5**/**3**, *Ovula* : 190, t. 48 : 14-15
133 **senectus** — *Erato senectus* MURDOCH 1924T : Tr. NZeal. Inst. **55** : 160, t. 10 : 5-6
615 **senegalensis** — *Zonaria petitiana senegalensis* SCHILDER 1928V : Zool. Anz. **79** : 9, 10
921 **senegalensis** — *Neosimnia spelta senegalensis* SCHILDER 1931N : B. S. Zool. France **56** : 367, f. 6

322 **separabilis** — *Cypraedia separabilis* SCHILDER 1928D : Danm. Geol. Unders. **(4)2/3** : 7, 9, f. 6
322 **separata** — *Cypraedia bavarica separata* SCHILDER 1927K : Senckenbergiana **9** : 200, 201, 202, f. 2
131 **seposita** — *Erato sepositum* LAWS 1935E : Tr. P. R. S. NZeal. **65** : 22, t. 3 : 8
813 **septemtrionalis** — *Eocypraea* (*Apiocypraea*) *septemtrionalis* SCHILDER 1929D : Mitt. Min. Staats-inst. Hamburg **11** : 19, f. 13-14
517 (**serena** [nud.] — *Cypraea tigris* var. *serena* ORBIGNY 1847D : Dict. sci. hist. nat. **10** : 433
517 (**seriata** — *Cypraea tigris* (young) *seriata* SOLANDER 1786P : Cat. Portland Mus. : 133
0 (**serrata** [nud.] — *Cypraea serrata* SCHMIDT 1818V : Versuch best. Einricht. Conch. Samml. : 220
635 **serrulifera** — *Palmadusta* (*Melicerona*) *serrulifera* SCHILDER & SCHILDER 1938D : P. Mal. S. London **23** : 114, f. 1-2
235 **shawi** — *Trivirostra edgari shawi* SCHILDER 1933T : Zool. Anz. **102** : 290
231 **shimajiriensis** — *Dolichupis* (*Trivellona*) *shimajiriensis* MACNEIL 1960T : Prof. Pap. US. Geol. Surv. **339** : 49, t. 2 : 10, 13-15
634 **siasiensis** — *Cypraea saulae siasiensis* CATE 1960S : Veliger **3/2** : 36, t. 5 : 2-6
231 **sibogae** — *Trivia sibogae* SCHEPMAN 1909S : « Siboga »-Exped. **49/2/2** : 139, t. 11 : 3
615 **siciliana** — *Cypraea siciliana* SALIS-MARSCHLINS 1793N : Reisen Königr. Neapel **1** : 364
0 (**sicula** [nud.] — *Ovula sicula* CANTRAINE 1835D : B. Ac. Sci. Bruxelles **2** : 391
313 **sicula** — *Pedicularia sicula* SWAINSON 1840T : Treatise on Malacology : 245, f. 44
922 **signata** — *Cyphoma signata* QILSBRY & MCGINTY 1939F : Nautilus **53** : 3, t. 1 : 1-2, 9-10
634 **signata** — *Palmadusta ziczac signata* IREDALE 1939A : Austr. Zoologist **9** : 317, t. 29 : 13
434 (**silistrensis** [nud.] — *Gisortia* (*Vicetia*) *silistrensis* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 129
434 **silistrensis** — *Gisortia* (*Vicetia*) *silistrensis* VREDENBURG 1927G : Pal. Ind. (n. s.) **7/3** : 76, t. 31 : 2-3
716 **simiensis** — *Cypraea simiensis* NELSON 1925C : B. Geol. Univ. Calif. **15/11** : 425, t. 57 : 3
725 **similis** — *Cypraea similis* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3421
622 || **similis** — *Cypraea similis* GRAY 1831C : Zool. Misc. **1** : 36
923 **similis** — *Ovulum simile* SOWERBY 1849 O : P. Zool. S. London **1848** : 136
621 **simnioides** — *Notoluponia brachypyga simnioides* SCHILDER 1935A : P. Mal. S. London **21** : 349, f. 46
522 (**simonnei** [nud.] — *Pseudozonaria simonnei* DEY in SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1/55** : 173
522 **simonnei** — *Jousseaumea* (*Fossacypraea*) *simonnei* DEY in SCHILDER 1941V : Arch. Mollusk. **73** : 83, 114, t. 8 : 11
522 **simonnei** — *Pseudozonaria simonnei* DEY 1962Q : M. Geol. Surv. Ind., Pal. Indica (n. s.) **36** : 73, t. 6 : 9, 13
428 (**simplex** — *Cypraea mus* syn. *simplex* ORBIGNY 1847C : in : SAGRA, Hist. île Cuba, Pal., Moll. : 20
425 **simplicior** — *Zoila* (*Zoila*) *platypyga simplicior* SCHILDER 1935A : P. Mal. S. London **21** : 338
511 **simplicissima** — *Cypraea* (*Aricia*) *simplicissima* MARTIN 1899J : Samml. Geol. Reichsmus. **(2)1/1** : 167, f. 384
133 **simulacrum** — *Archierato simulacrum* LAWS 1939K : Tr. P. R. S. NZeal. **68** : 490, t. 64 : 36
636 **simulans** — *Blasicrura* (*Blasicrura*) *pallidula simulans* SCHILDER & SCHILDER 1940V : Arch. Mollusk. **72** : 43
727 (**sindiensis** [nud.] — *Cypraea* (*Erosaria*) *sindiensis* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 113
727 **sindiensis** — *Cypraea* (*Erosaria*) *sindiensis* VREDENBURG 1925N : M. Geol. Surv. Ind. **50/1** : 311, t. 6 : 14
911 **sinensis** — *Ovulum sinense* SOWERBY 1874D : P. Zool. S. London **1874** : 599, t. 72 : 1
423 **singuensis** — *Cypraea* (*Bernayia*) *singuensis* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 95
421 **sinuosa** — *Bernaya* (*Bernaya*) *sinuosa* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1/55** : 115
628 **siphonata** — *Cypraea siphonata* CHAPMAN 1922F : P. R. S. Victoria (n. s.). **35** : 12, t. 3 : 16
632 **sista** — *Palangerosa cylindrica sista* IREDALE 1939A : Austr. Zoologist **9** : 321, t. 29 : 35-36
631 **smithi** — *Cypraea smithi* SOWERBY 1881D : P. Zool. S. London **1881** : 638, t. 56 : 8
812 || **smithi** — *Cypraea smithi* ALDRICH 1886A : Geol. Surv. Alabama. B. **1** : 33, t. 5 : 3

236 || **smithi** — *Cypraea* (*Trivia*) *smithi* MARTIN 1887J : Samml. Geol. Reichsmus. (**1**)**3** : 141, t. 8 : 141
923 **smithi** — *Amphiperas smithi* BARTSCH 1915S : B. US. Nat. Mus. **91** : 96, t. 10 : 1, 3
133 **smithi** — *Proterato* (*Proterato*) *sulcifera smithi* SCHILDER 1933E : P. Mal. S. London **20** : 248, 253, 271, f. 24
236 **smithi** — *Pusula* (*Dolichupis*) *smithi* nom. nov. [pro || *smithi* MARTIN 1887]
421 **sofegginensis** — *Bernaya* (*Bernaya*) *sofegginensis* SCHILDER 1942L : Ann. Mus. Libico St. Nat. **3** : 63, t. 2 : 10-12
724 **sokkohensis** — *Paulonaria* (?) *sokkohensis* SCHILDER 1937N : Ingenieur Nederl. Indië, ser. **4**, Mijnb. **4** : 196, f. 5
237 **solanderi** [em.] — *Cypraea solandri* SOWERBY 1932I : Conch. Illustr. : f. 43
222 (**solida** [nud.] — *Cypraea* (*Trivia*) *europaea* var. *solida* MONTEROSATO 1878M : Giorn. Sci. N. Econ. **13** : [sep.] 49
223 (**solida** — *Trivia solida* GRAY 1832D : Descr. Cat. shells : 15
222 **solida** — *Cypraea* (*Trivia*) *europaea* var. *solida* BUCQUOY & DAUTZENBERG & DOLLFUS 1883R : Moll. mar. Roussillon **1** : 129
236 **soloënsis** — *Dolichupis soloënsis* SCHILDER 1937N : Ingenieur Nederl. Ind., ser. **4**, Mijnb. **4** : 200, f. 18
728 **soloënsis** — *Staphylaea* (?) *soloënsis* SCHILDER 1937N : Ingenieur Nederl. Ind., ser. **4**, Mijnb. **4** : 201, f. 21
432 **somaliensis** — *Gisortia* (*Megalocypraea*) *somaliensis* SCHILDER 1941V : Arch. Mollusk. **73** : 78, 116, t. 8 : 2
631 **sondeiana** — *Cypraea* (*Luponia*) *sondeiana* MARTIN 1899J : Samml. Geol. Reichsmus. (**2**)**1**/**1** : 173, f. 403
323 **sophia** — *Cypraea sophia* DESHAYES 1865P : Descr. anim. s. vert. bassin Paris **3** : 564, t. 106 : 4-5
726 (|| **sophia** [nud.] — *Cypraea caputanguis* var. *sophia* BRAZIER 1897N : P. Linn. S. NSWales **21** : 584
632 || **sophiae** — *Cypraea sophiae* BRAZIER 1876N : P. Linn. S. NSWales **1** : 7
524 **sordida** — *Cypraea sordida* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 90
0 (**soricina** [nud.) —*Cypraea soricina* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 26
422 **soriensis** — *Callistocypraea* (*Miolyncina*?) *soriensis* EAMES 1952P : Phil. Trans. R. Soc. London (B) **236** : 86, t. 3 : 83
425 **sorrentensis** — *Zoila venusta sorrentensis* SCHILDER 1963F : Veliger **5**/**4** : 126
722 **sosokoana** — *Cypraea* (*Cypraea*) sect. *Monetaria annulus sosokoana* LADD 1934V : B. Bishop Mus. **119** : 220, t. 39 : 6-8
924 **sowerbyana** — *Ovula sowerbyana* WEINKAUFF 1881S : in : MARTINI & CHEMNITZ, Syst. Conch. Cab. (2. ed.) **5**/**3**, *Ovula* : 202, t. 51 : 10-11
632 **sowerbyana** — *Erronea* (*Blasicrura*) *cylindrica sowerbyana* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1**/**55** : 192
637 (**sowerbyi** [em.] — *Cypraea hirundo* var. *sowerbei* GRAY 1832D : Descr. Cat. Shells : 9
518 **sowerbyi** — *Cypraea sowerbyi* ANTON 1839V : Verzeichn. Conch. Samml. : 97
615 || **sowerbyi** — *Cypraea sowerbyi* KIENER 1845C : Spec. Iconogr. coquilles, *Cypraea* : 38
823 (|| **sowerbyi** [nud.] — *Cypraea sowerbyi* MICHELOTTI 1846B : Neues Jahrb. Miner. **1846** : 56
823 || **sowerbyi** — *Cypraea sowerbyi* MICHELOTTI 1947I : Natuurk. Verhandel. Haarlem **3** : 324
434 **sowerbyi** — *Vicetia sowerbyi* SCHILDER 1930G : P. Mal. S. London **19** : 132, 136
617 **spadicea** — *Cypraea spadicea* SWAINSON 1823C : Tilloch's Phil. Mag. **61** : 376
727 **spadix** — *Cypraea spadix* MIGHELS 1845S : P. Boston S. **2** : 25
921 **spelta** — *Bulla spelta* LINNÉ 1758S : Syst. nat. (10. ed.) : 726
715 **speyeri** — *Cypraea speyeri* MAYER [-EYMAR] 1894T : J. de Conchyl. **42** : 129, t. 6 : 6
817 (**sphaerica** [nud.] — *Cypraea sphaerica* PHILIPPI 1845M : Neu. Jahrb. Miner. **1845** : 451
817 **sphaerica** — *Cypraea sphaerica* PHILIPPI 1847M : Palaeontogr. **1** : 79, t. 10*a* : 15
222 (**sphaerica** [nud., err.] — *Trivia* (*Trivia*) *sphaerica* PAETEL 1887C : Cat. Conch. Samml. (ult. ed.) **1** : 323
222 **sphaericulata** — *Cypraea sphaericulata* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 107
712 **sphaeridium** — *Pustularia* (*Annepona*) *globulus sphaeridium* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 127

627 **sphaerodoma** — *Cypraea sphaerodoma* TATE 1890A : Tr. R. S. SAustr. **13** : 209
427 **sphaeroides** — *Cypraea sphaeroides* CONRAD 1847V : P. Ac. N. Sci. Philad. **3** : 282
235 **sphaeroides** — *Trivirostra sphaeroides* SCHILDER 1933T : Zool. Anz. **102** : 290, 297, f. 2,8
233 **sphaerula** — *Cypraea sphaerula* MIGHELS 1845S : P. Boston S. **2** : 24
0 (**spheroides** [nud.] — *Cypraea spheroides* BLAINVILLE 1826D : Dict. sci. hist. nat. **43** : 33
137 (**spiralis** [nud.] — *Marginella spiralis* DODERLEIN 1862I : Atti 10. Congr. Sci. Ital. Siena **1862** : 24
137 **spiralis** — *Erato* (*Erato*) *spiralis* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 61, t. 3 : 69
613 **spirapatens** — *Cypraea* (*Zonaria*) *flavicula* var. *spirapatens* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 32
137 (**spiraretusa** — *Erato laevis* var. *spira retusa* COCCONI 1873D : M. Ac. Sci. Torino (**3**)**3** : 513
137 **spiraretusa** — *Erato* (*Erato*) *laevis* var. *spiraretusa* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 60
411 **spirata** — *Cypraeacites spiratus* SCHLOTHEIM 1820P : Petrefactenkunde **1** : 118
715 || **spirata** — *Cypraea spirata* DEFRANCE 1826D : Dict. sci. hist. nat. **43** : 36
612 **spiratina** — *Zonarina pinguis* var. *spiratina* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 24, t. 2 : 21
427 **splendens** — *Cypraea splendens* GRATELOUP 1827D : B. S. Linn. Bordeaux **2** : 22
638 || **splendens** — *Cypraea variolaria* var. *splendens* TAYLOR 1916V : J. of Conch. **15** : 122
515 || **splendens** — *Cypraea arabica* var. *splendens* GYNGELL 1924A : J. of Conch. **17** : 119
215 **splendidissima** — *Triviella splendidissima* TOMLIN & SCHILDER 1934S : Ann. SAfr. Mus. **30** : 477, f. 1-3
633 **spolongensis** — *Notadusta spolongensis* SCHILDER 1937N : Ingenieur Nederl. Ind., ser. **4**, Mijnb. **4** : 198, f. 11
725 **spurca** — *Cypraea spurca* LINNÉ 1758S : Syst. nat. (10. ed.) : 724
615 **spurcoides** — *Cypraea spurcoides* GABB 1873D : Tr. Amer. Phil. S. **15** : 235
0 (**spuria** [nud.] — *Cypraea spuria* GRAVENHORST 1832B : Zool. Mus. Breslau : 42
714 (**squalena** [err.] — *Cypraea* (*Trona*) *squalena* COSSMANN 1903E : Essais paléoconch. comp. **5** : 155, t. 6 : 12, t. 8 : 8
0 (**squalida** [nud.] — *Cypraea squalida* GRAVENHORST 1832B : Zool. Mus. Breslau : 42
518 **squalina** — *Cypraea squalina* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1**/**6** : 3420
411 (**squyeri** [nud.] — *Cypraea squyerii* CAMPBELL 1892D : Nautilus **6** : 50
411 **squyeri** — *Cypraea squyeri* CAMPBELL 1893C : Nautilus **7** : 52, t. 2 : 1-2
715 **stampinensis** — *Cypraea* (*Zonaria*) *subexcisa* var. *stampinensis* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 15
515 **standeni** — *Cypraea scurra standeni* MELVILL 1905C : J. of Conch. **11** : 192
727 **staphylaea** — *Cypraea staphylaea* LINNÉ 1758S : Syst. nat. (10. ed.) : 725
322 **staufeneckensis** — *Cypraedia* (*Cypraedia*) *staufeneckensis* SCHILDER 1941V : Arch. Mollusk. **73** : 101
433 **stefaninii** — *Gisortia* (*Vicetia*) *stefaninii* NEGRI 1934S : Miss. Acc. Italia a Cufra **3** : 156, f. 4-5
636 **steineri** — *Erronea steineri* CATE 1969E : Veliger **11**/**3** : 257, t. 46 : 2
725 (**stellata** — *Thoracium stellatum* RUMPH 1705A : Amboin. Rariteitkamer : 117, t. 39 : B
725 **stellata** — *Cypraea stellata* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1**/**6** : 3413
725 || **stellata** — *Cypraea stellata* PERRY 1811C : Conchology : t. 22 : 2
512 **stenostoma** — *Cypraea stenostoma* MAYER [-EYMAR] 1864M : in : HARTUNG, Geol. Beschr. Madeira : 264, t. 7 : 63
715 **stephanensis** — *Cypraea* (*Bernayia*) *stephanensis* COSSMANN & PEYROT 1924A : Act. Linn. Bordeaux **74** : 371, t. 12 : 6-7
512 **stercoraria** — *Cypraea stercoraria* LINNÉ 1758S : Syst. nat. (10. ed.) : 719
633 **stercusmuscarum** — *Cypraea stercusmuscarum* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 98
631 **stohleri** — *Erronea stohleri* CATE & SCHILDER 1968N : Veliger **10**/**4** : 382, t. 54
637 **stolida** — *Cypraea stolida* LINNÉ 1758S : Syst. nat. (10. ed.) : 724
725 **straminea** — *Cypraea erosa* var. *straminea* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 223, t. 1 : 10
0 (**striata** — *Cypraea striata* MEUSCHEN 1778G : Index Mus. Gronoviani : 107
725 **striata** — *Cypraea striata* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1**/**6** : 3421
925 **striata** — *Ovula volva* var. *striata* LAMARCK 1810 O : Ann. Mus. HN. Paris **16** : 113
0 (|| **striata** [nud.] — *Cypraea striata* BLAINVILLE 1826D : Dict. sci. hist. nat. **43** : 33

0 || **striata** — *Cypraea striata* BRONN 1848I : Index palaeont. **1** : 385
421 || **striata** — *Ovula striata* ZEKELI 1852G : Abh. Geol. Reichsanst. **1/2/2** : 64, t. 11 : 9
921 (|| **striata** [err. ?] — *Ovula striata* COUFFON 1902C : B. S. Angers **(2)32** : 131
131 (**striata** [nud.] — *Erato striata* MARSHALL 1915 O : Tr. NZeal. Inst. **47** : 379
634 **striatella** — *Cypraea striatella* LINK 1807R : Beschr. Natur. Samml. Rostock **2** : 90
322 (**striatissima** [nud.] — *Cypraedia* (*Cypraedia*) *striatissima* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 118
322 (**striatissima** [nud.] — *Cypraedia striatissima* COX 1931L : Tr. R. S. Edinburgh **57/1** : 54
914 **striatula** — *Ovulum striatulum* SOWERBY 1828 O : Zool. J. **4** : 155
921 **striatula** — *Ovula striatula* MILLET 1854M : Pal. Maine-et-Loire : 158
821 (**strombecki** — *Cypraea deshayesii* syn. *strombecki* KAUNHOVEN 1898M : Pal. Abh. **8/1** : 76
821 **strombecki** — *Cypraea strombecki* SCHILDER 1922C : P. Mal. S. London **15** : 103
728 **sturanyi** — *Staphylaea* (*Nuclearia*) *nucleus sturanyi* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 130
313 **stylasteris** — *Pedicularia stylasteris* HEDLEY 1903T : M. Austr. Mus. **4/1** : 342, f. 69-70
231 **suavis** — *Trivia suavis* SCHILDER 1931C : Zool. Anz. **96** : 69
137 **subagranulosa** — *Erato* (*Eratopsis*) *barrandei* var. *subagranulosa* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 63, t. 3 : 73
137 **subalata** — *Erato* (*Erato*) *laevis* var. *subalata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 61, t. 3 : 68
721 **subalata** — *Monetaria moneta subalata* SCHILDER & SCHILDER 1933N : Zool. Meded. Leiden **16** : 166, 199
725 **subalba** — *Cypraea nebrites* var. *subalba* SMITH 1912A : Nautilus **26** : 78, t. 4 : 11
817 **subalpina** — *Cypraea subalpina* MAYER [-EYMAR] 1876E : Syst. Verz. Verstein. Einsiedeln : 63, t. 4 : 21
522 **subambigua** — *Cypraea subambigua* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 49
813 **subamygdalum** — *Cypraea subamygdalum* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 49
611 **subannularia** — *Cypraea subannularia* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 49
611 **subannulus** — *Cypraea subannulus* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 48
615 **subarostrata** — *Cypraea* (*Zonaria*) *porcellus* var. *subarostrata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 26, t. 2 : 27
137 **subasulcata** — *Erato* (*Eratopsis*) *barrandei* var. *subasulcata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 62, t. 3 : 71
826 **subasulcolaevis** — *Pustularia* (*Jenneria*) *duclosiana* var. *subasulcolaevis* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 57, t. 3 : 60
613 **subatomaria** — *Cypraea subatomaria* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 9
132 **subaustralis** — *Proterato* (*Cypraeerato*) *subaustralis* LUDBROOK 1958A : Tr. R. S. SAustr. **81** : 43, t. 1 : 1-2
921 **subbiconica** — *Amphiperas* (*Neosimnia*) *passerinalis* var. *subbiconica* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 66, t. 3 : 77
322 **subcancellata** — *Cypraea* (*Cypraedia*) *subcancellata* JOHNSON 1899L : P. Ac. N. Sci. Philad. **51** : 78, t. 2 : 9
921 **subcarnea** — *Ovula subcarnea* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 50
625 **subcarnea** — *Cypraea angustata* var. *subcarnea* BEDDOME 1896A : P. Linn. S. NSWales **21** : 467, t. 21 : 8-10
638 **subchinensis** — *Cypraea* (*Luponia*) *subchinensis* ABRARD 1946H : Ann. Paléont. **32** : 66, t. 4 : 36-37
635 **subcoerulea** — *Erronea* (*Erronea*) *fimbriata subcoerulea* SCHILDER & SCHILDER 1931A : B. S. Zool. France **56** : 215
512 **subcolumbaria** — *Cypraea subcolumbaria* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 9
714 **subcontusa** — *Austrocypraea subcontusa* SCHILDER 1935A : P. Mal. S. London **21** : 341, f. 23
725 **subconvexa** — *Erosaria* (*Ravitrona*) *gangranosa subconvexa* SCHILDER 1941V : Arch. Mollusk. **73** : 90, 116
422 **subcordiformis** — *Bernaya peregrina subcordiformis* SCHILDER 1927K : Senckenbergiana **9** : 201, 205, 217, f. 23
512 **subcylindrica** — *Cypraea gibbosa* = *leporina* var. *subcylindrica* GRAY 1828A : Zool. J. **4** : 73

632 || **subcylindrica** — *Cypraea* (*Cypraea*) *subcylindrica* SOWERBY 1870T : Thesaur. Conchyl. **4**, *Cypraea* : 9, f. 269-270
137 **subcypraeola** — *Erato subcypraeola* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 51
434 **subdepressa** — *Gisortia* (*Gisortia*) *subdepressa* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 86
222 **subdilatata** — *Trivia* (*Trivia*) *subdilatata* SCHILDER 1941V : Arch. Mollusk. **73** : 73, 114
322 **subelegans** — *Cypraedia subelegans* TRECHMANN 1923J : Geol. Mag. **60** : 352, t. 15 : 4
612 **subelongata** — *Cypraea subelongata* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 48
524 || **subelongata** — *Cypraea subelongata* WOODWARD 1879S : Geol. Mag. (**2**)**6** : 493, t. 12 : 2
813 **subexcisa** — *Cypraea subexcisa* MICHELOTTI 1847I : Natuurk. Verhandl. Haarlem **3** : 325
813 || **subexcisa** — *Cypraea subexcisa* BRAUN 1850G : in : WALCHNER, Handb. Geognos. (2. ed.) : 1132
611 **subexpansa** — *Pustularia* (*Conocypraea*) *subexpansa* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 103
636 **subfasciata** — *Cypraea subfasciata* LINK 1807R : Beschr. Natur. Samml. Rostock **2** : 90
725 (|| **subfasciata** [nud.] — *Cypraea erosa* jun. *subfasciata* SCHLÜTER 1838V : Kurzgef. syst. Verz. Conch. Samml. : 24
518 **subflava** — *Cypraea subflava* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3413
524 (**subfossilis** [nud.] — *Cypraea cinerea* var. *subfossilis* GRAY 1828A : Zool. J. **4** : 72
524 **subfossilis** — *Luria cinerea* var. *subfossilis* SCHILDER 1930T : P. Mal. S. London **19** : 56
518 (**subfuscata** [err.] — *Cyprea* [sic] *subfuscata* CHENU 1845M : in : MARTYN, Le Conchyliologiste univ. : 26, t. 33 : 3
518 (**subfuscula** — *Cypraea subfuscula* MARTYN 1784C : The universal Conchologist **1** : f. 96
518 **subfuscula** — *Cypraea subfuscula* DILLWYN 1827C : Zool. J. **3** : 315
613 **subglobosa** — *Cypraea subglobosa* GRATELOUP 1845A : Conch. foss. Adour **1** : t. 40 : 9-10
817 **subglobularis** — *Eocypraea* (*Sphaerocypraea*) *subglobularis* SCHILDER 1927K : Senckenbergiana **9** : 200, 203, 208, f. 9
522 (**subhirundo** [err.] — *Cypraea* (*Naria*) *subhirundo* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 36
715 **subinflata** — *Cypraea subinflata* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 49
235 **subinflata** — *Trivirostra triticum subinflata* SCHILDER 1933T : Zool. Anz. **102** : 290
715 **subiniquidens** — *Cypraea* (*Zonaria*) *subexcisa* var. *subiniquidens* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 15, t. 1 : 25
313 **sublaevigata** — *Pedicularia sicula* var. *sublaevigata* LOCARD 1886F : Prodr. Malac. France : Cat. gén. moll. viv. France : 99
712 **sublaevis** — *Pustularia* (*Pustularia*) *bistrinotata sublaevis* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 126
821 **sublandanensis** — *Cypraea* (*Eocypraea*) *sublandanensis* OPPENHEIM 1915T : Beitr. Geol. Deut. Schutzgeb. **12** : 52, t. 4 : 8
512 **subleporina** — *Cypraea subleporina* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 48
512 **sublonga** — *Cypraea gibbosa* = *leporina* var. *sublonga* GRAY 1828A : Zool. J. **4** : 73
521 **sublyncoides** — *Cypraea sublyncoides* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 48
715 **submonetaria** — *Cypraea* (*Proadusta*) *splendens* var. *submonetaria* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 34, t. 2 : 45
133 **submorosa** — *Erato submorosa* LAWS 1935E : Tr. P. R. S. NZeal. **65** : 20, t. 3 : 4
826 **subnucleus** — *Cypraea subnucleus* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 48
423 **subovata** — *Zoila* (*Zoila*) *subovata* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 90
511 **subovum** — *Cypraea subovum* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 48
223 **subpediculus** — *Cypraea subpediculus* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 170
813 **subphysis** — *Cypraea subphysis* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 8
512 **subporcellus** — *Cypraea subporcellus* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 48
826 **subpustulata** — *Cypraea subpustulata* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 48
621 **subpyrulata** — *Cypraea subpyrulata* TATE 1890A : Tr. R. S. SAustr. **13** : 206
923 **subreflexa** — *Ovulum subreflexum* ADAMS & REEVE 1848S : Voy. « Samarang », Moll. : 22, t. 6 : 10
621 **subregularis** — *Notoluponia subregularis* SCHILDER 1935A : P. Mal. S. London **21** : 347, f. 34
715 **subrostrata** — *Cypraea sub-rostrata* GRAY 1824M : Zool. J. **1** : 369

233 || **subrostrata** — *Cypraea subrostrata* GRAY 1827M : Zool. J. **3** : 363
921 **subrostrata** — *Ovulum subrostratum* SOWERBY 1849 O : P. Zool. S. London **1848** : 136
518 || **subrostrata** — *Cypraea* (*Luponia*) *vitellus* var. *subrostrata* DAUTZENBERG 1903C : J. de Conchyl. **50** : 344
725 **subrostrata** — *Erosaria* (*Ravitrona*) *subrostrata* HATAI & NISIYAMA 1948C : Nautilus **62** : 64, t. 4 : 8
714 **subsidua** — *Cypraea subsidua* TATE 1890A : Tr. R. S. SAustr. **13** : 204
514 **subsignata** — *Cypraea mappa* var. *subsignata* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 211
522 **substolida** — *Cypraea* (*Zonaria*) *flavicula* var. *substolida* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 32, t. 2 : 40
636 **subteres** — *Cypraea subteres* WEINKAUFF 1881S : in : MARTINI & CHEMNITZ, Syst. Conch. Cab. (2. ed.) **5**/**3**, *Cypraea* : 27, t. 8 : 4, t. 13 : 1, 4
423 **subtetragona** — *Cypraea subtetragona* MARTIN 1879J : Tertiärschichten von Java : 21, t. 4 : 2
313 **subtilis** — *Pedicularia subtilis* SCHILDER 1931P : J. of Conch. **19** : 166, 168, t. 6 : 4
214 **subtilis** — *Nototrivia subtilis* SCHILDER 1935A : P. Mal. S. London **21** : 335, f. 14-15
921 **subtruncata** — *Ovula* (*Simnia*) *subtruncata* JOHNSON 1899L : P. Ac. N. Sci. Philad. **51** : 79
637 **subulata** — *Cypraea neglecta* var. *subulata* DAUTZENBERG 1903C : J. de Conchyl. **50** : 311
823 **subursellus** — *Cypraea subursellus* ORBIGNY 1852P : Prodr. Pal., stratigr. univ. **3** : 49
631 **subviridis** — *Cypraea subviridis* REEVE 1835S : P. Zool. S. London **1835** : 68
631 **succincta** — *Cypraea succincta* LINNÉ 1758S : Syst. nat. (10. ed.) : 722
634 (|| **succincta** — *Cypraea humphreysii* syn. *succincta* GRAY 1828A : Zool. J. **4** : 82
411 **suciensis** — *Cypraea suciensis* WHITEAVES 1895V : Tr. R. S. Canada (**2**)**1** : 127, t. 3 : 5
817 **sudanensis** — *Eocypraea* (*Sphaerocypraea*) *bowerbankii sudanensis* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1**/**55** : 218
411 **suecica** — *Palaeocypraea suecica* SCHILDER 1928D : Danm. Geol. Unders. (**4**)**2**/**3** : 8, 22, f. 16-18
234 **suffusa** — *Cypraea pediculus* var. *suffusa* GRAY 1827M : Zool. J. **3** : 370
234 **sulcata** — *Cypraea sulcata* DILLWYN 1817C : Descr. Cat. rec. shells **1** : 466
235 || **sulcata** — *Cypraea sulcata* GASKOIN 1849C : P. Zool. S. London **1848** : 95
121 || **sulcata** — *Cypraea* (*Trivia*) *sulcata* KOCH 1862N : Arch. Ver. Freunde Nat. Mecklenburg **16** : 106
826 (**sulcicauda** [nud.] — *Cypraea sulcicauda* MICHELOTTI 1838P : Neu. Jahrb. Miner. **1838** : 398
826 **sulcicauda** — *Cypraea sulcicauda* GRATELOUP 1845A : Conch. foss. Adour **1** : t. 41 : 26
518 **sulcidentata** — *Cypraea sulcidentata* GRAY 1824M : Zool. J. **1** : 148, t. 7 : 5, t. 12 : 5
133 **sulcifera** — *Erato sulcifera* SOWERBY 1832I : Conch. Illustr. : f. 46
223 **sulconitens** — *Trivia* (*Trivia*) *dorsolaevigata* var. *sulconitens* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 52, t. 3 : 45
323 **sulcosa** — *Cypraea sulcosa* LAMARCK 1802P : Ann. Mus. HN. Paris **1** : 389
222 (|| **sulcosa** [nud.] — *Cypraea coccinella* var. *sulcosa* BRONN 1831I : Italiens Tertiärgebilde : 16
823 **sulculata** — *Pustularia* (*Jenneria*) *laeviappenninica* var. *sulculata* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 55, t. 3 : 51
511 **sumatrensis** — *Eocypraea* (*Eocypraea*) *sumatrensis* SCHILDER 1927R : Arch. Naturgesch. **91**/**A.10** : 74
636 **summersi** — *Bistolida* (*Blasicrura*) *pallidula summersi* SCHILDER 1958S : Arch. Mollusk. **87** : 85, f. 6
413 **superba** — *Cypraea lioyi* var. *superba* GREGORIO 1880G : Fauna S. Giov. Ilarione : 30, t. 6 : 1-3
633 **superstes** — *Adusta martini superstes* SCHILDER 1930C : Zool. Anz. **87** : 114, 115, fig.
518 **supertecta** — *Cypraea camelopardalis* var. *supertecta* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 12
925 **surabajensis** — *Volva volva surabajensis* SCHILDER 1937N : Ingenieur Nederl. Indie, ser. **4**, Mijnb. **4** : 205, f. 19
631 **surabajensis** — *Erronea* (*Adusta*) *walkeri surabajensis* SCHILDER 1937N : Ingenieur Nederl. Ind., ser. **4**, Mijnb. **4** : 207, f. 39-40
716 **surinamensis** — *Cypraea surinamensis* PERRY 1811C : Conchology : t. 20 : 4
423 **suryai** — *Zoila* (*Barycypraea*) *suryai* BEETS 1942T : Leid. Geol. Meded. **13** : 234, t. 25 : 1-4
428 **suta** — *Siphocypraea mus* var. *suta* COEN 1949C : Hist. Nat. Roma **3** : 17

635 **suvaensis** — *Paulonaria minoridens suvaensis* Steadman & Cotton 1943F : Rec. SAustr. Mus. **7** : 319

638 **sydneyensis** — *Cribraria* (*Ovatipsa*) *chinensis sydneyensis* Schilder & Schilder 1938P : P. Mal. S. London **23** : 170

828 **symmetrica** — *Ovula symmetrica* Aldrich 1903A : Nautilus **16** : 99, t. 3 : 10

517 **syringa** — *Cypraea pantherina* var. *syringa* Melvill 1888S : M. Manchester Lit. S. (**4**)**1** : 211

636 **tabescens** — *Cypraea tabescens* Dillwyn 1817C : Descr. Cat. rec. shells **1** : 463

512 (**tabulalusoria** — *Cypraea tabula-lusoria* Chemnitz 1788C : Neues Syst. Conch. Cab. **10** : 98, f. 1332

433 **taiwanensis** — *Gisortia taiwanensis* Schilder 1930G : P. Mal. S. London **19** : 134, 136, t. 12 : 28-29

516 (**talpa** — *Porcellana talpa* Rumph 1705A : Amboin. Rariteitkamer : 115, t. 38 : J.

516 **talpa** — *Cypraea talpa* Linné 1758S : Syst. nat. (10. ed.) : 720

523 (|| **talpa** — *Cypraea talpa* Humphrey 1797C : Mus. Calonnianum : 9

427 **tapeina** — *Cypraea* (*Cypraeorbis*) *tapeina* Gardner 1947A : Prof. Pap. US. Dept. Int. **142-H** : 541, t. 54 : 7-8

811 **tarensis** — *Cypraea tarensis* Krumbeck 1906T : Palaeontogr. **53** : 121, t. 9 : 16

211 **tasmanica** — *Willungia tasmanica* Powell 1938W : Tr. P. R. S. NZeal. **68** : 370, t. 39 : 4

627 **tatei** — *Cypraea* (*Umbilia*) *tatei* Cossmann 1903E : Essais paléonch. comp. **5** : 160, t. 4 : 4, 6

131 **tatei** — *Proterato* (*Proterato*) *tatei* Schilder 1933E : P. Mal. S. London **20** : 248, 253, 273, f. 9

214 **tatei** — *Nototrivia tatei* Schilder 1935A : P. Mal. S. London **21** : 336, f. 16

813 **tauramygdalum** — *Cypraea* (*Luponia*) *subphysis* var. *tauramygdalum* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 41, t. 3 : 15

921 **taurinensis** — *Amphiperas* (*Volva*) *taurinensis* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 67, t. 3 : 81

612 **tauroannulus** — *Cypraea* (*Zonaria*) *fabagina* var. *tauroannulus* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 20, t. 2 : 8

137 **tauroasulcata** — *Erato* (*Eratopsis*) *barrandei* var. *tauroasulcata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 63, t. 3 : 72

823 **taurodentata** — *Cypraea* (*Naria*) *planodentata* var. *taurodentata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 36, t. 2 : 51

613 **taurodenticulata** — *Cypraea* (*Zonaria*) *globosa* var. *taurodenticulata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 15, t. 1 : 27

223 **taurodimidiata** — *Trivia* (*Trivia*) *affinis* var. *taurodimidiata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 50, t. 3 : 39

137 **taurofusata** — *Erato* (*Erato*) *laevis* var. *taurofusata* Sacco 1894P : Moll. terz. Piem. Ligur.**15** : 58

512 **taurogibbula** — *Cypraea* (*Basterotia*) *leporina* var. *taurogibbula* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 7

813 **taurolabrosa** — *Cypraea* (*Luponia*) *subphysis* var. *taurolabrosa* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 4,1 t. 3 : 18

826 **taurolaevis** — *Pustularia* (*Jenneria*) *duclosiana* var. *taurolaevis* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 56, t. 3 : 54

613 **taurolonga** — *Cypraea* (*Zonaria*) *sanguinolenta* var. *taurolonga* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 30, t. 2 : 36

817 **taurolongiuscula** — *Cypraea* (*Luponia*) *oligovulaea* var. *taurolongiuscula* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 38, t. 3 : 4

612 **tauromagna** — *Cypraea* (*Zonaria*) *fabagina* var. *tauromagna* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 22, t. 2 : 14

512 **tauromarginata** — *Cypraea* (*Basterotia*) *leporina* var. *tauromarginata* Sacco 1804P : Moll. terz. Piem. Ligur. **15** : 7, t. 1 : 4

223 **taurominor** — *Trivia* (*Trivia*) *affinis* var. ? *taurominor* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 50, t. 3 : 38

522 **tauroparvula** — *Cypraea* (*Zonaria*) *globosa* var. *tauroparvula* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 16, t. 1 : 31

813 **tauroperlonga** — *Cypraea* (*Luponia*) *subphysis* var. *tauroperlonga* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 41, t. 3 : 17

611 **tauroplanata** — *Cypraea* (*Vulgusella*) *subrostrata haveri* var. *tauroplanata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 13

611 **tauroporcellus** — *Cypraea* (*Zonaria*) *fabagina* var.? *tauroporcellus* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 22, t. 2 : 16

521 **tauropraecedens** — *Cypraea* (*Zonaria*) *flavicula* var. *tauropraecedens* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 31, t. 2 : 38

521 **taurorotunda** — *Cypraea* (*Basterotia*) *sublyncoides* var. *taurorotunda* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 8, t. 1 : 7

817 **taurosimplex** — *Cypraea* (*Luponia*) *oligovulaea* var. *taurosimplex* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 38, t. 3 : 3

511 **taurospira** — *Cypraea* (*Zonaria*) *globosa* var. *taurospira* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 16, t. 1 : 29

512 **taurospirata** — *Cypraea* (*Basterotia*) *leporina* var. *taurospirata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 7, t. 1 : 5

611 || **taurospirata** — *Cypraea* (*Vulgusella*) *subrostrata* var. *taurospirata* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 13, t. 1 : 21

613 **taurotriangularis** — *Cypraea* (*Zonaria*) *globosa* var. *taurotriangularis* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 16, t. 1 : 30

613 **taurovalis** — *Cypraea* (*Zonaria*) *globosa* var. *taurovalis* Sacco 1894P : Moll. terz. Piem. Ligur. **15** : 15, t. 1 : 28

621 **tealei** — *Notoluponia tealei* Schilder 1935A : P. Mal. S. London **21** : 347, f. 32

722 **tectoriata** — *Cypraea annulus* var. *tectoriata* Sullioti 1924P : Contr. stud. Cypraeidae **6** : 12

616 **telembiensis** — *Cypraea* (*Pseudozonaria*) *telembiensis* Olsson 1964E : Neogene moll. NWestern Ecuador : 175, t. 31 : 6

635 (**tenella** — *Cypraea fimbriata* syn. *tenella* Dillwyn 1817C : Descr. Cat. rec. shells **1** : 465

131 **tenuilabrum** — *Erato tenuilabrum* Laws 1935E : Tr. P. R. S. NZeal. **65** : 21, t. 3 : 5

323 **tenuisulcata** — *Cypraea* (*Trivia*) *tenuisulcata* Mayer 1876E : Syst. Verz. Verstein. Einsiedeln : 64, t. 3 : 9

614 **teramachii** — *Erronea* (*Zoila*?) *teramachii* Kuroda 1938C : Venus **8** : 130, t. 5 : 1-4

636 **teres** — *Cypraea teres* Gmelin 1791S : in : Linné. Syst. nat. (13. ed.) **1/6** : 3405

525 **tessellata** — *Cypraea tessellata* Swainson 1822Z : Zool. Illustr., Moll. **2** : t. 111

523 (**testudinaria** — *Concha testudinaria* Rumph 1705A : Amboin. Rariteitkamer : 114, t. 38 : C

523 **testudinaria** — *Cypraea testudinaria* Linné 1758S : Syst. nat. (10. ed.) : 719

223 **testudinella** — *Trivia testudinella* Wood 1842C : Ann. Mag. NH. **9** : 543

523 **testudinosa** — *Cypraea testudinosa* Perry 1811C : Conchology : t. 20 : 1

712 **tetsuakii** — *Pustularia margarita tetsuakii* Kira 1959J : Coloured Illustr. shells Japan (2. ed.) : 45, t. 18 : 17

421 **teulèrei** [em.] — *Cyprea* [sic] *teulerei* Cazenavette 1846D : Act. S. Linn. Bordeaux **14** : 117 (f. 3-4 inedita?)

828 **texana** — *Ovula* (*Simnia*) *texana* Johnson 1899L : P. Ac. N. Sci. Philad. **51** : 79

925 (**textoria** — *Licium textorium* Humphrey 1797C : Mus. Calonnianum : 7

925 **textoria** — *Volva textoria* Röding 1798B : in : Bolten, Mus. Boltenianum : 22

925 (**textoris-radius** — *Porcellana textoris Radius* Argenville 1772C : Conchyliologie **1** : t. 18 : I

637 **thakau** — *Bistolida stolida thakau* Steadman & Cotton 1943F : Rec. SAustr. Mus. **7** : 318

425 **thatcheri** — *Cypraea thatcheri* Cox 1869A : P. Zool. S. London **1869** : 358, t. 26 : 1

724 **theeva** — *Pustularia margarita theeva* Steadman & Cotton 1943F : Rec. SAustr. Mus. **7** : 310

632 **thema** — *Erronea caurica thema* Iredale 1939A : Austr. Zoologist **9** : 322, t. 29 : 1-2

725 **theoreta** — *Erosaria poraria theoreta* Iredale 1939A : Austr. Zoologist **9** : 305, t. 27 : 11-12

518 **thepalea** — *Ponda carneola thepalea* Iredale 1939A : Austr. Zoologist **9** : 303

517 **theriaca** — *Cypraea pantherina* var. *theriaca* Melvill 1888S : M. Manchester Lit. S. **(4)1** : 211

425 **thersites** — *Cypraea thersites* Gaskoin 1849C : P. Zool. S. London **1848** : 90

636 **thielei** — *Blasicrura* (*Blasicrura*) *quadrimaculata thielei* Schilder & Schilder 1938P : P. Mal. S. London **23** : 164

724 **thomasi** — *Cypraea thomasi* Crosse 1865D : J. de Conchyl. **13** : 57

432 **thomasi** — *Gisortia thomasi* Olsson 1930P : B. Amer. Pal. **17/62** : 64, t. 8 : 1-2, 7

518 (**tigrea** — *Porcellana tigrea* Meuschen 1787G : Mus. Geversianum : 398

517 **tigrina** — *Cypraea tigrina* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3404
517 || **tigrina** — *Cypraea tigrina* LAMARCK 1822A : Hist. nat. anim. s. vert. **7** : 383
517 **tigris** — *Cypraea tigris* LINNÉ 1758S : Syst. nat. (10. ed.) : 721
712 **timorensis** — *Cypraea cicercula* var. ? *timorensis* GRAY 1825M : Zool. J. **1** : 516
725 || **timorensis** — *Cypraea helvola timorensis* KENYON 1902C : J. of Conch. **10** : 184
914 **tinctura** — *Neosimnia tinctura* GARRARD 1963N : J. Austral. Mal. S. **7** : 45, t. 7 : 5-6
518 **titan** — *Lyncina titan* SCHILDER & SCHILDER 1962R : Arch. Mollusk. **91** : 207, f. 1
411 **tithonica** — *Cypraea tithonica* STEFANO 1882T : Natural. Siciliano **1** : 76, t. 4 : 4-5
725 **tomlini** — *Erosaria cernica tomlini* SCHILDER 1930T : P. Mal. S. London **19** : 51
132 **tomlini** — *Proterato* (*Proterato*) *tomlini* SCHILDER 1933E : P. Mal. S. London **20** : 248, 253, 273, f. 14
235 **tomlini** — *Trivirostra edgari tomlini* SCHILDER 1944W : Arkiv Zool. **36A** : 14
518 **topee** — *Ponda ventriculus topee* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 331
232 **torquayensis** — *Ellatrivia minima torquayensis* SCHILDER 1935A : P. Mal. S. London **21** : 334, f. 9
918 (**tortilis** — *Cypraea tortilis* MARTYN 1784C : The universal Conchologist **1** : f. 60
918 **tortilis** — *Cypraea tortilis* CHENU 1845M : in : MARTYN, Le conchyliologiste univ. : 23, t. 19 : 2
918 **tortilis** — *Ovulum tortile* REEVE 1865 O : Conch. icon. **15**, *Ovulum* : f. 4
638 **tortirostris** — *Cypraea cruenta tortirostris* SOWERBY 1906S : P. Mal. S. London **7** : 39, fig.
425 **toxorhyncha** — *Cypraea toxorhyncha* TATE 1890A : Tr. R. S. SAustr. **13** : 210
914 (**traillei** — *Prosimnia traillei* [em.] SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 77
914 **traillii** — *Amphiperas* (*Ovulum*) *traillii* ADAMS 1855C : P. Zool. S. London **23** : 222
137 **transiens** — *Erato* (*Eratopsis*) *transiens* BÖTTGER 1884E : Neu. Jahrb. Miner., Abh. **2** : 137
214 **transiens** — *Nototrivia transiens* SCHILDER 1935A : P. Mal. S. London **21** : 335, f. 13
429 **transitoria** — *Siphocypraea* (*Siphocypraea*) *carolinensis transitoria* OLSSON & PETIT 1964F : B. Amer. Pal. **47/217** : 559, t. 83 : 3
524 **translucens** — *Cypraea translucens* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3404
639 **translucida** — *Cypraea cribraria* var. *translucida* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 229
817 **transnominata** — *Marginella transnominata* TOMLIN 1919M : P. Mal. S. London **13** : 59, 64
825 **transovuloides** — *Cypraea transovuloides* SCHILDER 1926V : Rec. Geol. Surv. India **58/3** : 361
636 **transpiciens** — *Cypraea rashleighana* var. *transpiciens* TAYLOR 1916V : J. of Conch. **15** : 122
613 **transsylvanica** — *Zonarina* (*Zonarina*) *transsylvanica* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 115
631 (**travancorica** [nud.] — *Zonarina* (*Zonarina*) *travancorica* DEY in : SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1/55** : 156
631 **travancorica** — *Erronea* (*Gratiadusta*) *travancorica* DEY in : SCHILDER 1941V : Arch. Mollusk. **73** : 96, 115
631 **travancorica** — *Zonaria* (*Zonarina*) *travancorica* DEY 1962Q : M. Geol. Surv. India, Pal. Ind. (n. s.) **36** : 72, t. 6 : 14, 19-20
633 **trelissickensis** — *Cypraea* (*Luponia*) *trelissickensis* SUTER 1917Z : NZeal. Geol. Surv., Pal. Bull. **5** : 12. t. 11 : 11
235 **tremeza** — *Cypraea tremeza* DUCLOS 1833M : in : GUÉRIN-MÉNEVILLE, Mag. Zool., Moll. **3** : f. 25
625 **trenberthae** — *Cypraea* (*Notocypraea*) *trenberthae* TRENBERTH 1961S : R. S. SAustr., Malac. Sect., Publ. **15**, fig.
432 **triangularis** — *Gisortia* (*Gisortia*) *gigantea triangularis* SCHILDER 1927K : Senckenbergiana **9** : 200, 204, 214, f. 16
712 **tricornis** — *Cypraea tricornis* JOUSSEAUME 1874D : Rev. Mag. Zool. (**3**)**2** : 9, t. 1 : 3-4
632 (**trifascia** — *Porcellana trifascia* MEUSCHEN 1787G : Mus. Geversianum : 402
632 (**trifasciata** — *Porcellana trifasciata* MEUSCHEN 1787G : Mus. Geversianum : 402
515 **trifasciata** — *Cypraea trifasciata* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3405
132 (**trifasciata** — *Erato lachryma* syn. *Lachryma trifasciata* SOWERBY 1937C : Cat. recent Cypraeadae : 15
615 || **trifasciata** — *Cypraea pirum* var. *trifasciata* MONTEROSATO 1897M : J. de Conchyl. **45** : 161, t. 6 : 10

132 **trifasciata** — *Lachryma trifasciata* COTTON & GODFREY 1932S : South Austr. Naturalist **13** : 45
525 **trigonella** — *Cypraea trigonella* BLAINVILLE 1826D : Dict. sci. hist. nat. **43** : 25
222 (**trimaculata** [nud.] — *Cypraea europaea* var. *trimaculata* MONTEROSATO 1878M : Enum. sinon. conch. mediterr. **1** : 49
413 **trinidadensis** — *Cypraeorbis* (*Cypraeorbis*) *trinidadensis* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 98
513 **trinitatensis** — *Cypraea trinitatensis* MANSFIELD 1925T : P. US. Nat. Mus. **66/2559** : 49, t. 8 : 10
421 **tripolitana** — *Bernaya* (*Protocypraea*) *tripolitana* SCHILDER 1942L : Ann. Mus. Libico St. Nat. **3** : 61, t. 2 : 5-6
222 (**tripunctata** [nud.] — *Cypraea europaea* var. *tripunctata* REQUIEN 1848C : Cat. coqu. Corse : 86
222 **tripunctata** — *Cypraea* (*Trivia*) *europaea* var. *tripunctata* BUCQUOY & DAUTZENBERG & DOLLFUS 1883R : Moll. mar. Roussillon : 129, t. 16 : 20, 24
517 **tristis** — *Cypraea tigris* var. *tristis* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 9
223 **triticea** — *Cypraea coccinella* var. *triticea* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 104
913 **triticea** — *Ovula triticea* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 111
235 **triticum** — *Trivirostra oryza triticum* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1/55** : 101
633 **trizonata** — *Cypraea* (*Cypraea*) *trizonata* SOWERBY 1870T : Thesaur. Conchyl. **4**, *Cypraea* : 29, f. 361-362
138 **trochala** — *Erato* (*Erato*) *domingensis trochala* WOODRING 1928B : Carnegie Inst. Publ. **385** : 321, t. 22 : 12
428 (**trogiloides** — *Cypraea trogiloides* MEUSCHEN 1781G : in : GRONOW, Zoophyl. Gronov. **3**, Index : 14
914 **tropica** — *Primovula beckeri tropica* SCHILDER 1931N : B. S. Zool. France **56** : 364, f. 5
427 **truncata** — *Cypraea truncata* BRONN 1831I : Italiens Tertiärgebilde : 15
428 **tuberae** — *Cypraea tuberae* INGRAM 1948F : P. Calif. Ac. Sci. (**4**)**26** : 129, t. 2 : 9, 12
428 **tuberculata** — *Cypraea mus tuberculata* GRAY 1828A : Zool. J. **4** : 83
517 **tuberculifera** — *Cypraea tigris* var. *tuberculifera* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 8
518 **tuberculigera** — *Cypraea carneola* var. *tuberculigera* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 8
432 **tuberculosa** — *Ovula tuberculosa* DUCLOS 1825L : M. S. HN. Paris **2** (4.II.1825) : fig.
721 **tuberculosa** — *Cypraea moneta* var. *tuberculosa* QUOY & GAIMARD 1834A : Voy. « Astrolabe », Zool. **3** : 44
917 || **tuberculosa** — *Ovula tuberculosa* (err.] GRAY & SOWERBY 1839B : Zool. Beechey's Voy., Moll. : 133
0 (**tuberosa** [nud.] — *Cypraea tuberosa* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 22
817 **tumescens** — *Cypraea tumescens* EDWARDS 1865C : Geol. Magaz. **2** : 540, t. 14 : 5
511 **tumida** — *Cypraea tumida* GRATELOUP 1834A : Act. S. Linn. Bordeaux **6** : 304
613 || **tumida** — *Cypraea physis* var. *tumida* COCCONI 1873P : M. Ac. Sci. Torino (**3**)**3** : 566
512 **tumidula** — *Cypraea tumidula* KOENIG 1825I : Icones fossilium sectiles **1** : 2, t. 2 : 21
0 (|| **tumidula** [nud.] — *Cypraea tumidula* KEFERSTEIN 1829V : Zeitg. Geogn. Geol. **8** : 53
633 **tumidula** — *Notadusta tumidula* SCHILDER 1935A : P. Mal. S. London **21** : 351, f. 49
512 (**tumulosa** — *Cypraea tumulosa* MEUSCHEN 1778G : Index Mus. Gronoviani : 107
512 **tumulosa** — *Cypraea stercoraria* var. *tumulosa* HIDALGO 1906C : M. Ac. Madrid **25** : 165
615 **tumulus** — *Cypraea tumulus* HEILPRIN 1887B : Tr. Wagner Free Inst. **1** : 111, t. 16 : 49
518 **turanga** — *Callistocypraea aurantium turanga* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 329
515 **turbinata** — *Cypraea turbinata* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3404
524 **turdiculus** — *Cypraea lurida* var. *turdiculus* MONTEROSATO 1897M : J. de Conchyl. **45** : 158, t. 6 : 1
725 (**turdoides** [nud.] — *Erosaria turdoides* JOUSSEAUME 1884C : B. S. Zool. France **9** : 96
725 (**turdoides** — *Erosaria turdus distinguenda* syn. *turdoides* SCHILDER 1930T : P. Mal. S. London **19** : 57
725 **turdus** — *Cypraea turdus* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 94

427 **turgidiuscula** — *Cypraea media* var. *turgidiuscula* Gregorio 1894B : Ann. Géol. Pal. **13** : 28, t. 5 : 110
235 (**turneri** [nud.] — *Cypraea turneri* Shopland 1896A : J. Bombay NH. Soc. **10** : 227
235 **turneri** — *Trivirostra oryza turneri* Schilder 1932Q : in : Quenstedt, Fossil. Cat. **1/55** : 101
0 (**turonensis** [nud.] — *Cypraea* cf. *turonensis* Vasseur 1881F : Ann. Sci. Géol. **13** : 377
137 **turonica** — *Erato* (*Erato*) *incrassata turonica* Schilder 1933E : P. Mal. S. London **20** : 250, 254, 273, f. 72
517 (**tygris** — *Porcellana tygris* Klein 1753T : Tentamen meth. ostrac. : 90
517 **tygris** — *Cypraea tygris* Linck 1783L : Index Mus. Linckiani : 140
615 **typica** — *Cypraea pirum* var. *typica* Monterosato 1897M : J. de Conchyl. **45** : 160
515 || **typica** — *Cypraea arabica* var. *typica* [non nomen ?] Smith 1903M : in : Gardiner, Fauna geogr. Mald. Laccad. Arch. **2/2** : 611
921 **tyrianthina** — *Neosimnia vidleri tyrianthina* Berry 1960P : Leafl. in Malacology **1/19** : 118
132 **uedai** — *Proterato* (*Sulcerato*) *callosa uedai* Hatai & Nisiyama 1948C : Nautilus **62** : 61, t. 4 : 2
222 **umbilicalis** — *Cypraea umbilicalis* Costa 1829S : Cat. sist. test. due Sicilie : 69, 71
631 (**umbilicata** [nud.] — *Cypraea umbilicata* Solander 1786P : Cat. Portland Mus. : 12, 65
631 **umbilicata** — *Cypraea umbilicata* Dillwyn 1823L : Index Lister, Hist. synops meth. conch. : 32
627 || **umbilicata** — *Cypraea umbilicata* Sowerby 1825T : Cat. shells Tankerville, App. p. XXX, Tab.
912 **umbilicata** — *Ovulum umbilicatum* Sowerby 1849 O : P. Zool. S. London **1848** : 135
432 **umbonifera** — *Megalocypraea umbonifera* Schilder 1931B : B. Mus. HN. Belg. **7/14** : 13, f. 26-26a
515 (**undata** — *Cypraea undata* Chemnitz 1788C : Neues Syst. Conch. Cab. **10** : 102, f. 1337
634 **undata** — *Cypraea undata* Lamarck 1810P : Ann. Mus. HN. Paris **16** : 96
615 || **undata** — *Cypraea pyrum* var. *undata* Pallary 1904G : J. de Conchyl. **52** : 233
515 **undosa** — *Cypraea undosa* Röding 1798B : in : Bolten, Mus. Boltenianum : 26
515 **undulata** — *Cypraea undulata* Gmelin 1791S : in : Linné, Syst. nat. (13. ed.) **1/6** : 3406
634 || **undulata** — *Cypraea undulata* Wood 1828I : Index testaceol. (2. ed.) : 80, t. 17 : 16
612 || **undulata** — *Cypraea annulus* var. *undulata* Grateloup 1845A : Conch. foss. Adour **1** : 41, f. 3
635 **unifasciata** — *Cypraea unifasciata* Mighels 1845S : P. Boston S. **2** : 25
921 **uniplicata** — *Ovulum uniplicatum* Sowerby 1849 O : P. Zool. S. London **1848** : 135
136 **uniplicata** — *Erato uniplicata* Dépontailler 1881A : J. de Conchyl. **29** : 179
637 **ursellus** — *Cypraea ursellus* Gmelin 1791S : in : Linné, Syst. nat. (13. ed.) **1/6** : 3411
637 (**ursula** — *Ursulae* Rumph 1705A : Amboin. Rariteitkamer : 118, t. 39 : 0
613 **utriculata** — *Cypraea utriculata* Lamarck 1810P : Ann. Mus. HN. Paris **16** : 105
514 **valentia** — *Cypraea valentia* Perry 1811C : Conchology : t. 23 : 2
513 **vallei** — *Cypraea* (*Trona*) *zebra* var. *vallei* Jaume & Borro 1946C : Rev. S. Malac. « Carlos de la Torre » Habana **4** : 21
638 **vanbenthemjuttingae** — *Cribraria* (*Ovatipsa*) *vanbenthemjuttingae* Schilder 1941V : Arch. Mollusk. **73** : 100, 116
517 **vandervlerki** — *Cypraea vandervlerki* Schilder 1932F : SB. Ges. Freunde Berlin **1932** : 260, f. 5
823 **vandervlerki** — *Cypraeopsis vandervlerki* Schilder 1936A : P. Mal. S. London **22** : 87
518 **vanelli** — *Cypraea vanelli* Linné 1758S : Syst. nat. (10. ed.) : 720
428 (|| **vanelli** — *Cypraea vanelli* Humphrey 1797C : Mus. Calonnianum : 8
913 **vanhyningi** — *Primovula* (*Pseudosimnia*) *vanhyningi* Smith 1940F : Nautilus **54** : 46, t. 2 : 8
921 **variabilis** — *Ovula variabilis* Adams 1852P : Ann. Lyc. NH. NYork **5** : 255
638 (**variegata** — *Porcellana variegata* Müller & Chemnitz 1765A : in : Rumph. Amboin. Raritätenkammer : p. XCII, t. 38 : 0
638 (**variola** — *Porcellana variola* Klein 1753T : Tentam. meth. ostracol. : 84
638 **variola** — *Luponia variola* Roberts 1870C : Amer. J. Conch. **5** : 200
638 (**variolae** — *Variolae* Rumph 1705A : Amboin. Rariteitkamer t. 38 : 0, P
728 (**variolae** — *Porcellana variolae* Argenville 1772C : Conchyliologie **1** : t. 18 : V
518 (**variolans** — *Porcellana variolans* Meuschen 1787G : Mus. Geversianum : 406
638 **variolaria** — *Cypraea variolaria* Lamarck 1810P : Ann. Mus. HN. Paris **16** : 91
615 **variolosa** — *Cypraea variolosa* Gmelin 1791S : in : Linné, Syst. nat. (13. ed.) **1/6** : 3413

728 || **variolosa** — *Cypraea variolosa* Röding 1798B : in : Bolten, Mus. Boltenianum : 24
637 **vasta** — *Blasicrura* (*Derstolida*) *owenii vasta* Schilder & Schilder 1938P : P. Mal. S. London **23** : 166
631 **vaticina** — *Gratiadusta vaticina* Iredale 1931A : Rec. Austr. Mus. **18/4** : 219, t. 24 : 11-12, 19
632 **vatu** — *Melicerona melvilli vatu* Steadman & Cotton 1943F : Rec. SAustr. Mus. **7** : 322
816 **vaughani** — *Cypraea vaughani* Johnson 1899L : P. Ac. N. Sci. Philad. **51** : 78, t. 2 : 7
413 || **vaughani** — *Cypraea vaughani* Maury 1912T : J. Ac. N. Sci. Philad. (**2**)**15** : 87, t. 11 : 14-15
233 **vaughani** — *Trivia vaughani* Gardner 1947A : Prof. Pap. US. Dept. Int. Geol. Serv. **142H** : 542, t. 54 : 9-10
636 **vava** — *Talostolida subteres vava* Steadman & Cotton 1943F : Rec. SAustr. Mus. **7** : 319
411 **vayssièrei** — *Palaeocypraea vayssièrei* Schilder 1932B : Ann. Mus. HN. Marseilla **24** : 88, t. 1 : 3
631 **vayssièrei** — *Erronea* (*Adusta*) *pulchella vayssièrei* Schilder & Schilder 1938P : P. Mal. S. London **23** : 151
421 **velaini** — *Cypraea velaini* Raincourt 1877P : B. S. Géol. France (**3**)**5** : 332, t. 4 : 4
632 **velesia** — *Melicerona melvilli velesia* Iredale 1939A : Austr. Zoologist **9** : 320, t. 29 : 22-23
323 **vendrestensis** — *Cypraea* (*Cypraedia*) *vendrestensis* Cossmann & Pissarro 1913P : Iconogr. coqu. éoc. Paris **2/3** : t. 65 : 162/25
515 **venerea** — *Cypraea venerea* Gmelin 1791S : in : Linné, Syst. nat. (13. ed.) **1/6** : 3404
427 **venezuelana** — *Cypraeorbis venezuelana* Schilder 1939T : Abh. Schweiz. Pal. Ges. **62** : 22, f. 21
138 **venezuelana** — *Erato venezuelana* Weisbord 1962V : B. Amer. Pal. **42/193** : 16, t. 18 : 6-7
518 **ventricosa** — *Cypraea argus* var. *ventricosa* Gray 1824M : Zool. J. **1** : 141
613 (|| **ventricosa** [nud., err.] — *Cypraea ventricosa* Gray 1828A : Zool. J. **4** : 73
138 (**ventricosa** — *Erato ventricosa* Gray 1832D : Descr. Cat. shells : 17
421 (**ventricosa** [nud.] — *Strombus ventricosus* Reuss 1844B : Geognost. Skizzen Böhmen **2** : 207
421 **ventricosa** — *Strombus ventricosus* Reuss 1845B : Verstein. Böhm. Kreideformat. **1** : 46, t. 9 : 11
138 **ventricosa** — *Erato ventricosa* Redfield 1870M : Amer. J. Conch. **6**, App. : 220
211 || **ventricosa** — *Marginella ventricosa* Hutton 1873T : Misc. Publ. Coll. Mus. Geol. Surv. **9** : 8
137 || **ventricosa** — *Erato ventricosa* Locard 1878L : Descr. faune molasse Lyonn. : 44
524 || **ventricosa** — *Cypraea lurida* var. *ventricosa* Mollerat 1890V : B.S. Mal. France **7** : 113
222 (**ventricosa** [nud.] — *Trivia europaea* var. *ventricosa* Locard & Caziot 1900C : Coqu. mar. côtes Corse : 31
518 **ventriculus** — *Cypraea ventriculus* Lamarck 1810P : Ann. Mus. HN. Paris **15** : 452
427 **ventripotens** — *Cypraea* (*Umbilia*) *ventripotens* Cossmann 1903E : Essais paléoconch. comp. **5** : 161
517 (**ventrosa** [nud.] — *Cypraea pantherina ventrosa* Williams 1914E : J. of Conch. **14** : 152
425 **venusta** — *Cypraea venusta* Sowerby 1846C : P. Linn. S. London **1** : 314
421 **veraghoorensis** — *Erato veraghoorensis* Stoliczka 1867I : Pal. Ind. (**5**)**2** : 59, t. 4 : 13-14
425 **vercoi** — *Zoila friendii vercoi* Schilder 1930Z : Zool. Anz. **92** : 74
625 **verconis** — *Notocypraea verconis* Cotton & Godfrey 1932S : SAustr. Naturalist **13** : 41, t. 1 : 8
914 **verconis** — *Prosimnia verconis* Cotton & Godfrey 1932S : SAustr. Naturalist **13** : 46, t. 1 : 15
725 **verdensium** — *Cypraea spurca* var. *verdensium* Melvill 1888S : M. Manchester Lit. S. (**4**)**1** : 224
912 **verepunctata** — *Dimonovula verepunctata* Iredale 1930Q : M. Queensland Mus. **10/1** : 85
917 **verrucosus** — *Bulla verrucosa* Linné 1758S : Syst. nat. (10. ed.) : 726
215 **vesicularis** — *Cypraea vesicularis* Gaskoin 1836C : P. Zool. S. London **3** : 203
634 (**vespa** — *Cypraea vespa* Humphrey 1797C : Mus. Calonnianum : 8
634 **vespa** — *Cypraea vespa* Enc. Metr. 1810E : Encycl. metrop. : t. 14
634 **vespacea** — *Cypraea asellus* var. *vespacea* Melvill 1905C : J. of Conch. **11** : 192
721 **vestimenti** — *Monetaria vestimenti* Rochebrune 1884M : B. S. Mal. France **1** : 81, t. 1 : 4
432 (**vetusta** — *Conus giganteus* syn. *vetusta* Quenstedt 1836P : Arch. Naturgesch. **2/1** : 249
725 **vibex** — *Cypraea poraria vibex* Kenyon 1902C : J. of Conch. **10** : 184

921 **vibrayana** — *Ovula vibrayana* RAINCOURT 1870P : B. S. Géol. France (2)**27** : 626, t. 14 : 1
633 **victoriana** — *Notadusta victoriana* SCHILDER 1935A : P. Mal. S. London **21** : 350, f. 47-48
921 **vidleri** — *Ovulum vidleri* SOWERBY 1881D : P. Zool. S. London **1881** : 638, t. 56 : 1
422 **vinassai** — *Bernaya* (*Bernaya*) *vinassai* SCHILDER 1932F : SB. Ges. Freunde Berlin **1932** : 259, f. 6
512 **vindobonensis** — *Cypraea* (*Basterotia*) *leporina* var. *vindobonensis* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 6
517 **vinosa** — *Cypraea vinosa* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed) **1/6** : 3421
515 (**violacea** — *Cypraea arabica* var. *violacea* LINCK 1783L : Index Mus. Linckiani : 142
223 (**violacea** [nud.] — *Trivia pullicina* var. *violacea* LOCARD & CAZIOT 1900C : Coqu. mar. côtes Corse : 32
913 **violacea** — *Ovula carnea* var. *violacea* PALLARY 1900 O : J. de Conchyl. **48** : 300
638 **violacea** — *Cypraea cruenta* var. *violacea* ROUS 1905F : Nautilus **19** : 77
722 (**violascens** — *Porcellana violascens* MEUSCHEN 1787G : Mus. Geversianum : 400
632 (**virescens** — *Cypraea virescens* HUMPHREY 1797C : Mus. Calonnianum : 8
524 (**virescens** [nud.] — *Cypraea lurida* var. *virescens* COSTA 1829S : Cat. test. due Sicilie : 69
524 **virescens** — *Cypraea lurida* var. *virescens* HIDALGO 1907C : M. Ac. Cienc. Madrid **25** : 405
634 **virginalis** — *Palmadusta* (*Palmadusta*) *diluculum* var. *virginalis* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 160
913 **virginea** — *Ovula virginea* CANTRAINE 1835D : B. Ac. R. Sci. Bruxelles **2** : 391
524 **viridacea** — *Cypraea pulchra* var. *viridacea* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 12
725 **viridicolor** — *Cypraea cernica* var. *viridicolor* CATE 1962D : Veliger **4/4** : 175, t. 40 : 1-9
514 **viridis** — *Cypraea mappa* var. *viridis* KENYON 1902C : J. of Conch. **10** : 183
512 || **viridis** — *Cypraea stercoraria* var. *viridis* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 12
515 **viridosa** — *Cypraea scurra* var. *viridosa* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** : 12
725 **viridula** — *Cypraea spurca* var. *viridula* SULLIOTI 1924P : Contr. stud. Cypraeidae **6** :12
322 **vistabellensis** — *Cypraedia vistabellensis* SCHILDER 1939T : Abh. Schweiz. Pal. Ges. **62** : 11, f. 4
716 **vistabellensis** — *Propustularia* (?) *vistabellensis* SCHILDER 1939T : Abh. Schweiz. Pal. Ges. **62** : 19, f. 19
138 **vitellina** — *Erato vitellina* HINDS 1844S : Zool. Voy. « Sulphur » **2**, Moll. : 46, t. 13 : 22-23
518 **vitellus** — *Cypraea vitellus* LINNÉ 1758S : Syst. nat. (10. ed.) : 721
722 || **vitellus** — *Cypraea obvelata* var. *vitellus* GRAY 1825M : Zool. J. **1** : 493
637 **vitiensis** — *Evanaria ursellus vitiensis* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 321
233 **vitrea** — *Cypraea vitrea* GASKOIN 1849C : P. Zool. S. London **1848** : 95
634 (**vittata** [nud.] — *Cypraea vittata* DESHAYES 1828D : Dict. class. hist. nat. **14** : 219
634 **vittata** — *Cypraea vittata* DESHAYES 1831D : Dict. class. hist. nat. **17** : t. 83 : 1
636 **vivia** — *Blasicrura rhinoceros vivia* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 323
632 **vivili** — *Erronea nimisserans vivili* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 324
813 **vöslauensis** — *Cypraea* (*Luponia*) *subphysis dertotransiens* var. *vöslauensis* SACCO 1894P : Moll. terz. Piem. Ligur. **15** : 42
517 **volai** — *Cypraea tigris volai* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 332
612 **volhynica** — *Cypraea volhynica* EICHWALD 1850P : Palaeont. Rossii : 108, t. 11 : 21
137 **voluta** — *Cypraea voluta* MONTAGU 1803B : Test. Britann. **1** : 203, t. 6 : 77
925 **volva** — *Bulla volva* LINNÉ 1758S : Syst. nat. (10. ed.) : 725
515 **vono** — *Arabica scurra vono* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 328
421 **vredenburgi** — *Cypraea* (*Bernayia*) *vredenburgi* COSSMANN & PEYROT 1924A : Act. Linn. Bordeaux **74** : 377
816 (**vredenburgi** [err.] — *Cypraeovula vredenburgi* SCHILDER 1926V : Rec. Geol. Surv. India **58/3** : 369
631 **vredenburgi** — *Erronea* (*Erronea*) *vredenburgi* SCHILDER 1927R : Arch. Naturgesch. **91/A.10** : 120
434 **vredenburgi** — *Vicetia vredenburgi* SCHILDER 1930G : P. Mal. S. London **19** : 131, 136, t. 11 : 8-10
712 **vulavula** — *Pustularia tricornis vulavula* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 311
131 **vulcania** — *Erato vulcania* MARWICK 1926W : Tr. NZeal. Inst. **56** : 314 t. 72 : 25
721 (**vulgaris** — *Thoracium vulgare* RUMPH 1705A : Amboin. Rariteitkamer : 117, t. 39 : C

222 (**vulgaris** — *Cypraea pediculus* syn. *vulgaris* CHENU 1845D : in : DONOVAN, Hist. nat. coqu. Angleterre : 39
131 **waiauensis** — *Erato waiauensis* LAWS 1935E : Tr. P. R. S. NZeal. **65** : 22, t. 3 : 7
635 **waikikiensis** — *Palmadusta minoridens waikikiensis* SCHILDER 1933C : Zool. Anz. **101** : 190, 193
635 **waikikiensis** — *Palmadusta waikikiensis* SCHILDER 1933H : Occ. Pap. Bishop Mus. Honolulu **10/3** : 19, f. 3
133 **waitakiensis** — *Erato waitakiensis* LAWS 1935E : Tr. P. R. S. NZeal. **65** : 20, t. 3 : 2
631 **walkeri** — *Cypraea walkeri* SOWERBY 1832I : Conch. Illustr. : f. 22*
632 **wangga** — *Palangerosa cylindrica wangga* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 323
518 **wanneri** — *Cypraea* (*Lyncina*) *carneola wanneri* SCHILDER 1939S : Neu. Jahrb. Miner., Beil. Bd. **81, B** : 499, t. 19 : 7
312 **warnerae** — *Cypraeogemmula warnerae* EFFINGER 1938G : J. of Palaeont. **12** : 381, t. 47 : 29, 35
121 **wateleti** — *Erato wateleti* DESHAYES 1865P : Descr. anim. s. vert. bassin Paris **3** : 557, t. 106 : 6-8
817 **wegeneri** — *Sphaerocypraea wegeneri* SCHILDER 1939T : Abh. Schweiz. Pal. Ges. **62** : 12, f. 6-8
811 **wemmelensis** — *Eocypraea* (*Eocypraea*) *boadicea wemmelensis* SCHILDER 1933B : B. Mus. HN. Belg. **9/9** : 25, f. 7
222 **westphalica** — *Trivia westphalica* SCHILDER 1929D : Mitt. Min. Staatsinst. Hamburg **11** : 15, f. 7
515 **westralis** — *Arabica westralis* IREDALE 1935A : Austr. Zoologist **8** : 108
221 **wetherellii** — *Cypraea* (*Trivia*) *wetherellii* EDWARDS 1854E : Mon. Pal. S. London **3** : 133, t. 17 : 4*a-c*
634 **whitleyi** — *Palmadusta clandestina whitleyi* IREDALE 1939A : Austr. Zoologist **9** : 316, t. 29 : 6
638 **whitworthi** — *Cribraria* (*Ovatipsa*) *chinensis whitworthi* CATE 1964W : Veliger **7/1** : 20, t. 5 : 2
725 **wilhelmina** — *Cypraea wilhelmina* KENYON 1897C : P. Linn. S. NSWales **22** : 145
625 **wilkinsi** — *Cypraea* (*Notocypraea*) *wilkinsi* GRIFFITHS 1959N : M. Nat. Mus. Melbourne **24** : 97, 101, f. 1-10
427 **willcoxii** [em.] — *Cypraea willcoxi* DALL 1890F : Tr. Wagner Free Inst. **3/1** : 166, t. 5 : 12*b-c*
518 **williamsi** — *Cypraea lynx* var. *williamsi* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 203
725 **winckworthi** — *Erosaria* (*Erosaria*) *turdus winckworthi* SCHILDER & SCHILDER 1938P : P. Mal. S. London **23** : 140
232 **wirrata** — *Ellatrivia wirrata* LUDBROOK 1941A : Tr. R. S. SAustr. **65** : 94, t. 5 : 16
921 **wisewoodae** — *Ovula* (*Neosimnia*) *wise-woodae* MAURY 1917D : B. Amer. Pal. **5/29** : 113, t. 22 : 17
921 **woodringi** — *Neosimnia* (*Neosimnia*) *woodringi* SCHILDER 1932Q : in : QUENSTEDT, Fossil. Cat. **1/55** : 237
826 **woodwardi** — *Cypraea* (*Erosaria*) *woodwardi* VREDENBURG 1920C : Rec. Geol. Surv. Ind. **51/2** : 113
923 **xanthochila** — *Simnia xanthochila* KURODA 1928J : Venus **1** : t. 1 : 5
518 **xanthochrysa** — *Cypraea sulcidentata* var. *xanthochrysa* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 251
631 **xanthodon** — *Cypraea xanthodon* SOWERBY 1832I : Conch. Illustr. : f. 18
634 **yaloka** — *Palmadusta lutea yaloka* STEADMAN & COTTON 1943F : Rec. SAustr. Mus. **7** : 322
518 **yokoyamai** — *Lyncina carneola yokoyamai* SCHILDER 1941V : Arch. Mollusk. **73** : 87
639 **zadela** — *Cribraria cribraria zadela* IREDALE 1939A : Austr. Zoologist **9** : 310, t. 27 : 17-18
725 **zanzibarica** — *Cypraea* (*Erosaria*) *zanzibarica* SULLIOTI 1911C : Commun. malac. **4** : 2
232 **zealandica** — *Trivia zealandica* KIRK 1882T : Tr. NZeal. Inst. **14** : 409
513 **zebra** — *Cypraea zebra* LINNÉ 1758S : Syst. nat. (10. ed.) : 719
135 **zepyrulata** — *Archierato zepyrulata* LAWS 1939K : Tr. P. R. S. NZeal. **68** : 490, t. 64 : 45
135 **zevitellina** — *Hespererato zevitellina* LAWS 1941P : Tr. P. R. S. NZeal. **71** : 144, t. 19 : 37
634 **ziczac** — *Cypraea ziczac* LINNÉ 1758S : Syst. nat. (10. ed.) : 722
0 (**ziczaciuncula** — *Cypraea ziczaciuncula* MEUSCHEN 1781G : in : GRONOW, Zoophyl. Gronov., **3**, Index : 14
634 **ziczack** [err.] — *Cypraea ziczack* RÖDING 1798B : in : BOLTEN, Mus. Boltenianum : 25
634 **ziczag** — *Cypraea ziczag* GRAY 1824M : Zool. J. **1** : 373
821 **zignoi** — *Cypraea* (*Luponia*) *zignoi* OPPENHEIM 1894P : Zeitschr. Deut. Geol. Ges. **46** : 419, t. 29 : 14

634 (**zigzag** [err.] — *Cypraea zigzag* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 96
634 (**zikzak** [err.] — *Cypraea zikzak* FISCHER [von WALDHEIM] 1807D : Mus. Demidoff **3** : 151
222 **zimmermanni** — *Cypraea zimmermanni* KOCH 1862N : Arch. Ver. Freunde Nat. Mecklenburg **16** : 105
422 **zoiloides** — *Bernaya zoiloides* SCHILDER 1958T : Arch. Mollusk. **87** : 179
615 **zonaria** — *Cypraea zonaria* GMELIN 1791S : in : LINNÉ, Syst. nat. (13. ed.) **1/6** : 3414
615 (**zonata** — *Cypraea zonata* CHEMNITZ 1788C : Neues syst. Conch. Cab. **10** : 107, f. 1342
615 **zonata** — *Cypraea zonata* LAMARCK 1810P : Ann. Mus. HN. Paris **16** : 90
524 || **zonata** — *Cypraea lurida* var. *zonata* MOLLERAT 1890V : B. S. Mal. France **7** : 113
811 (**zsigmondyana** [nud.] — *Cypraea zsigmondyana* PETHÖ 1896H : M. Kir. Földt. Intéz. Kiált. targyai : 32
811 **zsigmondyana** — *Cypraea zsigmondyana* PETHÖ 1906P : Palaeontogr. **52** : 167, t. 6 : 4
517 **zymecrasta** — *Cypraea tigris* var. *zymecrasta* MELVILL 1888S : M. Manchester Lit. S. (**4**)**1** : 212

3. BIBLIOGRAPHY

The bibliography generally follows the principles adopted in SCHILDER 1932Q (i.e. in Fossilium Catalogus, **1/55**) :

The names of authors have been arranged alphabetically, but anonymous papers have been removed to the end of the list.

The papers of each author have been enumerated chronologically.

We omitted all authors who named taxa in manuscripts, on labels, etc. but did not publish them. But we named also papers which are invalid with regard to nomenclature, i.e. published before 1758, papers not adopting the binary nomenclature, and papers which never have been published, legally, but which have been distributed only as proofs (e.g. GRAY 1832D).

The name of the author is printed in capitals, with his Christian names abbreviated by the first letter and put in parentheses.

The year of real publication of the paper is followed by a distinctive capital used once only for each paper published by an author in the year in consideration; it refers to an essential word in the title of the paper.

The titles of books and articles have been reduced to some few words which often are abbreviated, but clearly show the essential parts of the original wording.

The place of publication of a book has been put in parentheses, as well as the abbreviated title of the periodical in which a paper has been published.

In the following quotations bold figures indicate the volume; they may be anteceded by an ordinary figure put in parentheses, which indicates the series of the periodical, or followed by a bold figure separated by / , which indicates the part or issue.

The number of the issue often has been omitted, if its addition did not seem necessary nor advisible; see above in the introduction to Alphabetical List.

The ordinary figure following the colon indicates the number of the first page of continuous discussion of cowries; we have quoted several pages only if the discussions of cowries are separated by many pages treating other topics.

In the same way an ordinary figure which follows the letter t. indicates the first plate (tabula) illustrating cowries, and several figures point to scattered illustration of cowries.

But contrary to the Alphabetical List, no numbers of figures have been indicated in the Bibliography.

Books and papers treating chiefly the use of cowries in prehistory and ethnography have been mostly omitted.

The following abbreviations have been adopted :

A.=Annales. — B.=Bulletin. — HN.=Histoire naturelle. — J.=Journal. — M.=Memoir. — N.=Natural. — NH.=Natural History. — P.=Proceedings. — R.=Royal. — S.=Society. — T.=Transactions. — Z.=Zeitschrift.

In geographical names the letters of abbreviation have been attached directly : f.i. SAustr.=South Australia, NSWales=New South Wales.

ABBASS (H.L.) 1963E : Monogr. Egyptian Cretac. Gastr. (Monogr. Geol. Mus. Cairo, Palaeont. Ser. **2** : 86)

ABBOTT (R.T.) 1951G : Search Golden Cowrie (Nat. Hist. NYork **60** : 104, 144)
— 1954A : American Sea Shells (Princeton, N. J.) : 182
— 1957R : [Review of ALLAN 1956C] (Nautilus **70** : 143)
— 1959I : Indopacific Moll. (Philadelphia) : 10
— 1961H : How to know Amer. Mar. Shells (New American Library, NYork : [1-222], t. 7, 8)
— 1962W : Sea Shells of the World (NYork) : 52
— 1964G : Another *Cypraea guttata* (Haw. Sh. News (n. s.) **52** : 2)
— 1965A : *Cypraea arenosa* GRAY (Haw. Sh. News (n. s.) **72** : 8)
— 1966S : *Cypraea schilderorum* it is! (Haw. Sh. New (n. s.) **75** : 6)

ABEL (J.C.) 1787C : Conch. Cab. Konstanz (Bregenz) : 34

ABRARD (R.) 1946H : Foss. néog. quat. NHebrides (A. Pal. Paris **32** : 65)

ACLOQUE (A.) 1899F : Faune France, Moll. (Paris) : 373

ADAM (W.) & LELOUP (E.) 1938I : Rés. voy. Léopold (M. Mus. HN. Belg. **2/19** : 122)

ADAMS (A.) 1854C : Descr. shells CUMING (P. Zool. S. London **22** : 130)
— 1854G : Descr. genus CUMINGian coll. (A. Mag. N.H **(2)14** : 70)
— 1855C : Descr. shells CUMING (P. Zool. Soc. London **23** : 222)
— 1864J : Rostr. Gastr. Japan (J. P. Linn. S. London **7** : 93)

ADAMS (A.) & REEVE (L.) 1848S : Voy. « Samarang » (London) Moll. : 19-24
— — 1850S : Voy. « Samarang » (London) Moll. : 25

ADAMS (C.B.) 1845J : Spec. conch. Jamaica (P. Boston Soc. **2** : 1)
— 1852P : Cat. Shells Panama (A. Lyc. NYork **5** : 32)

ADAMS (H.) 1872R : Descr. shells Red Sea (P. Zool. S. London **1872** : 10)
— 1873N : Seventeen new species (P. Zool. S. London **1873** : 206)

ADAMS (H.) & ADAMS (A.) 1853G : Genera recent moll. (London) **1** : 138
— — 1854G : Genera recent moll. (London) **1** : 189, 263, t. 28

ADANSON (M.) 1757S : Hist. nat. Sénégal (Paris) Coqu. : 65, 75

ADCOCK 1893S : Handlist aqu. moll. South Australia : 5
— 1912S : Handlist aqu. moll. South Australia **36** : 209

ADDICOTT (W.O.) & EMERSON (W.K.) 1959P : Late pleist. invertebr. Punta Cabras, Mex. (Amer. Mus. Novitates no. **1925**)

AGASSIZ (L.) 1846N : Nomenclator zoolog. (Soloduri), Index : 113

AGUAYO (C. G.) & JAUME (M.L.) 1947-1952C : Cat. Mol. Cuba (Cuba)

ALBERICI (E.) & MAURONER (A.) 1938S : Nuove loc. foss. mioc. Sirtica Libia (Atti S. Ital. Milano **77** : 37, 43, 53)

ALCOCK (T.) 1861A : Some points Anat. *Cypraea* (Brit. Ass. Adv. Sci. Rep. **1861**, Not. : 137)

ALDER (J.) 1848N : Cat. Northumb. and Durham (London) : 67

ALDRICH (T.H.) 1886A : Prel. Rep. Alabama (Geol. Surv. Alabama, B. **1** : 32)
— 1894R : New foss. Red Bluff (Nautilus **7** : 98)
— 1903A : New foss. Alabama (Nautilus **16** : 98, 99)
— 1921A : New eoc. spec. Alabama (B. Amer. Pal. **9/37** : 14)
— 1923N : New moll. names (P. Biol. S. Washington **36** : 199)

ALDROVANDI (U.) 1642R : Reliqu. anim. exanguis (Bonn) Test. **3** : 554

ALEKSEEV (A.K.) 1963P : Paleogene moll. fauna North Pre-Aral region (Ak. Nauk. Armyanskoi SSR. (Erevan) : 95)

ALKE (G. & E.) 1966W : Westward Ho! (Keppel Bay Tidings **5(2)** : 2)

ALLAN (J.K.) 1932C : Cowries (Austr. Mus. Mag. Sydney **4** : 291)
— 1933W : Shells WATERHOUSE coll. (Rec. Austr. Mus. Mag. Sydney **5** : 39)
— 1937A : Australian shells (Austr. Mus. Mag. Sydney **6** : 281)
— 1950A : Australian Shells (Melbourne)

— 1956C : Cowry shells World Seas (Melbourne)
— 1958L : Some spec. Lamell. E. Austr. (J. Mal. SAustralia, no. **2** : 48)

ALLAN (R.S.) 1927W : Geol. Low. Waihao Valley (T. NZeal. Inst. **57** : 291)

ALLEN (E.) 1846/58P : Cat. syst. moll. Mus. Porto (Porto) : 33

ALLEN (E.F.L.) 1958T : Tiger cowrie (*Cypraea tigris*) in Trengganu (Malaya) (Malaya. Nat. J. **12** : 183)

ALLEN (E.J.) & TODD (R.A.) 1900S : Fauna Salcombe Est. (J. Mar. Biol. Ass. Un. Kingd. **6** : 212)

ALTENA (C.O. VAN REGTEREN) 1937N : Bijdr. foss. moll. Nederl. (Rotterdam) : 32, 116, 146
— 1938V : Voorraadsch. kalkwinning Z. W. Nederland (Basteria **3** : 21)
— 1938R : Renamed moll. Dutch Ind. Tert. (Tijd. Ned. Indië **98** : 208, 210)

ALVARADO (R.) & ALVAREZ (J.) 1964A : Res. Exp. PERIS-ALVAREZ Annobon. VIII. Invert. mar. (B. R. S. Españ. H. N. Secc. Biol. (Madrid) **62/3** : 268)

AMANIEU (M.) & CASAUX (C.) 1961A : Anim. rares Arcachon en 1959-60 (P.V. Soc. Linn. Bordeaux **98** : 148)

AMAUDRUT (A.) 1898D : Partie antér. tube digest. gastér. (A. Sci. Nat. (**8**)**7** : 159, 209)

ANCEY (C.F.) 1870P : Moll. mar. Cap Pinede (A. Malac. **1** : 257)
— 1881D : Liste coqu. San Diego (Naturaliste **1881** : 453)
— 1882C : Coqu. nouv. (Naturaliste **1882** : 55)
— 1898G : Mar. shells P. Gueydon (Nautilus **12** : 53)
— 1901D : *Cypraea citrina* Fort Dauphin (Nautilus **15** : 83)

ANDERSON (Ch.) 1836W : Soc. WERNÉR. Hist. Nat. Edinburg (L'Institut (Mat.) **4** : 193) [see also : Wiegm. Arch. (1837) **3/2** : 271]

ANDERSON (D.T.) 1960L : Life Hist. mar. Pros. Gastr. (J. Mal. S. Australia **4** : 34)

ANDERSON (F.M.) 1902C : P. Calif. Ac. Sci. (**3**)**2** : 75
— 1905D : Strat. study Mt. Diablo (P. Calif. Ac. Sci. (**3**)**2**/**2** : 198)
— 1929C : Mar. mioc. North Columbia (P. Calif. Ac. Sci. (**4**)**18** : 139)
— 1958C : Upper Cretac. Pacific Coast (M. Geol. Soc. America **71**(**12**) : 176)

ANDERSON (F.M.) & HANNA (G.D.) 1925K : Fauna Tejon Kern Co. (Odc. Pap. Calif. Ac. Sci. **11** : 104)

ANDERSON (H.-J.) 1958S : Stratigr. Palaeogeogr. Olig. Mioz. Niederrhein Moll. (Fortschr. Geol. Rheinl. Westf. **1** : 280)

ANDRUS (J.W. & G.) 1961R : Recent Finds : *Cypraea rashleighana* (Haw. Sh. News (n. s.) **23** : 4)

ANGAS (G.F.) 1865A : Mar. moll. fauna S. Australia (P. Zool. S. London **1865** : 170)
— 1867J : List mar. moll. Port Jackson (P. Zool. S. London **1867** : 205)
— 1871J : List add. moll. Port Jackson (P. Zool. S. London **1871** : 94)
— 1877J : Further list Port Jackson (P. Zool. S. London **1877** : 182, 186)
— 1878S : List mar. moll. S. Australia (P. Zool. S. London **1878** : 867)

ANNANDALE (N.) 1918M : Freshwater shells Mesopotamia (Rec. Indian Mus. **15** : 159)

ANTELME (A.) 1841H : Hist. nat. insect. moll. (Paris) : 315)

ANTON (H.E.) 1839V : Verzeichn. Conch. Sammlung (Halle) : 95

APPELIUS (F.L.) 1869T : Conch. Mare Tirreno (B. Mal. Ital. Pisa **2** : 126)
— 1870L : Cat. foss. Livornese CATERINI (B. Mal. Ital. Pisa **3** : 213, 267)

ARADAS (A.) & BENOIT (L.) 1876S : Conch. viv. Sicil. (Atti Acc. Catania (**3**)**6** : 301)

ARANGO Y MOLINA (R.) 1878C : Contr. fauna mal. Cubana (Havana) : 183

ARCHIAC (A. D') 1840A : Descr. géol. Aisne (M. S. Géol. France **5** : 262, 273)
— 1850D : Descr. foss. nummul. (M. S. Géol. France (**2**)**3** : 314)
— 1850N : Tabl. fauna nummul. (Hist. Progr. Géol. Paria **3** : 295, 299)

ARCHIAC (A. D') & HAIME (J.) 1854I : Descr. anim. nummul. Inde (Paris) : 329

ARCIVESCOVO DI TARANTO 1779T : Spieg. conch. mare Taranto (Napoli)

ARGENVILLE (DEZALLIER D') 1742C : Hist. nat. éclairc. lith. conch. (Paris) : 310, 393, t. 21, 33

— 1757C : Hist. nat. éclairc., 2. ed. (Paris) **1** : t. 18, 29
— 1757Z : Hist. nat. éclairc., 2. ed. (Paris) **2** : t. 3
— 1767P : Conchyliologie nouv. et portative (Paris) : 53
— 1772C : Conchyliologie (Wien) **1** : 224, 301, t. 18, 29
— 1772Z : Conchyliologie (Wien) **2** (Zoomorphose) : 30, XLV, t. 3, 11
— 1780C : Hist. nat. éclairc., 3. ed. (Paris) **2** (Zoomorphose) : t. 3

ARNOLD (R.) 1903P : Pal. S. Pedro (M. Calif. Ac. Sci. **3** : 82, 288)
— 1906C : Tert. quatern. Pectens Calif. (US. Geol. Surv. Prof. Pap. **47** : 15, 35)
— 1907C : New foss. moll. Calif. (P. US. Nat. Mus. **32** : 538)
— 1907F : Foss. oil-bearing format. SCalif. (US. Dept. Geol. B. **309** : 252, t. 40)

ARRECGROS (J.) 1965M : Muscheln am Meer (Bern) : 14, figs, 14-18

ASANO (Nagao) 1937 O : Mar. shells fauna Oreai (Venus **7** : 32)

ASBJÖRNSEN (P.C.) 1853C : Bidr. Christianiafjord lit. fauna (Nyt. Mag. Nat. **7** : 321, 332, 343)

AUCAPITAINE (H.) 1858M : Note *Cypraea moneta* (Rev. Mag. Zool. **(2)10** : 509)
— 1859M : Obs. habitat *Cypraea moneta* (Rev. Mag. Zool. **(2)11** : 237)

AUDOUIN (V.) 1827E : Explic. planches moll. in : SAVIGNY (J.C.) Descr. Egypte (Paris **(2)22** : 190)

AUINGER (M.) 1871M : Tabell. Tert. Mähren (Verh. Nat. Ver. Brünn **9** : 9)

AVNIMELECH (M.) & BOSKOVITZ (V.) 1955I : Problems distrib. moll. Medit. Coast Israel (Bull. Res. Council Israel, **5B** no. **2** : 182)

AYRES (B.) 1916C : Cat. conch. exot. mus. Coimbra (Coimbra) **1** : 193

AZUMA (M.) 1956G : New loc. *Cypraea* (*Erosaria*) *guttata* (J. of Conch. **24** : 146)
— 1960C : Cat. moll. Okinoshima etc. Tosa Prov. Shikoku : 24, t. 1, 5
— 1960R : Studies radulae Japan. Cypraeacea, 1 (Hyogo Biology **4** (no. **1**) : 50)
— 1966A : The radula of *Cypraea* (*Erosaria*) *guttata azumai* SCHILDER (Venus **25(1)** : 50)

AZUMA (M.) & KUROHARA (K.) 1967M : New cowry off Midway Is. (Venus **26(1)** : 1)

BAGATTI (O.) 1881P : Agg. enum. moll. Parma Piac. COCCONI (Parma) : 28

BAGMANOV (M.A.) 1957T : Stratigr. Eoc. Upper Talish (Dokl. Akad. Nauk. Azerb. SSR. **13** : 516)

BAILLÈRE (J.B.) 1868C : in : CUVIER (G.) Règne animal, 2. ed. (Paris) Moll. : t. 15

BAILY (J.L.) 1935W : in : KEEP (J.) ,West Coast shells (Stanford) : 216

BAIRD (W.) 1868G : Mus. hist. nat. Glasgow (Glasgow) Moll. : 336

BAKER (F.) 1891M : Coll. shells Southern Mexico (P. Ac. Nat. Sci. Philad. **1891** : 52)
— 1892M : Not. shells Mauritius (P. Rochester Ac. Sci. **1892** : 30)
— 1902M : List shells S. Martin Isls., Lower Calif. (Nautilus **16** : 41)
— 1903S : List mar. moll. S. Salvador (Nautilus **17** : 57)

BAKER (H.M.) 1960H : Harbour Entrance dredging (Haw. Sh. News (n. s.) **1** : 4)

BAKER (H.M. & Mrs.) 1961B : The Beachcombers (Haw. Sh. News (n. s.) **13** : 4)

BAKUS (G.J.) 1968Z : Zonation mar. gastr. Costa Rica (Veliger **10(3)** : 207)
— 1968Q : Quantit. studies cowries Allan HANCOCK Foundation coll. (Veliger **11(2)** : 93)

BALDWIN (D.D.) 1898H : Hawaiian Cypr. (Nautilus **11** : 123)

BALFOUR (E.) 1856M : Cat. Gov. Centr. Mus. Madras (Madras), Moll. : 17

BALL (V.) 1874A : Geol. notes Afghanistan (Rec. Geol. Surv. India **7/4** : 153)

BARCLAY (D.) 1891C : Cat. coll. BARCLAY : 8, 28, 51, 61

BARDIN (L.) 1881M : Ét. pal. terr. tert. départ. Maine-et-Loire (Angers) : 101, 108

BARNARD (K.H.) 1951G : Beginner's Guide SAfric. shells (Cape Town) : 87
— 1960F : Check list moll. False Bay (Conch. S. SAfric. Mem. **1** : 5)
— 1963S : Contr. Knowl. SAfr. mar. moll. III. Gastr. Pros. : Taeniogl. (Ann. SAfr. Mus. **47/1** : 38)

BARNES (D.H.) 1824N : Not. several spec. shells (A. Lyc. NYork **1/1** : 131)

BARRELIER (J.) 1714G = JUSSIEU

BARTHOLOMEW (J.G.) 1911A : Physical Atlas (London) **5** (Zoogeography) : t. 27

Bartsch (P.) 1915S : Turton coll. SAfrican mar. moll. (B. US. Nat. Mus. **91** : 96, 236)

Basterot (B. de) 1825F : Bass. tert. Sud-Ouest France (M. S. HN. Paris **2/1** : 40)

Batalha (F.R.) 1878C : Cat coll. conchyl. : 34

Batarra (J.A.) 1782K : in : Buonanni (F.) Mus. Kircher (2. ed.) (Roma) **2** : 50, f. 231

Bates (J.) 1967N : Comments on cowrie names (Keppel Bay Tid. **6/3** : 1)

Bavay (A.) 1917S : Coqu. sables litt. div. pays (J. de Conchyl. **63** : 108)

Bayan (F.) 1870V : Terr. tert. Vénétie (B. S. Géol. France (**2**)**27** : 460, 481)
— 1870T : Moll. tertiaires (Ét. École des Mines **1** : 57)

Bayer (F.M.) & Neurohr (G.N.) 1946L : Life tropical Pacific reef (Mollusca **1** : 107)

Bayer (T.) 1941F : Not. Florida moll. (Nautilus **55** : 44)

Bearl (H.) 1935M : Mollusk and Art (Nature Mag. Baltimore **26** : 91)

Beau (M.) 1858G : Cat. coqu. Guadeloupe et dépendances (Paris)

Beck (J.D.) 1962H : Shelling isl. Hawaii (Haw. Sh. News (n. s.) **35** : 7)

Beddome (C.E.) 1896A : Note *Cypraea angustata* (P. Linn. S. NSWales **21** : 467)
— 1898T : Not. *Cypraea* Tasmania (P. Linn. S. NSWales **22** : 564)

Beets (C.) 1941M : Jungmioc. Mangkalihat, Borneo (Verh. Geol. Mijnb. Gen. Ned. Kol., Geol. **13** : 80, div.)
— 1942T : Moll. Tert. Ostind. Archipel (Leid. Geol. Med. **13** : 233)

Bell (A.) 1870B : Moll. foss. Biot près Antibes (J. de Conchyl. **18** : 349)
— 1870C : Shells Crag (A. Mag. NH. (**4**)**6** : 215)
— 1871C : Butley Crag pits (Geol. Mag. **8** : 454)
— 1871S : Tert. mud-deposit Selsey (A. Mag. NH. (**4**)**8** : 51)
— 1888W : Manure gravels Wexford (Rep. Brit. Ass. Bath **1888** : 135)
— 1890W : Manure gravels Wexford (Rep. Brit. Ass. Leeds **1890** : 412)
— 1898E : Plioc. shell beds St. Erth (T. Geol. S. Cornwall **12** : 136)
— 1915W : Moll. depos. Wexford (Geol. Mag. (**6**)**2** : 168)
— 1917E : Foss. East-Anglian Boxstones (Geol. Mag. (**6**)**4** : 413)
— 1918S : Suffolk Boxstones (Geol. Mag. (**6**)**5** : 20)

Bellardi (L.) 1850N : Foss. nummul. Nice (B. S. Géol. France (**2**)**7** : 682)
— 1851E : Foss. nummul. Égypte (B. S. Géol. France (**2**)**8** : 261)
— 1852N : Cat. foss. nummul. Nice (M. S. Géol. France (**2**)**4** : 215)
— 1855E : Cat. foss. nummul. Egitto (M. Ac. Sci. Torino (**2**)**15** : 184)

Bellardi (L.) & Michelotti (G.) 1840P : Sagg. oritt. Piemonte (M. Ac. Sci. Torino (**2**)**3** : 156)

Belon (P.) 1551P : Hist. nat. des poissons (Paris)

Beltremieux (E.) 1884C : Faune viv. Charente-Infér. (A. S. Sci. N. Charente-Inf. : 61)

Benoist (E.A.) 1873S : Cat. Saucats : 207

Benthem-Jutting (T. van) 1927C : Mar. moll. Curaçao (Bijdr. Dierkunde **25** : 11, 32)
— 1933F : Fauna v. Nederland. Moll. **1**. Gastrop. (Leiden) : 119
— 1937K : Moll. Karimata Islands (Basteria **2** : 33)
— 1940D : Moll. prähist. Dudumunir NGuinea (New Guinea (n. s.) **4** : 11)
— 1945V : Quat. shells Venezuelan Is. (Verh. Geol. Mijnb. Gen. (Geol.) **14** : 71)
— 1952G : « Gloria Maris » shells Malaysian Seas (Amsterdam) figs. 12, 13
— 1955K : Vondsten trop. Kauri's in Nederland (Basteria **19** : 1)

Benton (R.) 1963S : Cowries at Shimoni, Kenya (Cowry **1/5** : 72)
— 1963A : Autotomy (Cowry **1/5** : 77)
— 1963E : East Africa (Cowry **1/3** : 79)
— 1964G : Former views on growth (Cowry) **1/6** : 89

Berge (F.) 1847C : Conchylienbuch (Stuttgart) : 243

Bergh (L.S.R.) 1908P : in : Semper (C.) Reisen Philippinen (Wiesbaden) **9/6** : 142

Bernard (F.) 1895F : Élém. Paléont. (Paris) : 491

BERNARDI (A.C.) 1861D : Descr. esp. nouv. (J. de Conchyl. **9** : 48)

BERNER (L.) 1941A : L'accroissement des Porcelaines (B. S. Linn. Lyon **10** : 31)

BERRY (L.E.) 1954A : Africa's rarest cowries (J. EAfr. NH. S. **22** (**95**) : 82)

BERRY (S. St.) 1907M : Moll. Monterey Bay (Nautilus **21** : 43)
— 1908C : Misc. Not. Calif. moll. (Nautilus **22** : 37)
— 1916C : A new *Ovula* California (Nautilus **30** : 21)
— 1946P : (Leaflets in Malac. **1** : 1)
— 1946N : A new Calif. *Neosimnia* (J. of Conch. **22** : 190)
— 1960P : Not. new Eastern Pacific moll. IV. (Leafl. in Malacol. **1**(**19**) : 118)

BERTHOLD (A.A.) 1827L : LATREILLES nat. Syst. d. Thierreichs (Weimar) : 192

BEYRICH (E.) 1853D : Conch. Norddeutsch. Tert. Geb. (Z. Deut. Geol. Ges. **5** : 318)

BIANCONI (G.G.) 1850M : Spec. zool. Mosambicana (M. Ac. Sci. Bologna **1** : 174)
— 1851M : Spec. zool. Mosambicana (M. Ac. Sci. Bologna **3** : 17)
— 1865M : Spec. zool. Mosambicana (M. Ac. Sci. Bologna (**2**)**4** : 525)

BIDERMANN 1805M : BORYS Beitr. Nat. Maskarenen-Ins. (Weimar) : 190

BIELZ (E.A.) 1865C : Cat. coll. BIELZ : 8

BIGGS (H.E.J.) & GRANTIER (L.L.) 1960T : Prelim. list. mar. moll. Ras Tanura, Pers. Gulf (J. of Conch. **24** : 387)

BIGGS (H.E.J.) & WILKINSON (Ch.) 1966M : Mar. moll. Malta (J. of Conch. **26** : 61)

BINKHORST (J.T.) 1861L : Mon. gastr. craie sup. Limbourg (Bruxelles) : 17, 71

BIOLLEY (P.) 1907C : Moll. Isla del Coco (S. José, Costarica) : 22

BIZET (E.) 1891S : Cat. moll. départ. Somme (M. S. Linn. NFrance **8** : 290)

BLAINVILLE (H.M.D. DE) 1824D : in CUVIER (G.) Dict. Sci. HN. (Strasbourg) **32** : 219
— 1824M : Manuel malacol. (Paris) : 421
— 1825D : in : CUVIER (G.) Dict. Sci. HN. (Strasbourg) **37** : 127)
— 1825P : in : id., Planches zool., Conchyl.
— 1826D : in : CUVIER (G.) Dict. Sci. HN. (Paris-Strasbourg) **43** : 1
— 1826F : Faune française (Paris) Malac. : 228, 233

BLANCKENHORN (M.L.P.) 1891S : Mar. Plioc. Syrien (Erlangen) : 5, 36, 46

BLANFORD (W.T.) 1876S : Geol. of Sind (Rec. Geol. Surv. India **9** : 13)
— 1880S : Geol. Western Sind (M. Geol. Surv. India **17** : 48, 127)

BLASCHKE (F.) 1911S : Tithonfauna von Stramberg (A. Hofmus. Wien **25** : 162)

BLUMENBACH (J.F.) 1830H : Handbuch d. Naturgesch. (Göttingen) : 392

BÖSE (E.) 1905M : Fauna terciar. Mexico (Inst. Geol. Mexico **22** : 88)

BOETTGER (C.) 1915A : Die von MERTON auf Aru ges. Wassermollusken (Abh. Senckenb. Ges. **35** : 131)
— 1916S : Moll. Ausb. Hanseat. Südsee-Exp. (Abh. Senckenb. Ges. **36** : 300)

BÖTTGER (O.) 1875B : in : VERBEEK (R.D.M.) & BÖTTGER (O.), Eocänf. Borneo (Palaeontogr. Suppl. **3**/**1** : 21, 59)
— 1880S : Tertiärform. v. Sumatra (Palaeontogr. Suppl. **3**/**1** : 76, 93; **3**/**2** : 107, 122)
— 1883M : Stenomph. *Cypraea* Mainzer Becken (Ber. Offenb. Ver. **22**/**23** : 221)
— 1884E : Übergang *Eratopsis* u. *Erato* (Neu. Jahrb. Miner. Abh. **2** : 136)
— 1892L : Meeresmoll. Liu-Kiu-Ins. (Nachrbl. D. malak. Ges. **24** : 165)
— 1896K : Miocän v. Kostej (Verh. Siebenb. Ver. **44** : 58)
— 1901K : Miocän v. Kostej (Verh. Siebenb. Ver. **51** : 10)
— 1906K : Miocän v. Kostej (Verh. Siebenb. Ver. **56** : 3)

BOFILL Y POCH (A.) 1890L : Mol. mar. Llansa (Barcelona) : 10

BOITARD (P.) 1827A : Atlas des moll. (Paris) : t. 17

BOLL (E.) 1851M : Geogn. Skizze Mecklenburg (Z. Deut. Geol. Ges. **3** : 459)

BOLTEN (J.F.) = RÖDING

Bonelli (F.A.) 1826/27C : Cat. Mus. zool. Torino [Manuscript !]

Boone (L.) 1928P : Sci. Res. ocean. Exp. « Pawnee » (B. Bingham Ocean. Coll. NYork **2/5** : 14)

Borlase (W.) 1758C : Nat. Hist. Cornwall (Oxford) t. 28

Born (J.) 1778I : Index Mus. Caes. Vindob. (Wien) **1** : 155
— 1780T : Test. Mus. Caes. Vindob. (Wien) : 170

Borson (St.) 1801P : Oryct. Pedemont. auct. (M. Ac. Sci. Torino **6** : 183)
— 1820P : Sagg. orittogr. Piemont. (M. Ac. Sci. Torino **25** : 199)
— 1825P : Sagg. orittogr. Piemont. (M. Ac. Sci. Torino **29** : 305)
— 1831T : Cat. coll. Mus. min. Torino : 607

Bory de St. Vincent (J.B.G.M.) 1827E : Encycl. méthod. (Paris) **3**, Atlas : 163

Bosc (L.A.G.) 1802C : Hist. nat. coquilles (Paris) **5** : 68
— 1818D : in : Nouv. Dict. HN. appl. aux arts (2. ed.) (Paris) **27** : 583)
— 1824C : Hist. nat. coquilles (2. ed.) (Paris) **5** : 76
— 1836C : Hist. nat. coquilles (3. ed.) (Paris) **5** : 57, 61

Boswell (H.) 1964S : South Africa's *ex-pisce* shells (Haw. Sh. News (n. s.) **51** : 1)

Bouchard & Chantereaux 1835B : Cat. moll. Côtes du Boulonnais : 69

Bouge (L.J.) 1961M : Malform. et color. spéc. *Cypraea* NCalédonie (J. de conchyl. **101** : 3)

Boullaire (A.C.) 1956T : Obs. vie *C. tigris* Océanie (J. de conchyl. **96** : 159)
— 1957C : Obs. *C. caputserpentis* Océanie franç. (J. de Conchyl. **97** : 150)

Boury (E. de) 1884P : Obs. esp. nouv. Paris (B. S. Géol. France **(3)12** : 667)

Boussac (J.) 1910P : Palaeont. universalis (Berlin & Paris) : 185, 186
— 1911P : (Ann. strat. Lab. géol. Univ. Paris **5** : 52)
— 1911A : Étud. pal. nummul. Alpin, 1 (M. explic. Carte Géol. France **1911** : 334)
— 1912A : Étud. pal. nummul. Alpin, 2 (M. explic. Carte Géol. France **1912** : 90, 322, 620)

Boussuet (F.) 1558A : in : Rondelet (G.) De nat. aquat. carmen (Lyon)

Bouvier (E.L.) 1887N : Syst. nerveux gastér. prosobr. (A. Sci. Nat. Zool. **(7)3** : 211)
— 1890C : Syst. nerveux Cyprées (Zool. Anzeiger **13** : 717)
— 1891N : Obs. syst. nerv. Porcelaine (A. Sci. Nat. Zool. **(7)12** : 15)

Bowden (J.) & Heppell (D.) 1968P : Pulteney's Dorset Catalogue (J. of Conch. **26** : 325)

Bowdich (T.E.) 1822E : Elements of Conchology (Paris) : t. 11

Bowman (A.R.) 1963S : From the Readers [*saulae*] (Haw. Sh. News (n. s.) **48** : 8)

Boyce (S.E.) 1890S : *Cypraea spadicea* (Nautilus **4** : 71)

Braga (J.M.) 1952M : Mat. estudo fauna mal. Mozamb. (Ann. Ita. Miss. geogr. Lisboa **7/3** : 81)

Brancsik (C.) 1895P : Contr. fauna moll. Ins. Papua (Jahresh. Ver. Trencsén **17/18** : 216)

Brand (D.J.) 1964C : *Notocypraea casta* (Cowry **1/6** : 85)

Brasil (L.) 1901L : Faune mar. Luc-sur-Mer : 65

Bratcher (T.) 1962M : Coll. trip Mexican Penal Colony (Haw. Sh. News (n. s.) **26** : 8)
— 1965M : Search *Cypraea isabella mexicana* (Haw. Sh. News (n. s.) **67** : 7)
— 1967T : Treasure hunt (Haw. Sh. News (n. s.) **93** : 1)

Brauer (F.) 1878B : Bemerk. Orig. Born (SB. Ak. Wien, math. nat. **77/1** : 34)

Braun (A.) 1850G : in : Walchner (F.A.) Handb. Geognos., 2. ed. (Karlsruhe) : 1132

Brazier (J.) 1872W : List *Cypraea* NSWales (P. Zool. S. London **1872** : 81)
— 1872N : Three new species (P. Zool. S. London **1872** : 617)
— 1876N : Fourteen new species (P. Linn. S. NSWales **1** : 7)
— 1876E : Exhibits (P. Linn. S. NSWales **1** : 44)
— 1876T : Synon. remarks Tasman. shells (P.R.S. Tasmania **1876** : 169)
— 1877C : Moll. Chevert Exped. (P. Linn. S. NSWales **1** : 295)
— 1879F : List mar. shells Fitzroy Isl. (J. of Conch. **2** : 193)
— 1879M : List *Cypraea* Moreton-Bay (J. of Conch. **2** : 317)

— 1879E : Exhibits (P. Linn. S. NSWales **4** : 356, 409)
— 1880A : Mar. shells Australia (J. of Conch. **3** : 125)
— 1881S : Not. shells Salomon Is. Australia (P. Linn. S. NSWales **5** : 444)
— 1881M : *Porcellana* Moreton-Bay (P. Linn. S. NSWales **5** : 496)
— 1882M : Note malformed *Cypraea* (P. Linn. S. NSWales **6** : 202)
— 1882V : *Cypraea* Victorian Coast (P. Linn. S. NSWales **7** : 117)
— 1882A : Distrib. and geogr. range of Cowries in Australasia : 1
— 1883C : Habitat *Cypraea citrina* (P. Linn. S. NSWales **7** : 322)
— 1883E : Exhibits (P. Linn. S. NSWales **8** : 442)
— 1888N : Rep. Zool. Norfolk I. Moll. (P. Linn. S. NSWales (**2**)**2** : 998)
— 1891E : Exhibits (P. Linn. S. NSWales (**2**)**6** : 8)
— 1896N : Notes and Exhibits (P. Linn. S. NSWales **21** : 29)
— 1897N : Notes and Exhibits (P. Linn. S. NSWales **21** : 584, 818)
— 1905E : Exhibits (P. Linn. S. NSWales **29** : 872)

Brenchley (J.L.) 1879C : Cruise of the Curaçoa (London) : 299

Briart 1878C : Communications (B. S. Mal. Belg. **13** : XVIII)

Brocchi (G.) 1814S : Conch. foss. subapenn. (Milano) **2** : 282, 321

Brock (J.) 1887S : Dopp. Spermatozoen exot. Prosobr. (Zool. Jahrb. **2** : 615)

Broderip (W.J.) 1827D : Descr. new shells (Zool. J. **3** : 84)
— 1828D : Descr. new *Cypraea* (Zool. J. **4** : 163)
— 1831C : Descr. new Cowry (Zool. J. **5** : 330)
— 1837P : in : Knight, Penny Cyclopaedia (London) **8** : 254

Brögger (W.C.) 1872K : Bidr. Kristianiafj. moll. (Nyt. Mag. Nat. **19** : 123)
— 1901K : Senglac. postglac. nivaforand. Kristiania (Norges Geol. Unders. **31** : t. 18)

Broili (F.) 1924G : in : Zittel (K.A. von), Grundz. Paläont. 6. ed. (München) **1** : 478)

Brongniart (A.) 1823V : Mém. terr. sédim. Vicentin (Paris) : 61, 86

Bronn (H.G.) 1824S : System d. urweltl. Konchylien (Heidelberg) : 11, 50
— 1831I : Italiens Tertiärgebilde (Heidelberg) : 15
— 1837M : Geol. Alter Maynzer Becken (Jahrb. Miner. **1837** : 161)
— 1838L : Lethaea Geogn. (Stuttgart) **2** : 1115
— 1848I : Index palaeont. (Stuttgart) **1** : 382, 678; **2** : 888, 1205, 1294
— 1849E : Enumer. palaeont. (Stuttgart) : 481
— 1852L : Lethaea geogn. (3. ed.) (Stuttgart) **2** : 311
— 1854L : Lethaea geogn. (3. ed.) (Stuttgart) **3** : 577
— 1862A : in : Reiss, Tert. Sta. Maria, Azor. (N. Jahrb. Miner. **1862** : 24)
— 1862/66K : Klassen u. Ordnungen d. Thierreichs, **3/2**, Weichtiere (Leipzig) : t. 83

Brookes (J.) 1815I : Introd. study conch. (London) : 101

Brown (A.) 1878F : Moll. Firth of Clyde : 96

Brown (A.P.) & Pilsbry (H.A.) 1911G : Fauna Gatun format. (P. Ac. N. Sci. Philad. **1911** : 356)

Brown (R.) 1968F : Trained Fish ? (The WAustr. Shell Coll., June **1968** : 3)

Brown (Th.) 1816E : Elements of Conchology (London) : 122
— 1827B : Illustr. Conch. Gr. Brit. Ireland (London) : t. 38, 44
— 1843E : Elements of Conchology (London) : 28
— 1844B : Illustr. Conch. Gr. Brit. Ireland (2. ed.) (London) : t. 19, 59

Brünnich (M. Th.) 1772Z : Zoologiae fundamenta (Hafniae et Lipsiae) : 246

Bruggen (A.C. van) 1966C : Notes damaged *Cypraea carneola* (Basteria **30** : 35)
— 1968D : *Cypraea edentula* var. *denticulata* (Conch. S. SAfr. Circ. **102** : 4)

Bruguière (J.G.) 1789E : Encycl. méth. hist. nat. vers (Paris) **1** : XV
— 1792E : Tableau encycl. méth. (Paris) **1** : 560
— 1792F : Format. coqu. Porcel. (J. Hist. Nat. **1** : 307, 321)

Brusina (S.) 1865D : Conch, Dalmate inedite (Verh. Zool. Bot. G. Wien **15** : 13, 15)

— 1866D : Contrib. fauna moll. Dalmati (Wien) : 70
— 1870C : Ipsa CHIEREGHINIi conch. (Pisa) : 114, 267
— 1870P : Princ. mal. jadr. CHIEREGHINI (Rade Jugosl. Ak. Znan **11** : 23)
— 1877V : Fragm. Vindobonensia (J. de Conchyl. 25 : 369)
— 1895A : Faunist. Adria Excurs. « Margita » (C. R. 3. Congr. Intern. Zool. Leyde : 375)

BRYAN (E.H. jr.) 1954H : The Hawaiian Chain (B. P. Bishop Mus. Press, Honolulu : 1)

BRYAN (W.A.) 1915H : Nat. Hist. of Hawaii (Honolulu) : 447, 457

BRYCE (J.) 1859C : Geol. Clydesdale and Arran (London & Glasgow) : 191

BUCHNER (O.) 1892A : Asymmetrie d. Gastrop. (Jahresh. Ver. Württemb. **48** : 70)
— 1913E : Einführung in d. europ. Meeresmoll. (Stuttgart) : 44, 111

BUCKNILL (C.E.R.) 1929Z : Sea shells NZealand (Auckland) : 50

BUCQUOY (E.) & DAUTZENBERG (Ph.) & DOLLFUS (G.E.) 1883R : Moll. mar. Roussillon (Paris) **1** : 127)
— — — 1898R : Moll. mar. Roussillon (Paris) **2** : 793

BUONANNI (F.) 1681R : Ricreat. occhio e mente (Roma) **3** : 222, f. 231
— 1684R : Recreat. mentis et oculi (Roma) : 142, div. figs.
— 1691 O : Observ. circa viventia (Roma) **2**, c. 3 : 319
— 1709K : Mus. KIRCHERianum (Roma) **3**

BURCH (J.Q.) 1946M : Minutes Conch. Club SCalif. (1945)
— 1957M : Two races *C. mappa* one locality (Min. Conch. Club SCalif. **174** : 5)

BURCH (R.) 1960C : Comments *C. isabella-mexicana* (Min. Conch. Club SCalif. **194** : 20)
— 1964P : *Jenneria pustulata* (Cowry **1/6** : 88, t. 10)

BURGESS (C.M.) 1960Ka : Kahuluu (Haw. Sh. News (n. s.) **1** : 2)
— 1960S : The endemic *C. semiplota* (Haw. Sh. News (n. s.) **1** : 7)
— 1960Kb : Fort Kamehameha (Haw. Sh. News (n. s.) **2** : 2)
— 1960 O : *Cypraea ostergaardi-alleni* puzzle (Haw. Sh. News (n. s.) **2** : 6)
— 1960G : Endemic *C. granulata* (Haw. Sh. News (n. s.) **3** : 2)
— 1960Kc : Off Keehi (Haw. Sh. News (n. s.) **4** : 2)
— 1960M : Misc. Items (Haw. Sh. News (n. s.) **4** : 7)
— 1960F : At the Fair (Haw. Sh. News (n. s.) **5** : 2)
— 1960H : Honaunau (Haw. Sh. News (n. s.) **6** : 2)
— 1962Ca : Brief comparison *C. rashleighana*, *teres*, *latior* and *subteres* (Haw. Sh. News (n. s.) **25** : 2)
— 1962M : Murder at Fort Kam (Haw. Sh. News (n. s.) **27** : 4)
— 1962B : Brief comparison six *Cypraea* species (Haw. Sh. News (n. s.) **27** : 6)
— 1962Cb : *Cypraea cicercula* in Hawaii (Haw. Sh. News (n. s.) **34** : 2)
— 1963A : Autotomy (Cowry **1/5** : 77)
— 1964P : M. V. « Pele » dredges puzzling species (Haw. Sh. News (n. s.) **50** : 1)
— 1964J : Johnston Island weekend (Haw. Sh. News (n. s.) **52** : 7)
— 1965S : Shells and Surgery in Samoa (Haw. Sh. News (n. s.) **68** : 6)
— 1965N : Two new species *Cypraea* (Nautilus **79** : 37)
— 1966N : Newly described cowry (Haw. Sh. News (n. s.) **81** : 8)
— 1967H : A new Hawaiian *Cypraea* (Nautilus **81** : 6)
— 1967M : A new Hawaiian *Cypraea* (Haw. Sh. News (n. s.) **94** : 1)

BURN (R.) 1959M : Molluscan field notes (Vict. Nat. Melbourne **75** : 179)

BURROW (E.I.) 1825E : Elements of Conchology (London) : 81, 139, t. 14

BURTIN (F.X.) 1784B : Oryctogr. de Bruxelles (Bruxelles) : 107, t. 17

BURTON (H.) 1958D : A dream comes true (Veliger **1** : 3)

BURTON (V.) 1890C : Coffee-bean Cowries Calif. (Los Angeles Weekly Tribune, 16.8.1890)

BUTTON (F.L.) 1878S : Note habitat *Cypraea spadicea* (J. de Conchyl. **26** : 67)
— 1902/3 : West American Cypraeidae (J. of Conch. **10** : 254)
— 1906A : Note *Trivia acutidentata* (Nautilus **19** : 132)
— 1907C : Note *Cypraea coxeni* (Nautilus **21** : 36)
— 1907P : Note *Trivia pilula* (Nautilus **21** : 59)

— 1908G : Note *Cypraea gracilis* (Nautilus **22** : 10)
— 1908T : Note *Trivia galapagensis* (Nautilus **22** : 11)
— 1922P : Note *Cypraea pacifica* (Nautilus **36** : 71)

Byne (L. St. G.) 1893T : Moll. Teignmouth (J. of Conch. **7** : 187)
— 1902A : Note colour var. *Cypraea argus* (J. of Conch. **10** : 193)
— 1904C : Type *Cypraea caputanguis* (J. of Conch. **11** : 57)
— 1906E : Exhibits (J. of Conch. **11** : 352)
— 1916M : Monstrosities in *Cypraea* (Nautilus **30** : 34)

Byne (L. St. G.) & Leicester (A.) 1901M : Moll. Isl. of Man (J. of Conch. **10** : 83)

Byrne (D.) 1968C : *Erronea coucomi* (Keppel Bay Tidings **7/3** : 3)
— 1968M : *C. miliaris* locally (Keppel Bay Tidings **7/3** : 4)

Bytemeister 1735A : Cat. Apparatus curiosor. : t. 12

Cailliaud (F.) 1865L : Cat. moll. Loire-Infér. (Nantes) : 189

Cairns (R.) 1900E : Exhibits (J. of Conch. **9** : 376)

Calcara (P.) 1841A : Mem. conch. foss. Altavilla (Palermo) : 68
— 1845S : Cenno moll. viv. foss. Sicilia (Palermo) : 42, 58, 65

Calkins (W.W.) 1878F : Cat. mar. shells Florida (Davenport) : 238

Calman (W.T.) 1939G : Geogr. distr. cowries (Nature London **144** : 642)

Calves (L.) 1965K : News from Kauai (Haw. Sh. News (n. s.) **69** : 3)

Calvet 1905C : Stat. zool. de Cette (Cette) : 66

Cambage (R.H.) 1916E : Exhibits (P. Linn. S. NSWales **41** : 192)

Cambridge (P.) 1967A : Dangers and delights, coll. Aden (The Conchologist's Newsletter no. **22** : 12)

Campana (D. della) 1890B : Cenni pal. plioc. Borzoli (Atti S. Ligust. **1** : 144)

Campbell (B.) 1961P : Four new Panamic gastr. (Veliger **4/1** : 25)

Campbell (E.D.G.) 1896C : Mar. shells SCalif. (Nautilus **10** : 57)

Campbell (J.H.) 1889C : Notes gen. *Cypraea* (Nautilus **3** : 10)
— 1892D : Important discovery (Nautilus **6** : 50)
— 1893C : Descr. new foss. *Cypraea* (Nautilus **7** : 52)

Canestrelli (G.) 1908L : Revis. fauna olig. Laverda (Atti S. Ligust. **19** : 29, 123)

Canestrini 1905A : Amore nella vita degli anim. (Torino) : 21, 210

Cantraine (F.) 1835D : Diagn. nouv. esp. moll. (B. Ac. R. Sci. Bruxelles **2** : 10)

Capece-Latro (G.) 1782T : Mem. test. Taranto (Taranto) : 42

Caramagna (G.) 1888A : Cat. conch. Assabesi (B. S. Mal. Ital. **13** : 122)

Carbonell (L.) & Arias (S.) & Aveledo (R.) 1949T : Contr. mol. Tacarigua (M. S. Cienc. Nat. la Salle **9** : 223)

Carlsson (R.O.) 1967A : *Cypraea amphithales* (Conch. S. SAfr. Circ. **91** : 4)

Carpenter (Ph. P.) 1856P : Descr. new shells Panama (P. Zool. S. London **24** : 162)
— 1856Z : in : Gould (A.A.) & Carpenter (Ph. P.),Descr. shells Calif. (P. Zool. S. London **24** : 207)
— 1856W : Rep. knowledge moll. West Coast (Rep. Brit. Ass. : div. p.)
— 1857M : Cat. Reigen coll. Mazatlan moll. (London) : 370
— 1860N : Check list shells North Amer. (Smithson. Collect. **1860** : 4, 8)
— 1863P : Rev. Adams' Cat. Panama (P. Zool. S. London **1863** : 340)
— 1864W : Suppl. Rep. moll. West Coast (Rep. Brit. Ass. **1863** : 633, 657)
— 1872W : Moll. Western North America, div. p., Index : 45

Carter (H.J.) 1854G : Summary geol. India (J. Bombay Br. R. Asiat. S.**5** : 179)

Carus (J.V.) 1890M : Prodr. faun. medit. (Stuttgart) **2/2** : 367

Cate (C.N.) 1958N : Notes on *Cypraea* (Amer. Mal. Un., Ann. Rep. **24** : 24)
— 1959M : *Cypraea mus* needs attention (Amer. Mal. Un., Ann. Rep. **25** : 4,36)

— 1960C : New Hawaiian subsp. *C. cernica* (Veliger **3/1** : 3)
— 1960S : New subsp. *C. saulae* (Veliger **3/2** : 34)
— 1961L : Redescription *C. tigris lyncichroa* (Veliger **3/3** : 66)
— 1961M : Rediscovery of *C. marginata* (Veliger **3/4** : 76)
— 1961S : Descr. new Hawaiian subsp. *C. tigris* (Veliger **3/4** : 107)
— 1961A : Remarks var. *C. annettae* (Veliger **4/2** : 112)
— 1962D : A new Dampierian *Cypraea* (Veliger **4/4** : 175)
— 1962F : *Cypraea tigris schilderiana* not in Florida (Haw. Sh. News **28** : 8)
— 1962C : Comparison two rare cowrie species (Veliger **5/1** : 6)
— 1962H : *C. chinensis* Gmel. in Hawaii (Veliger **5/2** : 74)
— 1962L : Cowrie holotype located (Veliger **5/2** : 93)
— 1963N : A new cowrie West-Central Philippines (Veliger **5/4** : 140)
— 1963M : *Cypraea martini* of Schepman, 1907 (Veliger **6/2** : 80)
— 1964W : Western Australian cowries (Veliger **7/1** : 7)
— 1964L : Literature of Cypraeidae worker (Haw. Sh. News **55** : 7)
— 1964P : New spec. *Primovula* from Philippines (Veliger **7/2** : 102)
— 1965H : Hawaiian cowries (Veliger **8/2** : 45)
— 1966P : New cowrie spec. Southern Philippines (Veliger **8/3** : 200)
— 1966L : *Cypraea latior* Melv. 1888 (Haw. Sh. News **73** : 6)
— 1966Pa: Philippine cowries (Veliger **8/4** : 234)
— 1966C : A Correction (Veliger **8/4** : 314)
— 1967R : Cowries Ryukyu Islands (Veliger **10/1** : 13)
— 1967M : The rediscovery of *Erosaria menkeana* (Veliger **10/2** : 198)
— 1968W : Western Australian cowries. Second Report (Veliger **10/3** : 212)
— 1968I : To the Editor (Haw. Sh. News (n. s.) **98** : 6)
— 1968E : An Emendation (Veliger **11/1** : 80)
— 1969E : Two new spec. *Erronea* (Veliger **11/3** : 256)
— 1969V : Two new spec. *Volva* (Veliger **11/4** : 364)

Cate (C.N.) & Cate (J.) & Weaver (C.S.) 1960R : Revision *C. ostergaardi* (Veliger **2/4** : 71)

Cate (C.N.) & Schilder (F.A.) 1968N : New cowrie species Philippines (Veliger **10/4** : 382)

Cate (J.M.) 1961V : *Vexillum utravis* in Philippine waters (Veliger **3/4** : 105)

Catlow (A.) 1854P : Popular conchology (London) : 89

Catlow (A.) & Reeve (L.) 1845N : Conchologist's nomenclator (London) : 308

Catullo (T.A.) 1826P : Geogn. Mte. Postale (Giorn. di Fisica **60** : 404)

Cauacaud (Mrs.) 1964A : Autotomy (Cowry **1/6** : 96)

Cazenavette (B.) 1846D : Descr. nouv. coqu. (Act. S. Linn. Bordeaux **14** : 117)

Cernohorsky (W.O.) 1962R : Rostrate melanist. *Cypraea* NCaledonia (Haw. Sh. News (n. s.) **32** : 4)
— 1963R : Rostration melanism *Cypraea* (Cowry **1/5** : 70)
— 1963S : Environment and size variation Fiji (Cowry **1/5** : 73)
— 1963C : Cat. of living Cypraeidae (Frankfurt/Main) : 1
— 1963D : Discussion *C. chinensis amiges* (Haw. Sh. News (n. s.) **40** : 4)
— 1963B : New loc. record *C. walkeri bregeriana* (Haw. Sh. News (n. s.) **42** : 5)
— 1963P : Pathological forms *Cypraea* (Haw. Sh. News (n. s.) **44** : 4)
— 1963A : Apologies to Col. R.J. Griffiths (Haw. Sh. News (n. s.) **48** : 4)
— 1964T : Redicovery rare *Trivia* (Haw. Sh. News (n. s.) **49** : 6)
— 1964S : Note *C. summersi* (Cowry **1/6** : 81)
— 1964F : The Cypraeidae of Fiji (Veliger **6/4** : 177; **7/2** : 152)
— 1964M : Rost. melan. *Cypraea* Mauritius (Haw. Sh. News (n. s.) **54** : 6)
— 1964N : Nomenclatorial changes (Haw. Sh. News (n. s.) **56** : 4)
— 1964E : Note *Cypraea esontropia* (Haw. Sh. News (n. s.) **56** : 7)
— 1964Sm : Size var. *Cypraea* Mauritius (Cowry **1/7** : 107)
— 1964R : Review « Cat. of living Cypraeidae » (Cowry **1/7** : 111)
— 1965G : New geogr. record Fiji *Cribraria gaskoini* (Haw. Sh. News (n. s.) **69** : 3)

— 1965L : *Palmadusta lutea humphreysi* and *lutea yaloka* (Haw. Sh. News (n. s.) **70** : 4)
— 1965S : Variation *Palmadusta saulae nugata* (Cowry **1/8** : 114)
— 1965C : Genera of living Cypraeidae (Cowry **1/8** : 115)
— 1966W : Warning to shell collectors (Haw. Sh. News (n. s.) **74** : 7)
— 1966G : New geogr. record three gastr. Fiji and Tonga (Haw. Sh. News (n. s.) **80** : 6)
— 1966B : The Balance of Nature (Haw. Sh. News (n. s.) **82** : 2)
— 1966T : New geogr. records Tonga Is. (Haw. Sh. News (n. s.) **82** : 3)
— 1966N : Color var. *St. nucleus* Cook Islands (Haw. Sh. News (n. s.) **84** : 6)
— 1967T : New records Cypr. Tonga and Solomon Is. (Haw. Sh. News (n. s.) **92** : 5)
— 1967R : Remarks DONOHUE's « Comments genera living Cypraeidae » (Cowry **2/1** : 3)
— 1967P : Marine shells of the Pacific (Sydney) : 60
— 1968F : Ovulidae, Pediculariidae and Triviidae of Fiji (Veliger **10/4** : 353)
— 1968H : New records Cypr. NHebrides (Haw. Sh. News (n. s.) **107** : 8)
— 1968T : Teratol. damage *C. caputserpentis* Philippines (Haw. Sh. News (n. s.) **108** : 5)

CERULLI-IRELLI (S.) 1911M : Faun. malac. mariana (Pal. Ital. **17** : 268)

CHACE (E.P.) 1956A : Addit. notes plioc. pleist. fauna Turte Bay arena, Mexico (Tr. SDiego S. NH. **12**: 177)

CHAPMAN (F.) 1912V : Victorian fossils (P. R. S. Victor. (n. s.) **25** : 190)
— 1921M : Age Irestone beds Mornington (P. R. S. Victor. (n. s.) **34** : 10)
— 1922F : New foss. Nat. Mus. 26 (P. R. S. Victor. (n. s.) **35** : 12)
— 1929F : Flanged cowry *Palliocypraea* (P. R. S. Victor. (n. s.) **41** : 202)

CHASTER (G.W.) 1897B : Dredging Ballycastle (Irish Naturalist **6** : 124)

CHASTER (G.W.) & HEATHCOTE 1894 O : Contr. moll. Oban (J. of Conch. **7** : 294)

CHASTER (G.W.) & KNIGHT (G.A.F.) & MELVILL (J.C.) & HOYLE (W.E.) 1901B : List Brit. mar. moll. (J. of Conch. **10** : 19)

CHATELET (C.) 1934L : *Cypraea lurida* Provence (J. de Conchyl. **78** : 176)

CHÉDEVILLE (P.J.) 1904P : Foss. nouv. bass. Paris (Feuille Natural. **34** : 86)

CHEMNITZ (J.H.) 1776F : Reise Faxe Stevns Klint (Beschäft. naturf. Freunde Berlin **2** : 210)
— 1783N : (Der Naturforscher (Halle) **19** : 177)
— 1788C : Neues Syst. Conch. Cab. (Nürnberg) **10** : 96
— 1795C : Neues Syst. Conch. Cab. (Nürnberg) **11** : 32

CHENNAPPAYYA (H.) 1927K : Litt. fauna Krusasai (B. Madras Mus. (n. s.) NH. **1/1** : 1, 5)

CHENU (J.Ch.) 1844D : Not. mus. conch. DELESSERT (Paris) : 30
— 1845M : in : MARTYN (Th.) Le Conchyliologiste univ. : t. 5, 20, 33
— 1845D : in : DONOVAN (E.) Hist. nat. coqu. Angleterre (Paris) : 38
— 1846M : in : MONTAGU (G.) Test. Britann. (Paris) : 87, 97, 301
— 1847L : Leçons élém. hist. nat. (Paris) 217, t. 10
— 1842/58I : Illustrations conchyliologiques (Paris) **4** : t. 3
— 1858E : Encycl. hist. nat., Moll. (Paris) : 168
— 1859M : Manuel de conchyliologie (Paris) **1** : 200, 264

CHIA (M. DE) 1911C : Aplech. not. mol. Catalunya (B. Inst. Catalana **8** : 68)
— 1912C : Aplech. not. mol. Catalunya (B. Inst. Catalana **9** : 127)
— 1913C : Aplech. not. mol. Catalunya (B. Inst. Catalana **10** : 78)

CHIAJE (S. DELLE) 1827S : in : POLI (J.X.) Test. utriusqu. Sicil. (Parma) **3/2** : XVII, 8
— 1839A : Oss. anat. fisiol. Ciprea pero (M. Ac. Sci. Napoli **4** : 197)
— 1841N : Anim. s. vert. regno di Napoli (Napoli) **2** : 121

CHIEREGHINI see NARDO

CHILDREN (J.G.) 1823L : LAMARCK's gen. shells (Quart. J. Sci. **16** : 64)

CHOPRA (B.) 1931C : Crust. Decap. Indian Mus. (Rec. Indian Mus. **33** : 305)

CHRISTENSEN (S.) 1907V : Jydske Vestkysts moll. fauna (Vidensk. Medd. Kjöbenhavn **9** : 15)
— 1921D : Danske skalbaernde havsnegle (Fauna Flora Kjöbenhavn : 91)

CHRISTENSEN (W.H.) 1962Ta : *Cypraea tigris* record (Haw. Sh. News (n. s.) **26** : 5)
— 1962Tb : Two more large *C. tigris* (Haw. Sh. News (n. s.) **31** : 6)
— 1962G : Golden Cowry corner (Haw. Sh. News (n. s.) **36** : 6)
— 1963G : Golden Cowry corner (Haw. Sh. News (n. s.) **37** : 4; **39** : 8)
— 1964G : Golden Cowry register (Haw. Sh. News (n. s.) **53** : 8; **54** : 8; **55** : 8; **56** : 8)

CHRISTIAN (C.) 1966L : Letter to Editor (Haw. Sh. News (n. s.) **84** : 7)

CLARK (B.L.) 1946E : in : CLARK (B.L.) & DURHAM (J.W.) Eoc. Faunas Bolivar, Colombia (M. Geol. S. Amer. **16** : 29)

CLARK (B.L.) & VOKES (H.E.) 1936E : Summ. Eoc. West. NAmerica (B. Geol. S. Amer. **47** : 861, 877)

CLARK (W.) 1855B : Hist. Brit. mar. test. moll. (London) : 505

CLAUDON (E.) 1902R : Faun. mal. St. Raphael : 8

CLÉMENT (C.) 1879G : Cat. moll. mar. du Gard (Étud. HN. Nîmes **1879** : 44)

CLENCH (W.J.) 1960L : *Cypraea leucodon* (J. Mal. S. Austr. **4** : 14)
— 1964P : The Portland Catal. (Johnsonia **4(42)** : 127)

CLENCH (W.J.) & TURNER (R.D.) 1950A : West. Atlant. moll. C.B. ADAMS (Occ. Pap. Moll. Cambridge, Mass. **1** : 27)

CLOVER (P.W.) 1960V : Phillip W. CLOVER's vacation (Haw. Sh. News (n. s.) **8** : 6)
— 1961 O : Shelling trip to Okinawa (Haw. Sh. News (n. s.) **20** : 7)
— 1962T : Car traded for a shell (Haw. Sh. News (n. s.) **34** : 3)
— 1964S : *Murex elongatus* in Selangium Bay (Haw. Sh. News (n. s.) **50** : 4)
— 1964M : How I collected *Cypraea martini* (Haw. Sh. News (n. s.) **53** : 4)
— 1965C : Shell collecting in Ceylon (Haw. Sh. News (n. s.) **68** : 4)
— 1968F : Taiwan — new frontier of rare shells (Haw. Sh. News (n. s.) **97** : 7)
— 1968T : Follow-up Taiwan shells (Haw. Sh. News (n. s.) **98** : 8)

COCCONI (G.) 1873P : Enum. moll. mioc. Parma (M. Ac. Sci. Torino (**3**)**3** : 513, 564)

COCK (B.L. LES) 1964T : « Tit Bits » from collectors abroad (Conch. S. SAfr. Circ. **59** : 7)
— 1965N : Shell collecting Natal Coast (Conch. S. SAfr. Circ. **62** : 4)
— 1966N : Naming of shells and derivation of names (Conch. S. SAfr. Circ. **73** : 5)

COCKERELL (T.D.A.) 1923P : Porto Santo pleistoc. times (Nature **111** : 464)

COEN (G.) 1914A : Contr. fauna mal. Adriat. (R. Comit. Talassogr. Ital. M. **46** : 8, 31)
— 1932V : Fauna Veneta del MARTENS (Atti R. Inst. Veneto **91** : 221, 233)
— 1933S : Sylloge moll. adriat. (R. Comit. Talassogr. Ital. M. **192** : 46, 162)
— 1934T : Due casi di teratol. malac. (B. Sci. Nat. Venezia **1** : 43)
— 1937A : Nuovo saggio sylloge moll. Adriat. (R. Comit. Talassogr. Ital. M. **240** : 46, 150, 162)
— 1949C : Nota forme nuove di « Cypraeacea » (Hist. Nat. Roma **3** : 13)

COEN (G.) & VATOVA (A.) 1932M : Malacofauna Arupinensis (Thalassia **1**, no. 1)

COLBEAU (J.) 1868B : Liste gén. moll. viv. Belgique (A. S. Mal. Belg. **3** : 92)
— 1878C : Communications (B. S. Mal. Belg. **13** : XVIII)

COLEMAN (N.) 1966P : Finding *Primovula* Sydney Harbour (Haw. Sh. News (n. s.) **75** : 1)

COLGAN (N.) 1907L : Mar. moll. in : Contr. Nat. Hist. Lambay (Irish Naturalist **16** : 37)
— 1930D : Mar. moll. shores Dublin (P. R. Irish Ac. **39**, B. **17** : 403)

COLLARD DE CHERRES 1830F : Test. mar. Finistère : 55
— 1846F : Deux coqu. nouv. Finistère : 204

COLLIER (E.) 1896E : Exhibits (J. of Conch. **8** : 205)

COLLIGNON (M.) 1951A : Crét. sup. d'Antonibe (A. géol. Serv. Min. Madagascar **19** : 114)

COLMAN (P.) 1959L : Cypraeidae Long Reef (P. R. Zool. S. NSWales **1957/58** : 57)
— 1959E : Albino *Erosaria erosa* Long Reef (P. R. Zool. S. NSWales **1957/58** : 59)

COLOMBO (A.) 1888N : Fauna sottomar. Napoli (Roma) : 39, 91, 99

COLONNA (F.) 1616A : Aquat. et terr. anim. obs. (Roma) : 67, t. 69
— 1616P : Fabii COLUMNAE Lyncei Purpura (Roma) : 29, t. 30

COLOSI (G.) 1933I : Fauna Italiana (Torino) : 588

COMFORT (A.) 1950B : Biochemistry moll. shell pigments (P. Mal. S. London **28** : 82)

CONNOLLY (C.M.) 1965A : Agulhas notes (Conch. S. SAfr. Circ. **63** : 4)
— 1968F : *Cypraea fuscodentata* False Bay (Conch. S. SAfr. Circ. **102** : 5)

CONRAD (T.A.) 1833T : Foss. shells tert. NAmer. (Philad.) **1** : 33
— 1835T : Foss. shells tert. NAmer. (2. ed.) (Philad.) **1** : 45
— 1841T : Foss. shells tert. Maryland (P. Ac. N. Sci. Philad. **1** : 32)
— 1841S : Appendix to : HODGE (J.T.) Obs. tert. SAtlant. States (Am. J. Sci. **41** : 346)
— 1842F : New spec. foss. shells (J. Ac. Sci. Philad. **8** : 189)
— 1842M : Meeting (P. Ac. N. Sci. Philad. **1** : 144)
— 1843P : Descr. mioc. eoc. shells Un. States (P. Ac. N. Sci. Philad. **1** : 309)
— 1847V : Obs. eoc. Vicksburg (P. Ac. N. Sci. Philad. **3** : 282)
— 1848V : New tert. foss. Vicksburg (J. Ac. N. Sci. Philad. (**2**)**1** : 113)
— 1854M : Foss. Green-sand-Marl-bed Jackson, Miss. in : WAILES, Rep. Agr. Geol. Mississ. (Washington) : 275, 289, t. 17
— 1855J : Obs. Eoc. Jackson (P. Ac. N. Sci. Philad. **7** : 257, 262)
— 1862A : Cat. mioc. shells Atlantic slope (P. Ac. N. Sci. Philad. **1862** : 564, 567)
— 1865C : Cat. eoc. olig. test. US. (Amer. J. Conch. **1** : 25, 31)
— 1866L : Check list invert. foss. NAmer. (Smithson. Collect. **7** (no. **200**) : 25)
— 1866M : Ill. mioc. foss. (Amer. J. Conch. **2** : 69)
— 1868J : in : COOK, Geol. NJersey (Newark) : 729

CONSTANTINE (D.) 1964H : [Cowries] Lord Howe Island (Cowry **1**/**6** : 96)
— 1964E : Erratum (Cowry **1**/**7** : 112)

CONTI (A.) 1864M : Mte. Mario e foss. subapenn. (Roma) : 16, 35
— 1871M : Mte. Mario e foss. subapenn. (2. ed.) (Ferrara) : 40

COOKE (A.H.) 1882B : MCANDREW coll. Brit. shells (J. of Conch. **3** : 376)
— 1885S : Rep. test. moll. Suez MCANDREW (A. Mag. NH. (**5**)**15**/**1** : 338)
— 1886S : Moll. fauna of Suez (A. Mag. NH. (**5**)**18** : 382)
— 1895C : Cambridge nat. hist. 3. Moll. (London) : p. et figs. div.

COOKE (A.H.) & GWATKIN (H.M.) 1877G : Shells Guernsey, Sark, Herm (Quart. J. Conch. **1** : 331)

COOKE (C.W.) 1919L: Tert. moll. Leeward Is. Cuba, in : VAUGHAN (T.W.) Contr. Geol. Pal. West Indies (Carnegie Inst. Publ. **291** : 114)

COOKE (J.H.) 1893M : Marls and clays Maltese Isls. (Quart. J. Geol. S. **49** : 127)

COOKE 1893C : (Tr. Zool. S. London **13** : 299)

COOMANS (H.E.) 1958A : Surv. litt. gastr. Netherl. Antilles (Stud. Fauna Curaçao **8** : 42)
— 1963S : Syst. distr. *S. mus* and *P. surinamensis* (Stud. Fauna Curaçao **15** : 51)
— 1963M : Mar. moll. St. Martin (J. de Conchyl. **103** : 140)
— 1963Ma : Mar. moll. St. Martin coll. by H.J. KREBS (Carib. Mar. Biol. Inst. Coll. Pap. **33** : 59)

COOPER (J.G.) 1867W : Geogr. Cat. moll. West of Rocky Mountains
— 1870M : Not. moll. Monterey Bay (Amer. J. Conch. **6** : 44, 65)
— 1888B : (Rep. Cal. St. Mining Bur. **7** : 240, 247, 280)
— 1895C : Cat. mar. shells Low. Calif. (San Francisco) : 40

COPPI (F.) 1876M : Framm. palaeont. Modenese (B. Com. Geol. Italia, **1876** : 198)

COQUAND (H.) 1853B : Descr. foss. Besançon (J. de Conchyl. **4** : 439)
— 1862C : Pal. Constantine : t. 6

COSSMANN (M.) 1886P : Descr. esp. tert. Paris (J. de Conchyl. **34** : 99, 234)
— 1886 O : Obs. grandes Ovules (B. S. Géol. France (**3**)**14** : 433)
— 1889P : Cat. ill. coqu. éoc. Paris, 4 (M. S. Mal. Belg. **24** : 95)
— 1891P : Cat. ill. coqu. éoc. Paris, 5 (A. S. Mal. Belg. **26** : 67)
— 1892R : Rev. pal. gastr. (Annuaire Géol. Univ. **7** : 1023)
— 1893A : Not. compl. éoc. Alabama (A. Géol. Pal. Palermo **12** : 31)
— 1893P : Cat. ill. coqu. éoc. Paris, App. 1 (A. S. Mal. Belg. **28** : 13)

— 1893E : Rev. terr. olig. Étampes (J. de Conchyl. **41** : 327)
— 1895E : Essais paléoconch. comp. (Paris) **1** : 68
— 1896S : Revue paléoconch. : Sacco (Feuille Natural. (**3**)**26** : 47)
— 1896R : Revue paléoconch. : Oppenheim (Feuille Natural. (**3**)**26** : 234)
— 1896P : Cat. ill. coqu. éoc. Paris, App. 2 (A. S. Mal. Belg. **31** : 34, 81)
— 1897L : Moll. éoc. Loire-Infér., **1** : 151 (B. S. Sci. Ouest **7** : 337)
— 1898R : Ref. : Harris (Rev. crit. Paléozool. **2** : 17)
— 1898C : Estud. mol. eoc. Pireneo Catalán, 24 (B. Com. Mapa Geol. España **23** : 190)
— 1902L : Moll. éoc. Loire-Infér., **2** : 186 (B. S. Sci. Ouest (**2**)**2** : 136)
— 1903E : Essais paléoconch. comp. (Paris) **5** : 143
— 1903P : Palaeont. univ. **1** : 11
— 1904E : Essais paléoconch. comp. (Paris) **6** : 48
— 1905P : Palaeont. univ. **1** : 82
— 1906P : Cat. ill. coqu. éoc. Paris, App. 4 (A. S. Mal. Belg. **41** : 252)
— 1906Z : Essais paléoconch. comp. (Paris) **6** : 112
— 1906E : Essais paléoconch. comp. (Paris) **7** : 238
— 1913P : Cat. ill. coqu. Paris, App. 5 (A. S. Mal. Belg. **49** : 176)
— 1919R : Moll. olig. Rennes (J. de Conchyl. **64** : 167)
— 1920R : Rev. crit. paléozool. **24** : 83
— 1921V : Ref. : Vredenburg (Rev. crit. paléozool. **25** : 163)
— 1923G : in : O'Gorman (G.) Gisem. cuis. Gan (Pau) : 77

Cossmann (M.) & Lambert 1884E : Étud. terr. olig. Étampes (M. S. Géol. France (**3**)**3** : 180)

Cossmann (M.) & Peyrot (A.) 1924A : Conch. néogén. Aquitaine (Act. S. Linn. Bordeaux **74** : 348)

Cossmann (M.) & Pissarro (G.) 1901C : Faune éoc. Cotentin (B. S. Géol. Normandie **20** : 89)
— — 1905C : Faune éoc. Cotentin (B. S. Géol. Normandie **24** : 59)
— — 1909R : Moll. Ranikot Series (Pal. Ind. (n. s.) **3**/**1** : 41)
— — 1911P : Iconogr. coqu. éoc. Paris (Paris) **2**/**3** : t. 32
— — 1913P : Iconogr. coqu. éoc. Paris (Paris) **2**/**3** : t. 65

Costa (E.M. da) 1776E : Elements of Conchology (London) : div. p.
— 1778B : British Conchology (London) : 33

Costa (O. G.) 1829S : Cat. sist. test. due Sicilie (Napoli) : 69, 73
— 1829P : Oss. zool. test. Pantelleria (Napoli) : 12
— 1830T : Cat. test. mare di Taranto : 64
— 1830N : Anim. di Napoli : t. 82
— 1839C : Corrisp. zoologica (Napoli) : 25
— 1843T : Ris. viagg, Adriat. : Test. di Taranto (Napoli) : 60

Cotter (G. de P.) 1907B : Foss. mioc. Burma (Rec. Geol. Surv. India **36** : 131)
— 1929G : Notes Austral. spec. *Gisortia* (Rec. Geol. Surv. India **61** : 367)

Cotton (B.C.) 1935S : in : Verco (J.C.) Combining the Southern Seas (Adelaide) : div. p., t. 1, 11
— 1947A : Tert. foss. moll. Adelaidean (plioc.) SAustralia (Rec. SAustr. Mus. **8** : 667)
— 1948A : Austr. rec. tert. Cypraeacea (SAustr. Naturalist **24** : 11)
— 1948S : Southern Austral. Gastr. III (Tr. R. S. SAustr. **72** : 30)
— 1950W: Moll. WAustralia (Rec. SAustr. Mus. **9** : 333)
— 1958W: Western Austr. cowries (J. Mal. S. Australia no. **2** : 8)
— 1960D : Distorted cowries (Tr. R. S. SAustr. **83** : 109)

Cotton (B.C.) & Godfrey (F.K.) 1932S : South Australian shells, 3 (SAustr. Naturalist **13** : 39)
— — 1938L : List gastr. S. and Centr. Austr. (Mal. S. SAustr. Publ. **1** : 20)

Couch (J.) 1841C : Cornish Fauna (Truro) 2, test. moll. : 66

Coucom (C.) 1968P : A prophecy come true (Keppel Bay Tidings **7**/**3** : 3)

Coucom (C.) & Schilder (F.A.) & Schilder (M.) 1967T : Cowries of One Tree Is. (Keppel Bay Tidings **6**/**1** : 2)

Couffon (O.) 1902C : Ét. faluns St. Clément (B.S. Angers (**2**)**32** : 129)

Couffon (O.) & Surrault 1909L : Cat. coll. Letourneux : 106

COULON (L.) 1934E : Cypraeidés Mus. Elbeuf (B. S. Ét. Sci. N. Elbeuf **52** : 111)

COUTURIER (M' al) 1907T : Moll. gastr. Tahiti (J. de Conchyl. **55** : 149)

COX (J.C.) 1868A : Exch. list shells Australia (Sidney) : 10
— 1869A : Three new spec. Australia (P. Zool. S. London **1869** : 358)
— 1873A : New shells Australia (P. Zool. S. London **1873** : 568)
— 1879C : Notes on *Cypraea* (P. Linn. S. NSWales **4** : 385)
— 1879E : Exhibits (P. Linn. S. NSWales **4** : 387)
— 1882E : Exhibits (P. Linn. S. NSWales **6** : 539)
— 1883E : Exhibits, Notes (P. Linn. S. NSWales **8** : 442)
— 1887E : Exhibits (P. Linn. S. NSWales **(2)1** : 881)
— 1889V : Note *Cypraea venusta* (P. Linn. S. NSWales **(2)4** : 187)
— 1889E : Exhibits (P. Linn. S. NSWales **(2)4** : 189, 633)
— 1889A : Descr. two Austral. moll. (P. Linn. S. NSWales **(2)4** : 659)
— 1891C : List of *Cypraea* (Sidney)

COX (L.R.) 1927Z : Neog. quatern. moll. Zanzib. Protect. (Rep. Pal. Zanzib. Protect. **1927** : 25)
— 1930H : Moll. Hangu Shales (Pal. Ind. (n. s.) **15** : 133, 177)
— 1930K : Rep. Geol. Kenya colony, Moll. (Mon. Geol. HUNTERian Glasgow **4** : 117, 140)
— 1931L : Contr. moll. Laki Ind. eoc. (T. R. S. Edinburgh **57/1** : 53)
— 1931J : in : THOMAS (B.S.), Journey Rab' al Khali, App. G. (Geogr. J. **77** : 31)
— 1932A : in : THOMAS (B.), Arabia Felix London, App. IIM, Fossils : 364
— 1936P : Plioc. moll. Portugal (M. not. Mus. Coimbra no. **9** : sep. 11)
— 1948D : Neog. moll. Dent P^a, Borneo (Schweiz. Pal. Abh. **66/2** : 32)
— 1955T : Obs. gastr. descr. terminology (P. Mal. S. **31** : 192)

COXEN (C.) 1894C : Notes on Cypraeae (P. R. S. Queensland **10** : 35)

CRAWSHAW (Ch.) 1890D : Donations to collections (J. of Conch. **6** : 274)
— 1890C : Money cowry Cumberland (Naturalist **1890** : 324)

CRAWSHAY (L.R.) 1912C : Fauna Engl. Channel (J. Mar. Biol. Ass. Un. Kingd. **9** : 369)

CREMA (C.) 1903C : Piano Sicil. Crati, Calabria (B. R. Com. Geol. Ital. **34** : 268)

CRISTOFORI (J. DE) & JAN (G.) 1832C : Cat. Mus. CRISTOFORI et JAN (Parma e Milano) : 15

CROSS (E.R.) 1961S : Shells underwater photography (Haw. Sh. News (n. s.) **14** : 1)
— 1963S : *Cypraea scurra* Barbers Point (Haw. Sh. News (n. s.) **38** : 6)
— 1964S : Shelling areas Oahu (Haw. Sh. News (n. s.) **59** : 5)
— 1965S : Shelling areas Oahu (Haw. Sh. News (n. s.) **62** : 5; **63** : 7; **64** : 5; **65** : 7; **67** : 5; **69** : 5)
— 1966L : Luck of a beginner (Haw. Sh. News (n. s.) **81** : 1)
— 1967M : March HMS. program (Haw. Sh. News (n. s.) **88** : 3)
— 1967C : Correction please (Haw. Sh. News (n. s.) **90** : 6)
— 1968A : Zoologisch Museum Amsterdam (Haw. Sh. News (n. s.) **103** : 4)
— 1968T : *Cypraea tessellata* (Haw. Sh. News (n. s.) **104** : 1)

CROSSE (H.) 1859 : (Rev. Mag. Zool. **(2)11** : 45)
— 1862N : Note (J. de Conchyl. **10** : 368)
— 1865D : Diagn. moll. nov. (J. de Conchyl. **13** : 57)
— 1865E : Descr. esp. nouv. (J. de Conchyl. **13** : 214)
— 1867S : Descr. esp. nouv. Samoa et Viti (J. de Conchyl. **15** : 301)
— 1868D : Diagn. moll. nov. (J. de Conchyl. **16** : 277)
— 1869N : Note (J. de Conchyl. **17** : 18)
— 1869C : Cat. Cypr. NCaledonia (J. de Conchyl. **17** : 36)
— 1871P : Nouvelles : *Cypraea princeps* (J. de Conchyl. **19** : 160)
— 1872C : Descr. esp. inéd. Nouv. Calédonie (J. de Conchyl. **20** : 62)
— 1872D : Diagn. moll. nov. (J. de Conchyl. **20** : 213)
— 1875C : Descr. moll. NCalédonie (J. de Conchyl. **23** : 220)
— 1878D : Descr. esp. nouv. moll. (J. de Conchyl. **26** : 166)
— 1889M : Ref. : MELVILL (J. de Conchyl. **37** : 68)
— 1896A : Note distrib. *Cypraea achatidea* (J. de Conchyl. **44** : 218)

CROSSE (H.) & FISCHER (P.) 1863C : Faune mal. Cochinchine (J. de Conchyl. **11** : 378)
— — 1864C : Faune mal. Cochinchine (J. de Conchyl. **12** : 336)
— — 1871B : Bibliogr. : ISSEL (J. de Conchyl. **19** : 81)
— — 1873A : Descr. Cypr. côte occid. Afrique (J. de Conchyl. **21** : 254)
CROUCH (E.A.) 1827I : Illustr. Introd. LAMARCK's Conchyl. (London) : 38, t. 19
CSEPREGHYNE-MEZNERICS (I.) 1956S : Moll. Fauna Szob u. Letkes (Ann. Hung. Geol. Inst. **45** : 395, 445, t. 4)
CUBIÈRES (S.L.P.) 1798C : Hist. abrég. coqu. de mer (Versailles) : 78, 198
CUES (E.) 1871M : Nat. Hist. Fort Macon (P. Ac. N. Sci. Philad. **1871** : 130, 143)
CUES (E.) YARROW (H.C.) 1878M : Nat. Hist. Fort Macon (P. Ac. N. Sci. Philad. **1878** : 302)
CUNDALL (J.W.) 1884I : Mar. moll. Ilfracombe (J. of Conch. **4** : 147)
— 1887L : Mar. moll. Lyme Regis (J. of Conch. **5** : 196)
— 1889T : List shells Tenby (J. of Conch. **6** : 105)
CUVIER (G.) 1798T : Tableau élém. hist. nat. (Paris) : 398
— 1817R : Règne animal (Paris) **2** : 430
— 1834K : Animal Kingdom (E. GRIFFITH & R. PIDGEON) (London) **3** : 70
CUVILLIER (J.) 1930R : Revis. Nummul Egypt. (M. Inst. Égypte (n.s.) **16** : 79, 157, 253)
— 1935E : Ét. compl. pal. Numm. Égypt. (M. Inst. Égypte **28** : 48)
DAINELLI (G.) 1905B : Fauna eoc. Bribir Dalmaz. (Pal. Ital. **11** : 80)
DALL (W.H.) 1871W : Sixty new moll. West Coast (Amer. J. Conch. **7** : 121)
— 1879B : Gen. conclus. moll. « Blake » (B. Mus. Harvard **6/3** : 89)
— 1881B : Rep. results « Blake » 15 : Prelim. rep. moll. (B. Mus. Harvard **9** : 39)
— 1885H : List mar. moll. C. Hatteras C. Roque (US. Geol. Surv. Bull. **24** : 211)
— 1889S : Prel. cat. moll. SE-Coast US. (B. US. N. Mus. **1889** : 134)
— 1889M : Rep. moll. Gulf of Mexico « Blake » **2** : 21, 234 (B. Mus. Harvard)
— 1890F : Contr. Tert. fauna Florida (T. Wagner Free Inst. **3/1** : 163, 193)
— 1892P : in : WILLIAMSON (B.M.) Shells S. PedroBay (P. US. N. Mus. **15** : 206)
— 1896B : Moll. Bahama Exp. Univ. Iowa (Univ. Iowa NH. B. **4/1** : 24)
— 1896A : in : GUPPY (R.J.L.) & DALL (W.H.), Tert. foss. Antill. region (P. US. N. Mus. **19** : 318)
— 1897B : Spec. coll. Bahia by IHERING (Nautilus **10** : 122)
— 1897C : Moll. Boundary Commiss. (P. US. N. Mus. 19 : 377)
— 1900F : Contr. tert. fauna Florida (T. Wagner Free Inst. **3/5** : 1195)
— 1902P : New spec. Pacific Coast (Nautilus **16** : 43)
— 1903F : Contr. Tert. fauna Florida (T. Wagner Free Inst. **3/6** : 1584)
— 1905C : Some new moll. Calif. (Nautilus **18** : 124)
— 1905P : Moll. from Pernambuco (Washington) : 144
— 1905B : Foss. Bahama Isls. in : SHATTUCK (G.B.), The Bahama Isls. (Geogr. S. Baltimore, spec. Publ.) : 43
— 1905M : Th. MARTYN, Univ. Conchol. (P. US. N. Mus. **29** : 427)
— 1906B : BOLTEN ... : 294
— 1907M : Suppl. Notes MARTYN's Univ. Conchol. (P. US. N. Mus. **33** : 189)
— 1908W : Moll. Brach. Rep. sci. res. « Albatross » XIV (B. Mus. Harvard **43/6** : 323, 437)
— 1909C : Not. *Cypraea* Pacific Coast (Nautilus **22** : 125)
— 1909P : Coll. shells Peru (P. US. N. Mus. **1909** : 227, 283, 291)
— 1910B : Shells coll. by J. I. NORTHROP Bahamas (Smithson. Inst.) : 101
— 1915 O : Monogr. moll. Orthaulax zone (B. US. N. Mus. **90** : 84)
— 1915B : Index Mus. BOLTENianum (Smithson. Inst. Publ. **2360**)
— 1918M : Pleist. foss. Magdalena Bay (Nautilus **32** : 24)
— 1921S : Summary mar. moll. NW-Coast (B. US. N. Mus. **112** : 139)
— 1921P : Moll. spec. Portland Cat. (Nautilus **34** : 127)
— 1921N : Nomenclat. notes (Nautilus **35** : 50)
— 1923G : GRONOVIUS, Index by MEUSCHEN (Nautilus **37** : 44)
— 1924N : Value nuclear characters (J. Wash. Ac. Sci. **14** : 177)
DALL (W.H.) & ELLIOT (D.G.) 1898A : List shells Gulf of Aden (Field Columb. Mus. Publ. **26**, Zool. ser. **1** : 188)

DALL (W.H.) & OCHSNER (W.H.) 1928G : Tert. pleist. moll. Galapagos Is. (P. Calif. Ac. Sci. **17** : 113)

DALL (W.H.) & SIMPSON (C.T.) 1901P : Moll. Porto Rico (B. US. Fish Comm. **1900** : 420)

DALTON (L.V.) 1908B : Not. Geol. Burma (Quart. J. Geol. S. **64** : 628)

DANCE (S.P.) 1960B : *Cypraea broderipii* SAfr. (J. of Conch. **24** : 446)
— 1962P : Authorship of Portland Cat. (J. S. Bibl. NH. **4/1** : 30)
— 1968V : *Cypraea valentia* — at last! (Haw. Sh. News (n. s.) **102** : 4)

DANIEL (F.) 1883F : Faune malac. Brest (J. de Conchyl. **31** : 355)

DANIEL (H.) 1941C : Apuntes moluscos Columbianos (Rev. Acad. Colomb. Cienc. Exact. Fis. Nat. **4** : 372)

DARBISHIRE (R.D.) 1897S : Shells West Coast South America (J. of Conch. **8** : 376)

DARLING (S.D.) 1965S : Obs. growth *Cypraea spadicea* (Veliger **8/1** : 14)

DARTEVILLE (E.) 1953M : Les « NZIMBU », monnaie Roy. du Congo (B. M. S. R. Belge Anthrop. Préhist. M. (n. s.) **1** : 59, 231)

DAUBENTON (jun.) 1768R : Recueil planches sur sciences (Paris) : 7, t. 67

DAUMAS (E.) 1845S : Sahara algérien : 300

DAUTZENBERG (Ph.) 1882C : Liste coqu. Cannes (Feuille Natural. **1** : 121)
— 1883G : Liste coqu. Gabes (J. de Conchyl. **31** : 329)
— 1886C : Nouv. Liste coqu. Cannes (J. de Conchyl. **34** : 206)
— 1887L : Exc. malac. St. Lunaire (B. S. Ét. Sci. Paris **9** : 27)
— 1889A : Contr. fauna mal. Açores (Résult. Camp. Monaco **1** : 39)
— 1890C : Rec. mal. îles Canaries (M. S. Zool. France **3** : 155, 166)
— 1891P : Cat. moll. mar. Pouliguen (Feuille Natural. **21** : 25)
— 1891C : Voy. « Melita » Canaries et Sénégal (M. S. Zool. France **4** : 23, 42, 43)
— 1893G : Liste moll. Granville (J. de Conchyl. **41** : 19)
— 1893S : Contr. faune mal. Séchelles (B. S. Zool. France **18** : 82)
— 1894J : Moll. St. Jean-de-Luz et Guéthary (Paris) : 1
— 1895G : Liste moll. mar. îles Glorioises (B. S. Ouest France **5** : 114)
— 1895T : Moll. Tunisie et Algérie (M. S. Zool. France **8** : 368)
— 1897F : Atlas de poche coqu. côtes de France (Paris) : 15
— 1898L : Coup d'œil faune Loire Infér., Moll. (Congr. de l'A.F.A.S. Nantes **1898** : 12, 21)
— 1899S : Contr. faune Sumatra (A.S. Mal. Belg. **34** : 4)
— 1900A : Crois. yacht « Chazalie » Atlant., Moll. (Paris) : 49
— 1903C : Rev. Cypr. Nouv. Calédonie (J. de Conchyl. **50** : 291)
— 1906A : Coqu. mar. Ambodifoutra (J. de Conchyl. **54** : 28)
— 1906V : Prés. *C. vinosa* sépult. (J. de Conchyl. **54** : 260)
— 1906C : Déform. Cypr. Nouv. Calédonie (J. de Conchyl. **54** : 263)
— 1910R : Coqu. Rua-Sura, Salom. (J. de Conchyl. **58** : 28)
— 1910A : Contr. faune mal. Afrique Occid. (Act. S. Linn. Bordeaux **64** : 115, 210)
— 1910H : Liste coqu. mar. Halmaheira (Djilolo) (B. Inst. Océanogr. Monaco **161** : 3)
— 1912A : Miss. GRUVEL côte occid. Afrique, Moll. mar. (Inst. Océanogr. Monaco **5/3** : sep. 39)
— 1913F : Atlas de poche coqu. côtes de France (Paris) : 15
— 1913N : Nouvelles (J. de Conchyl. **61** : 121)
— 1917M : Moll. LECOINTRE Maroc (J. de Conchyl. **63** : 67)
— 1920V : Faune mal. Val-André, Côtes du Nord (J. de Conchyl. **65** : 48)
— 1921D : Descr. nouv. *Trivia* (J. de Conchyl. **65** : 330)
— 1921T : Cas tératologiques (J. de Conchyl. **65** : 334)
— 1921C : Contr. faune mal. Cameroun (Revue Zool. Afric. **9/2** : 141)
— 1923M : Liste prél. moll. mar. Madagascar (J. de Conchyl. **68** : 41)
— 1927A : Moll. Oc. Atlant. et Gascogne (Rés. Camp. Monaco **72** : 101)
— 1929M : Moll. test. mar. Madagascar : 242 (in : Faune colon. franç., Madagascar, **3** : 448)
— 1932M : Moll. testac. mar. Madagascar (J. de Conchyl. **76** : 47)

DAUTZENBERG (Ph.) & BOUGE (J.L.) 1933 O : Moll. test. établ. franç. Océanie (J. de Conchyl. **77** : 265)

DAUTZENBERG (Ph.) & DOLLFUS (G.F.) 1930B : Planches coqu. BARRELIER (J. de Conchyl. **74** : 299)

DAUTZENBERG (Ph.) & DUROUCHOUX (P.) 1900M : Faunule mal. St. Malo (Feuille Natural (4)**31** : 45)
— — 1906M : Suppl. faune mal. St. Malo (Feuille Natural. (4)**36** : 44)
— — 1913M : Moll. baie St. Malo (Feuille Natural. (5)**3**, Suppl. : 19)

DAUTZENBERG (Ph.) & FISCHER (H.) 1906A : Moll. drag. Ouest Afrique (Rés. Camp. Monaco **32** : 38)
— — 1906I : Liste moll. Indochine (J. de Conchyl. **53** : 396)
— — 1912H : Moll. « Hirondelle » et « Princesse Alice » (Rés. Camp. Monaco **37** : 160)

DAUTZENBERG (Ph.) & FISCHER (P.H.) 1925F : Moll. mar. Finistère Roscoff (Paris) : 45

DAVIES (A.M.) 1923C : in : WEYLAND (E.J.) & DAVIES (A.M.), Mioc. of Ceylon : Faunas Mioc. Ceylon (Quart. J. Geol. S. **79** : 587)
— 1934T : Tertiary Faunas (London) **2** : div. p.
— 1935T : Tertiary Faunas (London) **1** : 270, 272

DAVIES (L.M.) & PINFOLD (E.S.) 1937P : Eoc. beds Punjab Salt Range (Pal. Ind. (n. s.) **24/1** : 5, 7, 11, 71)

DAVILA (M.) 1767C : Cat. Curios. Nat. Cab. DAVILA (Paris) **1** : 267, t. 15

DAY (J.H.) & MORGANS (J.F.C.) 1956S : Ecology SAfr. estuaries, pt. 7 : Biol. Durban Bay (Ann. Natal Mus. **13** : 306)

DAYRIT (F.) 1963E : Exped. to NW. Palawan and Calamian Group (Haw. Sh. News (n. s.) **45** : 7; **46** : 6; **47** : 6; **48** : 6; **52** : 8 [1964]
— 1965L : *Cypraea leucodon* found (Haw. Sh. News (n. s.) **69** : 3)

DEAN (J.D.) 1935E : Exhibits (J. of Conch. **20** : 155)
— 1936C : Conch. Cabinets last century (J. of Conch. **20** : 242)

DEE (E.) 1964L : Letter (Conch. S. SAfr. Circ. **58** : 7)
— 1966T : *Cypraea tortirostris* (Conch. S. SAfr. Circ. **71** : 4)
— 1966L : Re *Cypraea leucodon* (Conch. S. SAfr. Circ. **72** : 7)
— 1967 O : *Cypraea oweni* (Conch. S. SAfr. Circ. **84** : 5)
— 1967A : *Cypraea amphithales* (Conch. S. SAfr. Circ. **92** : 3)
— 1968N : Natal Group (Conch. S. SAfr. Circ. **95** : 3)

DEFRANCE (M. DE) 1823D : Dict. Sci. Nat. (Paris-Strasbourg) **29** : 146)
— 1825D : Dict. Sci. Nat. (Paris-Strasbourg) **37** : 131, 132
— 1826D : Dict. Sci. Nat. (Paris-Strasbourg) **43** : 34

DEGRANGE-TOUZIN (A.) 1894 O : Étud. prélim. Orthez (Act. S. Linn. Bordeaux **47** : 389)

DEMOND (J.) 1954H : Key Hawaiian Cypraeidae (Nautilus **67** : 86)
— 1957M : Micronesian reef-associated gastropods (Pac. Sci. **11** : 226)

DÉPONTAILLER (J.) 1881A : Diagn. esp. plioc. Alpes Marit. (J. de Conchyl. **29** : 179)

DE ROY (Mr. and Mrs. J.) 1967G : Shelling in the Galapagos (Haw. Sh. News (n. s.) **94** : 6)

DESHAYES (G.P.) 1828D : Dict. class. HN. (Paris) **14** : 217
— 1831D : Dict. class. HN. (Paris) **17** : 120, t. 83
— 1832M : in : GEOFFROY, Exp. sci. Morée, Moll. **3** : 202
— 1832E : in : Encycl. méthod. (Paris) **3** : 684, 810
— 1833P : in : LYELL (Ch.) Princip. Geol. (1. ed.) (London) **3**, App. **2** : 38, 57
— 1835P : Descr. coqu. foss. envir. Paris (Paris) **2** : 711, 714
— 1836R : in : CUVIER (G.) Règne animal (Paris) : 139, t. 50
— 1838C : in : VERNEUIL (E. DE) Mém. Géol. Crimée (M. S. Géol. France **3** : 20)
— 1844A : in : LAMARCK (J.B.) Hist. nat. anim. s. vert. (2. ed.) (Paris) **10** : 452, 478, 480
— 1850T : Traité élém. conchyl. (Paris) t. 123, 124
— 1863R : in : MAILLARD (L.) Not. île Réunion, Annexe E (Paris), Moll. : 50, 136
— 1865P : Descr. anim. s. vert. bassin Paris (Paris) **3** : 555

DESIO (A.) 1928G : Res. Sci. Miss. oasi di Giarabub (Roma) **1** : 273
— 1934S : Faune neogen. Sirtica (Miss. Acc. Italia a Cufra **3** : 226)

DE VAUL (E.) 1967C : Follow up on *Cypraea cicercula* (Haw. Sh. News (n. s.) **90** : 2)

DEY (A.K.) 1941V : in : SCHILDER (F.A.) Verwandtsch. Verbreit. Cypraeacea (Arch. Mollusk. **73** : 114)
— 1947Q : Foss. Cypr. Quilon bed (P. 33rd Indian Sci. Congr. **3** : 104)

— 1962Q : Mioc. moll. from Quilon, Kerala (M. Geol. Surv. Ind., Pal. Ind. (n. s.) **36** : 71, t. 6)

DICK (M.) 1967H : *C. hesitata* IREDALE (Cowry **2**/**1** : 16)

DICKERSON (R.E.) 1914C : Fauna Martinez Eoc. Calif. (Univ. Calif. B. Geol. **8**/**6** : 109, 145, 151)
— 1915T : Fauna type Tejon (P. Calif. Ac. Sci. (**4**)**5** : 43, 60)
— 1916C : Stratigr. Tejon Eoc. Calif. (Univ. Calif. B. Geol. **9** : 421, 438, 448)
— 1921P : Rev. Philipp. Palaeont. (Philipp. J. Sci. **20** : 202)
— 1921V : Not. fauna Vigo group (P. Calif. Ac. Sci. (**4**)**11** : 7, 9, 13)

DIETRICH (R.V.) & MORRIS (P.A.) 1953K : Moll. Kwajalein (Nautilus **67** : 13)

DILLWYN (L.W.) 1817C : Descr. Cat. rec. shells (London) **1** : 436, 475, 527
— 1823L : Index LISTER, Hist. synops. meth. conch. (Oxford) : 32
— 1827C : Remarks on Cypr. descr. by GRAY (Zool. J. **3** : 315)

DODERLEIN (P.) 1862I : Genni geol. mioc. Ital. centr. : 24 (Atti 10. Congr. Sci. Ital. Siena **1862** : 106)

DODGE (H.) 1953R : Hist. rev. moll. of LINNAEUS 2/I. (B. Amer. Mus. NH. **103**/**I** : 59)

DOLLFUS (G.) 1888C : Les plages du Croisic : 8
— 1897B : Moll. test. Bénerville : 22
— 1908M : Faun. mal. mioc. Montaigu, Vend. (CR. Ass. Franç. 36. sess. Reims : 348)
— 1909A : Essais étud. Aquit. : 61
— 1911S : Coqu. quatern. mar. Sénégal : 33
— 1915C : Pal. voy. Célèbes ABENDANON (Leiden) : 27
— 1927H : Rech. hist. conchyl. (J. de Conchyl. **71** : 179)
— 1932H : Rech. hist. conchyl., 2 (J. de Conchyl. **76** : 237, 250)

DOLLFUS (G.) & DAUTZENBERG (Ph.) 1886T : Étud. prélim. coqu. foss. Touraine (Feuille Natural. **18** : 104)
— — 1932C : Moll. de Fabius COLUMNA (J. de Conchyl. **76** : 301, 326)

DONCIEUX (L.) 1905A : Cat. foss. nummul. Aude, 1 (A. Univ. Lyon (n. s.) **17** : 37)
— 1908A : Cat. foss. nummul. Aude, 2 (A. Univ. Lyon (n. s.) **22** : 87
— 1911A : Cat. foss. nummul. Aude, 2/2 (A. Univ. Lyon (n. s.) **30** : ...)

DONOHUE (J.) 1964S : *Cypraea spadicea* (Cowry **1**/**7** : 103)
— 1964C : A hyperodonic *Cypraea caurica* (Cowry **1**/**7** : 106)
— 1965C : *Cypraea* : List of species (Veliger **7**/**4** : 219)
— 1965S : Size ranges in *Cypraea* (Veliger **8**/**1** : 22) — (1966) : Veliger **8**/**3** : 201 (Emend.)
— 1966M : Range of *Trivia myrae* (Veliger **9**/**1** : 35)
— 1967M : Add. remarks range *Trivia myrae* (Veliger **9**/**3** : 355)
— 1967C : Comments on « Genera of living Cypraeidae » (Cowry **2**/**1** : 1)
— 1967S : *Cypraea* : The species situation (Cowry **2**/**1** : 4)

DONOVAN (E.) 1801B : Nat. Hist. Brit. shells (London) **2** : t. 43
— 1803B : Nat. Hist. Brit. shells (London) **4** : t. 142
— 1804B : Nat. Hist. Brit. shells (London) **5** : t. 165
— 1802/20C : in : REES (A.) Cyclop. pl. elem. conch. **2** : fig. 13
— 1823R : Naturalist's Repository (London) **1** : t. 32

DORMITZER (M.) 1852D : Reise nach Dalmatien (Lotos **2** : 184)

DORSMAN (L.) 1926S : Schelpen van ons Strand (Amsterdam) : 159

DOTY (M.S.) & MORRISON (J.P.E.) 1954R : Interrelationships Organisms on Raroia Aside from Man (Atoll. Res. B. no. **35**)

DOUBLIER 1853V : Prodr. Hist. nat. du Var. : Moll. du Var (Draguignan) : 121

DOUVILLÉ (H.) 1916T : Crétacé et Éoc. Tibet Centr. (Pal. Ind. (n. s.) **5**/**3** : 20)
— 1920S : Éoc. Soudan et Sénégal (B. Com. HN. Afr. occ. franç. **2** : 151)
— 1929C : Couches à *Cardita beaumonti* (Pal. Ind. (n. s.) **10**/**3** : 44)

DRAKE (R.J.) 1952E : Some new shells used by prehist. Indians Ecuador (Nautilus **65** : 121)

DRAPIEZ (P.A.J.) 1845D : Grand Dict. class. hist. nat. (Bruxelles) **9** : 139

DREGER (J.) 1892H : Gastrop. v. HAERING b. Kirchbichl (A.N. Hofmus. **7** : 19)

DROUET (H.) 1858A : Moll. mar. Açores (M. S. Agr. Sci. Aube (**2**)**9** : 36)

— 1861A : Élém. faune Açoréenne (Paris) : 177

Du bar (J.R.) 1958C : Stratigr. pal. Caloosahatchee Riv. SFlorida (Florida Geol. Surv., Geol. B. **40** : 198, 214)

Dubois (C.) 1828E : Epitome Lamarck's arrang. test. (London) : 288

Dubois (de Montpéreux, F.) 1837C : Lettre phénom. géol. Caucasus Crimée (M. S. Géol. France **8** : 385)

Dubreuil (E.) 1877C : Promen. d'un Natur. : Cette à Aigues-Mortes : 118

Duclos (P.L.) 1825L : Note foss. de Laon (M. S. HN. Paris **2**, 4. Febr. 1825)
— 1826M : Monogr. Porcelaines par Gray (B. Sci. N. Géol. **7** : 385)
— 1828P : M. S. HN. Paris **4** : 248
— 1831T : Zool. J. **5** : t. 30
— 1831M : in : Guérin-Méneville (F.E.) Magaz. Zool. **1** : 7
— 1833M : in : Guérin-Méneville (F.E.) Magaz. Zool., Moll. **3** : 25

Duemlein (L.) 1937R : Bedeut. Radula Vorderkiemer (Basteria **2** : 49)

Dufo (H.) 1840S : Moll. îles Seychelles (A. Sci. Nat. **14** :182)

Dufour (E.) 1877A : Exam. éoc. Arthon-Chémeré, Loire-Inf. (B. S. Géol. France (**3**)**6** : 55, 62)
— 1877L : A. S. acad. Loire-Inf., Nantes : 314

Dujardin (F.) 1837T : Mém. couches Touraine (M. S. Géol. France **12** : 302)

Duméril (A.M.C.) 1804T : Traité élém. hist. nat. (Paris) : 187
— 1806Z : Zool. analytique (Paris) : 166, 167

Duncan (P.M.) 1880S : Monogr. foss. corals Sind (Pal. Ind. (**14**)**1**/**2** : 9)

Dunker (W.) 1852D : Diagn. moll. nov. (Z. Malakoz. **9** : 126, 189)
— 1853G : Index moll. Guinea Infer. (Cassel) : 30, 65
— 1858N : Novitates concholog., Moll. mar. (Cassel) : 31
— 1861J : Moll. Japonica descr. (Stuttgart) : 9
— 1862B : Beschreib. neuer Moll. (Malak. Blätt. **8** : 38)
— 1877J : Moll. nov. maris Japonici (Malak. Blätt. **24** : 75)
— 1882J : Index moll. maris Japonici (Cassel) : 56, 97, 257

Duprey 1876J : Shells of Jersey (A. Mag. NH. (**4**)**18** : 343)

Durham (J.W.) 1944W : Olig. NWWashington (Calif. Publ. Geol. **27** : 117, 165)

Du Shane (H.) 1962P : Check list Moll. Puertecitos, Baja Calif., Mex. (Veliger **5**/**1** : 39)

Du Shane (H.) & Poorman (R.) 1967G : Checklist Guaymas, Sonora, Mex. (Veliger **9**/**4** : 427)

Du Shane (H.) & Sphon (G.G.) 1968B : Checklist Moll. Bahia Willard etc., Baja Calif., Mex. (Veliger **10**/**3** : 233)

Dutertre (E.) 1935T : Faune mal. mar. Tunisie (J. de Conchyl. **79** : 292, 295, 299)

Eales (N.B.) 1950S : Secondary symmetry Gastr. (P. Mal. S. London **28** : 187)

Eames (F.E.) 1951P : Contr. Eoc. WPakistan, C : Rakhi Nala (Phil. Tr. R. S. **236B** : 86)

Edmondson (C.H.) 1925W : Whippoorwill Exped. 1924 (B. Bishop Mus. **27** : 1)
— 1933H : Reef and shore fauna of Hawaii (B. P. Bishop Mus.)
— 1946H : Reef and shore fauna Hawaii (B. P. Bishop Mus.)

Edwards (F.E.) 1854E : Monogr. Eoc. Ceph. Univ. Engl. (Mon. Pal. S. London **3**/**1** : 125)
— 1865C : Descr. Eoc. *Cypraea* (Geol. Magaz. **2** : 536)

Effinger (W.L.) 1938G : Gries Ranch Fauna (Olig.) WWash. (J. Paleont. Menasha **12** : 381)

Ehrenberg (C.G.) 1828S : in : Hemprich (W.F.) & Ehrenberg (C.G.) Symbolae physicae (Berlin) Zool. **2**, Evert. 1, Moll. : t. 2
— 1831S : id. text ad t. 2

Eichwald (E.) 1829Z : Zoologia specialis (Vilnàe) **1** : t. 5
— 1830L : Naturhist. Skizze Litauen, Volhyn., Podol. (Wilna) : 221
— 1850P : Palaeont. Rossii : 108
— 1854R : Lethaea Ross. (Stuttgart) **3** : 215

Elera (F.P.F. Casto de) 1896F : Cat. sist. fauna Filipinas (Manila) **3** (Moll.) : 230

ELSTON (P.) 1964N : Cypraeidae Port Natal (Cowry **1/6** : 95)
— 1964R : How to mount a radula (Conch. S. SAfr. Circ. **58** : 5)
— 1968C : *Cypraea* with attachments (Conch. S. SAfr. Circ. **96** : 3)
— 1968N : Meaning of Latin cowry names (Conch. S. SAfr. Circ. **99** : 6)
— 1968E : Extraneous moll. on *Cypraea* (Conch. S. SAfr. Circ. **100** : 10)

ELSTON (P.) & GRIFFITHS (R.J.) 1964A : *Cypraea* : the Animal (Conch. S. SAfr. Circ. **59** : 6)

EMERSON (W.K.) 1960P : Results « Puritan »-Amer. Mus. NH. Exp. WMexico 11. Pleist. invert. Ceralvo I. (Amer. Mus. Novitates no. **1995**)
— 1965H : Hyphenated, compound names and Zool. Code (Haw. Sh. News (n. s.) **70** : 6)
— 1967F : Indo-Pacific faunal elements Trop. Eastern Pacific Moll. (Venus **25(3-4)** : 85)

EMERSON (W.K.) & ADDICOTT (W.O.) 1958P : Pleist. Invert. Punta Baja, Baja Calif., Mex. (Amer. Mus. Novitates no. **1909**)

EMERSON (W.K.) & OLD (W.E.jr.) 1963M : Results « Puritan »-Amer. Mus. NH. Exp. WMex. 17. Recent Moll. : Cypraeacea (Amer. Mus. Novitates no. **2136**)
— — 1964A : Add. Rec. Cocos I. (Nautilus **77** : 90)
— — 1965G : New Moll. Galapagos Is. (Nautilus **78** : 116)
— — 1965S : New Rec. *Cypraea surinamensis* (Nautilus **79** : 26)
— — 1966S : *C.* (*P.*) *surinamensis* Brazil (Nautilus **80** : 70)
— — 1968T : Addit. Rec. *Cypraea teres* Galapagos Is. (Veliger **11/2** : 98)

EMERSON (W.K.) & PUFFER (E.L.) 1957S : Rec. Moll. 1940 « E. W. Scripps » cruise Gulf of Calif. (Amer. Mus. Novitates no. **1825**)

EMERY (D.L.) 1939B : *C. spadicea* « Bulla » stage (Nautilus **52** : 141)

EMMONS (E.) 1858C : Moll. in : Rep. NCarol. Geol. Surv. (Raleigh) : 260, 315

EMMRICH 1860B : Brief an BEYRICH (Z. Deut. Geol. Ges. **12** : 377, 378)

ENC. METR. 1810E : Encyclop. metropol. (London) Atlas : t. 14

ENGLISH (W.A.) 1914C : Fernando Group near Newhall, Calif. (Univ. Calif. Publ. Geol. B. **8** : 210)

ES (L.J.C. van) 1931P : The Age of Pithecanthropus : 95

ETHERIDGE (R.) 1860T : in : WALL (G.P.) & SAWKINS (J.G.), Report Geol. Trinidad (London) : 164
— 1869H : Lord Howe Isl. Zool. (M. Austral. Mus. **2** : 23, 29)

ETHERIDGE (R. jun.) 1878A : Cat. Austral. fossils (Cambridge-London) : 161

EVERTS 1876C : Cat. Coll. shells (Twello) : 27

EYDOUX (F.) & SOULEYET (F.L.A.) 1852B : Voy. « Bonite » (Paris) Moll. **2** : 630

EYERDAM (W.J.) 1951S : Cypr. Salomon Is. a. Papua (Min. Conch. Club SCalif. **107** : 6)

EYTON (T.C.) 1852D : Dredg. Exp. Isle of Man (A. Mag. NH. **(2)10** : 284)

FABIANI (R.) 1905B : Colli Berici, Nota preventiva : 1834
— 1905P : Moll. eoc. Mte. Postale (Atti Acc. Veneto-Trent. (n) **2/2** : 146, 150)
— 1908B : Pal. Colli Berici (M. S. Ital. Sci. **(3)15** : 125)
— 1915V : Monogr. terr. terz. Veneto (M. Inst. Geol. Padova **3** : 255)

FABRICIUS (J.Ch.) 1823F : Fortegnelse Natural. (Kjöbenhavn) : 70

FAUSTINO (L.A.) 1928P : Summary Philipp. moll. (Manila) : 215

FAVANNE (DE MONTCERVELLE) 1780C : in : ARGENVILLE (D.), Conchyliologie (3. ed.) (Paris) : t. 29

FAVANNE (fils) 1784C : Cat. rais. Cab. Comte de LA TOUR-D'AUVERGNE (Paris) : 64

FAVART D'HERBIGNY (Abbé) 1775D : in : VALMONT DE BOMARE (J.C.), Dict. rais. univ. HN. (ed. 2) (Lyon) **2** : 221

FEARNLEY (J.) 1962C : New sub-species *Cypraea coxeni* (Haw. Sh. News (n. s.) **27** : 8)

FEDDEN (F.) 1879S : Geology Western Sind (M. Geol. Surv. India **17/1** : 209)

FERRAR (H.T.) 1934D : Geology Dargaville-Rodney Subdiv. (NZeal. Geol. B. (n. s.) **34** : 36)

FERREIRA (C.S.) & DA CUNHA (O.R.) 1957P : Contr. pal. Estado de Pará (B. Mus. Paraense Emilio Goeldi (n. s.) Geol. **2** : 28)

FIGUIER (L.) 1866V : Vie et mœurs des animaux (Paris) Moll. : 410

FINLAY (H.J.) 1924T : Moll. fauna Target Gully (T. NZeal. Inst. **55** : 509, 510)
— 1927Z : Further comment. NZeal. moll. (T. NZeal. Inst. **57** : 396)
— 1927A : New names Austral. moll. (T. NZeal. Inst. **57** : 501)
— 1928C : Rec. moll. Chatham Is. (T. NZeal. Inst. **59** : 249)
— 1930N : Invalid molluscan names (T. NZeal. Inst. **61** : 40)
— 1930Z : Not. rec. pap. NZealand (T. NZeal. Inst. **61** : 250)

FINSCH (F.O.H.) 1914S : Südseearbeiten (Hamburg) : 108

FIRNS (H.) 1968S : Northern species in the South (WAustr. Shell Collector June **1968** : 2)

FISCHER (VON WALDHEIM, G.) 1807D : Mus. DEMIDOFF (Moskau) **3** : 145

FISCHER (H.) 1897A : Coqu. Mas d'Azil (J. de Conchyl. **45** : 194, 198)
— 1898G : Moll. mar. Guéthary (Trav. S. Sci. Arcachon **1898** : 131)
— 1901D : Coqu. Djibouti et Ali-Sabieh (J. de Conchyl. **49** : 105)

FISCHER (P.) 1861C : Faune mal. archip. Calédon. (J. de Conchyl. **9** : 143)
— 1863C : Faune mal. archip. Calédon. Suppl. (J. de Conchyl. **11** : 55, 56)
— 1865S : Deux rivages isthme de Suez (J. de Conchyl. **13** : 247)
— 1865G : Faune conch. mar. Gironde (Act. S. Linn. Bordeaux **22** : 334)
— 1870S : Faune mal. Suez Akabah (J. de Conchyl. **18** : 165)
— 1877D : Diagn. moll. foss. Rhodi (J. de Conchyl. **25** : 79)
— 1877R : Pal. tert. île Rhodes (M. S. Géol. France (**3**)**1** : 31)
— 1878F : Distr. Brach. Moll. litt. océan. France : 22
— 1884M : Manuel de Conchyliologie (Paris) : 662
— 1891I : Cat. distrib. moll. Indochine (Autun) : 69
— 1891H : Faune île Lord Howe (J. de Conchyl. **39** : 311)

FISCHER (P.) & BEAU (M.) 1858G : Cat. coqu. Guadeloupe (Paris) : 485

FISCHER (P.) & FISCHER (E.) 1926M : Moll. rec. Minquiers (J. de Conchyl. **70** : 58)

FISCHER (P.) & TOURNOUER (R.) 1873L : Invert. foss. Mt. Léberon, Vaucluse (Paris) : 132

FISCHER (P.H.) 1932E : Coqu. gisem. préhist. Eyzies, Dordogne (J. de Conchyl. **76** : 259)
— 1940A : Notes Peupl. litt. Austral. (Soc. de Biogeograph. **7** : 279)
— 1949C : Coqu. premières civilisations (J. de Conchyl. **89** : 88)
— 1954 O : Coqu. réc. BREUIL Nord d'Obock (J. de Conchyl. **94** : 148)
— 1961A : Comportement en aquarium (J. de Conchyl. **101** : 101)
— 1966R : Durées de résistance moll. (J. de Conchyl. **105** : 237)
— 1967A : Milieux *Trivia arctica* Roscoff (Finistère) (J. de Conchyl. **106** : 81)

FISCHER (P.J.) 1921S : Plioc. fauna Seran (Centralbl. Miner. **1921** : 244)
— 1927S : Beitr. Plioc. Seran u. Obi in : WANNER (J.) Pal. Timor, **15/25** : 58

FISCHER-BENZON (R.) 1866F : Relat. Alter d. Faxe-Kalkes (Kiel) : 15

FISCHER-PIETTE (E.) 1942A : Les moll. d'ADANSON (J. de Conchyl. **85** : 174)
— 1950T : Liste types coll. J. de Conchyl. (J. de Conchyl. **90** : 65 et div.)
— 1958M : Moll. Madagascar BATTISTINI (J. de Conchyl. **98** : 117)

FISHER (N.) 1935M : Moll. Majellan Co., Derry (J. of Conch. **20** : 171)

FLATTELY (F.W.) & WALTON (C.L.) 1922S : Biolog. Sea Shore (London) : 113, 300

FLEMING (C.A.) 1943D : Tert. Moll. Dannevirke Subdiv. (T.R.S. NZeal. **73** : 196)
— 1950P : Moll. Pahi greensands NAuckland (T. R. S. NZeal. **78** : 248)

FLEMING (J.) 1828B : Hist. Brit. Animals (Edinburgh) : 330

FLUCK (W.H.) 1905N : Shells Mosquito Coast Nicaragua (Nautilus **19** : 55)

FOBES (E.L.) 1961S : New honours for Ray SUMMERS (Haw. Sh. News (n. s.) **14** : 2)
— 1961E : Exchange (Haw. Sh. News (n. s.) **14** : 7)

FOLIN (L. DE) & PÉRIER (L.) 1876F : Les Fonds de la Mer (Paris) **3** : 16, 17, 19, 27

FONT Y SAGUÉ (N.) 1903R : Mol. recogn. Rio de Oro (Madrid) : 210

FONTANNES (F.) 1876R : Et. tert. bassin Rhône, **2** : Venaissin (Lyon) : 98
— 1878R : Et. tert. bassin Rhône. **4** : Terr. néogèn. Cucuron (Genève) : 84
— 1880R : Invert. bassin tert. SE-France : Moll. plioc. Rhône (Lyon) **1** : 108
— 1881R : Et. tert. bassin Rhône, **7** : Delph.-Provenç. (Lyon) : 66

FORBES (E.) 1838M : Malac. Monensis (Edinburgh) : 27
— 1844A : Rep. moll. Aegaean Sea (Rep. Brit. Ass. **1843** : 141, 157, 163, 183)
— 1846B : Connex. fauna Brit. Isls. geol. changes (M. Geol. Surv. Great Brit. **1** : 428)
— 1846I : Foss. Invert. Southern India (T. Geol. S. London (**2**)**7** : 133)
— 1850D : Infra litt. distr. mar. invert. (Rep. Brit. Ass. **1850** : 204, 229)
— 1852R : in : MACGILLIVRAY (J.), Voy. « Rattlesnake » (London) **2** : 365

FORBES (E.) & HANLEY (S.) 1849B : Hist. Brit. Moll. (London) **1** : t : NN
— — 1851B : Hist. Brit. Moll. (London) **3** : 493
— — 1852B : Hist. Brit. Moll. (London) **4** : 295
— — 1853B : Hist. Brit. Moll. (London) **1** : Expl. of pl.

FORD (J.) 1893F : Descr. new form *Cypraea* (Nautilus **6** : 112)
— 1893S : Descr. new spec. *Cypraea* (Nautilus **7** : 39)
— 1893R : Remarks new spec. *Cypraea* (P. Ac. N. Sci. Philad. **1893** : 310)
— 1893G : Respons. remarks *Cypraea greegori* (Nautilus **7** : 78)
— 1894F : Final remarks (Nautilus **7** : 130)
— 1897L : *Cypraea lynx* deformed (P. Ac. N. Sci. Philad. **1897** : 328)

FORSKÅL (P.) 1775 O : Descr. anim. in itinere orient. (Kjöbenhavn) : p. XXXII
— 1776 O : Iconogr. rer. nat. itin. orient. (Kjöbenhavn) : t. 40

FOSTER (G.) 1845D : Descr. anim. (ed. LICHTENSTEIN)

FRAAS (E.) 1910P : Petrefaktensammler (Stuttgart) : 217

FRAAS (O.) 1867 O : Aus dem Orient (Stuttgart) **1** : 146

FRANCO 1825B : Cat. coll. conch. BATALHA : 8

FRASER (L.) 1865F : Moll. Formosa (P. Zool. S. London **1865** : 197)
— 1866F : Moll. Formosa (P. Zool. S. London **1866** : 146)

FRAUENFELD (G. VON) 1867C : Zool Misc. 9 : NCaled. (Verh. Ges. Wien **17** : 488)
— 1869N : Beitr. Fauna Nicobaren (Verh. Ges. Wien **19**, Abh. : 864, 865, 894)

FREDOL (A.) (= MOQUIN-TANDON) 1866M : Le Monde de la Mer (Paris) : 332

FRETTER (V.) 1946G : Genital ducts (J. Mar. Biol. Ass. Un. Kingd. **26** : 321, 326)
— 1951C : Obs. Brit. Cypraeids (P. Mal. S. London **29** : 14)

FRETTER (V.) & GRAHAM (A.) 1962A : Brit. prosobr. moll. (Ray S. London **16** : 626)

FRIDRICI 1874M : Cat. Coll. Mus. de Metz : 153

FRIEDBERG (W.) 1912P : Miesz. Miocen. Polskich (Wydawn. Muz. J. DZIEDUSZYCKICH Lwow **14**/**2** : 144)

FRIELE (H.) 1873B : Overs. Bergens Moll. (Christiania Vid. Selsk. Forh. **1873** : 309)

FRORIEP (L.F.) 1806D : DUMÉRIL's analyst. Zool. (Weimar) : 167

FUCHS (F.) 1868P : MENEGUZZO's und TIBALDI's Petref. (Verh. Geol. Reichsanst. **18** : 81)

FUCHS (Th.) 1870V : Beitr. Conch. Vicent. Tert. 1 (Denk. Ak. Wien (math. nat.) **30**/**2** : 140, 172, 179, 183, 206, 210)
— 1870K : Conch. Eoc. Kalinowka, 6 (Verh. Russ. Min. Ges. (**2**)**5** : 71)
— 1885A : Beitr. Mioc. Aegypten (Palaeontogr. **30**/**2** : 32, 36)

FUCHS (Th.) & BITTNER (A.) 1875S : Plioc. Syrakus und Lentini (SB. Ak. Wien (math. nat.) **71**/**1** : 182, 185)

FUGGER (E.) 1899S : Das Salzburger Vorland (Jahrb. Geol. Reichsanst. **49** : 383, 397)

FULTON (H.C.) 1917N : Moll. Notes (P. Mal. S. London **12** : 238)
— 1924S : Shells of recent Moll. : 37
— 1927A : Note *Trivia acutidentata* (P.Mal. S. London **17** : 250)
— 1929T : Not. varieties *Cypraea tigris* (J. of Conch. **18** : 288)
— 1929M : Not. varieties *Cypraea miliaris* (J. of Conch. **18** : 316)

— 1930N : Moll. Notes (P. Mal. S. London **19** : 19)

GABB (W.M.) 1860C : Amer. tert. cret. fossils (J. Ac. N. Sci. Philad. **(2)4** : 383, 391)
— 1861C : Synops. moll. cret. format. (P. Amer. Phil. S. **8** : 103, 121)
— 1864C : Descr. cretaceous fossils (Calif. Geol. Surv., Pal. **1** : 129)
— 1869C : Tert. invertebr. fossils (Calif. Geol. Surv,. Pal. **2** : 78, 163)
— 1873D : Not. topogr. geol. S. Domingo (T. Amer. Phil. S. **15** : 235)
— 1881C : Descr. new spec. Plioc. Costarica (J. Ac. N. Sci. Philad. **(2)8** : 360)

GAGE (R.) 1960A : *Cypraea alleni ostergaardi* ? (Haw. Sh. News (n. s.) **4** : 2)
— 1961B : Range extension *C. beckii* (Haw. Sh. News (n. s.) **15** : 4)
— 1963M : Shelling on Maui (Haw. Sh. News (n. s.) **42** : 3)
— 1963U : Use of shells by ancient Hawaiians (Haw. Sh. News (n. s.) **48** : 3)

GALEOTTI 1837B : Mém. constit. géol. Brabant : 148, App. : 183

GALVEY (H.) 1888M : Mar. shells Magilligan (J. of Conch. **5** : 268)

GARDE (G.) 1911N : Descr. géol. régions entre Niger et Tchad (Paris) : 43

GARDINER (A.) 1927A : Habitat *Trivia arctica* (J. of Conch. **18** : 142)
— 1934L : The littoral zone (J. of Conch. **20** : 74)

GARDNER (E.N.) 1952F : Mar. coll. in Fiji (NZeal. Club Mag.) [Copy in : (Shell Gossip Suva, Fiji, **3/2** : 9)]

GARDNER (J.) 1947A : Moll. fauna Alum Bluff, Florida, VIII (US. Geol. Surv. Prof. Pap. **142H** : 495, 541)
— 1948C : Moll. mioc. low. plioc. Virginia and NCarolina (US. Geol. Surv. Prof. Pap. **199B** : 213)

GARRARD (T.A.) 1961C : Moll. coll. by « Challenge » East Coast of Australia (J. Mal. S. Austr. **5** : 19)
— 1962M : Melanism and rostr. Cypraeidae (Haw. Sh. News (n. s.) **35** : 4
— 1963N : New spec. moll. Eastern Australia (J. Austr. Mal. S. **7** : 45)
— 1967H : Range extension *C.* (*U.*) *hesitata* (Haw. Sh. News (n. s.) **87** : 4)

GARRETT (A.) 1879S : Annot. Cat. Cypr. South Sea Isls. (J. of Conch. **2** : 105)

GASKOIN (J.S.) 1836C : Undescr. cowries (P. Zool. S. London **3** : 198)
— 1843C : Descr. new *Cypraea* (P. Zool. S. London **1843** : 23)
— 1846C : Three new *Cypraea* (P. Zool. S. London **1846** : 23)
— 1849C : Descr. new *Cypraea* (P. Zool. S. London **1848** : 90)
— 1849D : Descr. two *Cypraea* (P. Zool. S. London **1849** : 22)
— 1851C : Descr. *Cypraea* (P. Zool. S. London **1851** : 13)

GATLIFF (J.H.) 1916A : Descr. two Austral. cowries (Victor. Natural. **32** : 147)
— 1929C : Alteration name *Cypraea* (Victor. Natural. **46** : 136)

GATLIFF (J.H.) & GABRIEL (C.J.) 1922V : Addit. cat. Victor. mar. moll. (P. R. S. Victor. **34** : 141)

GATTO (A.C.) & DESPOTT (G.) 1919M : Mater. malac. isole Maltesi (Malta) : 26

GAUDRY (A.) 1862C : Géol. île de Chypre (M. S. Géol. France **(2)7** : 281)

GEDNER (Ch.) 1756A : Cui bono ? (Diss. 41 (1752) in : LINNÉ (C. VON) Amoen. acad. (Holmiae) **3** : 239)

GEINITZ (H.B.) 1846V : Grundriss Versteinerungskunde (Dresden) : 359
— 1850D : Quadersandsteingeb. in Deutschland (Freiberg) : 138

GEMMELLARO (G.) 1869Z : Giorn. Sci. Palermo **5** : 258

GERBER (E.) 1910S : Die Standfluhgruppe (Eclog. geol. Helvet. **11/3** : 338, 344)

GERET (P.) 1903C : Var. nouv. *Cypraea* (J. de Conchyl. **51** : 28)

GERMAIN (L.) 1916T : Docum. Sci. Miss. Tilho (Paris) : 285

GERVILLE (DE) 1825M : Cat. coqu. Manche (M. S. Linn. Calvados **1825** : 202)

GESNER (C.) 1558H : Hist. anim. (Zürich) lib. **4** : 335
— 1560N : Nomenclat. aquat. anim. (Zürich) : 254

GESTRO (R.) 1926S : La collezione SULLIOTI (A. Mus. Genova **52** : 132)

GHISELIN (M.T.) & WILSON (B.R.) 1966C : Anat., Nat. Hist., Reprod. *Cyphoma* (B. Mar. Sci. **16/1** : 132)

GHISOTTI (F.) 1965S : *Eros.* (*Ravitrona*) *spurca* (Schede malac. Mediterr. S. Malac. Ital., Milano)
— 1967P : *Zonaria* (*Z.*) *pyrum* (Schede malac. Mediterr., S. Malac. Ital., Milano)

GIARD (A.) 1903E : Facteurs de l'évolution, in : LOISEL (G.) Cours facult. Sci. **1898-1900** : 42

GIBBES (L.R.) 1874R : Cat. rec. foss. shells Cab. RAVENEL (Charleston) : 22

GIEBEL (C.G.) 1852D : Deutschlands Petrefacten (Leipzig) : 505, 512
— 1861L : Tert. Conch. Latdorf (Z. Naturwiss. **17** : 31)
— 1864L : Fauna Braunkohl. Latdorf (Abh. naturf. Ges. Halle **8** : 193)
— 1880T : (Z. Naturwiss. **55** : 664)

GIGNOUX (M.) 1913I : Form. mar. plioc. Ital. (A. Univ. Lyon (n. s.) **I/36** : 531)

GILL (T.) 1858C : New spec. *Cypraea* (A. Lyc. NYork **6** : 255)
— 1871A : Relations Amphiperasidae (Amer. J. Conch. **6** : 183)
— 1909N : *Cypraea notata* revived (Smithson. Misc. Coll. **52** : 397)

GILLETT (K.) & MCNEILL (F.) 1959B : The Great Barrier Reef and adjacent isles (Sydney)

GILLIES (J.) 1881Z : Notes NZeal. Moll. (T. NZeal. Inst. **14** : 170)

GILLMER (A.) 1968M : Visit to Mauritius (Conch. S. SAfr. Circ. **95** : 4)

GINÉS (H.) 1947C : Com. Zool. Excurs. Golfo de Cariaco (M. S. Cienc. Nat. la Salle **6** : 279)

GINÉS (H.) & CAYETANO DE CARROCERA (R.P.F.) & CRUXENT (J.M.) & RISQUEZ (J.M.) 1946M : Manicuare (M. S. Cienc. Nat. la Salle **6** : 169)

GINNANI (G.) 1757A : Opere postume (Venezia) **2**, Test. Adriatico : t. 13

GISTEL (J.) 1848T : Naturgesch. Thierreichs (Stuttgart) : 166, 170, 195

GISTEL (J.) & BROMME (T.) 1850H : Handb. Naturgesch. (Stuttgart) : 557

GLIBERT (M.) 1933B : Monogr. faune mal. Bruxellien (M. Mus. HN. Belg. **53** : 58)
— 1952L : Gastr. mioc. moyen Loire (M. Mus. HN. Belgique **(2)46** : 276)

GMELIN (J.F.) 1791S : in : LINNÉ (C. VON) Syst. Nat. (13. ed.) (Lipsiae) **1/6** : 3397

GÖRGES (J.) 1940R : Oberoligocänfauna Rumeln (Decheniana **100A** : 137)

GOLDFUSS (A.) 1841G : Petrefacta Germaniae (Düsseldorf) **3** : 14

GOODE (D. & B.) 1967F : Fishing for shells (Haw. Sh. News (n. s.) **87** : 8)

GOODMAN (M.) 1965C : Another Club in another country (Keppel Bay Tidings **4/3** : 4)

GORDON (W.J.) 1901S : Our country's shells : 116

GOSSE (P.H.) 1854N : Nat. Hist., Moll. (London) : 164
— 1856M : Manual marine Zool. (London) **2** : 127

GOTTWALD (Ch.) 1714M : Mus. GOTTWALDianum (Danzig) c. **3**, t. 1; c. 4, t. 4

GOULD (A.A.) 1845S : Descr. spec. Sandwich Isls. (P. Boston S. **2** : 27)
— 1852C : Descr. shells Gulf of Calif. (Boston J. NH. **6** : 386)
— 1852W : US. Explor. Ch. WILKRS (Boston) **12** : 281
— 1855G : Res. dredg. coast Georgia, Florida (P. Boston S. **5** : 126)
— 1855S : in : GILLIS, US. naval astron. Exp. Southern Hemisph. (Washington) **2** : 263
— 1856W : US. explor. Exped. Ch. WILKES (Philadelphia) Atlas : t. 21
— 1860P : New shells North Pacific (P. Boston S. **7** : 383)
— 1861P : New shells North Pacific (P. Boston S. **7** : 385)
— 1862 O : Otia concholog. (Boston) : 187, 195

GRABAU (A.W.) 1926 O : Signif. ornament charact. moll. shell (B. Peking S. NH. **2/4** : XXIX)

GRABAU (A.W.) & SHIMER (H.W.) 1909N : North Amer. Index foss. : Invert. (NYork) **1** : 758

GRAEFFE (E.) 1902T : Übers. Fauna Golf v. Triest, **6**, Moll. : 38

GRAHAM (A.) 1949S : Molluscan stomach (T. R. S. Edinburgh **61** : 748)
— 1954A : Anatomy prosobr. *Trichotropis borealis* (J. mar. biol. Ass. UK. **33** : 141)
— 1955D : Moll. diets (P. Mal. S. London **31** : 147, 151)

GRANGER (A.) 1879C : Cat. moll. Cette (Act. S. Linn. Bordeaux **(4)3** : 242)
— 1880C : Les coqu. rares (Le Naturaliste **1880** : 206)
— 1885F : Hist. nat. de la France (Paris) Moll. Gastr. : 93

GRANT (U.S.IV) & GALE (H.R.) 1931C : Cat. plioc. pleist. moll. Calif. (M. SDiego S. NH. **1** : 752)

GRASSET (A.) 1884T : Index test. viventium (Alger) : 55

GRATELOUP (J.P.S. DE) 1827D : Descr. coqu. foss. Dax (B. S. Linn. Bordeaux **2** : 21)
— 1834A : Tabl. coqu. foss. Adour (Act. S. Linn. Bordeaux **6** : 300, 302)
— 1845A : Conch. foss. Adour (Bordeaux) **1** : t. 40
— 1847A : Conch. foss. Adour (Bordeaux) Suppl. t. 47, Index, p. 4

GRAVENHORST (J.L.C.) 1832B : Zool. Mus. Breslau (Breslau) : 42

GRAY (J.E.) 1821S : Nat. arrang. moll. int. struct. (London Medic. Repos. **15** : 232)
— 1824M : Monogr. Cypraeidae (Zool. J. **1** : 71, 137, 367)
— 1824R : Reports (Zool. J. **1** : 420)
— 1825M : Monogr. Cypraeidae (Zool. J. **1** : 489)
— 1827M : Monogr. Cypraeidae (Zool. J. **3** : 363)
— 1827A : in : KING (Ph. P.) Narrat. Surv. Australia (London) App. **2** : 487
— 1828M : Monogr. Cypraeidae (Zool. J. **3** : 567)
— 1828A : Addit. and Correct. (Zool. J. **4** : 66)
— 1828I : Index to J.E. GRAY's Monograph (Zool. J. **4** : 213)
— 1831C : Descr. new cowries (Zool. Misc. **1** : 35)
— 1832D : Descr. Cat. Shells [Proofs only]
— 1833C : New spec. cowries CUMING (P. Zool. S. London **2** (1832) : 184)
— 1843Z : in : DIEFFENBACH (E.) Travels NZealand (London) **2** : 236
— 1846P : On the genus *Pedicularia* or *Thyreus* (A. Mag. NH. **18** : 428)
— 1847G : List genera recent moll. (P. Zool. S. London **15** : 142)
— 1847T : in : JUKES (J.B.) Narr. Voy. « Fly » Torresstr. (London) **2**, App. : 356, t. 1
— 1849U : *Cypraea umbilicata* and *eximia* (P. Zool. S. London **1849** : 125)
— 1851U : *C. umbilicata* and *eximia* (P. R. S. Vandiemensland **2** : 197)
— 1852B : in : LEACH (W.E.) Synops. moll. Gr. Britain (London) : X
— 1854C : List shells Cuba Brit. Mus. coll. SAGRA (London) : 23
— 1854W : List shells Canaries Brit. Mus. WEBB & BERTHELOT (London) : 16
— 1854S : List shells South America Brit. Mus. (London) : 36
— 1855B : List moll. Brit. Mus. « Bonite » (London) : 27
— 1857M : Guide Brit. Mus. (London) **1** : 68
— 1858S : Note *Cypraea* Sandwich Isl. (A. Mag. NH. (**3**)**2** : 49)

GRAY (J.E.) & SOWERBY (G.B.1) 1839B : Zool. BEECHEY's Voy. (London) Moll. : 132

GRAY (M.E.) 1850A : Fig. moll. Anim. (London) **4** : 75

GRECO (B.) 1916E : Faun. cret. Egitto Figari Bey (Pal. Ital. **22** : 105)

GREENE (C.) 1889D : Dorsetsh. mar. shells (J. of Conch. **6** : 110)
— 1891W : Mar. shells North Wales (Conchologist **1** : 3)

GREENE (K.W.) 1960G : Golden Cowry Register (Haw. Sh. News (n. s.) **6** : 7)
— 1960M : Why we missed the Meeting (Haw. Sh. News (n. s.) **11** : 8)
— 1962G : Golden Cowries scarce and valuable (Haw. Sh. News (n. s.) **27** : 7)
— 1962B : *Cypraea* Brit. N. Borneo (Haw. Sh. News (n. s.) **29** : 6)
— 1963L : Live Golden Cowry (Haw. Sh. News (n. s.) **37** : 7)
— 1963G : The Golden Cowry story (Haw. Sh. News (n. s.) **39** : 3; **40** : 8; **42** : 8; **43** : 8; **48** : 5)

GREGORIO (A. DE) 1880G : Fauna S. Giov. Ilarione (Palermo) : 29
— 1890A : Mon. faune éoc. Alabama (A. Géol. Pal. **7** : 9, 58)
— 1894B : Descr. faun. tert. Vénétie : Bassano (A. Géol. Pal. **13** : 28)
— 1894P : Descr. faun. tert. Vénétie : Mte. Postale (A. Géol. Pal. **14** : 13)
— 1895M : Descr. foss. mioc. Malte (A. Géol. Pal. **19** : 10)
— 1896R : Descr. faun. tert. Vénétie : Ronca (A. Géol. Pal. **21** : 37)

GRIEG (J.A.) 1896V : Bidr. vestland. moll. : Sognesöens moll. (Bergens Mus. Aarb. 1896, no. **10** : 4, 18)

GRIFFITH (E.) & PIDGEON (E.) 1834K : see CUVIER 1834K

GRIFFITHS (R.J.) 1953A : Cypr. of Akaba (J. of Conch. **23** : 337)
— 1956M : Cypr. in NWMalaya (J. of Conch. **24** : 85)
— 1957M : Some Malayan cowries (Malayan Nature J. **11** : 104)

— 1958H : Ltn. HANKEY and *Cypraea* growth (J. of Conch. **24** : 265)
— 1959S : Subspeciation two Cypr. (P. Mal. S. London **33** : 176)
— 1959N : New spec. *Notocypraea* (M. Nat. Mus. Melbourne **24** : 97)
— 1960N : Names and what they stand for (Cowry **1**/**1** : 2)
— 1960A : The Animal (Cowry **1**/**1** : 11)
— 1960R : Remarks on species (Cowry) **1**/**1** : 13)
— 1960P : Problems (Breeding) (Cowry **1**/**1** : 16)
— 1961I : IREDALE's Cypraeidae names (Cowry **1**/**2** : 5)
— 1961S : *Notocypraea* — the shells (Cowry **1**/**2** : 10)
— 1961M : *Cypraea melwardi* IRED. (Cowry **1**/**2** : 14)
— 1961E : *Cypraea errones* L. (Cowry **1**/**2** : 15)
— 1961N : Notes (Cowry **1**/**2** : 15)
— 1961D : Sexual dimorphism in Cypr. (P. Mal. S. London **34** : 203)
— 1961C : Size and sex in Cypr. (P. Mal. S. London **34** : 322)
— 1962L : List of species (Cowry **1**/**3** : 35)
— 1962P : Problems (Cowry **1**/**3** : 44)
— 1962A : Autotomy (Cowry **1**/**3** : 46)
— 1962E : Notes : Errata (Cowry **1**/**3** : 48)
— 1962B : Types of *C. albata* and *C. subcarnea* BEDD. (Cowry **1**/**4** : 60)
— 1962C : Collecting in Australia (Cowry **1**/**4** : 61)
— 1962T : Note on *C. thomasi* CROSSE (Cowry **1**/**4** : 62)
— 1962N : Notes (Cowry **1**/**4** : 63)
— 1962R : Review of the Cypraeidae genus *Notocypraea* (M. Nat. Mus. Melbourne no. **25** : 211)
— 1962S : *Cypraea piperita* : proposed suppression (B. Zool. Nomencl. **19**/**5** : 317)
— 1963C : Note on *C. casta* (Cowry **1**/**5** : 67)
— 1963B : Breeding Dates I. (Cowry **1**/**5** : 75)
— 1963 O: Our contemporaries (Cowry **1**/**5** : 76)
— 1963H : Here and there (Cowry **1**/**5** : 77)
— 1964X : Size variation in *C. xanthodon* (Cowry **1**/**6** : 82)
— 1964C : Yet another note on *C. casta* (Cowry **1**/**6** : 87)
— 1964H : *C. hammondae* (Cowry **1**/**6** : 88)
— 1964T : *C. chinensis* and *C. tortirostris* (Cowry **1**/**6** : 92)
— 1964E : *C. eburnea* and *C. miliaris* (Cowry **1**/**6** : 94)
— 1965H : Lord Howe Is. (Cowry **1**/**8** : 128)
— 1965N : Notes (Cowry **1**/**8** : 128, 129)

GRIPP (C.W.) 1909D : Dredging San Diego, Calif. (Nautilus **22** : 134(

GRÖNWALL (K.A.) 1899S : Anmärk. lagerser Stevn Klint (Geol. Fören. Stockholm Förh. **21** : 371)

GRONOVIUS (GRONOW, L.T.) 1781Z : Zoophyl. Gronoviani (Ludg. Batav.) **3** : 287

GROSCH (K.J.) 1963S : Natives. shells and shell dumps in SEAfrica (Haw. Sh. News (n. s.) **41** : 8; **42** : 6)

GRUBE (A.E.) 1869V : Meeresfauna St. Vaast, S. Malo, Roscoff : 62

GRÜNER (E.C.L.) 1857C : Cat. coll. GRÜNER : 47

GRUVEL (A.) 1931S : Les États de Syrie (Bibl. faune Colon. franç., Paris : 444)

GUALTIERI (N.) 1742I : Index test. conchyl. (Firenze) : t. 13

GÜMBEL (C.W.) 1861A : Geogn. Beschr. bayer. Alpengeb. (Gotha) : 599, 605, 663, 775, 790
— 1880G : Grundzüge d. Geol. (Cassel) : 448, 1102, 1106

GUÉRIN-MÉNEVILLE (F.E.) 1834D : Dict. pittor. hist. nat. (Paris) **8** : 313
— 1834I : Iconogr. Règne animal (Paris) Moll. : t. 16

GUNDLACH (J.) 1882P : Apunt. fauna Puertorriqu. (Madrid) Moll. : 455

GUNN (R.) 1849U : Habitat *Cypraea umbilicata* (P. Zool. S. London **1849** : 124)

GUPPY (R.J.L.) 1867T : Tert. foss. West Indies, Trinidad (P. Sci. Ass. Trinidad **1**/**3** : 160) [Reprint : 1921, B. Amer. Pal. **8**/**35** : 39]
— 1873J : Tert. foss. Jamaica (P. Sci. Ass. Trinidad **2**/**2**/**10** : 78) [Reprint : 1921, B. Amer. Pal. **8**/**35** : 62]

— 1874W : West Indian tert. foss. (Geol. Mag. (**2**)**1** : 409, 440)
— 1876H : Mioc. foss. Haiti (Quart. J. Geol. S. **32** : 528)
— 1879P : First sketch Gulf of Paria (J. of Conch. **2** : 157)
— 1912S : Furth. Not. Caroni Ser. Savaneta (Agr. S. Trinidad Tobago, Pap. **520** : 3) [Reprint : 1921, B. Amer. Pal. **8**/**35** : 186]

Gyngell (W.) 1924A : Descr. new var. *Cypraea arabica* (J. of Conch. **17** : 119)
— 1924E : Exhibits (J. of Conch. **17** : 120)

Haanstra (U.) & Spiker (E.) 1932R : Foss. Altmioz. Rembang (P. Ac. Wet. **35**/**8**)

Haas (G.) 1937P : in : Bodenheimer (F.S.) 1937P : Prodr. faunae Palaestinae (M. Inst. Égypte **33** : 275)
— 1948P : Immigr. moll. indo-pacif. Palestine (J. de Conchyl. **88** : 143)

Haas (H.J.) 1889V : Verz. foss. Moll. Rüpelthon v. Itzehoe (Schrift. Naturw. Ver. Schleswig-Holst. **7**/**2** : sep. p. 21)

Haas (W.R.) 1963M : On melanism (Haw. Sh. News (n. s.) **42** : 3)

Habe T.) 1955P : Notes *Pedic. stylasteris* (Venus **18** : 158)
— 1961J : Coloured Illustr. shells of Japan II. (Osaka) : 40, 41, 42, t. 19

Habe (T.) & Kosuge (S.) 1966N : New genera species trop. subtrop. Pacif. Moll. (Venus **24** : 314)

Hackney (A.G.) 1945U : [*Simnia uniplicata* habits] (Moll. Tavares Habana **1** : 43)

Hadar (A.) 1967U : Unusual shells Red Sea (Haw. Sh. News (n. s.) **89** : 3)

Hagn (H.) & Hölzl (O.) 1952H : Helvet d. Sur-Tales (Geol. Bavarica no. **10** : 63, 77)

Halaváts (Gy.) 1884U : Neue Gastr. medit. Ungarn (Temészet. Füz. **8** : 208)

Hall (T.S.) & Pritchard (G.B.) 1901M : Some sect. geol. Mornington (P. R. S. Victoria (n. s.) **14**/**1** : 51)

Hall (T.S.) & Standen (R.) 1907R : Moll. raised coral reef Red Sea (J. of Conch. **12** : 67)

Haller (B.) 1890T : Morph. Prosobr. « Vittor Pisani » 2 : *Cypraea testudinaria* (Morphol. Jahrb. **16** : 259)

Hamai (I.) 1938G : Syst. relat. growth in Cypr. (Sci. Rep. Tôhoku Univ. **13** : 15)

Hanley (S.) 1855L : Ipsa Linnaei Conchyl. (London) : 180, 554
— 1859M : Linn. Manuscr. Mus. Ulric. (P. Linn. S. London **1859** : 63)

Hanna (G.D.) & Hertlein (L.G.) 1927C : Exped. Gulf of Calif. : Geol. Pal. (P. Calif. Ac. Sci. (**4**)**16** : 143)

Hanna (M.A.) 1927L : Eoc. invert. fauna La Jolla (Univ. Calif. Publ. Geol. Sci. B. **16** : 314)

Hargreaves (J.A.) 1910Y : Mar. moll. Yorkshire, Dogger Bank (J. of Conchyl **13** : 92)

Harmer (F.W.) 1914B : Plioc. moll. Great. Brit., 1 (Pal. S. **67** : 49)
— 1918B : Plioc. moll. Great Brit., 3 (Pal. S. **70** : 304)

Harmon (W.) 1967B : Eighth *Cypraea broderipi* Africa (Haw. Sh. News (n. s.) **92** : 1)

Harris (G.D.) 1895T : New tert. moll. Texas (P. Ac. N. Sci. Philad. **47** : 78)
— 1895C : Clairborne fossils (B. Amer. Pal. **1** : 217)
— 1896G : New eoc. moll. Gulf States (P. Ac. N. Sci. Philad. **48** : 474)

Harris (G.D.) & Palmer (K.v.W.) 1947J : Moll. Jackson Eocene (Amer. Pal. B. **30**/**117** : 319)

Harris (G.F.) 1897T : Cat. tert. moll. Brit. Mus. (London) **1** : 203

Harris (W.) 1935T : *C. tigris* Hawaii Is. (Nautilus **49** : 39)

Harrison (I.) 1968R : Two rare Hawaiian shells (Haw. Sh. News (n. s.) **103** : 1)

Hartley (T.) 1958R : *Zoila rosselli* (J. Mal. S. Australia no. **2** : 46)
— 1968S : Shell Club shows oversees (Austr. Newslett. (n. s.) **2** : 13)

Harvey (J.B.) 1834N : Notes shells Teignmouth (P. Zool. S. London **1834** : 28)

Hatai (K.) & Nisiyama (S.) 1948C : Neogene Cypr. Chiba Prefect., Japan (Nautilus **62** : 58)

Hauer (J. von) & Bronn (H.G.) 1837W : Vork. foss. Thier. Tert. Wien (Neu. Jahrb. Miner. **1837** : 416)

Hawley (J.W.) 1936C : Cowries (Austr. Nat. Sydney **9** : 182)

Hayes (M.R.) 1965G : Three *Cypraea guttata* NGuinea (Haw. Sh. News (n. s.) **62** : 3)

Hayward (E.T.) & Dee (E.) 1966L : [*Cypraea leudocon*] (Conch. S. SAfr. Circ. **72**)

HAYWOOD (E.T.) 1962D : Report on Dar-es-Salaam in : VERDCOURT (B.) (J. EAfr. NH. S. **23/104** : 283)
— 1964I : Item 3, p. 6, Circ. 59 (Conch. S. SAfr. Circ. **60** : 5)
— 1966L : *Cypraea leucodon* (Conch. S. SAfr. **71** : 3; **72** : 6)
— 1968A : *Cypraea* with attachments (Conch. S. SAfr. Circ. **97** : 6)

HEBARD (E.B.) 1967P : Pleistoc. moll. New Providence Is., Bahamas (Nautilus **81** : 41)

HEBENSTREIT (J.E.) 1743M : Mus. RICHTERianum (Leipzig) **4/3** : 297)

HÉBERT (E.) 1865I : Terr. nummul. Italie sept. (B. S. Géol. France (**2**)**22** : 132)

HÉBERT (E.) & MUNIER-CHALMAS (E.) 1878V : Nouv. rech. tert. Vicentin (C. R. Ac. Sci. **86** : 1313, 1487)

HEDLEY (Ch) 1894H : Shell hunt 40 feet (Nautilus **8** : 88)
— 1899F : Moll. Funafuti (M. Austral. Mus. **3** : 448, 469, 524, 560)
— 1899P : Zoogeogr. Middle Pacif. (P. Linn. S. NSWales **24** : 406, 414)
— 1901A : Stud. Austral. moll. (P. Linn. S. NSWales **26** : 24)
— 1902A : Stud. Austral. moll., 6 (P. Linn. S. NSWales **27** : 25, 27)
— 1903T : Sci. Res. Exp. « Thetis » (M. Austral. Mus. **4/1** : 342)
— 1904B : Effect Bassian Isthmus (P. Linn. S. NSWales **28** : 882)
— 1907M : Moll. Mast Head Reef (P. Linn. S. NSWales **32** : 483)
— 1907T : Res. invert. Tasman. Sea (Rec. Austral. Mus. **6** : 293)
— 1909Q : Mar. moll. Queensland (Austral. Ass. Adv. Sci. **1909** : 361)
— 1915W : Prel. Index moll. Western Australia (J. R. S. WAustral. **1** : 198)
— 1918W : Check list mar. fauna NSWales (P. R. S. NSWales **51**, Suppl. : M 70)
— 1918M : Mollusca (P. Geogr. S. Australas., SAustr. Branch : 15)

HEDLEY (Ch.) & MAY (W.L.) 1908T : Moll. Cape Pillar, Tasm. (Rec. Austral. Mus. **7** : 111)

HEILPRIN (A.) 1879E : Comp. eoc. moll. US. and Europe (P. Ac. N. Sci. Philad. **1879** : 222)
— 1882P : Relat. ages Post-eocene (P. Ac. N. Sci. Philad. **1882** : 167, 168, 169, 174, 175)
— 1882T : Age Tejon rocks Calif. (P. Ac. N. Sci. Philad. **1882** : 198, 208, 209)
— 1886F : Explor. Florida and Okeechobee wild. (Palaeontogr. Amer. **4/33** : 459)
— 1887C : Explor. Florida : Foss. plioc. Caloosahatchie (T. Wagner Free Inst. **1** : 86)
— 1887B : Explor. Florida : Mioc. foss. Ballast Pt. (T. Wagner Free Inst. **1** : 111, 120)
— 1887A : Suppl. addit. sp. plioc. Caloosahatchie (T. Wagner Free Inst. **1** : 133)
— 1888J : Mioc. moll. NJersey (P. Ac. N. Sci. Philad. **1887** : 404)
— 1889B : The Bermuda Islands (Philadelphia)
— 1890T : Eoc. moll. State of Texas (P. Ac. N. Sci. Philad. **1890** : 397)
— 1891Y : Geol. Res. Yucatan (P. Ac. N. Sci. Philad. **1891** : 143)

HEINE 1861I : Geogn. Unters. Ibbenbüren (Z. Deut. Geol. Ges. **13** : 237)

HELFER (J.R.) 1946C : Classif. of Cypraeidae (Nautilus **60** : 49)
— 1947C : Cowry hunting Cebu I. (Nautilus **61** : 42)

HELLER (C.) 1864D : Horae Dalmat. : Reise Ostk. Adriat. Meeres (Ver. Ges. Wien **14** : 62)

HEMPHILL (H.) 1893W : Notes anim. West Coast shells (Zoe **3** : 350)

HEMPRICH (W.F.) & EHRENBERG (C.G.) 1839S : Enum. moll. Sicil. (Berlin) : 248

HENDERSON (J.) 1927H : Conch. notes Hawaii Isls. (Nautilus **40** : 80)

HENN 1896N : Notes and Exhibits (P. Linn. S. NSWales (**2**)**10** : 520)

HENRICH (L.) 1923S : Meeresmoll. Sinai-Halbinsel (Arch. Molluskenk. **55** : 73)

HEPPEL (D.) 1966N : Editor's Note (J. of Conch. **26** : 131)

HERON (A.M.) 1937G : General rep. Geol. Surv. India 1936 (Rec. Geol. Surv. Ind. **72** : 22)

HERRINGTON (R.E.) 1968V : *Cypraea valentia* follow-up (Haw. Sh. News (n. s.) **108** : 7)

HERRMANNSEN (A.N.) 1846I : Ind. gen. malakoz. (Cassellis) **1** : 1-232; 1847 : **1** : 233-637; **2** : 1-352; 1848 : **2** : 353-492; 1849 : **2** : 493-717
— 1852I : Ind. gener. malacoz. (Cassellis) Suppl. : 12

HERTLEIN (L.G.) 1934P : Pleist. moll. Tres Marias Is. etc., Mex. (B. Southern Calif. Ac. Sci. **33** : 59)
— 1937P : Note mar. moll. Polyn. a. WAmer. (P. Amer. Phil. S. **78** : 303)
— 1957P : Plioc. pleist. foss. Southern Gf. of Calif. (B. Southern Calif. Ac. Sci. **56** : 57)

— 1963C : (P. Calif. Ac. Sci. (4)**32** : 219)

HERTLEIN (L.G.) & ALLISON (E.C.) 1960C : Spec. *Cypraea* Clipperton I. (Veliger **2** : 94)

HERTLEIN (L.G.) & EMERSON (W.K.) 1953C : Moll. Clipperton I. (Tr. SDiego S. NH. **11** : 345)
— — 1956P : Mar. pleist. invert. Puerto Peñasco, (Tr. SDiego S. NH. **12** : 154)
— — 1957C : Add. notes invert. Clipperton (Amer. Mus. Nov. no. **1859** : 1)

HERTLEIN (L.G.) & JORDAN (E.K.) 1927C : Pal. mioc. Lower Calif. (P. Calif. Ac. Sci. (4)**16** : 628)

HERTLEIN (L.G.) & STRONG (A.M.) 1939G : Mar. plioc. moll. Galapagos Is. (P. Calif. Ac. Sci. (4)**23** : 367)
— — 1955G : Mar. moll. Galap. « Velero III » (Los Angeles) : 133
— — 1955P : Mar. moll. « Askoy » Exp. Panama etc. 1941 (B. Amer. Mus. HN. **107/2** : 261)

HERTZ (J.E.) 1881K : Verwendung Kauriemuschel (Mitt. Geogr. Ges. Hamburg **1881** : 14)

HESCHELER (K.) 1900L : in : LANG (A.) & HESCHELER (K.) Lehrb. vergl. Anat. (2. ed.) (Jena) **3/2** : div. p.

HIDALGO (E.) 1956M : Alg. mol. Isla Cozumel, Mexico (Acta Zool. Mexic. **1/10** : 1)

HIDALGO (J.G.) 1867E : Cat. moll. côtes Espagne (J. de Conchyl. **15** : 379)
— 1874E : Mol. mar. España (Madrid) **2** : 1
— 1879P : Mol. viaje al Pacifico (Madrid) **3** : 137
— 1886B : Cat. mol. Bayona de Galicia (Rev. progr. Cienc. Madrid **21** : 393, 411)
— 1896A : Habitat *Cypraea aurantium* (J. de Conchyl. **44** : 47)
— 1904F : Cat. mol. test. islas Filipinas (Madrid) **1** : 78, 140
— 1905S : Cat. mol. mar. Santander (Madrid) : 7
— 1905J : Not. faun. mal. Jolo e Marianas (Madrid) : 9
— 1906C : Monogr. gén. *Cypraea* (M. Ac. Cienc. Madrid **25** : 1-240)
— 1907C : Monogr. gén. *Cypraea* (M. Ac. Cienc. Madrid **25** : 241-588)
— 1910G : Mol. Guinea Española (M. S. Esp. HN. **1** : 519)
— 1916E : Fauna mal. España (Madrid) **1** : 21, 33, 36, 46, 48, 52, 56, 74, 95
— 1917E : Fauna mal. España (Madrid) **2+3** : 130, 273, 307; 543, 700

HIGA (L.) 1967F : Recent finds (Haw. Sh. News (n. s.) **86** : 3)
— 1968F : Recent finds (Haw. Sh. News (n. s.) **100** : 4)

HIGGINS (E.T.) 1868D : Descr. six new spec. (P. Zool. S. London **1868** : 178)

HIGGINS (H.C.) 1927C : Notes some spec. *Cypraea* (Nautilus **40** : 129)

HILBER (V.) 1879S : Neue Conch. Mitt.-Steir. Schicht (SB. Ak. Wien (math. nat.) **79** : 420)
— 1882G : Geol. Stud. ostgaliz. Miozängeb. (Jahrb. Geol. Reichsanst. **1882** : 265)

HILL (J.) 1752A : A gener. Nat. Hist. of Animals (London) **3** : 153

HINDS (R.) 1844S : Zool. Voy. « Sulphur » (London) **2** : Moll. : 47

HIRASE (S.) 1934J : A coll. of Japanese shells (Tokyo) : 61

HIRASE (Y.) 1907T : Shells from Tosa (Conch. Mag. Kyoto **1** : (180), (252)
— 1907J : Cat. mar. shells Japan (Kyoto) : 13
— 1909J : Japanese mar. moll. 24 : Marginellidae (Conch. Mag. Kyoto **3** : [2])
— 1915K: Kai Sen Shu **1-4** : div. t.

HIRSCHMANN (S.) 1961Z : Shelling holiday Zanzibar (Haw. Sh. News (n. s.) **15** : 6; **16** : 4)

HOARE (S.) 1831P : Poems on Conch. and Botany (London) : 23, 49

HOBSON (J.) 1879G : Notes *Cypraea guttata* (P. Linn. S. NSWales **4** : 243)

HOCHSTETTER (H.E. VON) 1933W : Fauna d. Walbersdorfer Tegels (Diss. Wien)

HODGKIN (E.P.) & MICHEL (C.) 1963M : Zonation plants a. animals Mauritius (P. R. S. Arts Sci. Mauritius **2** : 121)

HOEL (A.) 1907T : Kvartaergeolog. Undersøg. Trondhjems (Arch. Math. Naturv. **28/9** : 58)

HÖLZL (O.) 1952M : Moll. d. subalp. Molasse in : HAGN (H.) & HÖLZL (O.), Geol.-pal. Unters. subalp. Molasse (Geol. Bavarica **10** : 197)
— 1953B : Neue Fauna Burdig. subalp. Molasse Oberbay. (Geol. Bavarica **17** : 219)
— 1958B : Moll. Fauna oberbay. Burdigals (Geol. Bavarica **38** : 215)

HOENINGHAUS (F.W.) 1831V : Vers. geogn. Einteil. Verstein. (Neu. Jahrb. Miner **1831** : 151)

HÖRNES (M.) 1848W : Verz. Foss. Tert. Beck. Wien (Wien) : 16
— 1852W : Foss. Moll. Tert. Beck. Wien (Wien) **1** : 59, 688
HOERNES (R.) 1884E : Elem. d. Paläont. (Leipzig) : 276
HOERNES (R.) & AUINGER (M.) 1880M : Gastr. Mioz. Mediterran-Stufe Osterr. (Abh. Geol. Reichsanst. **12/2** : 57)
HOGG (J.) 1868T : Lingual membran moll. (Tr. R. Microscop. S. (n. s.) **16** : t. 9)
HOLTHUIS (L.B.) 1961J : *Jousseaumia* Sac. 1894 (B. Zool. Nomencl. **18** : 326)
HORNELL (J.) 1922I : Common moll. South India (Madras Fisheries B. **14** : 120)
HORST (J. VAN DER) & SCHEPMAN (M.M.) 1899M : Mus. HN. Pays-Bas, 13 : Cat. syst. moll. (Leide) 2 : 187
HOUBRICK (J.R.) 1968C : Survey litor. mar. moll. Caribb. Costa Rica (Veliger **11/1** : 15)
HOUSSAY (F.) 1884E : Rech. opercule et glandes du pied gastér. (Arch. Zool. expér. (**2**)**2** : 272)
HOUTTUYN (M.) 1771N : Natuurl. Hist. Dieren LINNAEUS **1/16** : 81
HOWARD (F.B.) 1961E : Range extension *T. elsiae* (Veliger **4/1** : 50)
HOWARD (F.B.) & SPHON (G. G. jun.) 1960T : A new Panamic *Trivia* (Veliger **3/2** : 41)
HOYLE (W.E.) 1887W : Shells West Africa (P. R. Phys. S., Sess. **116** : 340)
HUBBARD (B.) 1921P : Sci. Surv. Porto Rico (Tert. moll. Lares) (NYork Ac. Sci. **3/2** : 148)
HUDDESFORD 1770H : in : LISTER (M.), Hist. synops. meth. conchyl. (Oxford) : t. 655, 827
HUMPHREY (G.) 1797C : Mus. Calonnianum (London) : 7
HUNTER (S.) 1967A : Shelling in Australia (Haw. Sh. News (n. s.) **93** : 4)
HUTTON (F.W.) 1873M : Cat. mar. moll. NZeal. (Wellington) : 25
— 1873T : Cat. tert. moll. NZeal. (Coll. Mus. Geol. Surv., Misc. Publ. **9** : 8)
— 1878Z : Rev. coqu. Nouv. Zélande (J. de Conchyl. **26** : 25)
— 1880Z : Manual NZealand moll. (Wellington) : 63, 66
— 1884Z : Rev. Taeniogloss. NZeal. (P. Linn. S. NSWales **9** : 935)
— 1887Z : Moll. Pareora and Oamaru syst. NZeal. (P. Linn. S. NSWales (**2**)**1** : 211)
— 1893P : Plioc. moll. in : MACLEAY, Mem. Vol. Linn. S. NSWales (Sidney) : 58
— 1904Z : Ind. faun. Nov. Zealandiae (London) : 75
HUXLEY (T.H.) & ETHERIDGE (R.) 1865C : Cat. coll. foss. Mus. Pract. Geol. (London) : 375
ICKE (H.) & MARTIN (K.) 1907N : Tert. en Kwartaire Nias (Samml. Geol. Reichsmus. (**1**)**8** : 238)
IHERING (H. VON) 1877N : Nervensystem u. Phylogenie d. Moll. (Leipzig) : 117
— 1897S : Ilhe de S. Sebastião (Rev. Mus. Paulista **2** : 170)
— 1900D : Duplicata conchas marinas (Mus. Paulista **1** : 3)
— 1907A : Moll. foss. tert. crét. Argentine (Buenos Aires) : 432, 526, 530, 531, 533
INGRAM (W.M.) 1936R : Reduct. *C. annae* a. *polita* to *semiplota* (Nautilus **50** : 51)
— 1937H : Cypr. Hawaiian Is. (Nautilus **50** : 77)
— 1937C : Cypr. Christmas, Palmyra etc. (Nautilus **51** : 1)
— 1938S : Notes *Cypr. spadicea* (Nautilus **52** : 1)
— 1938G : Cypraeidae from Guam (Nautilus **52** : 5)
— 1939M : Cypr. Makatea Island (Occ. Pap. Bishop Mus. **14** : 323)
— 1939H : Endemic Hawaiian cowries (Occ. Pap. Bishop Mus. **14** : 327)
— 1939S : Cypr. American Samoa (Nautilus **52** : 103)
— 1939F : New foss. cowry North Carol. (Nautilus **52** : 120)
— 1939J : *Cypraea jensostergaardi* (Nautilus **52** : 122)
— 1939C : *C. heilprinii* plioc. Costa Rica (B. Amer. Pal. **24/84** : 1)
— 1939D : Foss. Cypr. Dominican Rep. (B. Amer. Pal. **24/85** : 1)
— 1940A : Cypr. Atafu I., Union Group (J. of Conch. **21** : 213)
— 1940G : A new *Gisortia* (J. Wash. Ac. Sci. **30** : 376)
— 1940C : Two new Cypr. Costa Rica (J. Pal. Menasha **14** : 505)
— 1942T : Type foss. Cypr. NAmer. (B. Amer. Pal. **27/104** : 1)
— 1943C : Comments SCHILDER's Haw. Prodr. (Nautilus **57** : 22)
— 1944P : Tropic. Centr. Pacific Cypr. (Nautilus **57** : 81)

— 1945R : Extens. range *C. rashleighana* (Nautilus **58** : 106)
— 1945N : (Nautilus **58** : 130)
— 1946D : Contr. development *C. mus* (Nautilus **59** : 113)
— 1947W : Foss. rec. Cypr. Western Americas (B. Amer. Pal. **31/120** : 47)
— 1947V : Foss. Cypr. Venez. Colombia (B. Amer. Pal. **31/121** : 4)
— 1947C : Check list Cypr. Western Hemisph. (B. Amer. Pal. **31/122** : 5)
— 1947H : Hawaiian Cypraeidae (Occ. Pap. Bishop Mus. **19/1**)
— 1947S : *C. spadicea* Lower Calif. (Nautilus **61** : 34)
— 1947K : Knowl. Cypr. coll. Amer. Mus. NH. (Amer. Mus. Nov. **1366** : 1)
— 1948F : New foss. Cypr. mioc. Florida, Colombia (P. Calif. Ac. Sci. **(4)26** : 125)
— 1948G : Cypr. fauna Galapagos Is. (P. Calif. Ac. Sci. **(4)26** : 135)
— 1951C : Check list liv. Cypr. Western Hemisph. (B. Amer. Pal. **33/136** : 1)

Ingram (W.M.) & Kenyon (K.W.) 1945A : Cypr. Admiralty Is. (Nautilus **58** : 129)
— — 1945E : Cypr. Espiritu Santo, NHebrides (Nautilus **58** : 143)

Ingram (W.M.) & Trapido (M.) 1947C : *C. cervinetta* and *C. arabicula* (Nautilus **61** : 16)

Insall (D.) 1963M : Mediterranean (Cowry **1/5** : 79)

Iredale (T.) 1910K : Mar. moll. Kermadec I. (P. Mal. S. London **9** : 71)
— 1912N : New generic names, new mar. moll. (P. Mal. S. London **10** : 226)
— 1914M : Rep. moll. Monte Bello Is. (P. Zool. S. London **1914** : 667)
— 1915B : Not. names Brit. mar. moll. (P. Mal. S. London **11** : 333, 334)
— 1916N : New generic names (P. Mal. S. London **12** : 34)
— 1916S : Solander as a conchologist (P. Mal. S. London **12** : 93)
— 1922B : Book notes (P. Mal. S. London **15** : 81)
— 1924B : Res. Bell's moll. coll. (P. Linn. S. NSWales **49** : 183, 256)
— 1929Q : Queensland moll. notes (M. Queensland Mus. **9/3** : 284)
— 1930Q : Queensland moll. notes (M. Queensland Mus. **10/1** : 80)
— 1931A : Austral. moll. notes, 1 (Rec. Austral. Mus. **18/4** : 217)
— 1935A : Australian cowries, 1 (Austral. Zoologist **8** : 96)
— 1936A : Austral. moll. notes, 2 (Rec. Austral. Mus. **19** : 313)
— 1937M : Middleton and Elizabeth Reefs, Moll. (Austral. Zoologist **8** : 255)
— 1937C : Truth about Mus. Calonnianum (Festschrift Prof. Dr. Embrik Strand **3** : 409)
— 1939A : Austral. cowries, 2 (Austral. Zoologist **9** : 297)
— 1950C : Mar. moll. NCaledonia (J. de Conchyl. **90** : 54)

Iredale (T.) & McMichael (D.F.) 1962N : Reference list mar. moll. NSWales (M. Austral. Mus. **11** : 58)

Isaeva (A.I.) 1933A : Gastr. fauna eoc. Akhaltsikh (Tr. Geol. Prosp. Serv. USSR **305** : 34)

Issel (A.) 1869R : Malac. del Mar Rosso (Pisa) : 8, 10, 21, 109, 353
— 1877G : Foss. marne Genova : 27
— 1878V : Crociera « Violante » (A. Mus. Civ. Genova **2** : 421)
— 1894L : Cenni caverne ossif. Liguria (Atti S. Ligust. **5** : t. 27)
— 1908L : Liguria preistorica (Atti S. Lig. Storia Patria **40** : 219, 339, 353, 728)

Iwakawa (T.) 1909J : Cat. Japan moll. Tokyo Mus. (Tokyo) **1** : 56
— 1919J : Cat. Japan moll. Tokyo Mus. (Tokyo) : 89

Jackson (J.W.) 1906E : Exhibits (J. of Conch. **11** : 351)
— 1916C : Use cowry currency amulets (P. Manchester Lit. S. **60/13** : 1)
— 1934S : *C. vinosa* Saxon grave (J. of Conch. **20** : 46)

Jacobs (S.) 1946P : Colour var. *Pedicularia californica* (Nautilus **59** : 124)

Jaeckel (S.) 1927C : Mar. Moll. Süd-Californien (Zool. Anzeig. **70** : 45)

James (Capt.) 1846W : Not. tert. depos. Wexford (J. Geol. S. Dublin **3** : 196)

Janus (H.) 1962M : Muschelgeld (Neptun **2** : 227)

Jardin (E.) 1858M : Ess. hist. nat. Arch. de Mendana (M.S. Cherbourg **6** : 190)

Jaume (M.L.) 1946M : Mol. mar. Cabo Catoche, Mex. (Rev. S. Mal. Habana **4** : 105)

Jaume (M.L.) & Borro (P.) 1946C : Nov. mol. mar. Cubanos (Rev. S. Mal. Habana **4** : 21)

JAY (J.C.) 1836C : Cat. shells (2. ed.) (NYork)
— 1839C : Cat. shells (3. ed.) (NYork) : 94
— 1850C : Cat. recent shells (4. ed.) (NYork) : 355, 386, 394
— 1852C : Cat. recent shells (4. ed.) (NYork) Suppl. : 477
— 1856J : Rep. shells Japan Exp. PERRY in : Narr. Amer. squadr. China Seas (Washington) **2** : 297

JEFFERIES (H.) 1964N : Shelling Natal South Coast (Conch. S. SAfr. Circ. **58** : 5)
— 1968H : Something new at Haga-Haga (Conch. S. SAfr. Circ. **100** : 8)

JEFFREYS (J.G.) 1839 O : Mar. moll. Oban (Malac. and Conch. Mag. **2** : 37)
— 1856P : Mar. moll. Piedmont. Coast (A. Mag. NH. (**2**)**17** : 187)
— 1860P : Test. mar. coste Piem. (translated by CAPELLINI) (Genova) : 62
— 1861Z : Rep. dredg. Zetland (A. Mag. NH. (**3**)**8** : 299)
— 1867B : Brit. Conch. (London) **4** : 399
— 1868S : Last Rep. dredg. Shetland Is. (London) : 17
— 1869B : Brit. Conch. (London) **5** : 117, 222
— 1870M : On mediterr. moll. (A. Mag. NH. (**4**)**6** : 84)
— 1871A : Adult form in *Cypraea* (A. Mag. NH. (**4**)**7** : 245)
— 1872H : Moll. St. Helena (A. Mag. NH. (**4**)**9** : 264)
— 1873M : Some remarks moll. mediterr. (London) : 114
— 1883M : Mediterr. moll., 3 (A. Mag. NH. (**5**)**11** : 400)

JENNER (A.) 1968A : *Cypraea* with attachments (Conch. S. SAfr. Circ. **99** : 6)
— 1968B : *Cypraea barclayi* (Conch. S. SAfr. Circ. **102** : 4)

JENNINGS (B.) 1961S : More on shell spawning (Haw. Sh. News (n. s.) **24** : 7)

JEWELL (H.G.jr.) 1960R : Rare cowry identified (Haw. Sh. News (n. s.) **12** : 4)
— 1961L : Prelim. rep. mar. moll. Line Is. (Haw. Sh. News (n. s.) **13** : 5; **14** : 8)
— 1962L : Mar. moll. Line Islands (Haw. Sh. News (n. s.) **36** : 4)
— 1963S : [Speaking out] (Haw. Sh. News (n. s.) **43** : 6)

JICKELI (C.F.) 1873R : Reisebericht (Malak. Blätt. **21** : 94)
— 1884R : Stud. Conch. Rot. Meer (Jahrb. Deut. Malac. Ges. **11** : 194)
— 1907D : Fischerei auf Dahlak (Verh. Siebenbürg. Ver. Nat. **57**)

JOHNSON (C.W.) 1896M : Notes coll. Mus. Paris (Nautilus **10** : 63)
— 1899L : New spec. LEA coll. eoc. (P. Ac. N. Sci. Philad. **51** : 77)
— 1905C : Annot. list types cret. foss. (P. Ac. N. Sci. Philad. **1905** : 23)
— 1910T : A large fossil *Trivia* (Nautilus **24** : 12)
— 1934A : List moll. Atlantic Coast (P. Boston S. NH. **40** : 111)

JOHNSON (J.) 1964P : Pankor Laut revisited (Haw. Sh. News (n. s.) **55** : 6)

JOHNSON (R.I.) 1949M : J.W. MIGHELS with bibliography and cat. (Occ. Pap. on Moll. (Cambridge, Mass.) **1** : 213)

JOHNSTON (G.) 1838C : Cat. gaster. moll. (P. Berwick Club **1** : 240)
— 1850I : Introd. to Conch. (London) Index : 609
— 1853E : Einleit. Konchyliologie (H.G. BRONN) (Stuttgart) Index : 670, 690

JOHNSTON (R.M.) 1876T : Notes tert. beds Table Cape, Tasman. : 33
— 1877T : Further not. tert. Table Cape (P. R. S. Tasm. **1876** : 85, 90b)
— 1885T : Addit. list Table Cape foss. (P. R. S. Tasm. **1884** : 222)
— 1888A : Tert. Rocks Australasia (P. R. S. Tasm. **1887** : 175)
— 1888T : Syst. account Geol. Tasmania (Hobart) : t. 31
— 1891T : Prov. aid study Tasman. moll. (P. R. S. Tasm. **1890** : 61, 80, 134)

JONES (K.H.) & PRESTON (H.B.) 1904C : Moll. « Waterwitch » China Seas (P. Mal. S. London **6** : 144)

JONSTON (J.) 1657E : Hist. nat. exang. aquat. libri (Amsterdam) **4** : t. 17

JORDAN (E.K.) 1924L : Quatern. recent moll. West Coast Lower Calif. (B. South. Calif. Ac. Sci. **23** : 145)
— 1926Q : Moll. pleist. S. Quintin Bay, Low. Calif. (P. Calif. Ac. Sci. (**4**)**15** : 246)
— 1936M : Pleist. fauna Magdalena Bay, Low. Calif. (Contr. Dept. Geol. Stanford Univ. **1** : 101)

JORDANA (R.) 1885F : Bosqu. geogr. archip. Filipino (Madrid) : 330

JOUSSEAUME (F.) 1869C : Descr. nouv. *Cypraea* (Rev. Mag. Zool. **1869** : 348)
— 1874D : Descr. esp. nouv. coqu. (Rev. Mag. Zool. (**3**)**2** : 9)
— 1875M : Coqu. fam. Marginelles (Rev. Mag. Zool. (**3**)**3** : 244)
— 1876C : Notes quelques *Cypraea* (B. S. Zool. France **1** : 77)
— 1880H : Conchyl. en Hollande (Naturaliste **1880** : 301)
— 1881D : Diagn. moll. nouv. (Naturaliste **1881** : 349)
— 1884D : Division des Cypraeid. (Naturaliste **1884** : 414)
— 1884C : Étud. famille Cypraeidae (B. S. Zool. France **9** : 81)
— 1886A : Coqu. mar. Abyssin. Zanzibar (Naturaliste **1886** : 220)
— 1888R : Descr. moll. FAUROT Mer Rouge (M. S. Zool. France **1** : 191)
— 1893D : Descr. moll. nouv. (Naturaliste **1893** : 171)
— 1894D : Diagn. coqu. nouv. (B. S. Philomat. (**8**)**6** : 103)
— 1894C : Exam. foss. isthme de Corinthe (B. S. Géol. France (**3**)**21** [1893] : 396)

JUKES (J.B.) 1847T : Narrat. Voy. Torresstr. (London) **2** : 285

JUSSIEU (A. DE) 1714G : in : BARRELIER (J.) Plantae per Galliam observ. (Paris) : 133

KÄMMERER (Ch.L.) 1786C : Conch. Cab. Schwarzburg-Rudolstadt (Rudolstadt) : 38
— 1791C : Nachtrag Conch. Cab. Schwarzb.-Rudolst. (Leipzig) : 3

KAICHER (S.D.) 1956I : Indopacif. Mollusca (Naticacea and Cypraeacea) (Washington) : 7

KALNINS (A.) 1963M : From the readers [*marginata*] (Haw. Sh. News (n. s.) **48** : 8)

KARSTEN (L.G.) 1789L : Mus. LESKEanum (Leipzig) **1** : 199, t. 3

KATSARAS (N.) 1966U : Some unusual shells (Haw. Sh. News (n. s.) **84** : 7)

KAUNHOWEN (F.) 1898M : Gastr. Maestrichter Kreide (Pal. Abh. **8**/**1** : 75)

KAUTSKY (F.) 1925H : Mioz. Hemmoor u. Basbeck-Osten (Abh. Preuss. Geol. Landesanst. (N.F.) **97** : 86)

KAY (E.A.) 1949K : Edible moll. Kanai, Hawaii (Nautilus **62** : 119)
— 1957S : New concepts moll. systematic (P. Hawaiian Ac. Sci. : 32. Ann. Meeting 1956-57)
— 1957C : The genus *Cypraea* (Nature **180** : 1436)
— 1960R : Generic revision Cypraeinae (P. Mal. S. London **33** : 278)
— 1960N : Some notes on *Cypraea* (Haw. Sh. News (n. s.) **3** : 6)
— 1960F : Functional morphology *C. caputserpentis* (Int. Revue ges. Hydrobiol. **45** : 175)
— 1961Z : Zoogeogr. analysis *Cypraea* Hawaiian Is. (P. Mal. S. London **34** : 185)
— 1961A : Anatom. characters two spec. *Cypraea* (P. Mal. S. London **34** : 199)
— 1961T : *C. tigris schilderiana* (Veliger **4**/**1** : 36)
— 1961C : Functional morphology *C. caputserpentis* (Haw. Marine Labor. Univ. Hawaii, Contrib. **130**)
— 1961L : List 31 spec. *Cypraea* Hawaiian Is. (Haw. Sh. News (n. s.) **22** : 3)
— 1962F : Foreword in : WEAVER (C.S.) Haw. Mar. Moll. **1**(**20**) : 75
— 1963A : Anatom. notes *C. aurantium*, genus *Lyncina* (J. Austral. Malac. S. no. **7** : 47)
— 1963M : J.W. MIGHELS Hawaiian cowries (Haw. Sh. News (n. s.) **42** : 4)
— 1963T : W. SWAINSON and *C. tessellata* (Haw. Sh. News (n. s.) **43** : 4)
— 1965L : Rev. J. LIGHTFOOT, D. SOLANDER and Portland Catalogue (Nautilus **79** : 10)
— 1965P : Mar. moll. CUMING coll. descr. by W.H.PEASE (B. Brit. Mus. (NH). Zool. Suppl. **1**)
— 1967H : Compos. relat. mar. moll. fauna Hawaiian Is. (Venus **25**(**3**/**4**) : 96)
— 1968S : The SAUL cowry collection (J. of Conch. **26** : 309)

KAY (E.A.) & WEAVER (C.S.) 1962C : The genus *Cypraea* in : WEAVER (C.S.) Haw. Mar. Moll. **1**(**20**) : 76
— — 1963C : do. **2**(**21**) : 80; **2**(**22**) : 84; **2**(**23**) : 88; **2**(**24**) : 92
— — 1964C : do. **2**(**25**) : 96

KAYSER (E.) 1924F : Lehrb. geol. Formationskunde (6. + 7. ed.) (Stuttgart) **2**, Index : 598, 606

KEEN (M.) 1947S : Spec. moll. coll. STANFORD Exped. (Min. Conch. Club. SCalif. no. **75** : 3)
— 1958W : Sea shells trop. WAmer. : Mar. moll. Lower Calif. to Colombia (Stanford, Calif.)
— 1960W : do. (revised ed.) : 326
— 1960P : Range extensions Panamic moll. (Min. Conch. Club SCalif. **194** : 19)
— 1962M : Syst. place *Cypraea mus* (Veliger **4**/**3** : 161)

— 1963G : Mar. moll. genera Western NAmer. (Stanford, Calif.) : 31
— 1968W : West Amer. moll. types Brit. Mus. (NH.) IV. CARPENTER's Mazatlan coll. (Veliger **10**/**4** : 435)

KEEP (J.) 1888W : West coast shells (San Francisco) : 58
— 1892W : West coast shells (San Francisco) : 59
— 1904W : West. Amer. shells (San Francisco) : 207

KEFERSTEIN (Ch.) 1829V : Alphab. Verz. foss. Conch. (Z. Geogn. Geol. **8** : 52; **9** : 21)

KELLER (O.) 1913A : Die antike Tierwelt (Leipzig) : 541

KENNARD (A.S.) 1944N : Geol. Surv. Mus. Notes (P. Mal. S. London) **26** : 63, 68)

KENNARD (A.S.) & SALISBURY (A.E.) & WOODWARD (B.B.) 1931L : Types LAMARCK's gen. CHILDREN (Smiths. Misc. Coll. **82**/**17** : 34)

KENNELLY (D.H.) 1962S : Range 3 SAfr. Cypraeidae (Cowry **1**/**3** : 41)
— 1962F : *Cypraea fuscorubra* (Cowry **1**/**4** : 59)
— 1963C : Range *Cypraea citrina* (Cowry **1**/**5** : 74)
— 1964M : *C. marginalis* (Cowry **1**/**6** : 91)
— 1964H : *C. helvola meridionalis* (Cowry **1**/**6** : 93)
— 1964F : *C. felina* (Cowry **1**/**6** : 93)
— 1964C : *Cypraea chinensis* (Cowry **1**/**7** : 108)
— 1964D : Letter by E. DEE in Circ. 58 (Conch. S. SAfr. Circ. **59** : 6)
— 1964A : Mar. shells Southern Africa (Johannesburg)
— 1965N : Notes on SAfr. mar. shells (Conch. S. SAfr. Circ. **62** : 2)
— 1965G : *Cypraea guttata* (Conch. S. SAfr. Circ. **62** : 2)
— 1965L : (Conch. S. SAfr. Circ. **69** : 8)
— 1966V : *Volva volva* in SAfrican waters (Conchologist's Newsletter no. **16** : 107)
— 1966G : General Notes (Conch. S. SAfr. Circ. **80** : 3)
— 1966C : Observ. *C. capensis* (Conch. S. SAfr. Circ. **80** : 3)
— 1966A : Further notes *C. amphithales* (Conch. S. SAfr. Circ. **80** : 4)
— 1967F : Further details rec. « finds » of moll. (Conch. S.SAfr. Circ. **82** : 5)
— 1967G : General notes (Conch. S. SAfr. Circ. **85** : 3)
— 1967C : Range *C. caputserpentis* SAfr. (Cowry **2**/**1** : 6)
— 1967R : Range of Indo-Pacif. Cypr. SE-Coast of SAfr. (Conch. S. SAfr. Circ. **92** : 4)
— 1968D : *C. edentula* var. *denticulata* (Conch. S. SAfr. Circ. **93** : 4)
— 1968A : *C. algoensis* (Conch. S. SAfr. Circ. **94** : 3)
— 1968Z : *C. ziczac misella* (Conch. S. SAfr. Circ. **97** : 6)
— 1968S : Maximum size SAfr. mar. shells (Conch. S. SAfr. Circ. **98** : 4)
— 1968B : From the Border (Conch. S. SAfr. Circ. **100** : 9)

KENYON (A.F.) 1896C : Occurrence callosities *Cypraea* (P. Linn. S. NSWales **21** : 26, 29)
— 1897C : Descr. two new *Cypraea* (P. Linn. S. NSWales **22** : 145)
— 1898C : Note *Cypraea caputanguis* (P. Mal. S. London **3** : 77)
— 1900C : Two new *Cypraea* (P. Mal. S. London **4** : 68)
— 1902C : Undescr. var. of *Cypraea* (J. of Conch. **10** : 183)
— 1906E : Exhibits (P. Mal. S. London **7** : 3)

KERR (L.) 1964N : Cape notes (Conch. S. SAfr. Circ. **58** : 8)
— 1967N : Cape notes (Conch. S. SAfr. Circ. **87** : 3)

KERSHAW (R.C.) 1948T : [*C. tigris* growth] (Vict. Natural. Melbourne **65** : 75)
— 1955T : List moll. Tasm., Austr. (P. R. S. Tasm. **89** : 314)
— 1958T : Tasman. intertidal moll. (J. Mal. S. Australia, **2** : 58)

KERSLAKE (J.A.) 1954A : Aberrant cowries Keppel Is., Qu. (P. R. Zool. S. NSWales **1952-53** : 40)
— 1957Q : Descr. animals three Queensl. cowries (P.R. Zool. S. NSWales **1955-56** : 119)

KERVILLE (H. GADEAU DE) 1894N : Recherch. faune Normandie (Paris) : 107

KESTEVEN (H.L.) 1905P : Not. Prosobranch. (P. Linn. S. NSWales **30** : 331)

KIENER (L.C.) 1834M : Spéc. Iconogr. coquilles (Paris) *Marginella* : 16

— 1843 O : Spéc. Iconogr. coquilles (Paris) *Ovula*
— 1843C : Spéc. Iconogr. coquilles (Paris) *Cypraea* : plates
— 1844C : Spéc. Iconogr. coquilles (Paris) *Cypraea* 1-32
— 1845C : Spéc. Iconogr. coquilles (Paris) *Cypraea* 33-186

KIESENWETTER 1872C : Cui bono ? (SB. Nat. Ges. Isis **1872** : 47)

KING (S.G.) & PING (Ch.) 1931H : Moll. shells Hongkong (Hongkong Naturalist **2** : 24)
— — 1933H : Moll. shells Hongkong, 3 (Hongkong Naturalist **4** : 105)

KIRA (T.) 1959J : Coloured Illustrations shells of Japan (Osaka) (2. ed.) **1** : 45

KIRK (T.W.) 1882T : Descr. new tert. foss. (Tr. NZeal. Inst. **14** : 409)

KLECIAK (B.) 1873D : Cat. mar. moll. Dalmat. (Spalato) : 42

KLEIN (J.T.) 1753T : Tentam. meth. ostracol. (Lugd. Batav.) : 83

KLÖDEN (K.F.) 1834B : Verstein. Mark Brandenburg (Berlin) : 163

KNAUER (F.) 1887H : Handwörterbuch der Zoologie (Stuttgart) : 565

KNORR (G.W.) 1757V : Vergnüg. d. Augen u. d. Gemüths (Nürnberg) **1** : p. div.
— 1764V : Vergnüg. d. Augen u. d. Gemüths (Nürnberg) **2** : p. div.
— 1768V : Vergnüg. d. Augen u. d. Gemüths (Nürnberg) **3** : p. div.
— 1769V : Vergnüg. d. Augen u. d. Gemüths (Nürnberg) **4** : p. div.
— 1771V : Vergnüg. d. Augen u. d. Gemüths (Nürnberg) **5** : p. div.
— 1772V : Vergnüg. d. Augen u. d. Gemüths (Nürnberg) **6** : p. div.

KNORR (G.W.) & WALCH (J.E.J.) 1768K : Naturg. Verstein. KNORRischen Samml. (Nürnberg) **2** : t. 103

KNUDSEN (J.) 1955W : Notes mar. prosobr. trop. WAfrica (Rev. Zool. Bot. Africa **60** : 102)

KOBELT (W.) 1874T : Verz. Tarent. foss. Conch. (Jahrb. D. Malak. G. **1** : 71)
— 1878C : Illustr. Conchylienbuch (Nürnberg) **1** : 107
— 1887P : Prodr. faun. moll. mar. Europ. **2** : 156
— 1906I : Iconogr. schalentrag. europ. Meeresconch. (Wiesbaden) **4** : 21, 30, 43
— 1909M : Moll. für 1908 (Arch. Mollusk. **3** : 29)

KOCH (F.E.) 1862N : Beitr. Kenntn. Nordd. Tert. Conch. (Arch. Freunde Nat. Meklenburg **16** : 105)

KOEHLER (R.) 1886A : Litt. fauna Anglo-Norm. Isl. (A. Mag. NH. (**5**)**18** : 353)
— 1887A : Rech. faune îles Anglo-Normand. (Nancy) : 69

KOENEN (A. VON) 1867D : Mitt. Olig. Norddeutschl. (Palaeontogr. **16** : 100)
— 1872D : Mioc. Norddeutschl. Moll. (Schrift. G. N. Marburg **10**/**3** : 255)
— 1883R : Ref. : O. BOETTGER (Neu. Jahrb. Min. **1883**, pars **2** : 103)
— 1890N : Norddeutsch. UOlig. Moll. Fauna (Abh. Geol. Spez. Karte Preuss. **10**/**2** : 557)

KOENIG (C.D.E.) 1825I : Icones fossilium sectiles (London) **1** : 2, t. 2
— ... Icones fossilium sectiles **2** (not published) : t. 18

KÖNNECKE 1883C : Cat. Conch. Samml. : 15

KOJUMDGIEVA (E.) 1960F : in : KOJUMDGIEVA (E.) & STRACHIRIMOV (B.), Fosilite na Bulgatija. VII : Tortonian (Bulg. Acad. Sci. **1960** : 125, 307)

KOKEN (E.) 1896L : Die Leitfossilien (Leipzig) : 152

KOPERBERG (E.J.) 1931T : Jungtert. u. Quart. Moll. Timor (s'Gravenhage) : 124

KOROBKOV (J.A.) 1955S : Sprawotschnik Met. Rukow. tret. Moll. (Leningrad) : 241
— 1955H : Handbook and meth. Guide tert. moll. (Leningrad) : 245, t. 46 : 12

KOSSMAT (F.) 1897P : Cret. depos. Pondicherry (Rec. Geol. Surv. Ind. **30**/**2** : 101)

KRACH (W.) 1963B : Moll. Babica Clays (Paleoc.) Middle Carpath. 1. Gastrop. (Stud. Geol. Polon. **14** : 98)

KRANZ (W.) 1910C : Tertiär Castelgomberto (Neu. Jahrb. Miner., Beilbd. **29** : 257)

KRAUSE (A.) 1887N : Beitr. mar. Fauna nördl. Norwegen (Berlin) : 17

KRAUSS (F.) 1848S : Die südafrikanischen Mollusken (Stuttgart) : 126

KREBS (H.) 1864W : West-Indian mar. shells (Nykjöbing — not published) : 41 [Reprint 1947 : Rev. S. Mal. Cuba **5** : 72]

— 1867B : Cat. mar. moll. Bahama (A. Lyc. NYork **8** : 429)

KRISHNAN (M.S.) 1943G : The Geology of India and Burma : 429

KRÜGER (J.F.) 1823U : Geschichte der Urwelt (Quedlinburg) **2** : 421, 432

KRUMBECK (L.) 1906T : Geol. Pal. Tripolis (Palaeontogr. **53** : 121)

KÜHNAU (J.Ch.W.) 1818R : Das Reich der Conchylien (Berlin) : 81

KÜHNELT (W.) 1933B : Wie beschafft Schnecke Baustoff d. Schale ? (Natur u. Museum **63** : 31)

KURODA (T.) 1928J : New Japanese moll. (Venus **1** : 10)
— 1928A : Cat. shell-bearing moll. Amami-Osima (Kagoshima) : 44
— 1929J : New Japanese shells, 1 (Venus **1** : 77)
— 1929K : Moll. fauna prov. Kii (Venus **1** : 126)
— 1932J : Notes interest. shells Jap. fauna (Venus **3** : 117)
— 1933H : Cat. moll. Hukui-ken : 187
— 1933G : List genera Japan. moll. (Venus **4** : 186)
— 1933F : List shells Fukui prefect., Echizen and Wakasa : 186
— 1934S : Some rare shells Sagami Bay (Venus **4** : 206)
— 1938C : Two new Japanese cowries (Venus **8** : 130)
— 1941T : Cat. moll. shells Taiwan (M. Fac. Sci. Agr. Taihoku Imp. Univ. **22/4** : 99)
— 1942C : Class. closely allied Jap. Cypraeidae (Venus **12** : 81)
— 1958P : Jap. spec. of *Primovula* series (Venus **20** : 167)
— 1960M : Cat. moll. fauna Okinawa Is. (Univ. Ryukyus) : 22, 74, t. 3
— 1961I : New identification moll. spec. descr. in « Mokuhachi-Fu » (1843) (Venus **21** : 385)

KURODA (T.) & HABE (T.) 1961J : in : HABE (T.), Coloured illustr. shells of Japan (Osaka) : 42, t. 19

LADD (H.S.) 1934V : Geol. Vitilevu, Moll. (B. Bishop Mus. **119** : 217)
— 1945L : in : LADD (H.S.) & HOFFMEISTER (J.E.) Geol. of Lau, Fiji; Moll. (B. Bishop Mus. **181** : 362)

LAKE — error for REEVE 1835S

LAMARCK (J.B. DE) 1798T : Tabl. encycl. méthod. (Paris) : t. 349, 376
— 1799P : Prodrome (M. S. HN. Paris **1799** : 69)
— 1801S : Syst. anim. s. vert. (Paris) : 71
— 1802P : Mém. foss. envir. Paris (A. Mus. HN. Paris **1** : 387)
— 1805P : Sur les foss. envir. Paris (A. Mus. HN. Paris **6** : 225)
— 1809P : Philos. zoologique (Paris) : 322
— 1810P : Descr. genre Porcelaine (A. Mus. HN. Paris **15** : 443; **16** : 89)
— 1810 O : *Ovula* (A. Mus. HN. Paris **16** : 109)
— 1822A : Hist. nat. anim. s. vert. (Paris) **7** : 375

LAMBERT (G.) 1966L : Letter (Conch. S. SAfr. Circ. **73** : 6)

LAMEERE (A.) 1895B : Man. faune Belgique (Bruxelles) **1** : 237

LAMOTHE (Gén.) & DAUTZENBERG (Ph.) 1908S : Gîtes fossilif. plais. Sahel d'Alger (B. S. Géol. France (**4**)**7** : 493)

LAMY (E.) 1907T : Coqu. mar. GRAVIER S. Thomé (B. Mus. HN. **13** : 148)
— 1907A : Coqu. mar. NEVEU-LEMAIRE Amér. Mérid. (B. Mus. HN. **13** : 534)
— 1908A : Coqu. mar. CHEVALIER Afr. Occid. (B. Mus. HN. **14** : 286)
— 1909M : Coqu. mar. Madagascar (M. S. Zool. France **22** : 311)
— 1909A : Altér. des coqu. dans la collect. (B. Mus. HN. **15** : 261)
— 1909J : Coqu. mar. Java (B. Mus. HN. **15** : 466)
— 1930L : Quelqu. mots lithophagie gastér. (J. de Conchyl. **74** : 20)
— 1930B : Les conchyl. BRUGUIÈRE et HWASS (J. de Conchyl. **74** : 48)
— 1930T : Quelqu. cas tératologiques gastér. (J. de Conchyl. **74** : 222)
— 1932R : Faits de ressemblance (J. de Conchyl. **76** : 163)
— 1933E : Quelqu. mots coqu. embryonn. moll. (J. de Conchyl. **77** : 16)
— 1933M : Métam. chez les moll. testac. (J. de Conchyl. **77** : 130, 134, 135)
— 1933V : Quelqu. mots durée de la vie moll. (J. de Conchyl. **77** : 489)
— 1936M : *C. moneta* côte occid. Afrique (B. Mus. HN. (**2**)**8** : 263)

— 1936P : List moll. île de Pâques (B. Mus. HN. (**2**)**8** : 267)
— 1937D : Dimorphisme sexuel coqu. (J. de Conchyl. **81** : 290)
— 1938P : Moll. île de Pâques (J. de Conchyl. **82** : 131)
— 1945C : Gastér. abandonnant coquille (J. de Conchyl. **86** : 33)

LANCASTER (E. le C.) 1928T : *Cypraea tigris* var. *nephelodes* (J. of Conch. **18** : 247)

LANDER (W.) 1963K : Kamaran (Cowry **1**/**5** : 80)

LANDRIEN 1873F : Les plages de la France : 135, 137

LANG (C.N.) 1722M : Method. nova et facilis (Lucernae) : 9

LANGFORD (D.B.) 1930R : Not. coll. Riu Kiu Isls. (Venus **2** : 127, 128, 130)

LASERON (C.F.) 1938C : Unusual occ. cowries Sydney (Austr. J. Sci. Sydney **1** : 63)

LASKEY (J.) 1811N : Account North Brit. test. (M. Werner S. Edinburgh **1** : 395)

LATREILLE (P.A.) 1862F : Famill. nat. règne animal (Paris) : 198

LAUBRIÈRE 1881P : Esp. nouv. bassin Paris (B. S. Géol. France (**3**)**9** : 379)

LAURENT (P.) 1939G : Coll. coqu. Gouraya 1936-37 (J. de Conchyl. **83** : 322)

LAVEZZARI (M.) 1903V : Coqu. Val-André, Côtes du Nord (J. de Conchyl. **51** : 31)

LAWS (C.R.) 1935E : Genus *Erato* tert. NZealand (Tr. R. S. NZeal. **65** : 17)
— 1939K : Moll. Pakaurangi Pt., Kaipara (Tr. R. S. NZeal. **68** : 467, 489)
— 1941P : Moll. faun. Pakaurangi Pt., Kaipara (Tr. R. S. NZeal. **71** : 144)

LAWS (H.) 1966M : *Zoila marginata* in South Australia (Rec. SAustr. Mus. **15** : 251)

LEA (A.) 1895E : Exhibits (P. Linn. S. NSWales (**2**)**9** : 708)

LEA (H.C.) 1848C : Cat. tert. test. US. (P. Ac. N. Sci. Philad. **4** : 98)

LEA (I.) 1833G : Contr. to geology (Philad.) : 176

LEACH (W.E.) 1847B : Classif. Brit. Moll. (A. Mag. NH. **20** : 269)

LEBOUR (M.V.) 1931T : Larval stag. *Trivia europaea* (J. Mar. Biol. Ass. Un. Kingd. **17** : 819)
— 1932S : Larval stag. *Simnia patula* (J. Mar. Biol. Ass. Un. Kingd. **18** : 107)
— 1932C : Cowries : Life hist. little mar. animal (NH. NYork **32** : 188)
— 1933T : Brit. spec. *Trivia* (J. Mar. Biol. Ass. Un. Kingd. **18** : 477)
— 1933E : Larval stag. *Erato* (J. Mar. Biol. Ass. Un. Kingd. **18** : 485)
— 1935E : Echinospira larvae Plymouth (P. Zool. S. London **1935** : 163)
— 1937E : Eggs and larvae Brit. Prosobr. (J. Mar. Biol. Ass. Un. Kingd. **22** : 147)

LECKENBY (J.) & MARSHALL (J.T.) 1875N : North Sea dredging (A. Mag. NH. (**4**)**16** : 393)

LEE (R.) 1960C : Crab enemy of cowries (Haw. Sh. News (n. s.) **2** : 4)
— 1960L : *Cypraea langfordi* (Haw. Sh. News (n. s.) **7** : 3)
— 1960T : Changing theory to fact (Haw. Sh. News (n. s.) **8** : 2)

LEE (R.) & BARRETTO (R.) 1963P : Philippine Exped. NW-Palawan and Calamian Group (Haw. Sh. News (n. s.) **48** : 6)

LEFÈVRE (Th.) 1876R : Rapport : RUTOT, Descr. *Rostellaria robusta* (B. S. Mal. Belg. **11** : LXXXIII)
— 1878C : Communications (B. S. Mal. Belg. **13** : XVIII)
— 1878 O : Descr. Ovule environ Bruxelles (M. S. Mal. Belg. **13** : 22)

LE ROUX (G.C.) 1968S : Shelling notes : East London and Haga-Haga (Conch. S. SAfr. Circ. **93** : 4)
— 1968J : Shelling at Jeffrey's Bay (Conch. S. SAfr. Circ. **100** : 10)

LESSER (F.C.) 1744T : Testaceo Theologia (Leipzig) : 144

LESSON (R.P.) & LUROTH 1829 O : in : SOWERBY (G.B. 1), Esp. réc. genre *Ovulum* (B. Sci. N. et Géol. sect. II, **18** : 124)

LEUNIS (J.) 1860S : Synopsis d. Thierkunde
— 1883S : Synopsis d. Thierkunde (3. ed. : H. LUDWIG) (Hannover) **1** : 936

LEYMERIE (A.) 1878P : Descr. géol. Pyrén. Haute-Garonne (Toulouse) Atlas : t. Z1
— 1881P : Descr. géol. Pyrén. Haute-Garonne (Toulouse) : 807, 829

LIÉNARD (E.) 1877M : Cat. faune mal. Maurice (Paris) : 38, 77, 95, 103, 110

LIGHTFOOT — see SOLANDER

LINCK (J.H.) 1783L : Index Mus. LINCKiani (Leipzig) : 140

LINK (H.F.) 1807R : Beschr. Natur. Samml. Rostock (Rostock) **2** : 85; **4** : 12
— 1830E : Handb. d. phys. Erdbeschreib. **2(1)** : 437

LINNÉ (C. VON) 1740S : Syst. nat. (2. ed.) : 64
— 1758S : Syst. nat. (10. ed.) (Holmiae) : 718
— 1759D : Anim. spec. meth. disp. sec. 10. Holmed. (Ludg. Batav.) : 228
— 1764L : Mus. Ludov. Ulric. (Holmiae) : 565
— 1767S : Syst. nat. (12. ed.) (Holmiae) : 1172
— 1771M : Mantissa plantarum (Holmiae) : 548

LINSTOW (O. VON) 1922D : Verbreit. tert. Meere Deutschl. (Abh. Preuss. Geol. Landesanst. **(2)87** : 61, 100, 104, 166)

LISCHKE (C.E.) 1867J : Konchyl. v. Jedo (Malak. Blätt. **14** : 170)
— 1869J : Japan. Meeresconch. (Cassel) **1** : 69
— 1871J : Japan. Meeresconch. (Cassel) **2** : 62
— 1874J : Japan. Meeresconch. (Cassel) **3** : 46

LISTER (M.) 1678A : Hist. anim. Angliae, de Araneis et Cochleis (London) **3** : 168
— 1688H : Hist. synops. meth. conchyl. (London) **4** : s. 9 : t. 655, 827

LIVERSIDGE (M.J.H.) 1962M : *Cypraea microdon* (J. of Conch. **25** : 122)
— 1963M : Occurrence *C. microdon* East Africa (J. of Conch. **25** : 164)
— 1963D : Coll. *Cypraea* Diani, Kenya (J. of Conch. **25** : 166)
— 1967I : Interbreeding between two East African cowries (Cowry **2/1** : 7)
— 1968M : Distrib. *C.* (*Eros*). *marginalis* EAfr. coast (J. of Conch. **26** : 229)

LO BIANCO (S.) 1888N : Not. matur. anim. Golfo di Napoli (Mitt. Zool. Stat. Neapel **8** : 420)
— 1899N : Not. matur. anim. Golfo di Napoli (Mitt. Zool. Stat. Neapel **13** : 522, 525)

LOCARD (A.) 1878L : Descr. faune molasse Lyonn. : 44
— 1884A : Hist. moll. dans l'antiquité (Lyon) : 33, 233
— 1885G : Note faune mal. gallo-romaine (Lyon) : 4, 15
— 1886F : Prodr. malac. France : Cat. gén. moll. viv. France (Lyon) : 89, 535
— 1890H : Huîtres et moll. comestibles (Paris) : 47
— 1892F : Coqu. mar. côtes de France (Paris) : 34
— 1894D : Not. Conchyl. 28 : Descr. deux coqu. mar. (L'Échange **10** : 131)
— 1896F : Cypraeidés côtes de France (L'Échange **12** : 51, 58)
— 1896C : Note ethnogr. moll. NCalédonie (Lyon)
— 1897T : Expéd. « Travailleur » et « Talisman » (Paris) Moll. **1** : 96
— 1898C : Coqu. mar. côtes de France (Ann. S. Agric. Lyon **(7)6** : 132)
— 1899F : Coqu. mar. côtes de France (Paris) : 36

LOCARD (A.) & CAZIOT (E.) 1900C : Coqu. mar. côtes Corse (Paris) : 31

LOCARD (A.) & COTTEAU (G.) 1876C : Faunes terr. tert. Corse : 82

LOCHNER (M.F.) 1716R : Rariora mus. BESLERiani (Nürnberg) : 75

LODDER (M.) 1900T : List Tasman. shells (P. R. S. Tasm. **1898/99** : 133)
— 1902T : Rec. moll. Tasmania (P. R. S. Tasm. **1900/01** : 102, 103)

LÖNNBERG (E.) 1931C : Unters. Vorkommen carotinoider Stoffe (Ark. Zool. **22/A.14** : 23)

LONICER (A.) 1552P : Hist. nat. plant. anim. metallorum : 305
— 1555N : Naturalis hist. opus novum (Frankfurt) **2** : 305)

LORIÉ (J.) 1887/89C : Foss. moll. Curaçao, Aruba, Venez. (Samml. Geol. Reichsmus. **(2)1** : 133)

LOVÉN (S.) 1846S : Ind. moll. litt. Scandinav. habit. (Stockholm) : 16
— 1847M : Om tung. bevapn. moll. (Oefv. K. Vet. Ak. Förh. Stockholm **1847** : 192)

LOWE (H.N.) 1903N : Moll. S. Nicholas Isl. (Nautilus **17** : 67)
— 1933P : Cruise « Petrel » (Nautilus **46** : 112)
— 1935M : New mar. moll. WMexico (Tr. SDiego S. NH. **8** : 22)

Lowe (R.T.) 1860M : List shells Mogador (London) : 175

Lowry (J.W.) 1853B : Tabul. view charact. Brit. fossils : t. 1
— ... Figures charact. Brit. fossils : t. 1, 4

Ludbrook (N.H.) 1941H : Gastr. Abattoirs Bore, Adelaide (Tr. R. S. SAustr. **65** : 79, 94)
— 1958A : Moll. plioc. Adelaide plains. 5 (Tr. R. S. SAustr. **81** : 43, t. 1)

Ludwig Salvator 1890M : Die Insel Menorca (Leipzig) : 54

Lundgren (B.) 1867L : Pal. Iakttag. Faxekalken Limhamn (Lunds Univ. Arsskrif. **1867** : 15)

Lyell (Ch.) 1840D : Cret. Danish Isl. (Tr. Geol. S. London **(2)5** : 249, 250)
— 1857G : Geologie (ed. Cotta (B.) from the 5th ed.) (Berlin) **1** : 232

Mabille (J.) & Le Mesle (G.) 1866C : Obs. faune mal. Cochinchine et Cambodge (J. de Conchyl. **14** : 120)

Mac Andrew (R.) 1849V : Moll. Bay of Vigo (A. Mag. NH. **(2)3** : 513)
— 1850S : Rep. South Europ. mar. invert. (Rep. Brit. Assoc. **1850** : 266 etc.)
— 1852C : Note moll. Canary, Madeira (London) : 6, 8
— 1854A : Geogr. distr. moll. North. Atlantic (Liverpool) : 14 etc.
— 1857A : Mar. moll. North-East Atlantic (Rep. Brit. Assoc. (for 1856) **26** : 127, 151)
— 1860B : List Brit. mar. invert. fauna (London) : 218
— 1860S : Compar. size moll. (A. Mag. NH. **(3)5** : 119)
— 1870S : Test. moll. Gulf of Suez (A. Mag. NH. **(4)6** : 440)

Mac Andrew (R.) & Barrett (L.) 1856D : Moll. Drontheim and North Cape (A. Mag. NH. **(2)17** : 379)

Mac Andrew (R.) & Woodward (H.) 1864C : Moll. Corunna Bay (A. Mag. HN. **(3)4** : 232)

Macaré (F.J.M. Rethaan) 1888C : Cat. coll. Macaré (Utrecht) : 48

Mac Coy (F.) 1867M : Descr. 2 new foss. cowries Melbourne (A. Mag. NH. **(3)20** : 436)
— 1874R : in : Smyth's Progr. Report : 35
— 1875V : Prodr. Pal. Victoria (Melbourne) **2** : 19
— 1876V : Prodr. Pal. Victoria (Melbourne) **3** : 35, 39
— 1877V : Prodr. Pal. Victoria (Melbourne) **5** : 35

Macdonald (J.D.) 1856P : Probl. metamorph. *Pedicularia* (Tr. Linn. S. London **22** : 241)

Macé (J.A.) 1860C : Ess. cat. moll. Cherbourg et Valognes (Séance Congr. Sci. France Cherbourg **1860** : 8)

Macgillivray 1845B : in : Bronn, Conch. Text Book (6. ed.) : 50

Macgillivray (J.) 1852R : Narrat. Voy. « Rattlesnake » (London) **1** : 108

Macgillivray (W.) 1843A : Moll. anim. Aberdeen (1. ed.) (London) : 68, 188
— 1844S : Moll. anim. Scotland (2. ed.) (London) : 64, 175, 189

Mac Intosh (W.C.) 1874A : Moll. St. Andrews (A. Mag. NH. **(4)13** : 427)

Macnae (W.) & Kalk (M.) 1958I : Nat. hist. Inhaca Isl. (Johannesburg)

Mac Neil (F.S.) 1960T : Tert. quatern. gastr. Okinawa (Prof. Pap. US. Geol. Surv. **339** : 49)

Macpherson (J.H.) 1966P : Port Phillip Survey 1957-63 : Moll. (M. Nat. Mus. Melbourne, no. **27** : 219, 254)

Macpherson (J.H.) & Chapple (E.H.) 1951V : List mar. estuar. moll. Victoria (M. Nat. Mus. Victoria **17** : 128)

Macquart (J.) 1850L : Cat. Mus. hist. nat. Lille (Lille) **2** : 584

Majer (St.) 1915B : Sedim. Bild. Börzsönyer Geb. (Földtani Közlöny **45** : 82, 89)

Major (J.D.) 1675P : in : Columna (F.) De Purpura (2. ed.) (Kiel) : 43, 44, t. 4

Makiyama (J.) 1927K : Moll. Kakegawa Series Tôtômi (M. Coll. Sci. Kyoto Univ. **(B)3/1** : 75)

Malard (A.E.) 1887G : Syst. glandul. oesophag. taeniogl. (S. Philom. **2** : 108)
— 1889C : Struct. app. radul. Cypréidés (B. S. Philom. **(8)1** : 65)

Malatesta (A.) 1960G : Malacofauna pleistoc. Grammichele, Sicilia (M. Carta Geol. d'Italia, Roma : 114)

Malm (A.W.) 1855S : Mal. bidrag. Skand. fauna (Götheborgs Vetensk. n. Handl. (n. s.) **3** : 43)

Malzine (F. de) 1867B : Ess. faune mal. Belgique (Bruxelles) : 56

MAN (J.G. DE) 1877M : in : POLLEN (F.P.L.) & VAN DAM (D.C.) Rech. faune Madagascar (Leiden) **5**, Moll. : 35

MANGER (W.T.) 1902C : Popul. notes Cypraeidae (P. South London S. **1902** : 10)

MANSFIELD (W.C.) 1925T : Mioc. gastr. Trinidad (P. US. N. Mus. **66/2559** : 49)
— 1930F : (Florida Geol. Surv. B. **3** : 94)
— 1931F : Tert. moll. South. Florida (P. US. N. Mus. **79/21** : 6)

MANT (C.F.) 1922H : Shore reef hunting Hawaii (Nautilus **35** : 83)

MANTOVANI (P.) 1868P : Distr. gen. fauna mar. plioc. (Roma) : 16, 35
— 1874R : Descr. geol. Campana Romana (Torino) : 42

MANZONI (A.) 1868S : Sagg. conch. foss. subapenn., Sabbie gialle (Imola) : 35

MARAVIGNA (C.) 1838S : Mém. hist. nat. Sicile (Paris) : 67

MARI (J.G.) 1930P : Fauna conqu. Penins. y Baléar. (B. Inst. Catalana (**2**)**10** : 133)

MARIE (E.) 1869C : Not. coqu. NCalédon. (J. de Conchyl. **17** : 16)

MARINE BIOLOG. Assoc. 1931P : Plymouth marine fauna (2. ed.) (Plymouth) : 258

MARINONI (C.) 1879F : Contr. geol. Friuli : Ult. osserv. Eoc. Friul. (Atti S. Ital. Sci. N. **21** : 656, 657)

MARION (A.F.) 1883G : Esqu. topogr. zool. Golfe de Marseille : p. div.
— 1883M : Consid. faun. profond. Méditerr. (Marseille) : 29, 41, 45
— 1898D : Not. faune Dardanelles Bosphore (A. Mus. Marseille (**2**)**B.1** : 171, 175)

MARIS (J.L.F. VAN DER PUTTE) 1914V : Vacantieherinnering (Lev. Natuur **19** : 71)

MARKHAM (J.) 1967Z : Note *Cypraea ziczac* Southern Tanganyika (Cowry **2/1** : 13)
— 1967M : Collecting at Mukalla, South Arabia (Cowry **2/1** : 13)

MARRAT (F.P.) 1865D : in : STEVENS, The celebr. DENNISON coll. cat. shells (London) : div. no.
— 1867T : New *Oliva* and *Trivia* (A. Mag. NH. (**3**)**20** : 215)
— 1868F : *Cypraea fuscodentata* (A. Mag. NH. (**4**)**2** : 455)
— 1874W : List West African shells (Quart. J. Conch. **1** : 244)

MARSH (T.) 1966P : A weekend with Proserpine shellers (Keppel Bay Tidings **5/2** : 3)

MARSHALL (J.T.) 1893B : Addit. Brit. conch. (J. of Conch. **7** : 263)
— 1912B : Addit. Brit. conch., 7 (J. of Conch. **13** : 326)

MARSHALL (P.) 1915 O : Cainozoic foss. Oamaru (Tr. NZeal. Inst. **47** : 379)
— 1917W : The Wangaloa Beds (Tr. NZeal. Inst. **49** : 461)
— 1918P : Test. moll. Pakaurangi Point (Tr. NZeal. Inst. **50** : 273)
— 1919H : Fauna Hampden Beds Oamaru (Tr. NZeal. Inst. **51** : 227)

MARSHALL (P.) & MURDOCH (R.) 1921T : Some tert. moll. (Tr. NZeal. Inst. **53** : 81)

MARSHALL (P.) & UTTLEY (G.H.) 1913 O : Some loc. foss. Oamaru (Tr. NZeal. Inst. **45** : 300)
— — 1914 O : Loc. foss. near Oamaru (Tr. NZeal. Inst.) **46** : 279)

MARTEL (H.) 1900C : Coqu. de Cancale : 3
— 1901C : Coqu. de Cancale, Suppl. : 1

MARTENS (E. VON) 1866R : Verz. SCHWEINFURTH Rot. Meere ges. Gegenst. (Verh. Zool. Bot. Ges. Wien **1866** : 381)
— 1869 O : in : DECKEN (C.C. VON DER), Reisen in Ostafrika (Leipzig) **3/1**, Moll. : 63
— 1872H : Moll. St. Helena (Nachr. Deut. Malak. Ges. **4** : 60)
— 1872C : Conchyl. COOK's Reisen (Malak. Blätt. **19** : 11, 33, 38, 40)
— 1872B : Conch. BOUGAINVILLE's Reise (Malak. Blätt. **19** : 63)
— 1872V : Verschied. Verwendung Conchyl. (Z. Ethnologie **4** : 36, 72, etc.)
— 1874S : Südafrik. Mollusken (Jahrb. Deut. Malak. Ges. **1** : 145)
— 1879M : PETERS' Mossambique Moll. (Monatsber. Ak. Wiss. Berlin **1879** : 730)
— 1879I : Conchyl. v. Ilium (SB. Ges. Freunde Berlin **1879** : 90)
— 1880S : in : MÖBIUS (K.) Beitr. Meeresfauna Mauritius u. Seychellen (Berlin) : 268
— 1882W : Moll. Westamerika (SB. Ges. Freunde Berlin **1882** : 142)
— 1882N : Nordostaustral. Litoralfauna (Nachr. Deut. Malak. Ges. **14** : 91)
— 1883S : Meeresconch. v. Salanga (Conchol. Mitt. **2** : 137)
— 1883M : Meeresschneck. v. Socotora (Conchol. Mitt. **2** : 151)

— 1887M : List shells Mergui (Zool. J. Linn. S. London **21** : 185)
— 1894F : in : Semon (R.) Zool. Forsch. in Australien (Jena) **5/1** : 91
— 1902R : Rumphius Gedenkboek : Moll. Rumpfsch. Raritätenkammer (Haarlem) : 122
— 1902C : Meeresconch. d. Cocos-Insel (SB. Ges. Freunde Berlin **1902** : 137, 139)
— 1903V : in : Martens (E. von) & Thiele (J.) Ergebn. D. Tiefsee-Exp. « Valdivia » (Jena) **7**, Gastrop : 19, 41, 54, 139

Martens (E. von) & Langkavel (B.) 1871S : Südseeconchyl. in : Donum Bismarckianum (Berlin) : 20, 33, 65, 67, 69

Martens (G. von) 1824V : Reise nach Venedig (Ulm) n. 124

Martin (G.C.) 1904M : Mioc. Gastr. in : Maryland Geol. Surv. (Baltimore), Mioc. : 227

Martin (K.) 1879J : Tertiärschichten von Java (Leiden) : 21
— 1881B : Posttert. Fauna Blitong (Not. Leyden Mus. **3** : 20)
— 1883J : Tert. Versteinerungen östl. Java (Samml. Geol. Reichsmus. **(1)1** : 120)
— 1883N : Nachtrag zu : Tert. Schicht. Java, 1. Moll. (Samml. Geol. Reichsmus. **(1)1** : 230)
— 1887J : Pal. Ergebn. Tiefbohr. Java (Samml. Geol. Reichsmus. **(1)3** : 140)
— 1890T : Beitr. Geol. Timor u. Celebes (Tijd. Kon. Ned. Aardr. Gen. **(2)7** : 277)
— 1899J : Foss. von Java (Samml. Geol. Reichsmus. **(2)1/1** : 165)
— 1907R : Altmioc. Gastrop. Fauna Rembang (Samml. Geol. Reichsmus. **(1)8** : 146)
— 1911J : Vorläuf. Bericht Geol. Java, 1. Teil (Samml. Geol. Reichsmus. **(1)9** : 17, 20, 23)
— 1912J : Vorläuf. Bericht Geol. Java, 2. Teil (Samml. Geol. Reichsmus. **(1)9** : 109, 134, 136)
— 1914J : Wann löste sich Ind. Archipel von Tethys ? (Samml. Geol. Reichsmus. **(1)9** : 345)
— 1914N : Fauna Obereocän Nanggulan (Samml. Geol. Reichsmus. **(2)2** : 156)
— 1916P : Altmioc. Fauna West-Progo-Gebirge Java (Samml. Geol. Reichsmus. **(2)2** : 244, 245)
— 1917C : Bemerk. sog. oligoc. Verstein. Celebes (Samml. Geol. Reichsmus. **(2)2** : 300)
— 1918C : Some foss. Celebes Oligoc. (P. Sect. Sci. k. Ak. Wet. Amsterdam **20** : 795, 798)
— 1919J : Uns. palaeozool. Kenntn. v. Java (Samml. Geol. Reichsmus. Beil.-Bd. : 90, 137)
— 1922N : Moll. Njalindung-Schichten (Samml. Geol. Reichsmus. **(2)1/2** : 492)
— 1928A : Moll. Neogen Atjeh, Sumatra (Wetensch. Meded. **10**, Mijnbouw Ned. Indië : 8, 18, 25, 28)
— 1928J : Nachlese neogen. Moll. Java (Leidsche Geol. Meded. **3/2** : 109, 111, 115, 125)

Martin-Icke (H.) 1911P : in : Selenka & Blanckenhorn, Pithecanthrop. Schicht., geol.-pal. Ergebn. Foss. Gastr. : 46

Martini (F.H.W.) 1769C : Neues Syst. Conch. Cab. (Nürnberg) **1** : 295, 314, 324
— 1773C : Neues Syst. Conch. Cab. (Nürnberg) **2** : t. 65

Martorell y Peña (F.) 1888C : Cat. coll. conch. (Barcelona) : 23

Martyn (Th.) 1784C : The universal Conchologist (London) **1** : t. 14, 15, 59, 60
— 1786C : The universal Conchologist (London) **2** : t. 96

Marwick (J.) 1926W : Moll. Waiarekan Stage (Tr. NZeal. Inst. **56** : 314)
— 1928Z : Tert. NZealand (Tr. NZeal. Inst. **58** : 482)
— 1929Z : Tert. NZealand (Tr. NZeal. Inst. **59** : 922)

Matheron (Ph.) 1842B : Cat. foss. Bouches-du-Rhône (Marseille) : 255

Maton (W.G.) & Rackett (Th.) 1807B : Descr. cat. Brit. test. (Tr. Linn. S. London **8** : 120, 133)

Matthews (H.R.) 1968M : Moll. in digestive tract of fish (P. Mal. S. London **38** : 247)

Matthioli (P.A.) 1554C : Commentarii in libr. 6 Dioscoridis de medica materia (Venezia)

Maury (C.J.) 1910F : Olig. shells Florida (B. Amer. Pal. **4/21** : 26)
— 1912T : Contr. Pal. Trinidad (J.Ac. N. Sci. Philad. **(2)15** : 86)
— 1917D : S. Domingo type sect. foss. (B. Amer. Pal. **5/29** : 113)
— 1920P : Sci. Surv. P. Rico : Tert. Moll. Porto Rico (NYork Ac. Sci. **3/1** : 58)
— 1922M : Recent moll. Gulf of Mexico (B. Amer. Pal. **9/38** : 82)
— 1925T : Furth. Contr. Pal. Trinidad : Mioc. (B. Amer. Pal. **10/42** : 219)
— 1930P : Cretaceo da Parahyba do Norte (Monogr. Serv. Geol. Brazil **8** : 200)
— 1936B : (Monogr. Serv. Geol. Brazil **11** : 222)

Mawe (J.) 1823L : Linn. Syst. of Conch. (London) : 93

MAY (W.L.) 1923C : Check list moll. Tasmania (Hobart) : no. 627
— 1923I : Ill. Index Tasman. shells (Hobart) : t. 30
— 1924K : Moll. King Isl. (P. R. S. Tasm. **1923** : 53)

MAYER [-EYMAR] (K.) 1864M : in : HARTUNG, Geol. Beschr. Madeira (Leipzig) : 261, 263
— 1869T : Coqu. foss. tert. sup. (J. de Conchyl. **17** : 286)
— 1870T : Descr. coqu. foss. tert. infér. (J. de Conchyl. **18** : 337)
— 1875T : Descr. coqu. foss. tert. sup. (J. de Conchyl. **23** : 66)
— 1876E : Syst. Verz. Verstein. Einsiedeln (Zürich) : 61, 94
— 1877E : Paläont. Pariserstufe Einsiedeln (Beitr. Geol. Karte Schweiz (**1**)**14**, Anhang : 18, 61, 94)
— 1894T : Descr. coqu. foss. tert. infér. (J. de Conchyl. **42** : 129)
— 1904G : Revue des grandes Ovules ou *Gisortia* (Vierteljahrschr. Ges. Zürich **49** : 35)

MAYFIELD (A.) 1901N : Norfolk mar. moll. (J. of Conch. **10** : 50)

MAYO (E.) 1832L : Lessons on shells (London) : 66
— 1838L : Lessons on shells (2. ed.) (London) : 68

MAYR (E.) 1936P : Comments proposed suppression of *Cypraea piperita* (B. Zool. Nomencl. **20** : 104)

MAZYCK (W.G.) 1913S : Cat. moll. SCarolina (Contrib. Charleston Mus. : 14)

McCAMLEY (F.) 1956B : Beauty of living moll. (P. R. Zool. S. NSWales **1954**/**55** : 70)

McCOY — see MAC COY

McGILL (O.) 1963M : Magic with money cowrie (Haw. Sh. News (n. s.) **43** : 6)
— 1964W : West African shell jewelry (Haw. Sh. News (n. s.) **49** : 3)

McMICHAEL (D.F.) 1964G : The Golden Cowry (Austral. Nat. Hist. **14** : 404)

McMILLAN (N.F.) 1957T : Types *C. lynx* var. *williamsi* (J. of Conch. **24** : 212)

McNEILL (F.) 1964G : Shells Great Barrier Reef (Austral. Nat. Hist. **14** : 372)

MEDER (J.C.) 1852C : Cat. coll. coqu. (Antwerpen) : 41

MEDLICOTT (H.B.) & BLANFORD (W.T.) 1879M : Manual geol. India, II : Extra-Peninsula India (Calcutta) : 459

MEEK (F.B.) 1964A : Check list invert. foss. NAmer., Cret. (Smithson. Coll. **7**/**177** : 19)
— 1964M : Check list invert. foss. NAmer., Mioc. (Smithson. Coll. **7**/**183** : 17)

MEEK (F.B.) & HAYDEN (F.V.) 1861N : Descr. Low. Silur foss. Nebraska (P. Ac. N. Sci. Philad. **1861** : 430)

MEER-MOHR (J.C. VAN DER) 1924V : Verwendung *Cypraea tigris* (Arch. Mollusk. **56** : 211)

MEHTA (F.) 1967Z : Cowries in Zanzibar (Cowry **2**/**1** : 16)

MELI (R.) 1895M : Rare spec. moll. Mte. Mario (B. S. Geol. Ital. **14** : 95)
— 1896S : Gastr. Sciacca e Pantelleria (B. S. Mal. Ital. **20** : 121)

MELLEVILLE (M.) 1843P : Mém. sabl. tert. inf. Paris (A. Sci. Géol. **2** : 119)

MELLIS (J.Ch.) 1875H : St. Helena, a descr. of the island (London) : 123

MELVILL (J.C.) 1880C : Moll. SCarolina and Florida (J. of Conch. **3** : 162)
— 1886M : Exhib. shells Manchester (J. of Conch. **5** : 51)
— 1888S : Survey gen. *Cypraea* (M. Manchester Lit. S. (**4**)**1** : 184)
— 1888/89C : Descr. new spec. *Cypraea* (J. of Conch. **5** : 288)
— 1892C : Notes *C. chrysalis* and *amphithales* (J. of Conch. **7** : 120)
— 1893C : On a var. of *Cypraea cruenta* (J. of Conch. **7** : 194)
— 1897N : Principles of nomenclature (J. of Conch. **8** : 470)
— 1898R : Note *Cypraea rashleighana* (J. of Conch. **9** : 85)
— 1899A : Note moll. Arabian Sea TOWNSEND (A. Mag. NH. (**7**)**4** : 91)
— 1900C : Descr. two *Cypraea* (A. Mag. NH. (**7**)**6** : 207)
— 1901C : *C. chrysalis* and *microdon* (J. of Conch. **10** : 117)
— 1904E : Exhibits (P. Mal. S. London **6** : 3)
— 1905E : Exhibits (J. of Conch. **11** : 88)
— 1905C : Four colour var. *Cypraea* (J. of Conch. **11** : 192)
— 1909C : Note *Trivia costispunctata* (J. of Conch. **12** : 296)

— 1909I : Rept. mar. moll. Gardiner Is. Indian Ocean (Tr. Linn. S. London (**2**)**13** : 69, 94)
— 1920B : Note *Cypraea bernardinae* (J. of Conch. **16** : 76)

MELVILL (J.C.) & ABERCROMBIE (A.) 1893B : Mar. moll. Bombay (M. Manchester Lit. S. (**4**)**7** : 17, 32)

MELVILL (J.C.) & STANDEN (R.) 1895L : HADFIELD coll. shells Lifu (J. of Conch. **8** : 111)
— — 1896L : HADFIELD coll. shells Lifu (J. of Conch. **8** : 131)
— — 1897L : HADFIELD coll. shells Lifu (J. of Conch. **8** : 407)
— — 1898 : ... (Nautilus **11** : 126)
— — 1898M : Mar. moll. Madras (J. of Conch. **9** : 45)
— — 1899C : Notes *caput-serpentis* group (J. of Conch. **9** : 233)
— — 1899T : Rep. mar. moll. Torresstraits (Zool. J. Linn. S. London **1899** : 164)
— — 1901P : Moll. Persian Gulf (P. Zool. S. London **1901** : 382)
— — 1903P : Descr. new gastr. Persian Gulf (A. Mag. NH. (**7**)**12** : 302)
— — 1904P : Cypr. Persian Gulf (J. of Conch. **11** : 117)
— — 1915V : Descr. new var. *Cypraea variolaria* (J. of Conch. **14** : 323)

MELVILL (J.C.) & SYKES (E.R.) 1899A : Third coll. Andaman Isls. (P. Mal. S. London **3** : 227)

MENDENHALL (G.) 1868M : Miscellany (Haw. Sh. News (n. s.) **99** : 2)

MENKE (K.Th.) 1828S : Synops. meth. moll. mus. MENKEano (1. ed.) (Pyrmont) : 47
— 1829M : Verz. Conch. Samml. Malsburg (Pyrmont) : 73
— 1830S : Synops. meth. moll. mus. MENKEano (2. ed.) (Pyrmont) : 79
— 1843N : Moll. Nov. Holland. specimen (Hannover) : 28
— 1847M : Verz. Send. Conch. Mazatlan (Z. Malak. **4** : 183)
— 1849B : Meeresconch. Bathurst NWAfrika (Z. Malak. **6** : 38)
— 1851M : Conch. von Mazatlan (Z. Malak. **8** : 33)
— 1853V : Conch. v. St. Vincent (Z. Malak. **10** : 78)

MERIAN (P.) 1838B : Beitr. mar. Tert. Kanton Basel (Ber. N. Ges. Basel **1838** : 34)

MERRIFIELD (Mrs.) 1860B : Sketch Nat. Hist. Brighton (Brighton) : 192

MERRILL (A.S.) & PETIT (R.E.) 1965S : Moll. new to SCarolina (Nautilus **79** : 62)

MESTAYER (M.K.) 1927Z : Some NZealand moll. (P. Mal. S. London **17** : 186)

MÉSZÁROS (N.) 1957T : Fauna mol. deposit. paleogene Nord-Vestul Transilvaniei (Ac. Rep. Pop. Romîne **1957** : 41)

MEUNIER (St.) 1880P : Rech. stratigr. sabl. Pierrefitte (Nouv. Arch. Mus. (**2**)**3** : 256)

MEUSCHEN (F.C.) 1766C : Miscell. conchyl : Cat. mus. CH(AISIANI) (Amsterdam) : 61
— 1766M : Miscell. conchyl. : Cat. mus. v. d. M(IEDENIANI) (Amsterdam) : 1
— 1766 O : Miscell. conchyl. : Cat. mus. OUDANIANI (Roterodami) : 70, 71
— 1773N : Miscell. conchyl. : Cat. mus. N(YEVELTIANI) (Amsterdam) : 271
— 1778G : Index mus. GRONOVIANI (Ludguni Bataverorum) : 106
— 1781G : Index to : GRONOW (L.T.), Zoophyl. GRONOV. (Lugduni Bataverorum) **3** : p. div.
— 1787G : Mus. GEVERSIANUM (Roterodami) : 397

MICHAELIS (G.A.) & SCHERK (H.F.) 1847N : Verz. Naturaliensammlung (Amtl. Bericht 24. Vers. Naturf. Ärzte Kiel : 118)

MICHAUD (A.L.G.) 1833A : Cat. test. Alger par ROZET (Strasbourg) : 21

MICHELOTTI (G.) 1838P : Geol. zool. Ans. tert. Piem. (Neu. Jahrb. Miner. **1838** : 369, 389)
— 1846B : Brief an BRONN (Neu. Jahrb. Miner. **1846** : 56)
— 1847I : Descr. foss. mioc. Italie sept. (Natuurk. Verhandel. Haarlem **3** : 323)
— 1861I : Stud. mioc. inf. Italie sept. (Natuurk. Verhandel. Haarlem **15** : 95)

MIGHELS (J.W.) 1845S : Descr. shells Sandwich Isls. (P. Boston S. **2** : 24)

MIGLIORINI (C.I.) 1920T : Geol. e Pal. Tobruc (Pal. Ital. **26** : 124, 127, 147)

MILLET (P.A.) 1854M : Pal. Maine-et-Loire (Angers) 158

MILLIGAN (J.) 1850P : (P. R. S. Vandiemensland **1** : 290)
— 1851P : Proceedings 14.5.1851 (P. R. S. Vandiemensl. **2** : 147)

MINER (R.W.) 1937M : What is a mollusk shell? (NH. NYork **40** : 404)

— 1950S : Field book seashore life (Minutes Conch. Club SCalif.)

MITCHELL (J.) 1867M : Cat. moll. mus. Madras (Madras) : 20

MIZUNDO (R.) 1962U : Underwater drama (Haw. Sh. News (n. s.) **30** : 1)

MÖRCH (O.A.L.) 1850K : Cat. conch. KIERULF (Hafniae) : 11
— 1852Y : Cat. conch. YOLDI (Hafniae) : 113
— 1854H : Fortegn. C. F. L. HENCK's Conch. Saml. (Kopenhagen) : 14
— 1854 O : Fortegn. Skolens nat. Saml. (Inbydelsesskr. Odense Cathedralskole, Juli **1854** : 27)
— 1855M : Fortegn. Saml. Conch. efter G. MÜLLER (Kopenhagen) : 8
— 1857S : Cat. Conch. M. N. SUENSON (Hafniae) : 21
— 1858L : Cat. Conch. N. Ch. N. LASSEN (Hafniae) : 13
— 1860A : Moll. Fauna Centr. Amer. (Malak. Blätt. **7** : 84)
— 1860C : Cat. coll. coqu. (C. FRIMUDT) vente 4.12.1860 (Kopenhagen) : 17
— 1868D : Tillaeg. Fortegn. Conch. Saml. O. L. A. DANNESKJOLD-SAMSE (Kopenhagen) : 7
— 1868F : Faunula moll. ins. Färöensium (N. Foren. Vidensk. Meddel. **4-7** [for 1867] : 105)
— 1872R : Synops. moll. J. REINHARDT (Vidensk. Medd. N. Foren. Kjöbenhavn **1872** : 16, 29)
— 1877I : Synops. moll. Ind. Occid. (Malak. Blätt. **24** : 44)

MÖRIKE (W.) 1896Q : Gastrop. Bivalv. Quiriquina-Schichten in : STEINMANN (G.), Beitr. Geol. Pal. Südamerika, 3 (Neu. Jahrb. Miner., Beil.-Bd. **10** : 98)

MOLLERAT (E.) 1890V : Départ. du Var : Cypraeidae (B. S. Mal. France **7** : 103)

MONTAGU (G.) 1803B : Test. Britann. (London) **1** : 200
— 1808B : Test. Britann. (London) Suppl. : 88

MONTEROSATO (T. A. DI) 1872M : Not. conch. mediterr. (Palermo) : 7, 54
— 1872P : Not. conch. foss. Mte. Pellegrino (Palermo) : 35
— 1875M : Nuova rev. conch. mediterr. (Atti Acc. Palerm. Sci. (**2a**)**5** : 45)
— 1875N : Poche note conch. mediterr. (Palermo) : 14
— 1877A : Coqu. d'Algérie (J. de Conchyl. **25** : 45)
— 1877C : Not. conch. rada Civitavecchia (Ann. Mus. Civ. S. N. Genova **9** : 426)
— 1877P : Cat. conch. foss. Mte. Pellegrino : 13
— 1878M : Enum. sinon. conch. mediterr. (Giorn. Sci. N. ed Econ. **13** : sep. 49)
— 1879A : Conch. coste d'Africa (B. S. Mal. Ital. **5** : 231)
— 1889M : Coqu. mar. marocaines (J. de Conchyl. **37** : 119)
— 1891F : Moll. foss. quatern. S. Flavia (Natur. Sicil. **10**/**6** : 125)
— 1891P : Relaz. fra moll. Mte. Pellegrino (B. S. Sci. N. Palermo **2** : sep. 4)
— 1897M : *Cypraea* de la Méditerr. (J. de Conchyl. **45** : 153)
— 1899C : Coqu. mar. Chypre (J. de Conchyl. **47** : 401)

MONTFORT (P. Denys DE) 1810C : Conchyl. syst. (Paris) **2** : 630

MONTGOMERY (T.) 1964G : Live Golden Cowries Guam (Haw. Sh. News (n. s.) **54** : 6)

MOORE (E.J.) 1962C : CONRAD's cenozoic foss. mar. moll. type specimens (P. Ac. N. Sci. Philad. **114** : div. p.)

MOORE (H.B.) 1934M : New faun. rec. Manx region (Rept. Mar. Biol. Sta. Port Erin **47** : 27)

MOORE (M.) 1942C : Note on conchology (The American Imago **3** : 113)
— 1942T : Conchology as occupational therapy (J. Fla. Med. Assoc. **29** : 20)

MORAAL (J.M.) 1961W : Opgespoelde schelpen uit Tertiair Westerschelde (Pub. Ned. Geol. Ver. (n. s.) **7** : 216)
— 1962Z : Ontsluitingen kwartair Zeeland (Pub. Ned. Geol. Ver. **1962** : 166)

MOREHOUSE (Mrs.) 1934E : Exhibits (J. of Conch. **20** : 94)

MORLET (L.) 1889C : Cat. coqu. Cambodge et Siam (J. de Conchyl. **37** : 139)

MORRIS (J.) 1843B : Cat. Brit. fossils (London) : 143

MORTENSEN (Th.) 1918P : Protect. habits mar. anim. (Vidensk. Meddel. Kjöbenhavn **1918** : 68)

MORTON (J.) 1953S : Functions gastrop. stomach (P. Linn. S. London) **164** : 240

MORTON (J.E.) 1958M : Molluscs (London) : 35

MORTON (S.G.) 1834C : Synops. organ. remains cret. US., **50** (Philadelphia) App. : 1

MOURLON (M.) 1881B : Géol. de la Belgique (Paris, Berlin, Bruxelles) **2** : 185

MÜLLER (Ph. L. St.) 1773A : in : VALENTYN (F.) Abhandlungen : 25, 140
— 1775N : LINNAEUS' Natursystem (Nürnberg) **6** : 385
— 1776N : LINNAEUS' Natursystem (Nürnberg) Suppl. : 373

MÜLLER (Ph. L. St.) & CHEMNITZ (J.H.) 1765A : in : RUMPF (G.E.) Amboin. Raritätenkammer (Wien) : 5, 89

MÜNSTER (G. Graf zu) 1828K : Verstein. Thoneisen Kressenberg, in : KEFERSTEIN (Ch.) Teutschl. geogn. dargest. **6/1** : 101

MUNIER-CHALMAS (E.P.A.) 1891V : Étud. tithonique du Vicentin (Paris) : 46

MURCHISON (R.J.M.) 1849A : Geol. struct. Alps, Apennins (Quart. J. Geol. S. London **5** : 311)

MURDOCH (R.) 1924T : Some tert. moll. (Tr. NZeal. Inst. **55** : 160)

MURRAY (A.) 1787F : Fundam. testaceol. (Diss. 158, 1771, Erlangen) in : LINNÉ (C. VON) Amoen. acad. (3. ser., ed. C. D. SCHEBER) **8** : 142

MYLIUS (C.) 1891T : Forme moll. mioc. Colli torin. S. Margherita (Atti Ac. Torino **26** : 460)

NAEF (A.) 1911M : Stud. Morph. Moll. 1. Torsion u. Asymmetrie Gastr. (Erg. Forsch. Zool. **3** : 73)

NARDO (G.D.) 1847V : Sinon. moderna spec. « Descr. golfo Veneto » CHIEREGHINI (Venezia) : 43

NATARAJAN (A.V.) 1954B : Breeding habits *Erronea errones* (Curr. Sci. **23** : 225)

NATH (B.) 1959S : Animal remains 12th cent. Sarnath, Utter Pradesh. India (J. Zool. S. Ind. **10(2)** [1958] : 165)

NATH (Raj.) & CHIPLONKER (G.W.) 1938L : Pal. study gastr. Laki Bagatora, Sind (P. Ind. Ac. Sci., sect. **B6** : 245)

NEAVERSON (E.) 1928P : Stratigraphical Palaeontology (London) : p. div.

NEGRI (L.) 1934S : Gastr. paleogen. Sirtica e Fessan (Miss. Acc. Italia a Cufra (Roma) **3** : 136, 155, 156)

NELSON (R.N.) 1925C : Contr. Pal. Martinez Eoc. Calif. (B. Geol. Univ. Calif. **15/11** : 424)

NEUGEBOREN (J.H.) 1853L : Tert. Moll. Ober-Lapugy (Verh. Siebenbürg. Ver. **4** : 145)
— 1853B : Brief an BEYRICH (Z. Deut. Geol. Ges. **5** : 675)
— 1854K : Ber. Kostej im Banate (Verh. Siebenbürg. Ver. **5** : 150)
— 1854L : Petref. Pank bei Ober-Lapugy (Verh. Siebenbürg. Ver. **5** : 196)

NEUMAYR (M.) 1882R : Referat über di STEFANO (Neu. Jahrb. Miner. **2** : 146)

NEVILL (G.) 1874I : Descr. new mar. moll. Ind. Ocean (J. Asiat. S. Bengal **43/2** : 29)

NEWCOMB (W.) 1864P : Descr. new spec. *Pedicularia* (P. Calif. Ac. Sci. **3** : 121)

NEWMAN (A.H.) 1968C : Clarence River cowry collection (Keppel Bay Tidings **7/1** : 4)

NEWTON (R.B.) 1891B : Syst. list. Brit. olig. eoc. moll. (London) : 98
— 1900R : Pleist. shells Red Sea (Geol. Mag. (n. s., 4. dec.) **7** : 504)
— 1900C : Foss. moll. Christmas I. in : ANDREWS (C.W.) Monogr. Christmas I. (London) : 203
— 1911C : Kainoz. moll. Cyrenaica (Quart. J. Geol. S. **67** : 640)
— 1922N : Eoc. moll. Nigeria (Geol. Surv. Nigeria B. **3** : 18)

NICHOLSON (H.A.) 1879M : Manual of Paleontology (Edinburgh) **2** : 14

NICKLÈS (M.) 1950A : Moll. test. mar. côte occid. Afrique (Paris) : 83
— 1952A : Moll. mar. litt. de l'A.E.F. (J. de Conchyl. **92** : 147)

NICOLIS (E.) 1882V : Note ill. carta geol. Prov. di Verona (Verona) : 85, 93

NISHIWAKI (S.) 1964P : Phylogen. study type dimorphic spermatozoa Prosobranchia (Sci. Pap. Tokyo Kyoiku Daigaku, B. **11** : 237) (Ref. in Venus **23** : 240 [1965])

NOBRE (A.) 1884S : Cat. moll. Sud-Ouest (Coimbra) : 10
— 1884N : Mol. mar. Noroeste Portugal : 46
— 1885P : Faune conch. mar. Nord-Ouest Portugal : 582
— 1886T : Faune mal. Tage et Sado (J. de Conchyl. **34** : 17)
— 1886S : Exploraçao sci. S. Thomé (Lissabon) : 8
— 1887A : Mol. mar. do Algarve (Coimbra) : 28

— 1887 O : Remarqu. faune mar. poss. portug. Afr. occid. (Lissabon) : 3
— 1888N : Note malac., 5(O Institut. Coimbra **36** : 210)
— 1889N : Note malac., 7(O Instit. Coimbra **37** : 100)
— 1889M : Contr. fauna mal. Madeira (Coimbra) : 13
— 1891T : Contr. fauna mal. S. Thomé (Coimbra) : 14
— 1894P : Contr. fauna mal. Portugueza (A. Sci. N. Porto **1** : 135, 169)
— 1895T : Faune mal. S. Thomé et Madère (A. Sci. N. Porto **2** : 97)
— 1898P : Moll. Brachiop. Portugal (A. Sci. N. Porto **5** : 116)
— 1901A : Contr. fauna mal. poss. portug. Afr. occid. (A. Sci. N. Porto **7** : 167)
— 1905P : Mol. Brachiop. Portugal (A. Sci. N. Porto **1905** : 65)
— 1908T : Moll. explor. Newton à Timor (B. S. Port. Sci. N. **1** : 218)
— 1909A : Matér. faun. mal. port. Afr. occid. (B. S. Port. Sci. N. **3**, Suppl. **2** : 28)
— 1931P : Moluscos marinh. Portugal (Ist. Zool. Univ. Pôrto **1931** : 128)

Noetling (F.) 1895B : Mar. foss. mioc. Upper Burma (M. Geol. Surv. India **27** : 25)
— 1897M : Fauna upp. cret. Mari Hills (Pal. Ind. (**16**) **1**/**3** : 63)
— 1901B : Fauna mioc. beds Burma (Pal. Ind. (n. s.) **1**/**3** : 290)

Nomura (S.) 1935T : Cat. tert. quat. moll. Taiwan (Sci. Rep. Tôhoku Univ. Sendai (**2**)**18** : 172)

Nomura (S.) & Hatai (K.) 1936J : Note Zool. Prov. Japan. Seas (B. Biogeogr. S. Japan **6** : 209)

Nomura (S.) & Zinbô (N.) 1934K : Mar. moll. « Ryukyu-Limest. » of Kikai-zima (Sci. Rep. Tohoku Univ. Sendai **16** : 139)
— — 1935M : Moll. Yanagawa shell-beds Hukusima basin (Saito Ho-On Kai Mus. B. Sendai **6** : 182)

Norbert (B.) 1960S : [Cypr. Seychelles] (Haw. Sh. News (n. s.) **8** : 3)

Nordmann (V.) 1904K : Dosinialagene ved Kattegat (Medd. Dansk Geol. Foren. **10** : 25)

Nordsieck (F.) 1958M : Meeresschnecken (Stuttgart) : 46

Norman (A.M.) 1877 O : Ten days dredg. Oban (Quart. J. Conch. **1** : 279)
— 1888M : Mus. Normanianum (Durham) **4** : 12
— 1893T : A month Trondhjem Fjord (A. Mag. NH. (**6**)**12** : 356)
— 1899B : Revis. Brit. Moll. (A. Mag. NH. (**7**)**4** : 150)

Noszky (J.) 1939-40F : A kiscelhi agyag moll. faunaja (A. M. N. Hung. Min. Geol. **32** + **33**)

Nutting (Ch.C.) 1919A : Barbados Antigua Exped. (Univ. Iowa Stud. **8**/**3**, NH. (**1**)**28** : 91, 200)

Nyst (H.P.) 1835A : Rech. coqu. foss. Anvers : 34
— 1842B : Add. faune conch. tert. Belge : 12
— 1843B : Descr. coqu. polyp. foss. tert. Belgique (Bruxelles) : 605
— 1853 O : in : Omalius, Abrégé de Géol. : 590
— 1868 O : in : Omalius, Préc. élém. Géol. : 604
— 1868D : in : Dewalque (G.), Prodr. descr. géol. Belg. (Bruxelles-Liège) : 402
— 1882B : Conch. terr. tert. Belg. (A. Mus. Belg., Pal. **3** : XXXVIII, 58)

Odhner (N.H.) 1913N : Northern Invert. Swed. Mus., 6 (Svenska Ak. Handl. **50**/**5** : 6, 13, 36)
— 1917A : Mjöberg's Swed. Exp. Austral. 17, Moll. (Svenska Ak. Handl. **52**/**16** : 11, 52)
— 1919M : Contr. faune mal. Madagascar (Ark. Zool. **12**/**6** : 17, 36)
— 1921J : Moll. Juan Fernandez and Easter I. in : Skottsberg, Nat. Hist. Juan Fern. and East. I. (Uppsala) **3** : 248
— 1923S : Contr. mar. moll. S- and W-Africa (Götheborgs Vetensk. n. Handl. (n. s.) **26**/**7** : 11)
— 1931K : Beitr. Malakoz. Kanar. Ins. (Ark. Zool. **23A**/**14** : 3, 49)

Odum (H.T.) & Odum (E.P.) 1955E : Tropl. struct. Coral Reef Eniwetok Atoll (Ecol. Monogr. **25** : 291)

Ødum (H.) 1926J : Studier over Daniet i Jylland (Kjöbnhavn) : 187

Ogilvie (P.) 1967L : Letter (Conch. S. SAfr. Circ. **92** : 4)

Oken (L. von) 1835N : Allg. Naturgesch. (Stuttgart) **5**/**1** : 461

Old (W.E.) 1962N : What is *C. arabica niger* Rob. ? (Ann. Rep. Amer. Malac. Union B. **29** : 13)

Old (W.jr.) 1962C : *C.* (*Blasicrura*) *coxeni* Cox (Cowry **1**/**4** : 52)

— 1963L : *C. latior* MELV. 1888 (Haw. Sh. News (n. s.) **48** : 4)
— 1964N : Status of *C. arabica niger* (Cowry **1**/**7** : 97)

OLDHAM (Ch.) 1895E : Exhibits (J. of Conch. **8** : 54)

OLDHAM (R.V.) 1958P : Descr. animals Papuan cowries (P. R. Zool. S. NSWales **1956**/**7** : 98)

OLDROYD (J.S.) 1916V : A new variety *Cypraea* (Nautilus **29** : 107)
— 1918A : List shells Angel Tiburon (Nautilus **32** : 27)
— 1927W : Mar. shells West Coast NAmer. (Stanf. Univ. Publ. Geol. **2**/**2** : 234)

OLIVERA (P.E. DE) 1957P : Invert. Cretác. fosfato Pernambuco (Bol. Div. Geol. Min. Rio de Janeiro **172** : 9, 20)

OLIVI (G.) 1792A : Zool. Adriatica (Bassano) : 134

OLMSTED (J.M.D.) 1917L : Locomotion Bermudian moll. (J. exp. Zool. Philad. **14** : 226)

OLSONFIEFF (G.) 1937M : L'énigme de certains mollusques (B. S. Linn. Lyon **6** : 75)

OLSSON (A.A.) 1922C : Mioc. Northern Costarica (B. Amer. Pal. **9**/**39** : 14, 24, 139)
— 1924P : Not. mar. moll. Peru, Ecuador (Nautilus **37** : 124)
— 1928P : Contr. tert. N-Peru : Eoc. moll. (B. Amer. Pal. **14**/**52** : 74)
— 1930P : Contr. tert. N-Peru : Eoc. moll. (B. Amer. Pal. **17**/**62** : 63)
— 1931P : Contr. tert. N-Peru : Peruv. Oligoc. (B. Amer. Pal. **17**/**63** : 93)
— 1964E : Neogene moll. NW-Ecuador (Pal. Res. Inst. Ithaca : 175)
— 1967J : Pustularias (*Jenneria*) in Amer. Neogene (Notul. Nat. Ac. N. Sci. Philad. no. **403** : 1)

OLSSON (A.A.) & HARBISON (A.) 1953F : Plioc. moll. S-Florida (Ac. N. Sci. Philad. Mon. **8**/**1** : 261)

OLSSON (A.A.) & PETIT (R.E.) 1964F : Some neogene moll. Florida, Carolinas (B. Amer. Pal. **47**/**217** : 556)
— — 1968S : Notes on *Siphocypraea* (B. Amer. Pal. **54**/**242** : 279)

OOSTINGH (C.H.) 1923J : Recent shells Java, 1, Gastr. (Med. Landbouw Hoogesch. Wageningen **26**/**3**: 86)
— 1925 O : Rep. coll. shells Obi Halmahera (Comm. Geol. Inst. Univ. Wageningen **9** : 81)
— 1928S : Cypraeidae NE-Sumatra (Misc. Zool. Sumatrana **25** : 1)
— 1929S : Stromb. and Amphip. NE-Sumatra (Misc. Zool. Sumatrana **39** : 4)
— 1930S : List mar. moll. Pulau Berhala (Misc. Zool. Sumatrana **49** : 5)
— 1931S : Beitr. Moll. Fauna S-Sumatra (Arch. Mollusk. **63** : 198)
— 1935B : Moll. Plioz. Boemiajoe, Java (Wetensch. Med. Mijnb. Ned. Indië **26** : 59)
— 1938M : (Hand. 8. Ned.-Ind. Wet. Congres Soerabaja : 510)

OPPENHEIM (P.) 1894P : Eoc. Mte. Pulli b. Valdagno (Z. Deut. Geol. Ges. **46** : 417, 439)
— 1896P : Eoc. Fauna Mte. Postale b. Bolca (Palaeontogr. **43** : 195)
— 1896B : Alttert. Colli Berici (Z. Deut. Geol. Ges. **48** : 72)
— 1900M : Paläont. Miscellen (Z. Deut. Geol. Ges. **52** : 307)
— 1901 O : Alttert. Faunen Oesterr.-Ung. (Beitr. Pal. Geol. Oesterr. Ung. **13** : 165, 273)
— 1901P : Priabona-Schichten u. ihre Fauna (Palaeontogr. **47** : 234)
— 1906B : Foss. côte d. Basques Biarritz (Monatsb. Deut. Geol. Ges. **58** : 87)
— 1906A : Kenntn. alttert. Faunen Ägypten (Palaeontogr. **30**/**3** : 299)
— 1909L : Schichtenfolge Laverda, Venetien (Z. Deut. Geol. Ges. **61** : 51)
— 1915T : Eoc. Invert. Fauna Togo (Beitr. Geol. Deut. Schutzgeb. **12** : 52)
— 1917K : Foss. östl. Kleinasien (Z. Deut. Geol. Ges. **69** : 79)
— 1918F : Erhalt. d. Färbung foss. Moll. Schalen (Centralbl. Miner. **1918** : 369)
— 1922L : Eoc. Polje v. Lukavac b. Nevesinje (Berlin) : 85
— 1933R : Referate (Neu. Jahrb. Miner. **1933**/**3** : 446)

ORBIGNY (A.D. D') 1835/47A : Voy. Amér. mérid., Moll. (Paris) : 415
— 1839C : Moll. Canaries WEBB et BERTHELOT (Paris) : 87
— 1842C : in : SAGRA (D. RAMON DE LA) Hist. phys. île de Cuba (Paris) **2** : 85
— 1843F : Pal. franç. : Terr. cret. (Paris) Moll. **2** : 143, 278
— 1845C : in : SAGRA (D. RAMON DE LA) Hist. fisica isla de Cuba (Paris) Mol. : 202
— 1846A : in : URVILLE (J. DUMONT D') Voy. « Astrolabe » et « Zelée » (Paris) Pal. : t. 4
— 1847C : in : SAGRA (D. RAMON DE LA) Hist. île de Cuba (Paris) Pal., Moll. : 18

— 1850P : Prodr. Pal., stratigr. univ. (Paris) **2** : p. div.
— 1852P : Prodr. Pal., stratigr. univ. (Paris) **3** : p. div., cf. Index p. 54, 55, 64, 93, 119, 162, 173

ORBIGNY (Ch. D') 1847D : Porcelaine (Dict. univ. HN. **10** : 433)

ORCUTT (C.R.) 1919L : Shells La Jolla, Calif. (Nautilus **33** : 65)
— 1921Q : Pleistoc. beds S. Quintin Bay, Low. Calif. (WAmer. Sci. **19/3** : 23, 24)

ORCUTT (C.R.) & DALL (W.H.) 1885D : Not. moll. S. Diego (Washington) : 537

ORR (J.) 1967V : Shell collecting in Vietnam (Haw. Sh. News (n. s.) **89** : 5)
— 1968S : The elusive *Cypraea stolida* (Haw. Sh. News (n. s.) **98** : 6; **101** : 3)
— 1968N : *Cypraea nivosa* country (Haw. Sh. News (n. s.) **102** : 5; **104** : 3; **105** : 5)
— 1968A : Autotomy in *Cypraea teres* (Haw. Sh. News (n. s.) **108** : 4)

ORR (V.) 1959A : Bionomic shell study *Monetaria annulus* Zanzibar (Notul. Nat. Acad. Philad. no. **313** : 1)

ORTLIER & CHELLONEIX 1870N : Étud. géol. tert. dép. du Nord (Lille) : 111

OSHIMA (Ch.) 1967C : Collecting live *Cypraea cicercula* (Haw. Sh. News (n. s.) **89** : 1)

OSTERGAARD (J.M.) 1920H : A new *Cypraea* from Hawaii (Nautilus **33** : 92)
— 1928 O : Foss. mar. moll. Oahu (B. Bishop Mus. Honolulu **51** : 5, 21, 28, 29)
— 1935T : Rec. foss. mar. moll. Tongatabu (B. Bishop Mus. Honolulu **131** : 26)
— 1939M : Reports foss. moll. Molokai and Maui (Occ. Pap. B. P. Bishop Mus. **15/6** : 66)
— 1950A : A new spec. of *Cypraea* Hawaii (Nautilus **63** : 111)
— 1950D : Spawning development Haw. gastrop. (Pacific Sci. [Honolulu] **4** : 75)
— 1959D : Derivation new spec. moll. (Veliger **1** : 21)
— 1960F : New facts for the record (Haw. Sh. News (n. s.) **2** : 7)
— 1962L : Letter (Haw. Sh. News (n. s.) **36** : 7)

OWEN (R.) 1860P : Palaeontology (Edinburgh) : 76

OYAMA (K.) 1959N : Review nomencl. Japanese shells, 3 (Venus **20** : 361)
— 1961R : Review nomencl. Japanese shells, 4 (Venus **21** : 288)

PAETEL (F.) 1869S : Moll. syst. Cat. (ed. SCHAUFUSS) (Dresden) : 7, 46
— 1873C : Cat. Conch. Samml. (Berlin) : 7, 53
— 1875N : Famil. u. Gatt. Namen Moll. (Berlin) : 177 etc.
— 1883C : Cat. Conch. Samml. (Berlin) : 52
— 1887C : Cat. Conch. Samml. (ultima ed.) (Berlin) **1** : 198, 315

PAGENSTECHER (H.A.) 1877R : in : KOSSMANN (R.) Reise Rot. Meer (Leipzig) **2** : 46

PALLARY (M.G.) 1920M : Expl. sci. Maroc Miss. Zool. 1912, Malac. (Emp. chérif., Arch. sci. protect. Franç. Rabat, **1920** : 43, 101)

PALLARY (P.) 1900 O : Coqu. mar. Oran (J. de Conchyl. **48** : 300)
— 1902T : Moll. baie de Tanger (J. de Conchyl. **50** : 14)
— 1904G : Addit. faune mal. Gabes (J. de Conchyl. **52** : 232)
— 1906G : Addit. faune mal Gabes (J. de Conchyl. **54** : 94)
— 1906T : Moll. mar. rade de Tripoli (S. Linn. Lyon **1906** : 7)
— 1911E : Cat. moll. médit. Égypte (Mem. Inst. Egypt. **7/3** : 106)
— 1912S : Moll. mar. Syrie (Feuille Natural. (**5**)**42** : 172)
— 1914T : Liste moll. golfe de Tunis (B. S. HN. Afrique Nord **1** : 17)
— 1918R : Étud. mal. rétrospect. (J. de Conchyl. **64** : 19, 29, 31)
— 1926S : Expl. Planches de SAVIGNY (M. Inst. Égypt. **11** : 94)
— 1938S : Moll. mar. Syrie (J. de Conchyl. **82** : 31)

PALMER (K. VAN WINKLE) 1937C : The clairbornian Scaphop. Gastr. South. US. (B. Amer. Pal. **7/32** : 230)
— 1947J : in : HARRIS (G.D.) & PALMER (K. v. W.) Moll. Jackson Eoc. (Amer. Pal. B. **30(117)** : 320)
— 1957G : New *Gisortia* Florida (J. Pal. S. India **2** : 71)

PALMER (R.H.) & HERTLEIN (L.G.) 1936P : Mar. pleist. moll. Oaxaca, Mex. (B. Southern Calif. Ac. Sci. **35** : 65)

PANNEKOEK (A.) 1936R : Beitr. Alt-Mioz. Rembang (Amsterdam) : 7, 12.46

PANTANELLI (D.) 1887M : Spec. nuov. moll. mioc. med. : 129

PANTENELLI (D.) & MAZZETTI (G.) 1887M : Cenno monogr. fauna foss. Montese (Atti S. Modena, M. (**3**) **6** : 67)

PARETO (L.) 1855A : Note nummul. Pied des Apenn. (B. S. Géol. France (**2**)**12** : 391)

PARKER (M.) 1965P : Ex-pisces shells North Queensland (Haw. Sh. News (n. s.) **66** : 2)

PARKINSON (J.) 1811R : Organic remains of a former world (London) **3** : 53

PARONA (C.F.) 1878 O : Plioc. Oltrepò Pavese : 71

PARONA (C.F.) & PREVER (L.P.) 1909 O : Fauna corall. cret. Mti. d'Ocre (M. Carta Geol. Ital. **5**/**1** : 229)

PASSY (A.) 1859 O : Note grande Ovule (C. R. Ac. Sci. **48**/**1** : 948)
— 1874E : Descr. géol. départ. de l'Eure : 247

PATTERSON (A.H.) 1944B : Shell coll. Bahamas (Nautilus **58** : 37)

PAULUS (M.) & MARS (P.) & CHARLES (R.-P.) 1951M : Coll. mal. Mus. Marseille (J. de Conchyl. **91** : 61)

PAYRAUDEAU (B.C.) 1826C : Cat. annél. moll. Corse (Paris) : 167

PEASE (W.H.) 1860S : Descr. new moll. Sandwich Isls. (P. Zool. S. London **28** : 146)
— 1860P : Three mar. shells Pacific (P. Zool. S. London **28** : 189)
— 1862S : Descr. new genus mar. shells Sandwich Isls. (P. Zool. S. London **1862** : 240)
— 1862P : Descr. new mar. shells Pacific Isls. (P. Zool. S. London **1862** : 241, 278)
— 1865P : Descr. new mar. shells isls. Centr. Pacific (P. Zool. S. London **1865** : 515)
— 1868P : Descr. mar. gastr. Polynes. (Amer. J. Conch. **4** : 95)
— 1868S : Synon. mar. gastr. Polynes. (Amer. J. Conch. **4** : 126)
— 1869S : Corr. addit. « Synon. Polynes. » (Amer. J. Conch. **5** : 87)

PEILE (A.J.) 1922R : Some notes on radulae (P. Mal. S. London **15** : 14)
— 1925T : Diff. two Brit. *Trivia* (P. Mal. S. London **16** : 195)
— 1926B : Moll. Bermuda (P. Mal. S. London **17** : 79)
— 1935E : Exhibits (J. of Conch. **20** : 155)
— 1937R : Some radula problems (J. of Conch. **20** : 297)

PELSENEER (P.) 1882B : Tabl. dichotom. moll. mar. Belg. (Bruxelles) : 15
— 1894I : Introd. étud. mollusqu. (Bruxelles) : 98
— 1926E : Note embryol. malac. ponte et dévelop. *C. europaea* (B. Biol. France Belg. **60**/**3** : 88)
— 1932M : Métamorph. préadulte Cypraeidae (B. Biol. France Belg. **66**/**2** : 149)
— 1935E : Essai d'Éthologie des mollusques (Bruxelles : Publ. Fondat. Agathon de Potter no. **1**)

PENNANT (Th.) 1777B : Brit. Zoology (London) **4** : 99, 101
— 1777Z : Brit. Zoology (2. ed. in 8°) (London) **4** : 115
— 1812B : Brit. Zoology (5. ed.) (London) **4** : 252

PEREIRA DA COSTA 1866P : Gaster. depos. terc. Portugal (Lissabon) : 41

PERON (A.) 1904E : in : FOURTAU (R.) Contr. faune crét. Égypte (B. Inst. Égypt. **4** : 276)

PERRY (G.) 1811C : Conchology (London) : t. 20, 53

PERRY (L.M.) & SCHWENGEL (J.S.) 1955F : Mar. shells Western Florida (B. Amer. Pal. **26**/**95** : 146)

PERT (Mrs. I.) 1964G : Cowries in New Guinea (Cowry **1**/**7** : 109)

PETHÖ (J.) 1896H : Expos. milennar. Hungar. (M. Kir. Földt. Intéz. Kiált. targyai : 32)
— 1906P : Kreide (Hypersenon) Peterwardein (Palaeontogr. **52** : 167)

PETIT DE LA SAUSSAYE (S.) 1850R : Faculté Porcelaines reconstr. coquille (J. de Conchyl. **1** : 406)
— 1851G : Cat. coqu. Guadeloupe BEAU (J. de Conchyl. **2** : 429)
— 1852F : Cat. coqu. mar. France (J. de Conchyl. **3** : 203)
— 1853G : Cat. coqu. Guadeloupe BEAU (J. de Conchyl. **4** : 418)
— 1856G : Cat. coqu. Guadeloupe BEAU (J. de Conchyl. **5** : 153)
— 1861A : Moll. mar. Açores (J. de Conchyl. **9** : 30)
— 1863A : Obs. sur « WEINKAUFF, Algérie » (J. de Conchyl. **11** : 143)
— 1869E : Cat. moll. test. mers d'Europe (Paris) : 178, 233, 283

PETIVER (J.) 1695M : Mus. PETIVERiani (London) cent. **1** : 5

— 1701M : Mus. Petiveriani (London) cent. **8** : 66
— 1702/11G : Gazophylacii naturae et artis (London) : t. div.
— 1708A : Mem. cur. anim. : 157
— 1713A : Aquat. anim. Amboinae (London) : t. 5, 8, 16

Petrbok (J.) 1932M : *Mauritia mauritiana* (Arch. Mollusk. **64** : 207)

Pezant (A.) 1908M : Moll. foss. Monneville, Oise (Feuille Natural. (**4**)**38** : 175)
— 1910P : Coqu. calc. gross. Parnes (Feuille Natural. **40** : t. 14)
— 1911P : Coqu. calc. gross. Parnes (Feuille Natural. **41** : 16, 23)

Pfeiffer (L.) 1840C : Übers. Cuba Moll. (Arch. Nat. **6**/**1** : 259)
— 1840R : Krit. Register zu Martini & Chemnitz, Conch. Cab. (Cassel) : 7, 20, 93, 103

Pfeiffer (W.) 1965K : Von kostbaren Schneckenhäusern : Kaurischnecken (Neptun **5**/**12** : 364)

Philippi (R.A.) 1836S : Enum. moll. Siciliae (Berolini) **1** : 233
— 1837P : Subfoss. Seethier-Reste Pozzuoli u. Ischia (Neu. Jahrb. Miner. **1837** : 289)
— 1843D : Beitr. Tert. Verstein. Nordwestl. Deutschl. (Cassel) : 28, 76
— 1844S : Enum. moll. Sicilise (Halis Saxorum) **2** : 92, 197, 269
— 1844U : Moll. Fauna Unteritalien (Arch. Nat. **10**/**1** : 34, 36, 39, 44, 46, 49, 50, 52)
— 1845M : Verz. Magdeburger Tert. Verst. (Neu. Jahrb. Miner. **1845** : 451)
— 1847M : Verz. Magdeburger Tert. Verst. (Palaeontogr. **1** : 79, 80)
— 1849T : Cent. 3a test. novorum (Z. Malak. **6** : 24)
— 1853H : Handbuch Conch. Malakozool. (Halle) : 162, 189
— 1887C : Tert. quatern. Verstein. Chiles (Leipzig) : 74

Piaz 1912G : Studi geotett. : 61

Picaglia (L.) 1887V : Moll. circumnavig. « Vittor Pisani » (Atti S. N. Modena, Rend. Adun. (**2**)**3** : 27)

Pictet (F.J.) 1855T : Traité paléont. **3** : 183

Pictet (F.J.) & Campiche (G.) 1862S : Descr. foss. cret. Sainte-Croix (Matér. Pal. Suisse (**3**)**2** : t. 74)
— — 1863S : Descr. foss. cret. Sainte-Croix (Matér. Pal. Suisse (**3**)**2** : 361)
— — 1864S : Descr. foss. cret. Sainte-Croix (Matér. Pal. Suisse (**3**)**2** : 569, 685)

Piersanti (C.) 1926M : I molluschi e le conchiglie (Milano) : 214

Pilsbry (H.A.) 1895J : Cat. mar. moll. Japan (Detroit) : 50, 171
— 1900T : in : Eastman (Ch.R.) Textbook of Pal. (London) **1** : 472
— 1909T : Some deformed *Cypraea tigris* (Nautilus **23** : 85)
— 1913J : New Japanese Ovulidae (Nautilus **26** : 114)
— 1921D : Rev. Gabb's tert. moll. SDomingo (P. Ac. N. Sci. Philad. **73**/**2** : 307, 364)
— 1939C : *Cyphoma mcgintyi* n. sp. (Nautilus **52** : 108)

Pilsbry (H.A.) & McGinty (T.L.) 1939F : The genus *Cyphoma* in Florida (Nautilus **53** : 1)

Pilsbry (H.A.) & Olsson (A.A.) 1941E : Plioc. fauna Western Ecuador (P. Ac. N. Sci. Philad. **93** : 41)

Pilsbry (H.A.) & Vanatta (E.G.) 1902G : Hopkins Stanford Galap. Exp., mar. moll. (P. Wash. Ac. Sci. **4** : 553)
— — 1905F : Moll. Flint a. Carol. Isls. (P. Ac. N. Sci. Philad. **57** : 292)

Pinkham (M.) 1966A : Coll. Wild Coast SE-Africa (Haw. Sh. News (n. s.) **74** : 4)
— 1968D : Dead shells (Conch. S. SAfr. Circ. **100** : 8)

Pip (E.) 1968H : Shells in history (Haw. Sh. News (n. s.) **105** : 4)

Platt (R.) 1949S : Shells over world horizon (Nat. Geogr. Mag. **96** : 39)

Poe (E.A.) 1839C : The conchol. first book (Philadelphia) : 137

Pöppig (E.F.) 1851N : Illustr. Naturgesch. Thierreichs (Leipzig) **4** : 175

Poiret (J.L.N.) 1789B : Voy. en Barbarie (Paris) **2** : 20

Ponzi (G.) 1875S : Cronaca subapenn. (Atti 11. Riun. Sci. Ital. Roma : 21, 26)

Ponzi (G.) & Meli (R.) 1887M : Moll. foss. Mte. Mario (Atti Acc. Lincei Roma (**4**)**3** : 678)

Poppins (V.) 1958C : Some observ. cowries Woolgoolga, NSW. (P. R. Zool. S. NSWales **1956**/**57** : 155)
— 1958W : Obs. cowries Woolgoolga, N. S. W. (Marine Zoologist, Sydney, **1** : 6)

POTIEZ (Y.L.V.) & MICHAUD (A.L.G.) 1838D : Galér. moll. mus. Douai (Paris) **1** : 475, 502

POWELL (A.W.B.) 1933C : Mar. moll. Chatham Is. (Rec. Auckl. Inst. Mus. **1** : 185)
— 1937N : New mar. moll. NZeal. (Discovery Reports **15** : 161, 208)
— 1938W : Tert. moll. Waitemata beds (Tr. R. S. NZeal. **68** : 370)
— 1946N : Shellfish New Zealand (Auckland)
— 1958K : Moll. Kermadec Is. 1 (Rec. Auckl. Inst. Mus. **5/1-2** : 79)
— 1965Z : New Zealand moll. 5 (Rec. Auckl. Inst. Mus. **6/2** : 164)
— 1967Z : New Zealand moll. 6 (Rec. Auckl. Inst. Mus. **6/3** : 185)

PRAUS FRANCESCHINI (C.) 1906N : Elenco conch. Golfo di Napoli (A. Mus. Zool. Univ. Napoli **(2)2/5** : 43)

PRELL (H.) 1921P : Biol. Bed. Münd. Vereng. *Phragmoceras* (Centralbl. Miner. **1921** : 307, 312, 313)

PRESBREY (E.W.) 1913E : Concern, *Cypraea exanthema* (Nautilus **27** : 8)

PRESTON (H.B.) 1907B : Descr. *Cypraea bernardinae* (Nautilus **20** : 139)
— 1909Q : Two new var. *Cypraea* Queensland (Nautilus **22** : 121)

PRIOLO (O.) 1963S : Nuova revis. conch. mar. Sicilia (Atti Acc. Gioenia Sci. N. Catania **(4)15** M. **14** : 48)

PRITCHARD (G.) 1965F : Deformed *Cypraea friendii* (Haw. Sh. News (n. s.) **67** : 5)

PRITCHARD (G.B.) 1896T : Revis. foss. fauna Table Cape (P. R. S. Vict. (n. s.) **8** : 106)

PRITCHARD (G.B.) & GATLIFF (J.H.) 1900V : Cat. mar. shells Victoria (P. R. S. Vict. (n. s.)**12** : 183)
— — 1901M : Some new spec. Victor. moll. (P. R. S. Vict. (n. s.) **13** : 133)

PULTENEY (R.) 1799D : Cat. birds, shells, plants Dorsetshire (London) : 39

PUSCH (G.G.) 1837P : Polens Paläontologie (Stuttgart) : 116

QUAAS (A.) 1902L : Beitr. Kenntn. Fauna Kreide lib. Wüste (Palaeontogr. **30** : 269)

QUADRAS 1893F : Cat. coll. mol. Filipinas (Manila) : 29

QUENSTEDT (F.A.) 1836P : Beitr. Petref. Kunde (Arch. Nat. **2/1** : 249)
— 1838B : Geschiebe Umgeb. Berlins (Neu. Jahrb. Miner. **1838** : 150)
— 1884D : Petrefaktenkunde Deutschlands (Leipzig) **(1)7** Gastr. : 703, 730
— 1885P : Handbuch d. Petrefaktenkunde (3. ed.) (Tübingen) : 671

QUOY (J.R.C.) & GAIMARD (P.) 1824/26U : Voy. « Uranie » (Paris) Zool. : 431, 441
— — 1834A : Voy. « Astrolabe » (Paris) Zool. **3** : 23

RACKETT (T.) 1813D : in : PULTENEY (R.) Cat. Dorsetshire (London) : 42

RAINCOURT (M. DE) 1870P : Notes esp. nouv. bassin Paris (B. S. Géol. France **(2)27** : 626)
— 1874P : Nouv. esp. bassin Paris (B. S. Géol. France **(3)2** : 205)
— 1876P : Esp. nouv. bassin Paris (B. S. Géol. France **(3)4** : 293)
— 1877P : Descr. esp. nouv. bassin Paris (B. S. Géol. France **(3)5** : 332)

RALPH (E.) 1968A : *Cypraea* with attachments (Conch. S. SAfr. Circ. **99** : 7)

RAMIS Y RAMIS (J.) 1814M : Specimen anim. in Menorca frequ. (Mahon) : 22

RANDOLPH (R.) 1968N : *Cypraea nivosa* from Burma (Haw. Sh. News (n. s.) **99** : 5)

RANG (P.K.S.L.) 1829A : Atlas de mollusques (Paris) : t. 9, 17
— 1829M : Man. hist. nat. moll. et coqu. (Paris) : 230

RANSON (G.) 1954C : Note *Cypraea cicercula* (B. Mus. HN. **(2)26** : 612)
— 1967P : Les protoconches ou coquilles larvaires des Cyprées (M. Mus. Nat. HN. **A.47/2** : 93)

RAU (A.) 1934A : Anat.-histol. Unters. Cypraeen (Jen. Z. Naturw. **69** : 83)

RAUFF (H.) 1885V : Gastr. Vicentin tert. : 29

RAULIN (V.) 1852A : Not. terr. tert. Aquit. (B. S. Géol. France **(2)9** : 414)
— 1895G : Sur la faune olig. Gaas (B. S. Géol. France **(3)23** : 555)
— 1897L : Stat. Landes : 313

RAVEN (Ch.P.) 1958M : Morphogenesis, analysis of moll. development (London etc.) : 131, 149

RAVIN (J.P.J.) 1902D : Moll. Danm. Kridtafl. (Danske Selsk. Skrif. **(6)11** : 225)
— 1903D : Moll. Danm. Kridtafl. (Danske Selsk. Skrif. **(6)11** : 380, 394, 416, 424)
— 1933D : Étud. Pélécyp. Gastr. Daniens Faxe (Danske Selsk. Skrif. **(9)2** : 56, 60)

RAY (H.C.) 1945C : Descr. shells Cypraeacea (J. Asiat. S. Beng. Sci. **11** : 39)
— 1949C : Moll. Coromandel Coast (Rec. Ind. Mus. **46** : 99)
— 1949R : Revis. Cypraeacea coll. Zool. Surv. Ind. : 1. Triv. Erat. Pedic. (Rec. Ind. Mus. **46** : 183)
— 1951C : Cowries (Cypraeidae) (J. Bombay NH. S. **49** : 663)

RAYE 1827C : Cat. coll. RAYE : 128

RAYMOND (W.J.) 1903T : A new Calif. *Trivia* (Nautilus **17** : 85)

RAYNEVAL & V. D. HECKE & PONZI (G.) 1854M : Cat. foss. Mte. Mario (Versailles) : 13

REDFIELD (J.H.) 1847R : Dist. charact. *Cypraea reticulata* (A. Lyc. NYork **4** : 477)
— 1852M : Descr. new spec. Marginell. (A. Lyc. NYork **5** : 227)
— 1852R : Dist. charact. *Cypraea reticulata* (A. Lyc. NYork **5** : 227)
— 1869M : Notes monogr. *Marginella* REEVE's (Amer. J. Conch. **5** : 91)
— 1870R : Remarks (Amer. J. Conch. **6** : 2)
— 1870M : Cat. spec. Marginellidae (Amer. J. Conch. **6**, App. : 216)

REEVE (L.A.) 1835S : Exhib. two shells (P. Zool. S. London **1835** : 68)
— 1842S : Conch. system. (London) **2** : 259)
— 1845C : Conch. icon (London) **3**, *Cypraea*, no. 1-83
— 1845D : Dissol. and recalcific. (A. Mag. NH. **16** : 374)
— 1845G : Growth and recalcification (P. Zool. S. London **13** : 133)
— 1846F : Calcifying function of the cowry (P. Linn. S. London **1** : 307)
— 1846C : Conch. icon. (London) **3**, *Cypraea*, no. 84-154, t. 27
— 1846N : Two new *Cypraea* (P. Zool. S. London 1846 : 23)
— 1846E : Initiam. conch. or Elem. of conch. (London) : 35
— 1857S : Seven new shells (P. Zool. S. London **1857** : 208)
— 1865 O : Conch. icon (London) **15**, *Ovulum*
— 1865E : Conch. icon. (London) **15**, *Erato*
— 1887C : Calcifying function (A. Mag. NH. **(5)19** : 197)

REGAN 1923M : Guide moll. Brit. Mus. (London) : 25

REGENFUSS (F.M.) 1758C : Choix de coquillages (Kopenhagen) : 32, 66, 82

REHDER (H.A.) 1964T : To Tahiti for moll. (Haw. Sh. News (n. s.) **51** : 4)
— 1966P : Through Tuamotus to Pitcairn for moll. II (Haw. Sh. News (n. s.) **79** : 1)
— 1966T : *Cypraea* in the Tubuai (Austral. Isls.) (Haw. Sh. News (n. s.) **84** : 2)

REIBISCH (T.) 1865V : Moll. Cap-Verdischen Ins. (Malak. Blätt. **12** : 130)
— 1869A : Bericht Conch. Aegypt. Mittelmeer (SB. N. Ges. Isis **1869** : 201)

REICHENBACH (A.B.) 1835B : Bildergall. d. Thierwelt (Leipzig) **20** : 15
— 1842L : Land-, Süsswasser- u. Seeconch. (Leipzig) : 53

RENAULT (L.) 1965S : Origine spermatozoides non typ. de *Trivia arctica* (C. R. Ac. Sci. Paris **260** : 6985)

RENAULT (L.) & FRANC (A.) 1963A : Double spermatogenèse *Trivia arctica* (C. R. Ac. Sci. Paris **257** : 252)

RENDALL (R.) 1936S : *Simnia patula* Orkney (J. of Conch. **20** : 283)

RENEVIER (E.) 1890V : Monogr. géol. Alpes Vaudoises (Matér. Carte Géol. Suisse **16** : 384)

RENIER (S.A.) 1804A : Tavola alfabet. conch. Adriatiche (Padova) : VIII

RENNIE (J.V.L.) 1930P : New Lamell. Gastr. Cretac. Pondoland (A. SAfr. Mus. **28** : 220)

REQUIEN (E.) 1848C : Cat. coqu. Corse (Avignon) : 32, 85

REUSS (A.E. VON) 1844B : Geognost. Skizzen Böhmen (Prag) **2** : 207
— 1845B : Verstein. Böhm. Kreideformat. (Stuttgart) **1** : 46
— 1854G : Krit. Bemerk. Gastr. Gosau (SB. Ak. Wien (math.-nat.) **11** : 904)

REYNOLDS (M.A.) 1953M : Cainoz. succ. Maslin Aldinga Bays (Tr. R. S. SAustr. **76** : 126)

RICE (W.N.) 1884B : Geology of Bermuda (US. N. Mus. B. **25/1** : 31)

RICHARD (J.) & NEUVILLE 1897A : Sur l'hist. nat. Alboran (Paris) : 84

RICHARDS (H.G.) & SHAPIRO (E.) 1963D : Invert. macrofauna Upp. Cret. Delaware (Rep. Invest. Delaware Geol. Surv. **7** : 12)

Richarz (St.) 1910W : Geol. Bau Kais. Wilhelm-Land (Neu. Jahrb. Miner. Beil.-Bd. **29** : 488)

Richert (T.) 1962S : Shell coll. American Samoa (Haw. Sh. News (n. s.) **34** : 4)

Riese (K.) 1931M : Phylog. Nervensyst. *Cypraea moneta* (Jenaische Z. **65** : 361)

Riet (J. van der) 1965M : Malaita *Cypraea guttata* (Haw. Sh. News (n. s.) **61** : 3)
— 1966M : Shelling on Malaita (Haw. Sh. News (n. s.) **74** : 3)
— 1966S : More on « Mass slaughter of shells » (Haw. Sh. News (n. s.) **83** : 2)

Rigacci (G.) & Rigacci (E.) 1874C : Cat. conch. coll. Rigacci (Roma) : 112
— — 1881C : Cat. conch. coll. (Roma) App. : 15

Rios (E. de C.) 1966A : Shells dredged off Alagoas, Brazil (Haw. Sh. News (n. s.) **78** : 3)

Risbec (J.) 1937A : Anatom. Cypraeidés (Arch. Mus. HN. (**6**)**14** : 75)
— 1955A : Anatom. classif. gastér. prosobr. (J. de Conchyl. **95** : 58, 61)

Risso (A.) 1826E : Hist. nat. Europe mérid. (Paris) **4** : 205, 236

Riveros-Zuñiga (F.) 1951P : Isla de la Pascua (Rev. biol. mar. Valparaiso **3** : 154)

Rivett-Carnac (D.C.) 1967M : Cowries Malaysia, Singapore (Malay Nature Journ. **20**, March 1967)

Rix (M.) 1968B : Border Notes (Conch. S. SAfr. Circ. **100** : 5)

Robert (P.A.) 1943W : Wonders of the sea shells (London) : 1

Roberts (J. jr.) 1961R : Recent finds (Haw. Sh. News (n. s.) **13** : 6)
— 1961A : How's this for one trip ? [Aniyanni I.] (Haw. Sh. News (n. s.) **19** : 6)
— 1962E : Mid-Pacific coll. [Eniwetok] (Haw. Sh. News (n. s.) **32** : 7)
— 1962R : Shelling trip to Rojoa I. (Haw. Sh. News (n. s.) **33** : 6)

Roberts (M.) 1851P : Popular hist. moll. (London) : 77, t. 2

Roberts (S.R.) 1868C : New spec. *Cypraea* (Amer. J. Conch. **4** : 70)
— 1869C : Descr. two new *Cypraea* (Amer. J. Conch. **4** : 250)
— 1870C : Cat. fam. Porcell. Amphip. (Amer. J. Conch. **5**, App. : 189)
— 1885M : in : Tryon (G.W.) Manual of Conch. (Philadelphia) **7** : 153
— 1905X : Notes : *Cypraea xanthodon* (Nautilus **19** : 12)
— 1913C : New Cypraeidae (Nautilus **26** : 97)

Robillard 1871M : (Tr. R. S. Mauritius (n. s.) **5**)

Rochebrune (A.T. de) 1881V : Matér. îles Cap Vert (Nouv. Arch. Mus. (**2**)**4** : 283)
— 1882D : Diagn. esp. nouv. archip. Cap Vert (B. S. Philom. (**7**)**6** : 30)
— 1882C : Docum. faune mal. Cochinchine et Cambodge (B. S. Philom. (**7**)**6** : 58, 110)
— 1884M : Monogr. genre *Monetaria* (B. S. Mal. France **1** : 73)

Rochefort (C. de) 1658A : Hist. nat. morale îles Antilles (Rotterdam) : 216

Röding (P.F.) 1798B : in : Bolten (J.F.) Mus. Boltenianum (Hamburgi) : 22
— 1819B : Mus. Boltenianum (2. ed.) (Hamburgi) : 15

Römer (E.) 1863M : Übereinstimm. Moll. weit. Meere (Malak. Blätt. **10** : 224)
— 1883S : Gräber Sadlana b. Ojcow (Palaeontogr. **29** : 230)
— 1891W : Cat. Conch. Samml. Nat. Mus. Wiesbaden : 40

Roeters van Lennep 1876C : Cat. coll. : 26

Rogers (J.E.) 1908S : The shell book (NYork) : 90, 124 [Reprint : (Boston) 1951]

Roissy (F. de) 1805M : Hist. nat. moll. (Paris) **5** : 410

Rolle (F.) 1859H : Geol. Stell. Horner Schichten (SB. Ak. Wien (math.-nat.) **36** : 49, 50, 55, 56, 82)

Rolle (H.) 1887C : Auf Corsica (Jahrb. Deut. Mal. Ges. **14** : 81)

Roman (F.) & Mazeran (P.) 1920U : Mon. Pal. Turon. bassin d'Uchaux (Arch. Mus. Lyon **12** : 62)

Rondelet (G.) 1555A : Univ. aquat. hist. (Lugduni) pars altera, Test. : 101

Ross (A.) 1967S : Search living *Cypraea semiplota* (Haw. Sh. News (n. s.) **87** : 1)

Rossiter (R.C.) 1882C : Cypr. NCaled. Loyalty (P. Linn. S. NSWales **6** : 817)
— 1883D : New var. *Ovulum depressum* (P. Linn. S. NSWales **7** : 323)

ROTH 1901Q : (N. Queensland Ethnogr. B. **3** : 18)

ROTH VON TELEGD (K.) 1914U : Oberoligoz. Fauna Ungarn (Geol. Hungar. **1/1** : 40)

ROTHPLETZ & SIMONELLI 1890G : Mar. Ablag. Gran Canaria (Z. Deut. Geol. Ges. **42** : 715)

ROUAULT (A.) 1848P : Descr. foss. terr. éoc. Pau (B. S. Géol. France (**2**)**5** : 207)
— 1850P : Descr. foss. terr. éoc. Pau (M. S. Géol. France (**2**)**3** : 501)

ROUGEUL (S.) 1964R : Récoltes moll. mar. Saint-Quay-Portrieux (J. de Conchyl. **104** : 94)

ROUGHLEY (T.C.) 1936B : Wonders of the Great Barrier Reef (Sydney)

ROULE (L.) 1907B : Consid. faune mar. Port de Bonifacio (B. S. Zool. France **32** : 42)

ROUS (S.) 1905C : New var. of *Cypraea* (Nautilus **19** : 29)
— 1905F : Cypr. in coll. FERGUSON (Nautilus **19** : 75)

ROUX (P.) 1828I : Iconogr. conchyl. (Paris) : 1

ROVERETO (G.) 1900T : Illustr. moll. foss. tongriani (Atti Univ. Genova **15** : 159)

ROWE (Mrs. P.) 1964M : Lady Musgrave Island (Cowry **1/7** : 109)

RUGGIERI (G.) & GRECO (A.) 1965M : Studi geol. paleont. Capo Milazzo (Geol. Romana **4** : 47, 60)

RUMPHIUS (RUMPH, G.E.) 1688 O : De ovo marino, Porcellanis (Ephem. Ac. N. Cur. (**2**)**5** : 222)
— 1705A : Amboin. Rariteitkamer (Amsterdam) : 113
— 1711T : Thes. conchl. conch. conchyl. (Lugd. Batav.) : t. 38, 39

RUSH (W.H.) 1891F : Shells Fayal Isl. (Nautilus **5** : 50)

RUSTICIANO 1847M : I viaggi di Marco Polo (Venezia) : 358

RUTLAND (K.) & KERSLAKE (J.) 1955C : Descr. anim. NSWales cowries (P. R. S. NSWales **1953/54** : 75)

RUTSCH (R.) 1937B : Orig. Basler Geol. Samml. 16.-18. Jh. (Verh. N. Ges. Basel **48** : 35)

SACCO (F.) 1886S : La valle della Stura di Cuneo : 60
— 1890P : Cat. pal. bac. terz. Piem. no. 2146, 5377 (B. S. Geol. Ital. **9** : 185)
— 1894P : Moll. terz. Piem. Ligur. (Torino) **15** : 5
— 1904P : Moll. terz. Piem. Ligur. (Torino) **30** : 115, Aggiunte e Correzioni
— 1905P : Étages et faunes bass. tert. Piémont (B. S. Géol. France (**4**)**5** : 897, 900, 903, 910, 913)

SALISBURY (A.E.) 1953C : Moll. Oxford Exp. Cayman Is. (P. Mal. S. London **30** : 46, 48)

SALIS-MARSCHLINS (C.U. VON) 1793N : Reisen Königr. Neapel (Zürich & Leipzig) **1** : 364
— 1795N : Travels kingdom Naples (ed. A. AUFRERE) (London) : 454

SALTER (M.) 1904T : Shells of Torbay and Exmouth (London) : 7

SANDBERGER (F.) 1863M : Conch. Mainzer Tert. Becken : 254, t. 19

SANDER RANG — see RANG

SANDRI (G.B.) 1865E : Elenco nomin. : 38, 121

SANGIORGI (D.) 1926S : Gastrop. Ponticella di Sàvena (Giorn. Geol. Bologna (**2**)**1** : 103)
— 1928S : Fauna neogen. Pont. di Sàvena (Giorn. Geol. Bologna (**2**)**3** : 172)

SARS (G.O.) 1870C : Bidr. Christiania Fauna : 70
— 1878N : Moll. reg. arct. Norvegiae (Christiania) : 154

SARS (M.) 1835B : Beskr. moll. Bergenske Kyst (Bergen) : 71
— 1853H : Adriat. Havs Fauna (Nyt. Mag. Naturv. **7** : 385)

SARTORIO 1880C : Colle Colombano : 20

SASSO 1827A : Sagg. geol. bac. terz. Albenga : 481

SAUL (M.) 1961B : Mary SAUL's North Borneo report (Haw. Sh. News (n. s.) **20** : 6)
— 1962R : From the Readers (Haw. Sh. News (n. s.) **25** : 5)

SAVIGNY (J.C.) 1817E : Descr. Égypte (Paris) 1, Hist. nat., Zool., Coqu. t. 6

SAYN (G.) 1932B : Descr. faune Urgonien Barcelonne, Drôme (Trav. Lab. Géol. Lyon **18/15** : 29, 32)

SCACCHI (A.) 1836N : Cat. conchyl. Napolit. (Napoli) : 9

SCASE (R.P.) 1963E : Exhibits (J. of Conch. **25** : 172)

SCASE (R.P.) & SCHILDER (F.A.) 1964V : New observ. *Erronea vredenburgi* (J. of Conch. **25** : 231)
SCHAFFER (F.X.) 1912E : Miozän v. Eggenburg (Wien) **2** : 148)
— 1912M : Kenntn. Miozänbild. Eggenburg (SB. Ak. Wien (math.-nat.) **121** : 329)
SCHAFHÄUTL (K.E.) 1852K : Teisenberg oder Kressenberg (Neu. Jahrb. Miner. **1852** : 164, 170)
— 1863K : Südbay. Leth. geogn. : Kressenberg (Leipzig, etc.) : 209, 312
SCHAUFUSS (L.W.) — see PAETEL 1869 !
SCHAUROTH 1865C : Verst. z. Coburg : 228
SCHEPMAN (M.M.) 1888L : Zool. Research Liberia, Moll. (Notes Leyden Mus. **10** : 251)
— 1888P : Petref. quatern. Ablag., in : MARTIN (K.) Bericht Reise Niederl. WInd., 2, Geol. (Leiden)
— 1896B : Moll. Dutch Borneo Exped. (Notes Leyden Mus. **17** : 162)
— 1907C : Posttert. Moll. Celebes (Samml. Geol. Reichsmus. **8** : 183)
— 1909S : « Siboga »-Exped. (Leiden) **49/2/2** : 126
— 1915M : Moll., in : Encyclopaedie Nederl. WIndië ('s Gravenh.) : 477
— 1918G : Coll. moll. Northern NGuinea (Zool. Meded. Leiden **4** : 19)
SCHILDER (F.A.) 1922C : Contr. knowl. *Cypraea Trivia* (P. Mal. S. London **15** : 98)
— 1923V : *Cypraea vinosa* in Gesch. u. Urgesch. (Arch. Mollusk. **55** : 204)
— 1923F : Bemerk. foss. *Cypraea* (Senckenbergiana **5** : 96)
— 1923M : Drei neue mioz. *Cypraea* (Senckenbergiana **5** : 100)
— 1923P : Porzellanschnecken im Leben d. Völker (Verh. Zool. Bot. Ges. Wien **72** : (135))
— 1924K : Krit. Verz. rez. foss. Cypraeen (Abh. Arch. Mollusk. **1/2** : 117)
— 1924I : Syst. Index leb. Cypraeidae (Arch. Naturgesch. **90/A. 4** : 179)
— 1924V : Syst. Verz. leb. Cypraeidae (Arch. Mollusk. **56** : 234)
— 1924P : Verwendung d. Porzellanschnecken (Kosmos **1924**, Heft 7 : 209)
— 1925V : Schnecken der Venus (Umschau **29** : 369)
— 1926E : Ethnol. Bedeut. Porzellanschnecken (Z. Ethnol. **1926** : 313)
— 1926V : Add. Corr. VREDENBURG's Classif. (Rec. Geol. Surv. India **58** : 358)
— 1926I : Interesting radula (Nautilus **40** : 17)
— 1926K : Königin d. Porzellanschnecken (Naturfreund Detmold **3** : 176)
— 1927C : Three new var. *Cypraea* (Nautilus **40** : 126)
— 1927R : Revision Cypraeacea (Arch. Naturgesch. **91/A.10** : 1)
— 1927K : Synops. Cypr. foss. Lokalfaun. : Kressenberg (Senckenbergiana **9** : 196)
— 1928D : Cypr. Danium Dänemerk u. Schonen (Danm. Geol. Unders. **(4)2/3** : 3)
— 1928V : Variab. Schalenlänge Cypraeidae (Zool. Anzeig. **79** : 5)
— 1928C : Eine wenig bekannte Cypraeiden-Art (Arch. Mollusk. **60** : 193)
— 1928W : Synops. Cypr. foss. Lokalfaun. : Weinheim (Senckenbergiana **10** : 264)
— 1928G : Synops. Cypr. foss. Lok. : Gran Canaria (Senckenbergiana **10** : 273)
— 1929D : Synops. Cypr. foss. Lok. : Norddeutschl. (Mitt. Min. Staatsinst. Hamburg **11** : 7)
— 1929V : Gesetzmäss. Schalen-Variab. Cypr. (10e Congr. int. Zool. Budapest : 980)
— 1929N : Namensänd. bei Cypraeacea (Arch. Mollusk. **61** : 285)
— 1929C : Beitr. Kenntn. Cypraeacea I/1-4 (Zool. Anz. **85** : 130)
— 1929E : Eoc. Amphip. Cypr. England (P. Mal. S. London **18** : 298)
— 1930C : Beitr. Kenntn. Cypraeacea II/5-8 (Zool. Anz. **87** : 109)
— 1930Z : Beitr. Kenntn. Cypraeacea III/9-11 (Zool. Anz. **92** : 67)
— 1930T : Remarks type spec. rec. Cypr. (P. Mal. S. London **19** : 49)
— 1930M : Missbild. Schalen Cypraeacea (Z. Morph. Oekol. Tiere **19** : 144)
— 1930G : Gisortiidae of the world (P. Mal. S. London **19** : 118)
— 1931T : Zwei neue *Trivia* (Arch. Mollusk. **63** : 42)
— 1931C : Beitr. Kenntn. Cypraeacea IV/12-14 (Zool. Anz. **96** : 65)
— 1931Z : Korrelation Grösse u. Zahnzahl (Arch. Zool. Ital. **16** : 219)
— 1931B : Cypr. Eoc. Belgien (B. Mus. HN. Belg. **7/14** : 1)
— 1931N : Trois Amphip. nouv. (B. S. Zool. France **56** : 364)
— 1931 O : Foss. Cypr. Obersuld (Mitt. N. Ges. Bern **1931** : 81)
— 1931P : Revis. subfam. Pediculariinae (J. of Conch. **19** : 165)
— 1932A : Living spec. Amphiperatinae (P. Mal. S. London **20** : 46)
— 1932L : Revis. Cypraeacea foss. Piem. Ligur., 1 : Ligur. (Riv. Ital. Pal. **38** : 9)

— 1932P : Revis. Cypraeacea foss. Piem. Ligur., 2 : Piem. (Riv. Ital. Pal. **38** : 19)
— 1932B : Cypr. foss. dép. Bouches-du-Rhône (A. Mus. HN. Marseille (1931) **24** : 87)
— 1932F : Neue foss. Cypraeacea (SB. Ges. Freunde Berlin **1932** : 254)
— 1932Q : Cypraeacea in : QUENSTEDT (W.) Fossil. Cat. (Berlin) **1/55** : 1)
— 1932C : Beitr. Kenntn. Cypraeacea V/15-17 (Zool. Anz. **100** : 164)
— 1932T : Coqu. rare : *Trivirostra corinneae* (B. S. Zool. France **57** : 399)
— 1933C : Beitr. Kenntn. Cypraeacea VI/18 (Zool. Anz. **101** : 180)
— 1933H : Cypraeacea from Hawaii (Occ. Pap. Bishop Mus. Honolulu **10/3** : 3)
— 1933T : Beitr. Kenntn. Cypraeacea VII/19-20 (Zool. Anz. **102** : 288)
— 1933B : Cypr. Plioc. Wemmel. Belgien (B. Mus. HN. Belg. **9/9**)
— 1933E : Monogr. subfam. Eratoinae (P. Mal. S. London **20** : 244)
— 1933D : Dwarf race : *Erronea depriesteri* (J. of Conch. **19** : 355)
— 1934A : Variability colour *Monetaria annulus* (P. Mal. S. London **21** : 92)
— 1935A : Revis. tert. Cypraeacea Austr. and Tasm. (P. Mal. S. London **21** : 325)
— 1936M : Interest. monstrosities in Cypraeidae (J. of Conch. **20** : 222)
— 1936A : Anat. charact. Cypraeacea (P. Mal. S. London **22** : 75)
— 1936I : Zwei inter. foss. Cypraeacea aus Indien (De Ingenieur in Ned. Ind. ser. 4 Mijnbouw **3** : 207)
— 1937N : Neogene Cypraeacea aus Ost-Java (De Ingen. Ned. Ind. ser. 4 Mijnbouw **4** : 195)
— 1937D : Two sign. discoveries in Cypraeidae (P. Mal. S. London **22** : 367)
— 1939L : Länge, Breite, Zahnzahl Cypraeidae (Arch. Mollusk. **71** : 75)
— 1939S : Foss. Cypr. Sunda-Archipel (Neu. Jahrb. Miner., Beil. Bd. **81**, **B** : 494)
— 1939T : Cypr. Tert. Trinidad Venez. Antillen (Abh. Schweiz. Pal. Ges. **62** : 1)
— 1939G : Genera d. Cypraeacea (Arch. Mollusk, **71** : 165)
— 1941V : Verwandtsch. u. Verbreit. Cypraeacea (Arch. Mollusk. **73** : 57)
— 1941K : Mar. moll. Kendeng beds, Java (Leid. Geol. Med. **12** : 171)
— 1942F : Formenreichtum Cypr. Erdgesch. (Arch. Mollusk. **74** : 98)
— 1942W : Wandel Formenreicht. Cypraeacea (SB. Ges. Freunde Berlin **1942** : 77)
— 1942S : Statist. Unters. an Populationen (Arch. Mollusk. **74** : 129)
— 1942L : Cypr. Creta sup. della Libia (Ann. Mus. Libico **3** : 53)
— 1943L : Verwandtsch. d. Litoralfaunen (Arch. Mollusk. **75** : 68)
— 1943J : Unters. Jugendformen Cypr. Schalen (Arch. Mollusk. **75** : 201)
— 1944W : in : SCHILDER (F.A.) & SCHILDER (M.) Westpazif. Cypr. BOCK (Arkiv Zool. **36A.2** : 11)
— 1947Z : Zahl d. Prosobranchier (Arch. Mollusk. **76** : 37)
— 1947B : Variab. *Blasicrura ursellus* (Arch. Mollusk. **76** : 45)
— 1947G : Meth. Biostatistik : Gesamtähnl. (Biol. Zbl. **66** : 186)
— 1947F : Cypr. im Lichte d. Formenkreislehre (Arch. Mollusk. **76** : 169)
— 1948M : Meth. Biostatistik : Variationsfeld (Biol. Zbl. **67** : 189)
— 1948T : Wieviele Tierarten gibt es ? (Forsch. Fortschr. **24** : 42)
— 1949G : Meth. Biostatistik : Grenzen d. Variab. (Biol. Zbl. **68** : 334)
— 1950K : Körpergrösse u. Organzahl d. Organismen (Hall. Monogr. **18** : 23, 31, 34)
— 1951M : Klassif. unterolig. Cypr. Mitteldeutschl. (Hall. Jahrb. Mitteld. Erdgesch. **1** : 180)
— 1952B : Einf. in d. Biotaxonomie (Jena) : div. p. see Index p. 156)
— 1955V : Behandl. asymm. Variationskurven (Wiss. Z. Univ. Leipzig (Math. nat.) **4** : 26
— 1956Z : Lehrb. d. Zoogeographie (Jena) passim in « Beispiele »
— 1957P : Biometr. Studien Porzellanschnecken (Wiss. Z. Univ. Halle (Math. nat.) **6** : 97
— 1958H : Porzellanschnecke Hawaii-Ins. (Veröff. Überseemus. Bremen **A/3** : 32)
— 1958Z : Bezeichnung Zahndichte Cypraeacea (Arch. Mollusk. **87** : 77)
— 1958S : Drei seltene Cypraeacea (Arch. Mollusk. **87** : 81)
— 1958T : Typen Cypraeacea (Arch. Mollusk. **87** : 157)
— 1959G : Neue Gesetzmäss. Rassenbildung Porzellanschnecken (Verh. Deut. Zool. Ges. Frankfurt/Main **1958** : 404)
— 1959R : Regional convergence of shell characters Cypr. (P. 15th Int. Congr. Zool. London **1958** : 186)
— 1960M : The cowries of Mauritius (P. Mal. S. London **34** : 52)
— 1960Z : Probleme d. Zoogeographie (Zool. Anz. Suppl. **23** : 369)

— 1960K : Zur Kenntnis der Cypr. 1-2 (Arch. Mollusk. **89** : 185)
— 1960T : Intraspecific taxonomy (Cowry **1**/**1** : 8)
— 1961N : New cowries since 1938 (Cowry **1**/**2** : 1)
— 1961B : Bezieh. Geschlecht, Radula u. Schale b. Porzellanschnecken (Zool. Anz. Suppl. **24** : 395)
— 1961A : Statist. study cowries : size *M. arabica* (Veliger **4**/**1** : 15)
— 1961C : Another statist. study size of cowries (Veliger **4**/**2** : 107)
— 1961K : Nachträge z. Katalog Cypraeacea von 1941 (Arch. Mollusk. **90** : 145)
— 1962L : Note *Bistolida luchuana* (Cowry **1**/**3** : 39)
— 1962S : Size of *Cypraea tigris* (Cowry **1**/**3** : 43)
— 1962T : Type localities (Veliger **4**/**4** : 199)
— 1962Z : Zoogeogr. Probleme Porzellanschnecken (Zool. Anz. Suppl. **25** : 495)
— 1962H : Hybrids betw. *C. tigris* and *C. pantherina* (Veliger **5**/**2** : 83)
— 1963E : Overlapping distrib. *Eros. eburnea* (Cowry **1**/**5** : 69)
— 1963A : Abnormal cowry radula (P. Mal. S. London **35** : 131)
— 1963F : Further remarks two rare cowrie species (Veliger **5**/**4** : 125)
— 1963J : Kenntn. Cypr. 6 : zwei seltene Arten Japan (Arch. Mollusk. **92** : 123)
— 1963L : Lumpers and Splitters (Veliger **6**/**2** : 104)
— 1963D : Discontinuous distribution in cowries (B. Amer. Malac. Un. no. **30** : 40)
— 1964W : Distribution *Erronea walkeri* (Haw. Sh. News (n. s.) **49** : 7)
— 1964C : Further note on *N. casta* (Cowry **1**/**6** : 83)
— 1964S : Do sinistral cowries exist ? (Haw. Sh. News (n. s.) **52** : 2)
— 1964 O : *Erosaria ogasawarensis* (Haw. Sh. News (n. s.) **52** : 3)
— 1964M : Interesting monstrosities in *C. tigris* (Haw. Sh. News (n. s.) **53** : 5)
— 1964H : True habitat of a rare cowry (Haw. Sh. News (n. s.) **54** : 2)
— 1964N : Provis. classific. genus *Notocypraea* SCHILDER (Veliger **7**/**1** : 37)
— 1964L : The largest cowry species (Haw. Sh. News (n. s.) **55** : 3)
— 1964K : Kenntn. Cypr. 7 : Neue *Notadusta* aus Melanesien (Arch. Mollusk. **93** : 141)
— 1964Q : Rostrate melanistic cowries Queensland (Haw. Sh. News (n. s.) **56** : 3)
— 1964T : *Primovula striatula tinctura* GARRARD (Haw. Sh. News (n. s.) **57** : 4)
— 1964Ca : The cowries established by COEN in 1949 (Veliger **7**/**2** : 103)
— 1964Aa : Addit. remarks to « Cowry 1/6 » (Cowry **1**/**7** : 101)
— 1964Ra : A newly descr. spec. Melanesia : *Notocypraea rabaulensis* (Haw. Sh. News (n. s.) **59** : 7)
— 1964Ka : Kenntn. Cypr. 8 : Neue *Erronea* aus Queensland (Arch. Mollusk. **93** : 211)
— 1965G : Geograph. distrib. cowries (Veliger **7**/**3** : 171)
— 1965A : Artificial subfossils (Haw. Sh. News (n. s.) **61** : 6)
— 1965C : A curious cowry shell (Haw. Sh. News (n. s.) **63** : 3)
— 1965Q : Kenntn. Cypr. 9 : Zweite Überraschung aus Queensland (Arch. Mollusk. **94** : 55)
— 1965F : Statistical study in fossil cowries (Veliger **7**/**4** : 236)
— 1965V : New var. of rare cowry spec. (Haw. Sh. News (n. s.) **66** : 4)
— 1965M : Surprising range extension of a cowry species (Haw. Sh. News (n. s.) **66** : 4)
— 1965Qa : New faunist. relat. Japan Queensland (Haw. Sh. News (n. s.) **66** : 5)
— 1965Ca : Answer to myself (Haw. Sh. News (n. s.) **66** : 5)
— 1965T : The cowrie fauna of Thailand (Veliger **8**/**1** : 23)
— 1965Cy : Cypraeidae in : Israel South Red Sea Exp. 1962, Rep. no. 16 (Sea Fish Res. Stat. Haifa, Bull. (**40**) : 75)
— 1965Tu : Size of *Erosaria turdus* (Cowry **1**/**8** : 113)
— 1965L : The meaning of latin cowry names (Haw. Sh. News (n. s.) **69** : 6)
— 1965Ma : *C. maculifera* from Seychelles (Haw. Sh. News (n. s.) **69** : 6)
— 1965K : Kenntn. Cypr. 10 : Dritte Beziehung Faunen Australien u. Japan (Arch. Mollusk. **94** : 147)
— 1965Nn : Nomenclatural note (Haw. Sh. News (n. s.) **71** : 7)
— 1966P : Personal views on taxonomy (Veliger **8**/**3** : 181)
— 1966A : *C. arenosa* GRAY must be replaced by *schilderorum* IREDALE (Haw. Sh. News (n. s.) **74** : 5)
— 1966B : Cowries from Bowen (Haw. Sh. News (n. s.) **74** : 5)
— 1966Ba : « Beaky » cowry (Haw. Sh. News (n. s.) **76** : 7)
— 1966T : Type localities of living Cypraeidae (Malak. Abh. **2**/**14** : 193)

— 1966M : *Mauritia mauritiana* at Aden (J. of Conch. **26** : 66)
— 1966G : The cowry *Mauritia grayana* (Haw. Sh. News (n. s.) **77** : 7)
— 1966Z : *Zoila venusta* and *episema* (Haw. Sh. News (n. s.) **78** : 5)
— 1966Su: Statistica on *C.* (*L.*) *sulcidentata* (Haw. Sh. News (n. s.) **78** : 5)
— 1966H : The higher taxa of cowries and their allies (Veliger **9**/**1** : 31)
— 1966U : Rediscovery of a unique cowry and 3 new cowries (Haw. Sh. News (n. s.) **79** : 6)
— 1966Zf : *Zoila friendii* Shark Bay (Haw. Sh. News (n. s.) **80** : 4
— 1966Bb : Kenntn. Cypr. 11 : Noch eine Bezieh. Faunen Austral. Japan (Arch. Mollusk. **95** : 157)
— 1966Au : Cowries from the Austral Isls. (Haw. Sh. News (n. s.) **82** : 4)
— 1966L : LINNAEUS' type specimens of cowries (Veliger **9**/**2** : 91)
— 1966N : Notes species Cypraeidae (Haw. Sh. News (n. s.) **84** : 4)
— 1966An : Antillean cowrie in Brazil (Haw. Sh. News (n. s.) **84** : 4)
— 1966Un : An unexpected discovery (Haw. Sh. News (n. s.) **84** : 5)
— 1966K : Cowries from Kenn Reef (Keppel Bay Tidings **5**/**3** : 3)
— 1966Nf : Neue fossile Cypraeacea und Triviacea aus Australien (Arch. Mollusk. **95** : 269)
— 1967I : Intraspecific evolution in *Blasicrura interrupta* (Veliger **9**/**3** : 292)
— 1967Q : Another new cowrie species from Australia (Haw. Sh. News (n. s.) **86** : 4)
— 1967E : The endemic cowries of SAfrica (Conch. S. SAfr. Circ. **82** : 3)
— 1967D : Note on *Pusula dartevellei* (Rev. Zool. Bot. Afr. **75** : 71)
— 1967V : Large cowrie (Keppel Bay Tidings **5**/**4** : 2)
— 1967M : *Mauritia mappa* Red Sea (Haw. Sh. News (n. s.) **88** : 5)
— 1967R : A rare cowrie species (Haw. Sh. News (n. s.) **88** : 5)
— 1967N : *Erronea pulchella novaebritanniae* (Haw. Sh. News (n. s.) **89** : 6)
— 1967H : Kenntn. Cypr. 12 : Eine aberrante *Notadusta* aus Sydney (Arch. Mollusk. **96** : 39)
— 1967B : The second shell of *Erronea barclayi* (Haw. Sh. News (n. s.) **90** : 6)
— 1967Cu : Two curious cowries (Haw. Sh. News (n. s.) **91** : 4)
— 1967Co: Dr. SCHILDER on « Fishing for shells » (Haw. Sh. News (n. s.) **91** : 4)
— 1967Z : Cypraeidae from New Zealand (Rec. Auckl. Inst. Mus. **6**/**3** : 201)
— 1967Rd : Regional distribution of cowries (Haw. Sh. News (n. s.) **92** : 4)
— 1967Cp : Correction please (Haw. Sh. News (n. s.) **92** : 4)
— 1967Ha : A new cowry species from Sydney (Haw. Sh. News (n. s.) **93** : 6)
— 1967 O : A curious cowrie from Oahu (Haw. Sh. News (n. s.) **94** : 1)
— 1967Vq : An interesting var. (Haw. Sh. News (n. s.) **95** : 5)
— 1967W : Whistling up mollusks (Haw. Sh. News (n. s.) **95** : 5)
— 1967Re : Remarks validity two old names (Cowry **2**/**1** : 8)
— 1967Iv : Invalid specific names of cowries (Cowry **2**/**1** : 11)
— 1967Ca: Calyptraeidae attached to living cowries (Haw. Sh. News (n. s.) **96** : 5)
— 1967Wa : Neue Triviidae u. Ovulidae aus Westafrika (Arch. Mollusk. **96** : 195)
— 1968G : The generic classific. of cowries (Veliger **10**/**3** : 264)
— 1968R : A rostrate cowrie from deep water (Haw. Sh. News (n. s.) **97** : 4)
— 1968M : Interesting mutation in Cowries (Haw. Sh. News (n. s.) **98** : 5)
— 1968L : Two closely related cowries (Haw. Sh. News (n. s.) **99** : 5; **101** : 7 (Correct.)
— 1968Ce: The cowries of East Australia (Keppel Bay Tidings **6**/**4** : 5)
— 1968Mi: A new cowrie Midway I. (Haw. Sh. News (n. s.) **100** : 5
— 1968Se : Second shell of a Sydney cowrie (Haw. Sh. News (n. s.) **101** : 5)
— 1968A : Further record *Cypraeovula algoensis* (Conch. S. SAfr. Circ. **96** : 2)
— 1968St : Statistics on a common cowrie (Conch. S. SAfr. Circ. **97** : 3)
— 1968K : Kenntn. Cypr. 13 : Mutation von *E. errones* (Arch. Mollusk. **98** : 73)
— 1968Mu : Subrecent cowries from Mud I. (Keppel Bay Tidings **7**/**1** : 2)
— 1968T : Cowrie mutant from Gulf of Thailand (Veliger **11**/**1** : 34)
— 1968P : *E. pulchella* in Red Sea (Haw. Sh. News (n. s.) **104** : 6)
— 1968Na : Meaning of latin cowry names (Keppel Bay Tidings **7**/**2** : 3; **7**/**3** : 4 — [1969] : **7**/**4** : 7; **8**/**1** : 5)
— 1968To : *Ovatipsa tortirostris* (Conch. S. SAfr. Circ. **102** : 3)
— 1968 O : Size of *E. ocellata* (Haw. Sh. News (n. s.) **107** : 5)
— 1968Rm : Rostrate melanistic cowries (Keppel Bay Tidings **7**/**3** : 7)

— 1968Mo : Monstrosities in cowries (Haw. Sh. News (n. s.) **108** : 4)
— 1969Z : Zoogeogr. studies living cowries (Veliger **11**/**4** : 367)
— 1969P : Neue *Phenacovolva* Südafrika (Arch. Mollusk. **99** : 209)

SCHILDER (F.A.) & CERNOHORSKY (W.O.) 1965N : A new cowrie race from NWAustralia (Veliger **7**/**4** : 225)
— — 1967F : Re-discovery of *Cypraea fischeri* (Haw. Sh. News (n. s.) **87** : 5)

SCHILDER (F.A.) & GRIFFITHS (R.J.) 1962P : A new Polynesian cowry (Cowry **1**/**3** : 34)

SCHILDER (F.A.) & SCHELECHOFF (A.) 1965H : Another hybrid in cowries (Haw. Sh. News (n. s.) **64** : 3)

SCHILDER (F.A.) & SCHILDER (M.) 1929A : Ausb. Cypr. Port Alfred (Ann. N. Mus. Wien **43** : 229)
— — 1936A : in : SCHILDER (F.A.) 1936A : Anat. char. Cypr. (P. Mal. S. London **22** : 83)
— — 1938D : Descr. 2 cowries (P. Mal. S. London **23** : 114)
— — 1938P : Prodrome monogr. liv. Cypraeidae (P. Mal. S. London **23** : 119-180)
— — 1939P : Prodrome (P. Mal. S. London **23** : 181-231)
— — 1940V : Verbreit. Häufigk. Cypraeidae (Arch. Mollusk. **72** : 33)
— — 1940H : Bestimm. relat. Häufigkeit (Arch. Mollusk. **72** : 160)
— — 1944W : Westpazif. Cypr. Reisen Prof. S. BOCK (Arkiv Zool. **36A2** : 1)
— — 1951A : Anleit. zu biostatist. Unters. (Halle) : 64, 83, 87)
— — 1952D : DAUTZENBERG's coll. Cypraeidae (M. Inst. R. Sci. N. Belg. (**2**)**45** : 1)
— — 1958P : Biometr. Stud. Porzellanschnecken (Wiss. Z. Univ. Halle (Math. nat.) **7** : 63)
— — 1960G : Geschlecht, Radula, Schale Porzellanschnecken (Naturwiss. **47** : 309)
— — 1961S : Sexual diff. cowries (P. Mal. S. London **34** : 207)
— — 1961R : Kenntn. Cypr. 3 : Länge u. Reihenzahl Radula (Arch. Mollusk. **90** : 33)
— — 1961Z : Variab. Zeichn.-Elem. Porzellanschn. (Zool. Anz. **167** : 303)
— — 1962M : Kenntn. Cypr. 4 : Geschlechtsuntersch. *M. moneta* (Arch. Mollusk. **91** : 99)
— — 1962R : Kenntn. Cypr. 5 : Riesenform Ostafrika (Arch. Moll. **91** : 207)
— — 1963R : Statist. studies cowrie radulae (Veliger **5**/**3** : 106)
— — 1963K : Cowrie populations from Kenya (Veliger **5**/**4** : 149)
— — 1964E : *Mauritia eglantina* Fiji (Veliger **6**/**4** : 221)
— — 1964R : Chart relationship sex to size (Haw. Sh. News (n. s.) **52** : 6)
— — 1964D : Latitudinal diff. size EAustr. cowries (Cowry **1**/**7** : 100)
— — 1965I : Cowries Tel-Aviv (Haw. Sh. News (n. s.) **71** : 7)
— — 1966D : Difficulties calculating mean size (Haw. Sh. News (n. s.) **75** : 6)
— — 1966S : Size of 95 thousand cowries (Veliger **8**/**4** : 208)
— — 1966R : Dimorphism and monstrosities cowrie radulae (Veliger **8**/**4** : 215)
— — 1966F : Relative frequency EAustr. cowries (Keppel Bay Tidings **5**/**1** : 3)
— — 1966Pu : Statistics NW-Amer. *Pusula* (J. of Conch. **26** : 131)
— — 1968S : Population *Trona stercoraria* (Ann. N. Mus. Wien (1967) **70** : 245)
— — 1968E : Stud. popul. *E. errones* (Veliger **11**/**2** : 109)
— — 1968Sp : Statistics population of *Erosaria spurca* (J. of Conch. **26** : 305)

SCHILDER (F.A.) & SCHILDER (M.) & BENTON (R.S.) 1962E : Stud. *Erosaria lamarckii* (Veliger **5**/**1** : 30)

SCHILDER (F.A.) & SCHILDER (M.) & HOUSTON (G.) 1964P : Cowrie fauna Penrith Isl. (Veliger **6**/**3** : 155; **6**/**4** : 230 « Errata »)

SCHILDER (F.A.) & SUMMERS (R.) 1963N : One more new spec. *Notocypraea* (Cowry **1**/**5** : 65)
— — 1963B : Further note *Blasicrura coxeni* (Cowry **1**/**5** : 68)

SCHILDER (F.A.) & TOMLIN (J.R. LE BROCKTON) 1931R : Rediscovery rare cowry (P. Mal. S. London **19** : 274)

SCHILDER (M.) 1952K : Die Kaurischnecke (Leipzig) (Neue Brehmbücherei No. **46**)
— 1963T : Stud. var. shells : Size cowries (Haw. Sh. News (n. s.) **47** : 8)
— 1967L : Length, breadth, dentition living cowries (Veliger **9**/**4** : 369)

SCHILDER (M.) & SCHILDER (F.A.) 1930A : Variation *M. annulus* (Mitt. Zool. Mus. Berlin **16** : 543)
— — 1931A : Cypr. côte d'Aden (B. S. Zool. France **52** : 211)
— — 1933N : Cypr. Niederl. Ost-Indien (Zool. Med. Leiden **12** : 163)
— — 1934J : 13 thousand Cypr. South Java (P. Mal. S. London **21** : 199)
— — 1935V : Variat. Kurven Schalenlänge Cypr. (Arch. Mollusk. **67** : 135)

— — 1937M : Revis. gen. *Monetaria* (P. Zool. S. London **1936** : 1113)
— — 1937B : Cypr. Bismarckarchipels (Zool. Anz. **119** : 177)
— — 1947E : Entwickl. d. Molluskenkunde (Arch. Mollusk. **76** : 163)
— — 1962X : Sex and size (Cowry **1**/**4** : 50)
— — 1963M : Stud. var. cowries : Marginal blotches in *E. erosa* (Haw. Sh. News (n. s.) **43** : 4)
— — 1964A : Stud. var. cowries : Basal blotches *T. argus* (J. of Conch. **25** : 234)
— — 1967A : Stud. EAustr. cowries (Veliger **10**/**2** : 103)
— — 1967Ea : East Austr. cowries (Keppel Bay Tidings **6**/**3** : 4)

Schlesch (H.) 1929H : Cypr. Hull Mus. (Naturalist London **1929** : 181)
— 1929S : Cypr. Schlesch coll. Hull Mus. (Naturalist London **1929** : 317)

Schlosser (M.) 1925U : Eoc. Faunen Bay. Alpen : Unt. Mitt. Eoc. (Abh. Bay. Ak. Wiss. (math.) **30**/**7**/**1** : 104, 179)
— 1925 O : Eoc. Faunen Bay. Alpen : Obereoc. (Abh. Bay. Ak. Wiss. (math.) **30**/**7**/**2** : 37, 48)

Schlotheim (E.F. von) 1813V : Beitr. Nat. Verstein., in : Leonhard (K.C. von) Taschenbuch Min. (Frankfurt/M.) : 103
— 1820P : Petrefactenkunde (Gotha) **1** : 117)
— 1830V : Syst. Verz. Petref. Samml. (Gotha) : 33

Schlüter (F.) 1838V : Kurzgef. syst. Verz. Conch. Samml. (Halle) : 23

Schmarda (L.K.) 1853V : Geogr. Verbreit. d. Thiere (Wien) **1** : 153; **3** : p. div.
— 1872Z : Zoologie (Wien) **2** : 248

Schmeltz (J.D.E.) 1866G : Cat. Exp. Godeffroy (Hamburg) **3**
— 1869G : Cat. Mus. Godeffroy (Hamburg) **4** : 93, 141
— 1874G : Cat. Mus. Godeffroy (Hamburg) **5** : 136
— 1876M : Kl. Mitt. Mus. Godeffroy (J. Mus. Godeffroy **12** : 175)
— 1877G : Cat. Mus. Godeffroy (Hamburg) **6** : 89
— 1879G : Cat. Mus. Godeffroy (Hamburg) **7** : 88
— 1894V : Schneck. Muscheln Leben d. Völker Indones. Ozean. (Leiden) [cf. Rep. Brit. Ass. Oxford **1894** : Anthr. sect. 1-40]

Schmidt (F.Ch.) 1818V : Versuch best. Einricht. Conch. Samml. (Gotha) : 102, 163, 211, 219

Schneider (O.) 1871A : Conch. ägypt. Mittelmeerküste (Dresden) : 6

Schneider (O.) & Ribbe (C.) 1905M : Muschelgeldstudien (Dresden) : p. div.

Schramm (A.) 1869G : Cat. coqu. Guadeloupe (Basse-Terre) : 40

Schreiber 1793V : Versuch vollst. Conch. Kenntn. (Wien) **1** : 52

Schrenck (L. von) 1867A : Reis. Forsch. Amurlande (St. Petersburg) **2**, Zool. : 457)

Schröter (J.S.) 1782G : Mus. Gottwald. testac. tabulae (Nürnberg) : 7
— 1782L : Lithol. Real-u. Verbal-Lexicon (Frankfurt/M.) **5** : 215
— 1783E : Einleit. Conch. Kenntnis (Halle) **1** : 92
— 1783I : Über inneren Bau Seeschnecken (Frankfurt/M.) : VII, 4
— 1784E : Einleit. Conch. Kenntnis (Altenburg) **4** : 386, XXXIII, t. 9
— 1788N : Vollst. Namenregister Syst. Conch. Cab. (Nürnberg) : 28, 77, 83
— 1789U : Unterhaltungen f. Conchylienfreunde : 92
— 1803B : Bericht. Einleit. Conch. Kenntnis (Wiedem. Arch. Zool. **3**/**2** : 113)
— 1804C : Neue Conch. Arten (Wiedem. Arch. Zool. **4**/**1** : 7)

Schubert (G.H. von) & Wagner (J.A.) 1829C : Neues syst. Conch. Cab. (Nürnberg) **12** : 107

Schuchert (Ch.) 1905C : Cat. type spec. foss. invert. in : Merrill (G.P.) Cat. type spec. (B. US. N. Mus. **53**/**1** : 196)

Schumacher (Ch.F.) 1817E : Ess. nouv. syst. habit. vers test. (Copenhague) : 246

Schweigger (A.F.) 1820H : Handb. Naturgesch. skelettlosen ungeglied. Thiere (Leipzig) : 733

Schwengel (J.S.) 1938G : Zool. Res. Vanderbilt SPacif. Exp. 1937. Part I. Galapagos Moll. (P. Ac. N. Sci. Philad. **90**/**1-3**)

Schwengel (J.S.) & McGinty (T.L.) 1942F : Mar. shells NW-Florida (Nautilus **56** : 16)

SCHYNVOET 1705A : in : RUMPHIUS (G.E.) Amboin. Rariteitkamer (Amsterdam) : 119
SEBA (A.) 1758T : Locuplet. rer. nat. thes. acc. descr. (Amstelaedami) **3** : 151
SEGHERS (Capt.) 1865C : Communications (B. S. Mal. Belg. **1** : LXXXVI, XCI)
SEGUENZA (G.) 1865P : Descr. *Pedicularia* fossil (J. de Conchyl. (**3**)**5** : 58)
— 1873I : Stud. strat. plioc. Ital. merid. (B. Com. Geol. Ital. **4** : 294)
— 1875I : Stud. strat. plioc. Ital. merid. (B. Com. Geol. Ital. **6** : 152)
— 1880R : Form. terz. Reggio (Atti Acc. Lincei Roma (**3**)**6** : 59, 101, 252, 318, 351)
SEMPER (O.) 1866N : Notice nomencl. esp. foss. terr. tert. (J. de Conchyl. **14** : 279)
SENEŠ (J.) 1958K : *Pectunculus*-Sande Tert. Kovàčov Karpath. (Geol. Práce Monogr. ser. **1** : 149)
SERRES (P.M.T. DE) 1822M : Ess. hist. anim. Midi France (Paris-Montpellier) : 60
— 1829M : Geogn. terr. tert. Midi France (Montpellier) : 126
SERVAIN (G.) 1880Y : Coqu. mar. île d'Yeu : 53
— 1888C : Cat. coqu. mar. Concarneau (Lyon) : 12
SERVENTY (D.L.) 1937B : Not. trawl. Great Austr. Bight (J. R. S. WAustr. **22** : 77)
SEYMOUR (Mrs.) 1967E : Cowries on eggs (Cowry **2**/**1** : 15)
SGANZIN (V.) 1840F : Cat. coqu. îles de France, Bourbon et Madag. (Paris) : 28
SHASKY (D.R.) 1959R : Range extens. gastr. trop. WAmer. (Minutes Conch. Club SCalif. no. **186** : 15)
— 1961R : Range extens. *C. isabellamexicana* (Veliger **3**/**4** : 111)
SHAW (G.) 1795M : Vivar. natur., natur. misc. (London) **6** : t. 193
— 1803M : Vivar. natur., natur. misc. (London) **14** : t. 583
— 1804M : Vivar. natur., natur. misc. (London) **15** : t. 619
— 1805M : Vivar. natur., natur. misc. (London) **16** : 648
— 1807M : Vivar. natur., natur. misc. (London) **18** : 734
SHAW (H.O.N.) 1909C : Not. *Cypraea* and *Trivia* (P. Mal. S. London **8** : 288)
— 1909S : Date issue SOWERBY's Conch. Illustr. (P. Mal. S. London **8** : 333)
— 1910C : Furth. note diff. *Cypr. Trivia* (P. Mal. S. London **9** : 44)
— 1912A : Note genus *Aricia* (P. Mal. S. London **10** : 26)
— 1915C : Descr. var. *Conus Cypraea* (P. Mal. S. London **11** : 210)
— 1922N : Notes (P. Mal. S. London **15** : 106, 110)
SHELL AUSTRIA A.G. 1956M : Muscheln gaben die Namen (Wien)
SHEPARD (J.) 1890S : *Cypraea spadicea* (Nautilus **4** : 35)
SHERBORN 1932I : Index Animalium sect. II. 1801-1850 Addition (London)
SHETRONE (H.C.) 1954B : Mar. shells Ohio precolumb. burial mounds (Nautilus **68** : 14)
SHIKAMA (T.) 1961G : Note second occ. *E. guttata* in Japan (Venus **21**/**4** : 507)
SHIKAMA (T.) & HORIKOSHI (M.) 1963S : Selected shells of the world illustr. in colour (Tokyo)
SHIRLEY (J.) 1911Q : Add. mar. moll. Queensland (P. R. S. Queensl. **23** : 98)
SHOPLAND (E.R.) 1896A : List shells Aden (J. Bombay NH. S. **10** : 226)
— 1902A : List mar. shells Aden (P. Mal. S. London **5** : 175, 184)
SIEBER (R.) 1946G : Fauna Grunder Sch. Güntersdorf u. Immendorf, N. Ö. (Verh. Geol. B. A. Wien)
— 1958W : Syst. Übers. jungtert. Gastr. Wiener Becken (Ann. NH. Mus. Wien **62** : 141)
SIEMON (F.) 1929G : Jungtert. Fauna Niederl.-Ostind., 1. SW-NGuinea : 29 (Ber. N. Ges. Freiburg **29** : 337)
SIEWERTSEN (V.) 1966K : Shelling on Kauai (Haw. Sh. News (n. s.) **84** : 7)
SIMROTH (H.R.) 1888A : Kenntn. Azorenfauna (Arch. Naturgesch. **54** : 214, 224)
— 1895P : Gastr. in : Ergebn. Plankton-Exp. Humboldt-Stiftung (Kiel-Leipzig) **2**
— 1902E : Ernährung d. Tiere (Verh. 5. Int. Zool. Congr. Berlin : 4)
— 1896/1907K : in : BRONN (H.G.) Klass. Ordn. Tierreichs (Leipzig-Heidelberg) **3**/**2** : p. div.
— 1918B : in : BREHM (A.E.) Tierleben (Neubearbeitung) (Leipzig-Wien) : 413, 448
SINGLETON (F.A.) 1941T : Tert. Geol. Austr. (P. R. S. Vict. (n. s.) **53** : 28, 40, 72, 73)
SISMONDA (A.) 1842P : Synops. meth. Pedemont. foss. (Torino) : 42
— 1843P : Osserv. geol. Piemonte (M. Acc. Sci. Torino (**2**)**5** : 422, 445, 450)

— 1847P : Synops. meth. Pedemont. foss. (2. ed.) (Torino) : 46
— 1852A : Classif. terr. stratigr. Alpi (M. Acc. Sci. Torino (**2**)**12** : 324)
— 1855D : Not. nummul. sup. Dego e Carcare (M. Acc. Sci. Torino **1855**/**56** : 5, 10, 11)

SLEEN (W.G.N. VAN DER) 1914V : Vacantieherinnering (De Levende Natuur **19** : 92)
— 1915S : Strandwandelingen (De Levende Natuur **19** : 128)
— 1915M : Meded. moll. fauna onze kust (Tijd. Ned. Dierk. Ver. (**2**)**14** : LXIV)

SLOANE (H.) 1725M : Voy. Isls. Madera, Barbados etc. (London) **2** : 234

SMALL (W.H.) 1965D : From the Reader (Haw. Sh. News (n. s.) **61** : 2)

SMART (R.W.J.) & COOKE (A.H.) 1885S : Mar. shells Scilly (J. of Conch. **4** : 300)

SMITH (A.G.) 1962C : California brown cowrie in Centr. Calif. (Veliger **4**/**4** : 215)

SMITH (D.) 1968I : Inhaca Island (Conch. S. SAfr. Circ. **95** : 5)

SMITH (E.A.) 1878F : Descr. shells Formosa (P. Zool. S. London **1878** : 731, 733)
— 1878A : Coll. mar. shells Andaman (P. Zool. S. London **1878** : 816)
— 1879R : Moll. Isl. of Rodriguez (Phil. Tr. R. S. London **168** : 3)
— 1880D : Descr. 12 spec. shells (P. Zool. S. London **1880** : 482)
— 1881D : Note *Cypraea decipiens* (P. Zool. S. London **1881** : 558)
— 1881S : Descr. two new shells (A. Mag. NH. (**5**)**8** : 441)
— 1884A : Rep. Zool. coll. « Alert » (London) Moll. : 59
— 1888B : Note sur *Cypraea bregeriana* (J. de Conchyl. **36** : 313)
— 1890H : Mar. moll. St. Helena (P. Zool. S. London **1890** : 251, 282)
— 1890A : Mar. moll. Ascension Isl. (P. Zool. S. London **1890** : 319)
— 1890T : Shells Tizard Bank, China Sea (J. of Conch. **6** : 266)
— 1891A : Mar. shells Aden (P. Zool. S. London **1891** : 415)
— 1892H : Further add. mar. moll. St. Helena
— 1893G : Note *Cypraea greegori* (Nautilus **7** : 64)
— 1894R : Replay to resp. remarks (Nautilus **7** : 102)
— 1900C : Mar. fauna Christmas Isl. (P. Zool. S. London **1900** : 118)
— 1901S : South Afric. mar. shells (J. of Conch. **10** : 540)
— 1902M : Note *Cypraea microdon* (P. Mal. S. London **5** : 167)
— 1903M : Mar. moll. in : GARDINER (J.S.) Fauna geogr. Mald. Laccad. Arch. (Cambridge) **2**/**2** : 593, 611
— 1903S : List moll. South Africa (P. Mal. S. London **5** : 379, 402)
— 1904A : Coll. mar. shells Port Alfred (J. of Malac. **11** : 23)
— 1904B : Moll. Bengal and Arab. Sea (A. Mag. NH. (**7**)**13** : 470)
— 1905M : Guide shell gallery Brit. Mus. (London) Moll. : 14
— 1906A : On South Afric. mar. moll. (A. Natal Mus. **1** : 42)
— 1909C : List moll. from Christmas I. (P. Mal. S. London **8** : 369)
— 1910A : On South Afric. mar. moll. (A. Natal Mus. **2** : 196)
— 1910E : Not. genus *Erato* (P. Mal. S. London **9** : 13)
— 1911C : List mar. shells Christmas I. (P. Mal. S. London **9** : 315)
— 1911M : Meeting (P. Mal. S. London **9** : 329)
— 1914N : Note on *Bursa rubeta* (J. of Conch. **14** : 226)

SMITH (Maureen) 1966A : Underwater exped. to Porto Amelia July/Sept. 1965 (Conch. S. SAfr. Circ. **73** : 7)

SMITH (Maxwell) 1907L : Annot. list moll. La Jolla (Nautilus **21** : 65)
— 1909S : A Sicilian coll. (Nautilus **22** : 132)
— 1912A : Coll. mar. gastr. Aden (Nautilus **26** : 78)
— 1913M : On *Cypraea miliaris* (Nautilus **27** : 69)
— 1936F : New tert. shells Florida (Nautilus **49** : 137)
— 1937E : East Coast mar. shells (Ann Arbor) : 12, 109
— 1940F : New moll. Florida (Nautilus **54** : 46)
— 1953W: World wide sea shells (Florida)

SMITH (R.L.) 1960S : Sailors as collectors (Haw. Sh. News (n. s.) **9** : 4)
— 1963S : Scuba in Hawaii (Haw. Sh. News (n. s.) **40** : 2)

SMITH (S.) 1967A : Shelling in Aldabra I. (Conch. S. SAfr. Circ. **84** : 4)

SMITH (V.E.) 1962C : Camouflage in mollusca (Haw. Sh. News (n. s.) **26** : 5)

SOLANDER (D.C.) 1786P : in : HUMPHREY (G.) Cat. Portland Mus. (London) : p. div.

SOLEM (A.) 1953S : Mar. freshwater moll. Solomon Is. (Fieldiana, Zool., Chicago NH. Mus. **34/22** : 221)
— 1960B : F.L. BUTTON collection (Nautilus **74** : 38)
— 1963T : On identities of *T. buttoni* and *T. galapagensis* (Veliger **6/1** : 20)

SOUVERBIE 1865C : in : SOUVERBIE & MONTROUZIER, Esp. nouv. NCalédonie (J. de Conchyl. **13** : 156)

SOWERBY (A. DE C.) 1936C : Ancient Chinese coins (China's NH. Shanghai **1936** : 37)

SOWERBY (G.B.1) 1823G : Genera rec. foss. shells (London) **17**, *Cypraea* : t. 261, 262
— 1825T : Cat. shells Tankerville (London) : 82, App. : 30
— 1826U : Descr. two new *Cypraea* (Zool. J. **2** : 494)
— 1827N : Notes (Zool. J. **3** : 315, 316)
— 1828 O : Recent spec. *Ovulum* (Zool. J. **4** : 145)
— 1828N : Notes on GRAY's Addit. and Corr. (Zool. J. **4** : 217)
— 1830S : Spec. Conch. (London) **1**, *Ovulum* : 1
— 1834T : *Cypraea tuberculosa* (Zool. J. **5**, Suppl. : t. 30)
— 1837C : Cat. recent Cypraeadae (London) : 1
— 1845W : in : STRZELECKI (P.E. DE) Phys. descr. NSWales (London) : 296

SOWERBY (G.B.2) 1832I : Conch. Illustr. (London) : f. 1-61
— 1832E : in : BRODERIP (W.J.) & SOWERBY (G.B.2) Exhib. new moll. (P. Zool. S. London **2** : 57)
— 1833A : Exhib. shells CUMING WCoast SAmer. (P. Zool. S. London **2** (1832) : 173)
— 1836I : Conch. Illustr. (London) : f. 63-112
— 1837I : Conch. Illustr. (London) : f. 113-181
— 1839M : Conch. Manual (London) : p. div.
— 1842M : Conch. Manual (London) (2. ed.) : p. div.
— 1846C : Descr. new cowry (P. Linn. S. London **1** : 314)
— 1847V : Descr. new cowry (A. Mag. NH. **19** : 346)
— 1849 O : Descr. some new spec. *Ovulum* (P. Zool. S. London **1848** : 135)
— 1849T : Thesaur. conchyl. (London) **2**, *Ovulum* : t. 99
— 1852M : Conch. Manual (4. ed.) (London) : p. div.
— 1859T : Thesaur. conchyl. (London) **3**, *Erato* : 81, t. 219
— 1870T : Thesaur. conchyl. (London) **4**, *Cypraea*

SOWERBY (G.B.3) 1859B : Ill. Index Brit. shells (London) : t. 19
— 1874D : Descr. 5 new shells (P. Zool. S. London **1874** : 599)
— 1875D : Descr. 10 new spec. (P. Zool. S. London **1875** : 128)
— 1881D : Descr. 8 new shells (P. Zool. S. London **1881** : 638)
— 1886E : Mar. shells Port Elizabeth (J. of Conch. **5** : 11)
— 1888D : Descr. 16 new spec. (P. Zool. S. London **1888** : 208)
— 1889D : Descr. 14 new spec. (J. Linn. S. London **20** : 397)
— 1889E : Furth. not. mar. shells P. Elizabeth (J. of Conch. **6** : 10)
— 1889S : Furth. not. mar. shells SAfrica (J. of Conch. **6** : 152)
— 1892S : Mar. shells South Africa (London) : 31
— 1897S : Mar. shells South Africa (London) App. : 16, 32
— 1900P : Some mar. shells Pondoland (P. Mal. S. London **4** : 5)
— 1903S : Mar. investig. in SAfrica (Capetown) **2** : 218, 230
— 1904E : Exhibits (P. Mal. S. London **6** : 1)
— 1906S : A new spec. SAfrica (P. Mal. S. London **7** : 39)
— 1910M : Meeting Nov. 12, 1909 (P. Mal. S. London **9** : 1)
— 1911M : Meeting (P. Mal. S. London **9** : 329)
— 1914N : New moll. various local. (P. Mal. S. London **11** : 10)

SOWERBY (G.B.3) & FULTON (H.C.) 1899C : Cat. mar. gastrop. (London) : 28

SOWERBY (J.) 1812M : Miner. Conch. (London) **1** : 17, t. 4
— 1823M : Miner. Conch. (London) **4** : 107, t. 378

SOWERBY (J.) & SOWERBY (G.B.1) 1821G : Genera rec. foss. shells (London) **2**, *Ovula*

SOWERBY (J. DE C.) 1825M : Miner. Conch. (London) **5** : 123, t. 478
— 1837H : Obs. new spec. in : WETHERELL (N.T.) Obs. Hampstead Heath (T. Geol. S. London (**2**)**5** : 136)
— 1840C : in : GRANT (C. W.) Mem. Geol. Map Cutch (Tr. Geol. S. London (**2**)**5** : 329, t. 24,26 expl.)
— 1850H : Descr. new foss. shells HENIKER (Quart. J. Geol. S. London **6** : 45)
— 1850S : in : DIXON (F.) Geol. foss. Sussex (London) : 26, 108, 188

SPAN (B.) 1899T : Contr. mar. moll. Tenby (J. of Conch. **9** : 210)

SPEIGHT (R.) 1913C : Tert. moll. Canterbury Mus. (Rec. Canterbury Mus. Christchurch **2**/**1** : 33)

SPENCE (G.C.) 1·13E : Exhibits (J. of Conch. **14** : 64)

SPENCER (R.C.) 1960E : Exchange (Haw. Sh. News (n. s.) **8** : 6)

SPENER 1718 : Cat. zahlr. nützl. sonderb. Seltenheiten (Berlin) : 49

SPENGLER (E.) 1923A : Contr. Pal. Assam (Pal. Ind. (n. s.) **8**/**1** : 36)

SPEYER (O.) 1862/64C : Conch. Casseler Tert. (Palaeontogr. **9** : 103)

SPHON (G.G.) 1962C : Cowries (Mus. Talk **37** : 49)

SPHON (G.G. jr.) 1962T : Destroyed type material (Veliger **5**/**1** : 57)

SPICER (V.D.P.) 1941M : Shells from Midway (Nautilus **55** : 1)

SPIEKER (E.M.) 1922P : Pal. Zorritos format. NPeru (John Hopkins Univ. Stud. Geol. **3** : 55)

SPORLEDER (A.) 1869C : Bemerk. *Cypraea* KIENERsche Abbild. (Malak. Blätt. **16** : 94)

STALIO (L.) 1874A : Not. stor. progr. mal. Adriat. (Venezia) : 60, 68, 80, 104, 118, 152

STANDEN (R.) 1895T : Note *Cypraea tessellata* (J. of Conch. **8** : 55)
— 1895E : Exhibits (J. of Conch. **8** : 79)
— 1924E : Exhibits (J. of Conch. **17** : 121)

STANDEN (R.) & LEICESTER (A.) 1906M : (Gov. Ceyl. Pearl Fish. Manaar **51**, Suppl. Rep. **38** : 275)

STAUB (W.) 1915S : Verbreit. Lamell. Gastr. Sangkulirangbai, Borneo (Viertelj. N. Ges. Zürich **61** : 131)

STEADMAN (W.R.) & COTTON (B.C.) 1943F : The cowries (Cypraeidae) of Fiji (Rec. SAustr. Mus. **7** : 309)
— — 1943C : (SAustr. Natur. Adelaide **22** : 15)
— — 1946C : A key classif. cowries (Rec. SAustr. Mus. **8** : 503)

STEARNS (R.E.C.) 1867B : Shells Sta. Barbara, SanDiego (P. Calif. Ac. Sci. **3** : 285)
— 1871W : in : DALL (W.H.) Sixty new moll. WCoast (Amer. J. Conch. **7** : 122)
— 1873P : *Pedicularia californica* (P. Calif. Ac. Sci. **4** : 322)
— 1877M : Aboriginal shell money (Amer. Naturalist **11** : 350)
— 1878D : Descr. new *Dolabella* (P. Ac. N. Sci. Philad. **1878** : 399)
— 1887E : Ethnol. conch. study primitive money (Rep. US. N. Mus.)
— 1891W : Shells West Coast SAmerica (P. US. N. Mus. **14** : 324)
— 1893A : Prel. Rep. moll. US. Exp. West Africa (P. US. N. Mus. **16** : 332)
— 1893W : Rare moll. West Coast Amer. (P. US. N. Mus. **16** : 348)
— 1893C : Rep. moll. Galapagos « Albatross » (P. US. N. Mus. **16** : 394, 406, 409, 441)
— 1894T : Shells Tres Marias, Low. Calif. (P. US. N. Mus. **17** : 189, 203)

STEELE (P.H.) 1956C : *Cypraea caputdraconis* and other Easter I. shells (The Collector **2**/**3**)
— 1957E : Easter Island shells (Nautilus **70** : 112)

STEFANI (C. DE) 1876M : Not. moll. plioc. Monterufoli (B. S. Mal. Ital. **2** : 3)
— 1895K : L'île de Karpathos (Lausanne) : 25

STEFANI (C. DE) & PANTENELLI (D.) 1878S : Moll. plioc. Siena (B. S. Mal. Ital. **4** : 137)

STEFANO (G. DI) 1882T : Nuove spec. tithoniche (Natural. Siciliano **1** : 75)

STEINBECK (J.) & RICKETTS (E.F.) 1941C : Sea of Cortez, Moll. (NYork) : t. 4

STEP (E.) 1927L : Shell life (London) : 243

STEPHENSON (L.W.) 1941T : Invertebr. foss. Navarro Grp., Texas (Univ. Texas Publ. **4101** : 314, 552)
— 1948C : *C. corsicanana* new name (J. Palaeont. Menasha **22** : 642)

STEPHENSON (T.A.) & STEPHENSON (A.) & TANDY (G.) & SPENDER (M.) 1931L : Struct. and ecology Low Is. in : Gr. Barrier Reef Exp., Sci. Rep. **3/2** : 44, 50, 59, 74, 81, 86

STEUER (A.) 1939A : Die Fischereigründe vor Alexandrien (Thalassia **3/4** : 30)

STEWART (J.A.B.) 1960G : Golden cowry observations (Haw. Sh. News (n. s.) **10** : 7)

STEWART (R.B.) 1926C : GABB's Calif. foss. type gastr. (P. Ac. N. Sci. Philad. **78** : 370)

STOHLER (R.) 1959W : Range extension some West NAmer. marines (Nautilus **72** : 127)
— 1961M : in : CATE (C.N.) Rediscovery of *C. marginata* (Veliger **3/3** : 78)
— 1968P : Ref. : RANSON (G.) Protoconches ou coqu. larv. Cyprées (Veliger **10/4** : 449)

STOKES (A.) 1966M : Range of *Z. marginata* extended (Haw. Sh. News (n. s.) **80** : 5)

STOLICZKA (F.) 1865G : Revis. Gastr. Gosau Ostalp. (SB. Ak. Wien (math. nat.) **52** : 165)
— 1867I : Cret. fauna South India, Gastr. (Pal. Ind. (**5**)**2** : 44)
— 1868I : Cret. fauna South India, Gastr. (Pal. Ind. (**5**)**2** : 448)

STOSSICH (A.) 1862A : Fauna adriat. (Triest) Index moll. : 12
— 1865T : Enum. moll. Golfo di Trieste (Triest) : 16

STOSSICH (M.) 1880A : Prosp. fauna mar. Adriat. (B. S. Adriat. Sci. N. **5** : 88)

STRAND (E.) 1929N : Zool. Palaeont. nomencl. Notes (Acta Univ. Latviensis **20** : 8)

STRAUSZ (L.) 1962M : Magyarországi Miocén-Mediterrán Csigák Határozója (Budapest) : t. 75

STROMER VON REICHENBACH (E.) 1909L : Lehrbuch d. Paläozool. (Leipzig-Berlin) **1** : 224

STRONG (A.M.) 1937M : Mar. moll. S. Martin I. (P. Calif. Ac. Sci. (**4**)**23** : 191)
— 1945T : [Key to WAmer. *Trivia*] (Minutes Conch. Club SCalif. no. **53** : 28)

STRONG (A.M.) & HANNA (G.D.) 1930R : Mar. moll. Revillagigedo Is. (P. Calif. Ac. Sci. (**4**)**19/2** : 10, 11)
— — 1930M : Mar. moll. Tres Marias Is. (P. Calif. Ac. Sci (**4**)**19/3** : 18,21)

STURANY (R.) 1896P : Moll. gesamm. « Pola » (Denkschr. Ak. Wien (math. nat.) **58** : 33)
— 1903R : Gastr. d. Roten Meeres (Denkschr. Ak. Wien (math. nat.) **74** : 46, 68)

SUESS (E.) 1863A : Former connex. Afr. Europe (A. Mag. NH. (**3**)**11** : 429)
— 1868V : Sur la struct. dép. tert. Vicentin : 15

SUGITANI 1927L : Cat. Luchu shells : 16

SULLIOTI (G.R.) 1895C : Commun. malac. 3 : Contr. stud. Cypraeidae (B. Ass. Ligure **1** : 17)
— 1911C : Commun. malac. 4 : Contr. stud. Cypraeidae (Porto Maurizio) : 1
— 1922C : Commun. malac. 5 : Contr. stud. Cypraeidae (Porto Maurizio) : 1
— 1924P : Note patologia mal., Contr. stud. Cypraeidae, 6 (Imperia) : 1

SUMMERS (R.) 1955V : (Malac. Club of Victoria, Publ. **10**)
— 1958C : Live collected and semi-fossil dredged *Cypraea* (Veliger **1/1** : 9)
— 1960M : Miscellaneous items (Haw. Sh. News (n. s.) **4** : 7)
— 1960 O : The case of *ostergaardi* (Haw. Sh. News (n. s.) **5** : 3)
— 1960L : Importance correct locality data (Haw. Sh. News (n. s.) **6** : 4)
— 1961V : The *venusta-episema* puzzle (Haw. Sh. News (n. s.) **15** : 4)
— 1962H : Cypraeidae Lord Howe I. (Cowry **1/3** : 39)
— 1963R : Rostrate, melanistic or aberrant Cypraeidae (Haw. Sh. News (n. s.) **38** : 6)
— 1963J : From the Readers [*jensostergaardi*] (Haw. Sh. News (n. s.) **48** : 8)
— 1963P : Comments on prop. suppression of *C. piperita* (B. Zool. Nomencl. **20** : 104)

SUMMERS (R.) & BURGESS (C.M.) 1965E : New *Cypraea* from Easter I. (Nautilus **79** : 41)

SUTCLIFF 1968M : Follow-up on *C. marginata* (Haw. Sh. News (n. s.) **102** : 3)

SUTER (H.) 1901H : Spec. descr. in HUTTON's Manual (Tr. NZeal. Inst. **34** : 214)
— 1910Z : Recent shells foss. in NZealand (Tr. NZeal. Inst. **42** : 10)
— 1913Z : Manual NZealand moll. (Wellington) : 301
— 1914Z : Rev. tert. moll. NZealand, 1 (NZeal. Geol. Surv., Pal. B. **2** : 3)
— 1915Z : Rev. tert. moll. NZealand, 2 (NZeal. Geol. Surv., Pal. B. **3** : 11)
— 1917Z : Descr. tert. moll. NZealand (NZeal. Geol. Surv., Pal. B. **5** : 12)
— 1921Z : Lists NZealand tert. moll. (NZeal. Geol. Surv., Pal. B. **8** : 4, 48, 74)

SUZUKI (S.) 1935I : Innervation of heart of moll. (Sci. Rep. Tôhoku Univ. (4)**10** : 16)

SWAINSON (W.) 1822B : Cat. shells coll. BLIGH (London) : 21, App. 18
— 1822Z : Zool. Illustr. (London) Moll. **2** : t. 111
— 1823Z : Zool. Illustr. (London) **3** : t. 182
— 1823C : Charact. rare undescr. shells (Phil. Mag. **61** : 376)
— 1840T : Treatise on Malacology (in : LARDNER's Cyclopaedia) (London) : 244, 324, 357, etc.
— 1841E : Exotic Conchology (London) : 25, 182

SWAMMERDAM (J.) 1737B : Biblia naturae (Leiden) **1** : 150; **3** : t. 7
— 1752B : Bibel d. Natur (Leipzig) : 65

SWINGHOLM (R.) 1968F : Shelling with feet (Haw. Sh. News (n. s.) **107** : 8)

SYKES (E.R.) 1901N : Malac. notes (J. Malac. London **8** : 109)
— 1901D : Digesta malacologica **1** (London) : 31

TAKI (I.) 1954H : in : HIRASE (S.) An illustr. Handbook of shells (2. ed.) (Tokyo) : 71, t. 92

TANIS (J.J.C.) & VRIES (A.J.A. DE) 1959T : De mar. schelpen van Terschelling (Basteria **23** : 54)

TAPPARONE (-CANEFRI, C.) 1869S : Moll. test. Spezia (Milano) : 46
— 1874M : Zool. viaggio « Magenta » Malac. (M. Ac. Sci. Torino (fis.) (2)**28** : 132, 154, 155, 156, 258)
— 1874P : Contr. fauna mal. is. Papuane (Genova) **1** : 10
— 1876P : Contr. fauna mal. is. Papuane (Genova) **3** : 6
— 1877P : Contr. fauna mal. is. Papuane (Genova) **4** : 5; **5** : 19
— 1878R : Cat. coqu. NGuinée par RAFFRAY (B. S. Zool. France **3** : 262)
— 1882M : Mus. Pauluccianum : Etud. mal. (J. de Conchyl. **30** : 30)

TARANTO ROSSO (E.) 1844C : Cat. conch. gabin. Catalagirone (Catania) : 46

TASLÉ (père) 1867M : Cat. moll. mar. Morbihan : 71

TATE (R.) 1870M : in : WOODWARD (S.P.) Man. of Moll. (2. ed.) (London) : App. : 16
— 1878M : Rec. Marginell. SAustralia (Tr. Phil. S. Adelaide (1877/78) **1** : 88)
— 1878A : Foss. Marginell. Australasia (Tr. Phil. S. Adelaide **1** : 95)
— 1885T : Not. moll. tert. Tasman. (Pap. P. R. S. Tasman. for **1884** : 208)
— 1890A : Gastr. older tert. Austral. 3 (Tr. R. S. SAustr. **13** : 201)
— 1892A : Gastr. older tert. Austral. (Tr. R. S. SAustr. **13** (in **15**) : t. 5-13)
— 1893A : Gastr. older tert. Austral. (Tr. R. S. SAustr. **17/2** : 316)

TATE (R.) & DENNANT (J.) 1895A : Correl. mar. Tert. Australia (Tr. R. S. SAustr. **19** : 111)

TATE (R.) & MAY (W.L.) 1901T : Rev. census mar. moll. Tasman. (P. Linn. S. NSWales **26** : 362, 374)

TAUSCH (L.) 1884V : Die v. DOELTER auf CVerden ges. Conch. (Jahrb. Deut. Mal. Ges. **11** : 385)

TAYLOR (D.W.) & SOHL (N.F.) 1962G : Outline gastrop. classif. (Malacologia **1/1** : 10)

TAYLOR (J.K.) 1913C : *Cypraea caurica* var. *rosea* (J. of Conch. **14** : 24)
— 1913N : Notes on 3 spec. *Cypraea* (J. of Conch. **14** : 113)
— 1914E : Exhibits (J. of Conch. **14** : 153, 222)
— 1916V : Some var. forms in *Cypraea* (J. of Conch. **15** : 122)

TENISON-WOODS (J.E.) 1862A : Geol. obs. South Australia : 83
— 1865V : Some tert. depos. Victoria (Quart. J. Geol. S. **21** : 392)
— 1876T : Tert. foss. Table Cape (P. R. S. Tasm. **1875** : 15, 22)
— 1877N : Notes on fossils (P. R. S. Tasm. **1876** : 91)
— 1877F : Not. foss. ref. foreg. paper (P. R. S. Tasm. **1876** : 109)
— 1878C : Census new Tasman. mar. shells (P. R. S. Tasm. **1877** : 35)
— 1878T : Moll. fauna of Tasmania (Sidney) : 30
— 1878M : Some new mar. moll. (Tr. R. S. Victoria **14** : 56)
— 1879F : Some tert. foss. (P. Linn. S. NSWales **4** : 4)
— 1879T : Some new Tasman. shells (P. R. S. Tasm. **1878** : 35)
— 1880A : Littor. fauna Australia (P. Linn. S. NSWales **5** : 116)
— 1888 O : Fisher. of orient. region (P. Linn. S. NSWales (2)**3** : 244)

TENNENT (J.E.) 1861C : Sketches nat. hist. Ceylon (London) : 369, 394

Tesch (P.) 1912P : Beitr. mar. Moll. Westeur. Pliozänbecken (Med. Rijksopsp. Delft **4** : 76)
— 1920T : Jungtert. quart. Moll. Timor, in : Wanner (J.) Pal. Timor (Stuttgart) **14/2** : 45
Teskey (M.C.) 1955C : The golden cowry (Hobbies **35(4)** : 75)
Theobald (W.) 1860B : Cat. rec. shells Mus. Asiat. S. Bengal (Calcutta) : 30, App. : 1)
Thiele (J.) 1900V : Verz. Voeltzkow mar. lit. Moll. in : Voeltzkow (A.) Wiss. Erg. Reis. Madag. Ostafr. (Abh. Senck. N. Ges. **26/2** : 244)
— 1910W : Moll. Fauna Westindiens (Zool. Jahrb., Suppl. **11/2** : 118)
— 1917M : Mar. Moll. Madag., Comor., Ostafr. in : Voeltzkow (A.) Reise in Ostafr. 1903-5, Wiss. Erg. (Stuttgart) **3** : 561
— 1925K : in : Kükenthal (W.) Handb. d. Zoologie **5/1** : 38, 88
— 1925T : Gastrop. in : Ergebn. Deutsch. Tiefsee-Exp. « Valdivia » (Jena) **2.** Teil : 107
— 1929H : Handbuch system. Weichtierkunde (Jena) **1/1** : 267
— 1930A : Gastr. u. Bivalv. in : Fauna SW-Australiens, Hamburger Forsch.-Reise 1905 von von W. Michaelsen u. R. Hartmeyer (Jena) **5/8** : 581
— 1931H : Handbuch system. Weichtierkunde (Jena) **1/2** : 739
— 1934H : Handbuch system. Weichtierkunde (Jena) **2/3** : 999
— 1935H : Handbuch system. Weichtierkunde (Jena) **2/4** : 1093
Thielens (A.) 1874P : Voy. en Italie, coll. Paulucci (Tirlemont) : 27
Thompson (T.E.) 1960D : Defensive acid-secret. mar. slugs a. snails (New Scient. **8** : 414)
— 1961A : Acid-secret. Brit. cowries (P. Mal. S. London **34** : 210)
Thompson (W.) 1842G : Dredg. off Mull of Galloway (A. Mag. NH. **10** : 21)
— 1844I : Rep. fauna Ireland (Brit. Ass. Adv. Sci. Cork **1843** : 258)
Thorpe (Ch.) 1844B : Brit. mar. Conchology (London) : XXXIV, XLVIII, 145, 220, 222, 223, 252
Thunberg (C.P.) 1792J : Reise in Japan (ed. Ch. H. Groskurd) **4** : 99
Thurston (E.) 1895M : Rámésvaram Isl. fauna Manaar (Madras Gov. Mus. B. **3** : 125)
Tiberi 1879P : Le conchiglie Pompeiane (B. S. Mal. Ital. **5** : 148)
Time 1822C : Outlines of Conchol. in : Time's Telescope for 1822 (London) : XLIII, 320
Tinker (S.W.) 1958P : Pacific sea shells (Nautilus **73**)
Tokunaga (Sh.) 1906T : Fossils environs of Tokyo (J. Coll. Sci. Univ. Tokyo **21/2** : 10)
Tomlin (J.R. le Brockton) 1911H : Prehist. *C. tigris* in Hants (J. of Conch. **13** : 251)
— 1916G : Note *Erato guttula* (P. Mal. S. London **12** : 64)
— 1916M : Notes on *Marginella* (J. of Conch. **15** : 43)
— 1918M : Syst. list foss. Marginellidae (P. Mal. S. London **13** : 43, 48, 51, 54, 55)
— 1919M : Syst. list foss. Marginellidae (P. Mal. S. London **13** : 57, 59, 61, 62, 64)
— 1923S : South African mar. moll. (J. of Conch. **17** : 47)
— 1926S : South African mar. moll. (A. Natal Mus. **5/3** : 293)
— 1927G : Moll. St. George Exp. (J. of Conch. **18** : 165)
— 1927S : Cambr. Exp. Suez Canal (Tr. Zool. S. London **3** : 295)
— 1930N : Some preocc. gen names, 2 (P. Mal. S. London **19** : 24)
— 1931S : South African mar. moll. (A. Natal Mus. **6** : 429)
— 1933E : Exhibits (J. of Conch. **19** : 316)
— 1934C : Mar. moll. Christmas I. (B. Raffles Mus. Singapore **9** : 78)
— 1935D : Edit. notes : Diary of Dillwyn (J. of Conch. **20** : 154)
— 1938E : Exhibits (P. Mal. S. London **23** : 6)
— 1938D : Obituary : Ph. Dautzenberg (P. Mal. S. London **23** : 7)
— 1941S : Shell sales (P. Mal. S. London **24** : 157, 159, 160)
Tomlin (J.R. le B.) & Salisbury (A.E.) 1934F : *Cypraea fultoni* Sow. (P. Mal. S. London **21** : 148)
Tomlin (J.R. le B.) & Schilder (F.A.) 1934S : Rep. mar. moll. SAfr. Mus. : Triviidae (A. SAfr. Mus. **30** : 477)
Tomlin (J.R. le B.) & Shackleford (L.J.) 1914T : Mar. moll. Saô Thomé (J. of Conch. **14** : 247)
Tomlin (J.R. le B.) & Winckworth (R.) 1936L : Index spec. moll. Beschreibung of H.F. Link (P. Mal. S. London **22** : 27)

TONIOLO (A.R.) 1909R : Eoc. Rozzo in Istria (Pal. Ital. **15** : 275)

TOROSSI 1895V : Varietà di storia naturale (Vicenza)

TOTH (G.) 1942G : Paläobiol. Unters. Torton Fauna Gaadener Becken (Paläobgc. Wien **7**)

TOURAINE (J.) 1952T : Glandes péd. gastr. prosobr. monotocardes (B. S. Zool. France **77** : 240)

TOURNEFORT (P.) — edited posthumously by GUALTIERI 1742

TOURNOUER (B.) 1862G : Note stratigr. Gironde (B. S. Géol. France (**2**)**19** : 1040, 1068)
— 1872A : Not. foss. tert. Basses Alpes (B. S. Géol. France (**2**)**29** : 506)
— 1879R : Foss. Tongrien Rennes (B. S. Géol. France (**3**)**7** : 9)

TOWNSEND (F.W.) 1928A : Notes shell coll. Arabian Sea (P. Mal. S. London **18** : 119)

TRECHMANN (Ch.T.) 1923J : Yellow limestone Jamaica moll. (Geol. Mag. **60** : 352, 355)

TREGELLES (G.F.) 1896C : Mar. moll. Cornwall (J. of Conch. **8** : 212)

TRENBERTH (W.P.) 1960T : Notes *Z. thersites* (J. Malac. S. Austr. **4** : 70)
— 1961S : New spec. SAustr. cowry (R. S. SAustr., malac. sect., Publ. no. **15**)
— 1962T : Obs. *Zoila thersites* (Haw. Sh. News (n. s.) **36** : 8)
— 1965N : Notes (Cowry **1**/**8** : 128)
— 1968I : Identification of Cypraeidae (Austr. Newsletter (n. s.) **2** : 5)
— 1968Z : Introd. zool. provinces a. regions (Austr. Newsletter (n. s.) **2** : 6)

TRISTRAM (H.R.) 1861B : Cat. moll. Bermuda (P. Zool. S. London **1861** : 404)

TROSCHEL (F.H.) 1852P : Verz. TSCHUDI Peru Conch. (Arch. Naturg. **1** : 163)
— 1861G : Das Gebiss d. Schnecken (Berlin) **1** : 189
— 1863G : Das Gebiss der Schnecken (Berlin) **1** : 201

TROSCHEL (F.H.) & RUTHE (J.F.) 1843H : Handbuch d. Zoologie (Berlin) (2. ed.) : 562
— — 1853H : Handbuch d. Zoologie (Berlin) (4. ed.) : 543

TRYON (G.W.) 1873A : Amer. mar. Conchology (Philadelphia) : 55
— 1883M Manual of Conchology (Philadelphia) **5** : 7
— 1883S : Struct. syst. Conch. (Philadelphia) **2** : 197
— 1885M : Manual of Conchology (Philadelphia) **7** : 241

TUCKER (H.I.) & WILSON (D.) 1932F : New foss. Florida Tert. (B. Amer. Pal. **18**/**65** : 12)

TUOMEY (M.) 1848C : Rep. Geol. South Carol. (Columbia, S. C.) : div. p.

TUOMEY (M.) & HOLMES (F.S.) 1857C : Pleioc. foss. South Carol. (Charleston) : 126, X

TUREK (R.) 1933C : Chem.-analyt. Unters. Moll. Schalen (Arch. Naturg. (**2**)**2** : 293, 298)

TURNER (R.D.) 1956A : Eastern Pacific mar. moll. descr. by C.B. ADAMS (Occ. Pap. Moll. Cambridge **2**/**20** : 21)

TURTON (W.) 1807B : Brit. Fauna Compendium (Swansea) **1** : 167, 171
— 1819B : Conch. Dict. Brit. Isl. (London) : 21, 35, 251

TURTON (W.) & KINGSTON (J.F.) 1830T : in : CARRINGTON (N.T.) Teignmouth Guide (Teignmouth) **2**, genus 64

TURTON (W.H.) 1932A : Mar. shells Port Alfred (Oxford-London) : 112

UETZ (K.) 1965U : Unusually marked a. aberrant shells (Haw. Sh. News (n. s.) **71** : 6)

UETZ (K.) & SCHILDER (F.A.) 1966E : An eratoid cowry (Haw. Sh. News (n. s.) **81** : 2)

UMBACH (F.) 1966K : I. Vormünzliches Geld — Kauris u. ihre Imitation (Rundschau d. Geldzeichensammler, 32. Sonderausg. Dortmund)

USTICKE (G.) 1962A : Shelling in the Dutch Antilles (NYork Shell Club Notes no. **86** : 6)

USTICKE (G.W.N.) 1959V : Check list mar. shells St. Croix, US. Virgin Is. (Burlington)

VADÁSZ (E.) 1906B : Obermedit. Fauna Budapest-Rákos (Földt. Közlöny **36** : 323)

VALENCIENNES (A.) 1833A : Coqu. univ. Amér. équinox. (Rec. Zool. HUMBOLDT et BONPLAND (Paris) **2**, Moll. : 334)

VALENTINE (J.W.) 1957P : Late pleistoc. faunas NW-Coast Baja Calif., Mex. (Tr. SDiego S. NH. **12** : 289)

VALENTINI (M.B.) 1714M : Museum Museorum (Frankfurt) **2** : 186

VALENTYN (F.) 1754V : Verh. Zee-Horenk. Amboina (Amsterdam) : div. fig.

VASSEL (E.) 1907T : Litér. popul. israel. Tunisiens (Bibl. Inst. Carthage **3** : 198)

VASSEUR (G.) 1881F : Rech. géol. tert. France occid. (A. Sci. Géol. **13** : p. div.)

VATOVA (A.) 1928C : Comp. flora fauna mare Adriat. Rovigno (R. Com. Thalass. Ital., M. **143**)

VAYSSIÈRE (A.) 1895S : Ét. zool. *Ovula spelta* et *Conus medit.* (J. de Conchyl. **43** : 6)
— 1905D : Note Cypraeidae Djibouti (B. Mus. HN. **1905** : 165)
— 1905C : Étud. coqu. *Cypraea* (J. de Conchyl. **53** : 5)
— 1906T : Note *Cypraea* Tuamotu, Mangareva (B. Mus. HN. **1906** : 115)
— 1910C : Nouv. étud. coqu. *Cypraea* (J. de Conchyl **58** : 301)
— 1913M : Moll. de la France (Paris) : 58
— 1922M : Distr. *Cypraea* Méditerr. (C. R. Congr. S. Sav. Marseille (**1922**) : 41)
— 1923A : Rech. zool. anat. Cypraeidés (A. Mus. HN. Marseille, Zool. **18** : 1)
— 1923C : Caract. classém. Cypraeidés (C. R. Ac. Sci. Paris **176** : 1435)
— 1926E : Posit. systém. genre *Erato* (C. R. Ac. Sci. Paris **182** : 251)
— 1927A : Rech. zool. anat. Cypraeidés (A. Mus. HN. Marseille, Zool. **21** : 133)
— 1929F : *Cypraea*, *Erato*, *Trivia* in : Faune Flore Méditerr. (Paris)

VENZO (S.) 1937B : Fauna catt. Glauc. Bellunese (M. Ist. Geol. Padova **13/1** : 54)

VERANY (J.B.) 1846C : Cat. anim. invert. mar. Genova e Nizza (Genova) : 14

VERCO (J.C.) 1908S : Cat. mar. moll. South Austr. : 10 (Reprint in COTTON 1935S)
— 1912A : Shell Great Australian Bight (Tr. R. S. SAustr. **36** : 209)
— 1918S : Not. South Austr. mar. moll. (Tr. R. S. SAustr. **42** : 139)

VERDCOURT (B.) 1954E : Cowries East Afric. Coast (J. EAfr. NH. S. **22** : 129)
— 1955E : do., Suppl. 1 (J. EAfr. NH. S. **22** : 163)
— 1959E : do., Suppl. 2 (J. EAfr. NH. S. **23** : 130)
— 1962E : do., Suppl. 3 (J. EAfr. NH. S. **23** : 281)

VERNHOUT (J.H.) 1916N : Cat. Nederl. moll. Rijksmus. (Zool. Meded. Leiden **2** : 164)

VERRILL (A.E.) 1905B : Bermuda Isl. Geol. (Tr. Connecticut Ac. Arts Sci. (New Haven) **12** : 180)

VERRILL (A.H.) 1948W : New West Indian shells (Mollusca [Tavares] **2** : 70)

VETZ (K.) — error for UETZ

VIADER (R.) 1937M : Revis. cat. test. moll. Mauritius (Maur. Inst. B. **1** : 36)

VIGORS (N.A.) 1828N : Editor's note (Zool. J. **4** : 219)
— 1831N : Editor's note (Zool. J. **5** : 330)

VINASSA DE REGNY (P.E.) 1896V : Syn. moll. terz. Alpi Ven. (Pal. Ital. **1** : 213, 224, 231, 260)
— 1897V : Syn. moll. terz. Alpi Ven. (Pal. Ital. **2** : 154, 179)
— 1898V : Syn. moll. terz. Alpi Ven. (Pal. Ital. **3** : 147, 158, 164, 174, 180, 192)

VINCENT (E.) 1913L : Faune paléocène Landana (A. Mus. Congo Belge, Geol. Pal. (**3**) **1** : 11)

VINCENT (G.) 1875B : Note faune Bruxellienne (A. S. Mal. Belg. **10** : 29)
— 1886L : Liste coqu. Tongr. inf. Limbourg Belge (M. S. Mal. Belg. **21** : 9)
— 1888N : Note (B. S. Mal. Belg. **23** : XCIII)
— 1895H : Moll. mar. Huelva (M. S. Mal. Belg. **1895** : XXXII)

VINCENT (G.) & RUTOT — in litteris

VLERK (I.M. VAN DER) 1931C : Caenoz. Amphin. Gastr. (Leidsche Geol. Meded. **5** : 243)

VOIGT (F.S.) 1834T : Das Thierreich (Leipzig) : 262

VOKES (H.E.) 1936M : Gastr. fauna Moss Beach, Calif. (Nautilus **50** : 46)

VOYCE (A.H.) 1962C : Hunting *C. coxeni* Solomon Is. (Cowry **1/4** : 56)

VREDENBURG (E.W.) 1901B : Geol. Sketch Beluchistan Desert (M. Geol. Surv. Ind. **31/2** : 261, 299)
— 1908C : Cretac. Orbitoides India (Rec. Geol. Surv. Ind. **36/3** : 176, 178)
— 1919N : Occurr. *Cypraea nivosa* Mergui (J. Asiat. S. Bengal **15** : 137)
— 1919E : Two albino var. *C. erosa* (J. Asiat. S. Bengal **15** : 143)
— 1919P : Occurr. *C. piriformis* Mergui (J. Asiat. S. Bengal **15** : 147)

— 1920C : Classif. rec. foss. Cypraeidae (Rec. Geol. Surv. Ind. **51/2** : 65)
— 1921B : Rev. NOETLING's Mon. Tert. Burma (Rec. Geol. Surv. Ind. **51/3** : 291)
— 1925N : Descr. moll. Post-Eoc. NWIndia (M. Geol. Surv. Ind. **50/1** : 296)
— 1927G : Review genus *Gisortia* (Pal. Ind. (n. s.) **7/3** : 1)

VREDENBURG (E.W.) & COTTER (G. DE P.) 1928R : Suppl. moll. Ranikot Series (Pal. Ind. (n. s.) **10/4** : 45)

WAGNER (R.J.L.) & ABBOTT (R.T.) 1964N : VAN NOSTRAND's Standard Cat. Shells (Princeton) : 39

WALCHNER (F.A.) 1850G : Handb. Geognosie (2. ed.) (Karlsruhe) : 1065

WALKER (B.) 1905C : Cat. mar. shells Lower Calif. (P. Calif. Ac. Sci. (**3**)**5** : 40)
— 1918M : Another « MARTYN » (Nautilus **32** : 32)

WALLACE (A.R.) 1876V : Geogr. Verbreitung d. Thiere (ed. MEYER) (Dresden) **2** : 555

WALLER 1778S : Syst. min. (2. ed.) **2** : 493

WANNER (J.) & HAHN (E.) 1935R : Mioc. moll. Rembang (Z. Deut. Geol. Ges. **87** : 258)

WARD (H.) 1960G : Golden cowry developments Guam (Haw. Sh. News (n. s.) **1** : 6)
— 1960T : Trip to Australia and Philippines (Haw. Sh. News (n. s.) **2** : 3)
— 1960N : New locality records *Cypraea* (Haw. Sh. News (n. s.) **8** : 5)
— 1960S : Guam *Cypraea* spec. no. 51 (Haw. Sh. News (n. s.) **12** : 6)
— 1961G : Hunting Golden Cowry Mariannas (Haw. Sh. News (n. s.) **20** : 5)
— 1965A : From the Reader (Haw. Sh. News (n. s.) **64** : 7)

WARMKE (G.L.) & ABBOTT (R.T.) 1961C : Caribbean sea shells (Narberth, Pa.)

WARMKE (G.L.) & ALMODÓVAR (L.R.) 1963A : Associations mar. moll. and algae in Puerto Rico (Malacologia **1** : 166)

WARREN (A.) 1892K : Mar. moll. Killala-Bay (J. of Conch. **7** : 106)

WATELET 1855S : Rech. sabl. tert. Soissons **3/2**
— 1870S : Cat. moll. sables infér. : 14

WATENE (K.) 1952M : (B. Auckland Mus. Conch. Cl. no. **8** : 11)

WATERHOUSE (G.A.) 1938L : LASERON's letter re cowries (Austr. J. Sci. Sydney **1** : 104)

WATSON (R.B.) 1876W : Notes LOWE's list WEBB's shells (J. Linn. S. London **12** : 524)
— 1886C : in : Voy. « Challenger » (London) **15**, Gastr. : 421
— 1891M : Mar. moll. Madeira (J. of Conch. **6** : 375)
— 1897M : Mar. moll. Madeira (J. Linn. S. London **26** : 284)

WEAVER (C.E.) & VAN WINKLE-PALMER (K.E.H.) 1922W : Fauna eoc, Washington (Univ. Wash. Publ. Geol. **1/3** : 36)

WEAVER (C.S.) 1960E : The « Hawaiian sci. exped. « coll. rare WAustr. volutes (Haw. Sh. News (n. s.) **9** : 3; **10** : 3; **12** : 7)
— 1961M : Third spec. of *C. marginata* (Haw. Sh. News (n. s.) **18** : 1)
— 1961V : The extremely rare *C. venusta* (Haw. Sh. News (n. s.) **21** : 5)
— 1961B : Sixth known *C. broderipii* (Haw. Sh. News (n. s.) **22** : 1)
— 1962W : Coll. in WAustralia (Austr. News Letter, 31.1.1962)
— 1962G : *C. guttata* GMEL. (Haw. Sh. News (n. s.) **29** : 1)
— 1963W : Field coll. Hawaii with Cliff WEAVER (Haw. Mar. Moll. **2/21** : 79)
— 1963F : Field coll. with Pat BURGESS (Haw. Mar. Moll. **2/22** : 83)
— 1963R : Field coll. with Tom RICHERT (Haw. Mar. Moll. **2/24** : 91)
— 1964J : Shell jewelry (Haw. Sh. News (n. s.) **54** : 3)
— 1965G : Hawaii's giant mar. univalves (Haw. Sh. News (n. s.) **63** : 1)
— 1965D : Two exciting Haw. discov. (Haw. Sh. News (n. s.) **65** : 1)
— 1965A : Golden cowry living in Guam aquarium (Haw. Sh. News (n. s.) **68** : 2)
— 1965C : Correction (Haw. Sh. News (n. s.) **68** : 2)
— 1965L : *C. leucodon* and an undet. cowry spec. both from the Philippines (Haw. Sh. News (n. s.) **70** : 3)
— 1965F : First live *C. labrolineata* in Hawaii (Haw. Sh. News (n. s.) **72** : 1)
— 1966W : What is it — Volute, Olive, or Cowry ? (Haw. Sh. News (n. s.) **78** : 2)

— 1966C : Correction please (Haw. Sh. News (n. s.) **82** : 5)
— 1966N : Another live *C. nucleus* (Haw. Sh. News (n. s.) **84** : 5)

WEBER (A.) 1928N : Meeresmoll. Neu-Lauenburg (Arch. Naturg. **92A** : 127)

WEBER (J.A.) 1961W : Mar. shells Water I., Virgin Isls. (Nautilus **75** : 56)

WEBSTER (Th.) 1814C : Obs. strata over Chalk (Tr. Geol. S. London **2** : 204)

WEINKAUFF (H.C.) 1862A : Cat. coqu. mar. Algérie (J. de Conchyl. **10** : 368)
— 1868M : Conchylien d. Mittelmeers (Cassel) **2** : 2
— 1873E : Cat. europ. Meeresconchyl. (Creuznach) : 1
— 1879S : in : MARTINI & CHEMNITZ, Syst. Conch. Cab. (2. ed.) (Nürnberg) **5**/**4** (*Erato*)
— 1880E : Cat. *Erato* (Jahrb. Deut. Mal. Ges. **7** : 107)
— 1881S : in : MARTINI & CHEMNITZ, Syst. Conch. Cab. (2. ed.) (Nürnberg) **5**/**3** (*Cypraea*, *Ovula*)
— 1881C : Cat. *Cypraea* (Jahrb. Deut. Mal. Ges. **8** : 133)
— 1882 O : Cat. *Ovula* (Jahrb. Deut. Mal. Ges. **9** : 171)

WEINZETTL (V.) Gastr. Ceského Krid. Utvaro (Pal. Bohem. **8** : 43)

WEISBORD (N.E.) 1962V : Late cenozoic gastr. NVenezuela (B. Amer. Pal. **42**/**193** : 12, 224)

WEISE (W.) 1926N : Nervensyst. *Calyptraea sinensis* (Z. wiss. Zool. **128** : 588, 589, 590, 597)

WELLER (St.) 1907J : Rep. cretac. pal. NJersey (Geol. Surv. NJersey (Pal.) **4** : 722)

WENZ (W.) 1911F : *Cypraea moneta* prähist. Frankfurt (Nachr. Deut. Mal. Ges. **43** : 104)
— 1918F : *C. moneta* jungdil. Frankfurt (Nachr. Deut. Mal. Ges. **50** : 123)
— 1941H : in : SCHINDEWOLF, Handb. Paläozool. (Berlin) **6**/**1** : 949

WESTERN AUSTRALIAN SHELLS 1968M : With shell dealers (Haw. Sh. News (n. s.) **101** : 4; **108** : 5)

WHEELER (H.E.) 1909G : A week at Clairborne, Alab. (Nautilus **22** : 98)

WHITE (Ch.A.) 1887B : Contr. Pal. Brazil (Arch. Mus. Nac. Rio de Janeiro **7** : 175)

WHITEAVES (J.F.) 1895V : Some foss. Nanaimo Group Vancouver Cret. (Tr. R. S. Canada (**2**)**1** : 127)

WHITELEGGE (Th.) 1889J : List fauna Port Jackson (P. R. S. NSWales **23** : 255)

WHITFIELD (R.P.) 1892J : Gastr. Raritan Clays NJersey (Mon. US. Geol. Surv. **18** : 120, 223)
— 1894J : Moll. mioc. format. NJersey (Mon. US. Geol. Surv. **24** : 108)

WILKINS (G.L.) 1957C : The CRACHERODE shell coll. (B. Brit. Mus. NH. Hist. Ser. **1** : p. div., t. 25 : 15 f, g)

WILLET (G.) 1937B : Upper pleist. fauna Baldwin Hills, Los Angeles Cty. (Tr. SDiego S. NH. **8**/**30** : 398)

WILLIAMS (J.M.) 1914E : Exhibits (J. of Conch. **14** : 152)

WILLIAMSON (B.M.) 1892P : Shells S. Pedro Bay (P. US. N. Mus. **15** : 207)

WILLIS (R.) 1961E : Observ. Eniwetok (Haw. Sh. News (n. s.) **13** : 4)
— 1961T : First impressions of Trust Territory (Haw. Sh. News (n. s.) **23** : 6)
— 1962G : More flashes ! Live *C. guttata* collected (Haw. Sh. News (n. s.) **28** : 6)
— 1962M : Mortlock Is. Group (Haw. Sh. News (n. s.) **30** : 6; **31** : 3)

WILSON (B.R.) & MCCOMB (J.) 1967Z : The genus *Cypraea* (subg. *Zoila*) in : Indopacific Moll. **1**/**8** : 457

WILSON (B.R.) & SUMMERS (R.) 1966F : Variation *Zoila friendi* complex in SW-Austr. (J. Malac. S. Austr. **9** : 3)

WIMMER (A.) 1879G : Conch. fauna Galapagos (SB. Ak. Wien (math. nat.) **80** : 493)

WINCKWORTH (R.) 1926B : Brit. mar. moll. census (J. of Conch. **18** : 16)
— 1926N : Notes nomenclature (P. Mal. S. London **17** : 105)
— 1929N : Notes nomenclature (P. Mal. S. London **18** : 225)
— 1929E : Editor's note (P. Mal. S. London **18** : 298)
— 1932B : Brit. mar. moll. (J. of Conch. **19** : 228)
— 1933N : Names of Brit. mar. moll. (J. of Conch. **19** : 336)
— 1936E : Exhibits : Egg capsules (P. Mal. S. London **22** : 49)
— 1940I : Syst. list « Investigator » moll. (P. Mal. S. London **24** : 21)
— 1945B : Types BOLTEN genera (P. Mal. S. London **26** : 139, 145)

WINKLE (K.E.H. VAN) 1918C : Pal. olig. Chehalis Valley (Univ. Wash. Publ. Geol. **1** : 88)

— 1919E : in : VAN WINKLE (K.E.H.) & HARRIS (G.D.) New tert. moll. ECoast Amer. (B. Amer. Pal. **8/33** : 23)

WODARCH (C.) 1820I : Introd. study conch. (1. ed.) (London) : 57
— 1822I : Introd. study conch. (2. ed.) (London) : 57
— 1825I : Introd. study conch. (3. ed. : J. MAWE) (London) : 76

WOLFF (W.) 1901D : Fauna Tiefbohr. Dar-es-Salaam (Jahrb. Preuss. Geol. Landeranst. (1900) **21** : 154)
— 1910I : Merkw. Mioz. Fauna Ibbenbüren (Z. Deut. Geol. Ges. **62**, M.-B : 203)

WOOD (J.G.) 1865S : Common shells sea-shore : 114

WOOD (S.V.) 1852C : Cat. Crag shells (A. Mag. NH. **9** : 543)
— 1848C : Monogr. Crag moll. (London) **1** : 14
— 1871A : Assumpt. adult form *Cypraea* (A. Mag. NH. (**4**)**7** : 171)
— 1872C : Monogr. Crag moll. (London) Suppl. **3** : 4

WOOD (W.) 1818I : Index testaceol. (London) : 79
— 1828I : Index testaceol. (2. ed.) (London) : 79, t. 16-18; Suppl. : 8, t. 3
— 1856I : Index testaceol. (ed. HANLEY) (London) : 86, 208

WOODRING (W.P.) 1928B : Mioc. moll. Bowden Jamaica, 2 : Gastr. (Carnegie Inst. Publ. **385** : 14, 94, 99, 104, 105, 314)
— 1957M : *Muracypraea* new subgenus (Nautilus **70** : 88)
— 1959C : Geol. Paleont. Canal Zone and adj. parts of Panama (US. Geol. Surv. Prof. Pap. **306-B**: 193)

WOODS (H.) 1896P : Elem. Palaeontology, Invert. (2. ed.) (Cambridge) : 191

WOODWARD (A.S.) 1911M : Guide foss. invert. Brit. Mus. (2. ed.) (London) : 130

WOODWARD (F.R.) 1963G : Tentat. list known spec. of *C.* (*E.*) *guttata* (J. of Conch. **25** : 180)

WOODWARD (H.) 1879S : Not. foss. shells Sumatra (Geol. Mag. (**2**)**6** : 493)
— 1880S : Foss. shells Sumatra (Jaarb. Mijnw. Ned. O. Indië **9/1** : 228)
— 1897M : Guide foss. invert. Brit. Mus. (London) : 51

WOODWARD (S.P.) 1851M : Manual of Mollusca (London) : 113, 120
— 1870M : Manuel de Conchyl. (ed. HUMBERT) (Paris) : 244
— 1871M : Manual of Mollusca (2. ed. : TATE) (London) : 223, 232

WORM (O.) 1655M : Mus. WORMianum (Leiden) : 251

WRIGHT (T.) 1851H : Stratigr. account Hampshire (A. Mag. NH. (**2**)**7** : 444)

WRIGLEY (A.) 1948C : Colour patterns sculpture moll. shells (P. Mal. S. London **27** : 206)

WYATT (T.H.) 1838M : Man. of Conchology (NYork) : 167

YAGURA 1932H : Cat. moll. Hyôgo-ken : 36

YATES (B.) 1968E : Colour var. *C. errones* (The WAustr. Shells Coll., May **1968** : 1)
— 1968G : « Golden » *errones* Exmouth (The WAustr. Shells Coll. June **1968** : 5)
— 1968M : More on *errones* (The WAustr. Shells Coll., July **1968** : 3)

YATES (L.G.) 1874R : Moll. Sta. Rosa I. (Quart. J. Conch. **1** : 184)
— 1890S : *Cypraea spadicea* (Nautilus **4** : 54)
— 1890C : Moll. Channel Isls. Calif. (Rep. Calif. St. Mining Bureau **9** : 175)

YEN (T.C.) 1933A : Moll. fauna Amoy (2. Ann. Rep. Mar. Biol. Ass. China : 49)
— 1935P : Not. mar. gastr. Pei-Hai and Wei-chow I. (Mus. Heude, Not. mal. Chinoise **1** : 26)
— 1942C : Rev. Chinese gastr. Brit. Mus. (P. Mal. S. London **24** : 212)

YOKOYAMA (M.) 1922M : Foss. Upper Musashino (J. Coll. Sci. Tokyo Imp. Univ. **44/1** : 69)
— 1924A : Moll. coral bed Awa (J. Coll. Sci. Univ. Tokyo **45/1** : 3, 18)
— 1927T : Moll. Upper Musashino Tokyo (J. Fac. Sci. Tokyo (**2**)**1** : 413)
— 1928T : Moll. Oilfield isl. of Taiwan (Rep. Geol. Surv. Japan **101** : 48)
— 1929H : Plioc. shells from Hyuga (J. Fac. Sci. Tokyo (**2**)**2** : 333, 346)
— 1931J : Cat. mar. shells Japan (Min. Mus. Imp. Geol. Surv. Japan : 33)

YONGE (C.M.) 1930B : A year on Great Barrier Reef (London-NYork) : 85
— 1957S : Intertidal comm. N-a. W-Scotland (Tr. R. S. Edinburgh **58** : 219)

YOUNG (B.J.) 1968A : *Cypraea* with attachments (Conch. S. SAfr. Circ. **97** : 5)
— 1968H : *Cypraea helvola* (Conch. S. SAfr. Circ. **98** : 5)
YULE 1875M : The book of Ser MARCO POLO (London) **2** : 53
ZEKELI (F.) 1852G : Gastr. Gosaugeb. nordöstl. Alpen (Abh. Geol. Reichsanst. **1/2/2** : 64)
ZILCH (A.) 1934K : Fauna Mittel-Mioc. Kostej (Senckenbergiana **16** : 249)
ZIMMERMANN (H.) 1907A : Tierwelt am Strande d. Adria (Z. Naturw. **78** : 316)
ZIMMERMANN (K.G.) 1860T : Tert. Verstein. Travemünde (Neu. Jahrb. Miner. **1860** : 321)
ZITTEL (K.A. VON) 1881/85H : Handbuch d. Palaeont. (München) **1/2** : 155, 261
— 1895G : Grundzüge d. Palaeont. (München) : 347
ZORN 1778C : [COOK's Reisen] (N. Samml. Vers. Abh. N. Ges. Danzig **1** : 247)
ZUCCARI (A.) 1882R : Cat. foss. Roma, coll. RIGACCI (Roma) : 17
ZULUETA (A. DE) 1903V : Contr. fauna mal. Vilasar de Mar (Barcelona) : 2

ANONYMOUS 1915H : The Hirase Concholog. Mus. (Kyoto)
— 1960G : Is *C. granulata* endemic ? (Haw. Sh. News (n. s.) **4** : 5)
— 1960F : Recent finds (Haw. Sh. News (n. s.) **5** : 6)
— 1960R : Recent finds (Haw. Sh. News (n. s.) **6** : 7)
— 1960Fa : Recent finds (Haw. Sh. News (n. s.) **11** : 3)
— 1960B : Black coral stories (Haw. Sh. News (n. s.) **11** : 6; **12** : 5 fig.)
— 1960Ra : Research dept. (Haw. Sh. News (n. s.) **12** : 2)
— 1961C : Can you name these shells ? (Haw. Sh. News (n. s.) **13** : 2)
— 1961Ra : Range extension *C. beckii* (Haw. Sh. News (n. s.)**15** : 4)
— 1961S : *C. semiplota* still endemic (Haw. Sh. News (n. s.) **16** : 6)
— 1961B : Black coral tomb for *Cypraea* (Haw. Sh. News (n. s.) **19** : 1)
— 1961T : *C. tigris*, bulla stage (Haw. Sh. News (n. s.) **23** : 3)
— 1961F : Recent finds (Haw. Sh. News (n. s.) **23** : 4)
— 1961M : MONTGOMERY's vacation (Haw. Sh. News (n. s.) **24** : 5)
— 1961R : *Cypraea rosselli* (Haw. Sh. News (n. s.) **24** : 7)
— 1962F : News flash (Haw. Sh. News (n. s.) **28** : 6)
— 1962G : *Cypraea guttata* (Haw. Sh. News (n. s.) **29** : 1)
— 1962R : Recent finds (Haw. Sh. News (n. s.) **29** : 7; **31** : 8)
— 1962P : Personality spotlight (Haw. Sh. News (n. s.) **30** : 5, 8, figs.)
— 1962K : [*C. kuroharai* fig.] (Haw. Sh. News (n. s.) **31** : 3)
— 1962S : Record *C. sulcidentata* (Haw. Sh. News (n. s.) **32** : 6)
— 1962M : First live *C. marginata* (Haw. Sh. News (n. s.) **33** : 1)
— 1962E : Exchange (Haw. Sh. News (n. s.) **33** : 8)
— 1962 O : Personality spotlight (Haw. Sh. News (n. s.) **35** : 2, fig.)
— 1963R : Live coll. *C. rosselli* (Haw. Sh. News (n. s.) **41** : 8)
— 1963D : Deep water African *Cypraea* (Haw. Sh. News (n. s.) **46** : 4)
— 1964F : Live coll. *C. friendii* (Haw. Sh. News (n. s.) **55** : 8)
— 1964M : Shells of Show [*marielae*] (Haw. Sh. News (n. s.) **59** : 6)
— 1965C : World size record *C. childreni* (Haw. Sh. News (n. s.) **62** : 5)
— 1966M : Mystery solved (Haw. Sh. News (n. s.) **76** : 3)
— 1966C : Mass slaughter of shells (Haw. Sh. News (n. s.) **77** : 5)
— 1966R : Recent finds (Haw. Sh. News (n. s.) **78** : 6; **79** : 2)
— 1966S : Semifossil cowrie from Mud I. (Keppel Bay Tidings **5/3** : 6)
— 1966V : Meetings [*valentia*] (Keppel Bay Tidings **5/3** : 8)
— 1967S : Sequel to « Large cowrie hunted » (Keppel Bay Tidings **6/1** : 2)
— 1967N : New South Wales Records (Cowry **2/1** : 15)
— 1967Si : Sinistral cowries (Keppel Bay Tidings **6/2** : 3; **6/3** : 3)
— 1967H : [*C. hirundo cameroni*] (Keppel Bay Tidings **6/2** : 3)

4. ADDENDA

a) **List of new genera and species.**

Habuprionovolva — *Habuprionovolva* AZUMA 1970H : Venus **28/4** : 179 — Type : *Habuprionovolva hervieri* HEDLEY 1899.
azumai — *Primovula azumai* CATE 1970A : Veliger **13/2** : 181, fig. 1
gondwanalandensis — *Cypraea grondwanalandensis* BURGESS 1970C : The living Cowries (NYork : Barnes) : 31, t. 1 : A
joycae — *Cypraea* (*Lyncina*) *joycae* CLOVER 1970C : Venus **29/2** : 35
sakurai — *Schilderia sakurai* HABE 1970S : B. Biogeogr. S. Japan **24/10** : 67

b) **Bibliography** (selected).

AZUMA (M.) 1970H : New genus *Habuprionovolva* (Ovulidae) (Venus **28/4** : 179)
BATES (J.) 1969C : More on *Cypraea coucomi* (Keppel Bay Tid. **7/4** : 4)
BIGGS (H.E.J.) 1969M : Mar. Moll. Masirah I., SArabia (Arch. Moll. **99(3/4)** : 203)
BURGESS (C.M.) 1969R : Discussion *Cypraea rashleighana*, *teres*, *latior* and *subteres* (Haw. Sh. News (n. s.) **116** : 4)
— 1970C : The living Cowries (NYork : Barnes) : 1-389, 44 pl.
CARLSSON (R.O.) 1969F : A rare find (Conch. S. SAfr. Circ. **107** : 3)
CATE (C.N.) 1969 O : Revision Eastern Pacific Ovulidae (Veliger **12/1** : 89)
— 1969C : Eastern Pacific Cowries (Veliger **12/1** : 103)
— 1969G : Cowrie species at Guam (Veliger **12/1** : 120)
— 1970A : A new species of Japanese Ovulidae (Veliger **13/2** : 181)
CERNOHORSKY (W.O.) 1969R : *Erronea rabaulensis* from Solomon Is. (Haw. Sh. News (n. s.) **109** : 7)
CLOVER (P.W.) 1969T : New finds Taiwan (Haw. Sh. News (n. s.) **118** : 4)
— 1970C : Descr. new cowry from Taiwan (Venus **29/2** : 35)
CROSS (E.R.) 1969R : Case history of a rare shell (Haw. Sh. News (n. s.) **117** : 1)
FONT (T.C.) & RUEBUSH (L.P.) 1969M : Cypraeidae Red Sea Massawa (Veliger **12/2** : 201)
HABE (T.) 1970S : (B. Biogeogr. S. Japan **24/10** : 67)
HABE (T.) & SAKURAI (K.) 1970S : New Cowry from South China Sea (Haw. Sh. News (n. s.) **130** : 8)
KOSUGE (T.) 1969F : Foss. moll. Oahu, Hawaii Is. (B. Nat. Sci. Mus. Tokyo **12/4** : 785)
MAROT (J.J.M.) 1968M : Cat. Cypraeidae Mauritius (Mauritius Inst. Publ. **6/3** : 137)
NIELSEN (T.) 1969D : More about our deep water *Cypraea* (Keppel Bay Tid. **8/1** : 2)

c) **Last publications of** F. A. SCHILDER, **finished before his death** (11 August 1970).

SCHILDER (F.A.) 1969W : *Mauritia histrio westralis* IRED. (Haw. Sh. News (n. s.) **109** : 6)
— 1969R : Cowries from remote Islands (Haw. Sh. News (n. s.) **111** : 6)
— 1969X : Sexual differences in cowries (Keppel Bay Tid. **7/4** : 5)
— 1969M : A curious monstrosity in cowries (Haw. Sh. News (n. s.) **112** : 4)
— 1969S : Statistics in *Cypraeovula* (Conch. S. SAfr. Circ. **106** : 4)
— 1969Ra : Repertorium d. Radulae d. Triviacea u. Cypraeacea (Arch. Moll. **99(1/2)** : 91)

SCHILDER (F.A.) 1969H : Ancient cowries Heron Island (Keppel Bay Tid. **8**/**1** : 3)
— 1969C : Variability *Erosaria citrina* (Haw. Sh. News (n. s.) **114** : 6)
— 1969B : Another odd *Blasicrura coxeni* (Haw. Sh. News (n. s.) **117** : 6)
— 1969Sc : A new semi-cowrie from South Africa (Haw. Sh. News (n. s.) **117** : 6; **130** : 3 [1970])
— 1969P : Eine neue *Phenacovolva* aus Südafrika (Arch. Moll. **99**(**3**/**4**) : 209)
— 1969Ad : A rare semi-cowrie from East Africa (Conch. S. SAfr. Circ. **113** : 1)
— 1969Co : Correction please (Haw. Sh. News (n. s.) **120** : 2)
— 1970S : A subrostrate cowrie from Heron Island (Keppel Bay Tid. **8**/**5** : 4)
— 1970P : *Phenacovolva labroguttata*, a new South African cowrie (Conch. S. SAfr. Circ. **115** : 2; **117** : 1, fig.)
— 1970H : Further subrecent cowries from Heron Island (Keppel Bay Tid. **8**/**6** : 6)
— 1970D : Dorsal markings of *Erosaria helvola* (Haw. Sh. News (n. s.) **126** : 4)
— 1970A : *Pseudocypraea adamsonii* in East Africa (Haw. Sh. News (n. s.) **127** : 4)
— 1970B : Two more *Erronea barclayi* REEVE from Natal (Conch. S. SAfr. Circ. **121** : 1)
— 1970C : A very precious cowry (Haw. Sh. News (n. s.) **131** : 5)
— 1971M : Monstrosities in cowries (Haw. Sh. News (n. s.) **133** : 4)
— 1971B : Cowries on a Bill of Drinks (Haw. Sh. News (n. s.) **135** : 3)
— 1971N : A new Cribrarula ? (Haw. Sh. News (n. s.) **135** : 12)

SCHILDER (F.A.) & SCHILDER (M.) 1969A : The cowrie *Luponia alfredensis* of specific rank (Haw. Sh. News (n. s.) **115** : 7) — [Reprint :] Conch. S. SAfr. Circ. **120** : 1 [1970])

SCHILDER (M.) & SCHILDER (F.A.) 1970N : The number of cowries and semi-cowries (Haw. Sh. News (n. s.) **125** : 4)

D/1971/0339/6